
First African SARS-CoV-2 genome sequence from Nigerian COVID-19 case







ASSESSMENT OF PREPAREDNESS FOR HUMANITARIAN DISASTER IN NIGERIA View project

First African SARS-CoV-2 genome sequence from Nigerian COVID-19 case

The Nigerian Centre for Disease Control (NCDC), the African Centre of Excellence for the Genomics of Infectious Disease (ACEGID) at Redeemer's University, Ede, Nigeria (RUN), the Centre for Human Virology and Genomics (CHVG), Nigerian Institute of Medical Research (NIMR), the Centre for Human and Zoonotic Virology (CHAZVY), College of Medicine University of Lagos/ Lagos University Teaching Hospital (LUTH), the Lagos State Ministry of Health Bio-Safety Level 3 (BSL-3) Bio-Bank facility and partners report the first genome sequence of SARS-CoV-2 from Africa, from the first confirmed case of COVID-19 in Nigeria. This sequence is available at: https://github.com/acegid/CoV Sequences.

On the 27th of February 2020, Nigeria confirmed its first case of COVID-19 at the Infectious Disease Hospital in Yaba, Lagos. The case was diagnosed by the Centre for Human and Zoonotic Virology (CHAZVY), College of Medicine University of Lagos/Lagos University Teaching Hospital (LUTH), part of the Laboratory Network of the NCDC. On the 1st of March 2020, a clinical specimen, specifically, a sputum specimen resuspended in 500µL of viral transport medium (VTM), was sent to ACEGID, Redeemer's University, Nigeria, and Centre for Human Virology and Genomics, Nigerian Institute of Medical Research for sequencing and molecular characterization.

At ACEGID, viral RNA was extracted using the QiAmp viral RNA mini kit (Qiagen). RT-qPCR was repeated at ACEGID using the assay designed by the US CDC and confirmed the presence of SARS-CoV-2 viral RNA (Ct values of 28, 29, and 30 for N1, N2 and N3 viral gene targets, respectively), with no NTC amplification. Metagenomic sequencing libraries were prepared from total RNA as previously described (Matranga et al., 2016) and sequenced using one of the two Illumina MiSeqs in the sequencing platform of ACEGID. A full genome of SARS-CoV-2 was assembled with a length of 29,759 bp and mean coverage depth of 20X (Figure 1).

At the Centre for Human Virology and Genomics, NIMR, RT-qPCR was carried out using the assay designed by BGI China to confirm the presence of SARS-CoV-2 viral RNA with a Ct value of 26, targeting the high conservative region in 2019-nCoV genome. Sanger sequencing (ABI 3130 xl) using specific primer targeting the RdRp region was done. A partial sequence of SARS-CoV-2 (RdRp region) with a length of 486 bp (15321bp to 15806bp) was generated.

This report presents the first full genome sequence of SARS-CoV-2 from Africa to be released, with genomic data generated and assembled, and phylogenetic analysis performed by ACEGID and NIMR scientists. The turnaround time from sample receipt to sequence generation was 3 days (1st-4th of March 2020).

All HCoV whole genome sequences from human hosts with geographical annotations obtained from GISAID and NCBI GenBank, aligned with the new genome from Nigeria. This genome clusters with a European clade, consistent with the known travel history of this case (Figure 2).




Figure 1: Illumina read coverage across coronavirus genome assembly from a patient in Nigeria.




Figure 2: Maximum likelihood tree of SARS-CoV-2. These sequences were aligned using MAFFT v7.310 and tree reconstruction using IQTREE v1.6.1.

Data availability

All sequences are available at https://github.com/acegid/CoV_Sequences/ and https://github.com/acegid/CoV_Sequences/

Partners and Collaborators

Nigeria Centre for Disease Control (NCDC), Abuja, Nigeria, @NCDCgov

African Centre of Excellence for Genomics of Infectious Diseases (ACEGID), Redeemer's University, Ede, Osun State, @acegid lab

Centre for Human Virology and Genomics, Nigerian Institute of Medical Research (NIMR),

Centre for Human and Zoonotic Virology (CHAZVY), College of Medicine University of Lagos Lagos University Teaching Hospital (LUTH)

Infectious Disease Hospital, Yaba, Lagos, Lagos State Ministry of Health, Nigeria

Redeemer's University, Ede, Osun State (RUN)

Africa CDC, Addis Ababa, Ethiopia, @AfricaCDC

Broad Institute and Harvard University, Cambridge, MA, USA

Beth Israel Deaconess Medical Center, Boston, MA, USA

China Centre for Disease Control, Beijing, China

Disclaimer and contact information

Please note that these analyses are based on work in progress and should be considered preliminary. Our analyses of this data are ongoing and a publication communicating our findings on these and other published genomes is in preparation. If you wish to use this data please contact:

Chikwe Ihekweazu, M.P.H, F.F.P.H

Director General, Nigerian Centre for Disease Control (NCDC)

Abuja, Nigeria

Email: chikwe.ihekweazu@ncdc.gov.ng

Website: https://ncdc.gov.ng/

Twitter: @Chikwe I

Christian Happi, PhD

Professor of Molecular Biology and Genomics, Redeemer's University, Ede, Osun State, Nigeria

Director, African Center of Excellence for Genomics of Infectious Diseases (ACEGID)

E-mail: happic@run.edu.ng Website: www.acegid.org Twitter: @christian_happi

Sunday Omilabu, PhD

Professor & Director, Centre for Human and Zoonotic Virology (CHAZVY), College of Medicine University of Lagos Lagos University Teaching Hospital (LUTH)

Babatunde Lawal Salako, MBBS, FWACP, FRCP (Edin), FRCP (Lond), MNIM, FAS

Director General, Nigerian Institute of Medical Research (NIMR)

Yaba, Lagos

Email:tundesalako@nimr.gov.ng Website:<u>https://www.nimr.gov.ng/</u>

Twitter:@LawalSalako

Akin Abayomi, MBBS, MRCP, FCPATH

Professor & Honorable Commissioner for Health, Lagos State

Email: abayomi@sun.ac.za

Website: https://www.health.lagosstate.gov.ng

Twitter: @Prof+Akin+Abayomi

Paul Eniola Oluniyi,

African Center of Excellence for Genomics of Infectious Diseases (ACEGID)

Redeemer's University, Ede, Osun State, Nigeria

E-mail: oluniyip@run.edu.ng Website: www.acegid.org Twitter: @pauloluniyi