



Python Keywords

[< Previous](#)[Next >](#)

Python has a set of keywords that are reserved words that cannot be used as variable names, function names, or any other identifiers:

Method	Description
<u>and</u>	A logical operator
<u>as</u>	To create an alias
<u>assert</u>	For debugging
<u>break</u>	To break out of a loop
<u>class</u>	To define a class
<u>continue</u>	To continue to the next iteration of a loop
<u>def</u>	To define a function
<u>del</u>	To delete an object
<u>elif</u>	Used in conditional statements, same as else if
<u>else</u>	Used in conditional statements
<u>except</u>	Used with exceptions, what to do when an exception occurs
<u>False</u>	Boolean value, result of comparison operations
<u>finally</u>	Used with exceptions, a block of code that will be executed no matter if there is an exception or not
<u>for</u>	To create a for loop
<u>from</u>	To import specific parts of a module

<u>global</u>	To declare a global variable
<u>if</u>	To make a conditional statement
<u>import</u>	To import a module
<u>in</u>	To check if a value is present in a list, tuple, etc.
<u>is</u>	To test if two variables are equal
<u>lambda</u>	To create an anonymous function
<u>None</u>	Represents a null value
<u>nonlocal</u>	To declare a non-local variable
<u>not</u>	A logical operator
<u>or</u>	A logical operator
<u>pass</u>	A null statement, a statement that will do nothing
<u>raise</u>	To raise an exception
<u>return</u>	To exit a function and return a value
<u>True</u>	Boolean value, result of comparison operations
<u>try</u>	To make a try...except statement
<u>while</u>	To create a while loop
<u>with</u>	Used to simplify exception handling
<u>yield</u>	To end a function, returns a generator

[< Previous](#)[Next >](#)

COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top 10 Tutorials

[HTML Tutorial](#)
[CSS Tutorial](#)
[JavaScript Tutorial](#)
[How To Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[SQL Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Python Tutorial](#)

Top 10 References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Python Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Angular Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

