



Python File Open

[< Previous](#)[Next >](#)

Open a File on the Server

Assume we have the following file, located in the same folder as Python:

demofile.txt

```
Hello! Welcome to demofile.txt  
This file is for testing purposes.  
Good Luck!
```

To open the file, use the built-in `open()` function.

The `open()` function returns a file object, which has a `read()` method for reading the content of the file:

Example

```
f = open("demofile.txt", "r")  
print(f.read())
```

[Run example »](#)

Read Only Parts of the File

By default the `read()` method returns the whole text, but you can also specify how many character you want to return:

Example

Return the 5 first characters of the file:

```
f = open("demofile.txt", "r")  
print(f.read(5))
```

Run example »

Read Lines

You can return one line by using the `readline()` method:

Example

Read one line of the file:

```
f = open("demofile.txt", "r")  
print(f.readline())
```

Run example »

By calling `readline()` two times, you can read the two first lines:

Example

Read two lines of the file:

```
f = open("demofile.txt", "r")  
print(f.readline())  
print(f.readline())
```

Run example »

By looping through the lines of the file, you can read the whole file, line by line:

Example

Loop through the file line by line:

```
f = open("demofile.txt", "r")
for x in f:
    print(x)
```

[Run example »](#)

[< Previous](#)

[Next >](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars
- Parallax
- Login Form
- HTML Includes
- Google Maps
- Range Sliders
- Tooltips
- Slideshow
- Filter List
- Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Python Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference

[W3.CSS Reference](#)
[Bootstrap Reference](#)
[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Python Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Angular Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

