



Python MySQL Update Table

[< Previous](#)[Next >](#)

Update Table

You can update existing records in a table by using the "UPDATE" statement:

Example

Overwrite the address column from "Valley 345" to "Canyoun 123":

```
import mysql.connector

mydb = mysql.connector.connect(
    host="localhost",
    user="yourusername",
    passwd="yourpassword",
    database="mydatabase"
)

mycursor = mydb.cursor()

sql = "UPDATE customers SET address = 'Canyon 123' WHERE address = 'Valley 345'"

mycursor.execute(sql)

mydb.commit()

print(mycursor.rowcount, "record(s) affected")
```

[Run example »](#)

Important!: Notice the statement: `mydb.commit()` . It is required to make the changes, otherwise no changes are made to the table.

Notice the WHERE clause in the UPDATE syntax: The WHERE clause specifies which record or records that should be updated. If you omit the WHERE clause, all records will be updated!

Prevent SQL Injection

It is considered a good practice to escape the values of any query, also in update statements.

This is to prevent SQL injections, which is a common web hacking technique to destroy or misuse your database.

The mysql.connector module uses the placeholder `%s` to escape values in the delete statement:

Example

Escape values by using the placeholder `%s` method:

```
import mysql.connector

mydb = mysql.connector.connect(
    host="localhost",
    user="yourusername",
    passwd="yourpassword",
    database="mydatabase"
)

mycursor = mydb.cursor()

sql = "UPDATE customers SET address = %s WHERE address = %s"
val = ("Valley 345", "Canyon 123")

mycursor.execute(sql, val)
```

```
mydb.commit()
```

```
print(mycursor.rowcount, "record(s) affected")
```

[Run example »](#)[< Previous](#)[Next >](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars
- Parallax
- Login Form
- HTML Includes
- Google Maps
- Range Sliders
- Tooltips
- Slideshow
- Filter List
- Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Python Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference
W3.CSS Reference
Bootstrap Reference

[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Python Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Angular Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

