



Python Operators

[< Previous](#)[Next >](#)

Python Operators

Operators are used to perform operations on variables and values.

Python divides the operators in the following groups:

- Arithmetic operators
- Assignment operators
- Comparison operators
- Logical operators
- Identity operators
- Membership operators
- Bitwise operators

Python Arithmetic Operators

Arithmetic operators are used with numeric values to perform common mathematical operations:

Operator	Name	Example	Try it
+	Addition	x + y	Try it »
-	Subtraction	x - y	Try it »
*	Multiplication	x * y	Try it »
/	Division	x / y	Try it »
%	Modulus	x % y	Try it »
**	Exponentiation	x ** y	

//

Floor division

x // y

Python Assignment Operators

Assignment operators are used to assign values to variables:

Operator	Example	Same As	Try it
=	x = 5	x = 5	Try it »
+=	x += 3	x = x + 3	Try it »
-=	x -= 3	x = x - 3	Try it »
*=	x *= 3	x = x * 3	Try it »
/=	x /= 3	x = x / 3	Try it »
%=	x %= 3	x = x % 3	Try it »
//=	x //= 3	x = x // 3	Try it »
**=	x **= 3	x = x ** 3	Try it »
&=	x &= 3	x = x & 3	Try it »
=	x = 3	x = x 3	Try it »
^=	x ^= 3	x = x ^ 3	Try it »
>>=	x >>= 3	x = x >> 3	Try it »
<<=	x <<= 3	x = x << 3	Try it »

Python Comparison Operators

Comparison operators are used to compare two values:

Operator	Name	Example	Try it
==	Equal	x == y	Try it »
!=	Not equal	x != y	Try it »

>	Greater than	<code>x > y</code>	Try it »
<	Less than	<code>x < y</code>	Try it »
>=	Greater than or equal to	<code>x >= y</code>	Try it »
<=	Less than or equal to	<code>x <= y</code>	Try it »

Python Logical Operators

Logical operators are used to combine conditional statements:

Operator	Description	Example	Try it
and	Returns True if both statements are true	<code>x < 5 and x < 10</code>	Try it »
or	Returns True if one of the statements is true	<code>x < 5 or x < 4</code>	Try it »
not	Reverse the result, returns False if the result is true	<code>not(x < 5 and x < 10)</code>	Try it »

Python Identity Operators

Identity operators are used to compare the objects, not if they are equal, but if they are actually the same object, with the same memory location:

Operator	Description	Example	Try it
is	Returns true if both variables are the same object	<code>x is y</code>	Try it »
is not	Returns true if both variables are not the same object	<code>x is not y</code>	Try it »

Python Membership Operators

Membership operators are used to test if a sequence is presented in an object:

--

Operator	Description	Example	Try it
in	Returns True if a sequence with the specified value is present in the object	x in y	Try it »
not in	Returns True if a sequence with the specified value is not present in the object	x not in y	Try it »

Python Bitwise Operators

Bitwise operators are used to compare (binary) numbers:

Operator	Name	Description
&	AND	Sets each bit to 1 if both bits are 1
	OR	Sets each bit to 1 if one of two bits is 1
^	XOR	Sets each bit to 1 if only one of two bits is 1
~	NOT	Inverts all the bits
<<	Zero fill left shift	Shift left by pushing zeros in from the right and let the leftmost bits fall off
>>	Signed right shift	Shift right by pushing copies of the leftmost bit in from the left, and let the rightmost bits fall off

Test Yourself With Exercises

Exercise:

Multiply `10` with `5`, and print the result.

```
print(10 * 5)
```

[Submit Answer »](#)

[Start the Exercise](#)

[◀ Previous](#)

[Next ▶](#)

COLOR PICKER



HOW TO

- Tabs
- Dropdowns
- Accordions
- Side Navigation
- Top Navigation
- Modal Boxes
- Progress Bars
- Parallax
- Login Form
- HTML Includes
- Google Maps
- Range Sliders
- Tooltips
- Slideshow
- Filter List
- Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top 10 Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
SQL Tutorial
PHP Tutorial
jQuery Tutorial
Python Tutorial

Top 10 References

HTML Reference
CSS Reference
JavaScript Reference
W3.CSS Reference
Bootstrap Reference

[SQL Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Python Reference](#)

Top 10 Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Angular Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2019 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

