

- [About](#)
- [Projects](#)
- [Contact](#)

### How to change the root password for MySQL in XAMPP?

January 03, 2009

By default, when you install XAMPP in your windows machine, the root password for the MySQL is set to empty. But this is not recommended, as the MySQL database without a password will be accessible to everyone. To avoid this, a proper/secure password must be set to the user root. To do it in XAMPP, there are two ways.

#### Method 1: reset XAMPP MySQL root password through web interface:

After you started your XAMPP server, go to the browser and type the URL **<http://localhost/security/>** (incase you've [modified XAMPP server port](#), you need to include that port number also in previous URL). The security page will be shown where you can change the root password for MySQL. This will update the phpMyAdmin config also.

#### Method 2: reset XAMPP MySQL root password through SQL update:

1. Start the Apache Server and MySQL instances from the XAMPP control panel.
2. After the server started, open any web browser and give **<http://localhost:8090/phpmyadmin/>** (if you are running XAMPP on 8090 port). This will open the phpMyAdmin interface. Using this interface we can manager the MySQL server from the web browser.
3. In the phpMyAdmin window, select *SQL* tab from the right panel. This will open the SQL tab where we can run the SQL queries.
4. Now type the following query in the textarea and click **Go**  
`UPDATE mysql.user SET Password=PASSWORD('password') WHERE User='root'; FLUSH PRIVILEGES;`
5. Now you will see a message saying that the query has been executed successfully.
6. If you refresh the page, you will be getting a error message. This is because the phpMyAdmin configuration file is not aware of our newly set root password. To do this we have to modify the phpMyAdmin config file.
7. Open the file [**XAMPP Installation Path**] / **phpmyadmin** / **config.inc.php** in your favorite text editor.
8. Search for the string `$cfg['Servers'][$i]['password'] = ''`; and change it to like this, `$cfg['Servers'][$i]['password'] = 'password'`; Here the 'password' is what we set to the root user using the SQL query.
9. Now all set to go. Save the config.inc.php file and restart the XAMPP server.

- [./Task tags in Eclipse](#)
- [A Very Happy New Year To All the Readers of Dreamz./](#)

Comments

Community

 Login ▾

 Recommend 9

 Tweet

 Share

Sort by Newest ▾

Join the discussion...

LOG IN WITH

OR SIGN UP WITH DISQUS 

Name



**Hamza Ahmad** • 21 hours ago

sir i have problem to start apache using xampp  
what i have to do

^ | v • Reply • Share ›



**Nawazish Ali** • 5 months ago

Need help! I have installed xampp on ubuntu 14  
the localhost is working fine with phpmyadmin but  
when i access through internet it gives error i.e  
New XAMPP security concept:

Access to the requested directory is only available  
from the local network.

This setting can be configured in the file "httpd-  
xampp.conf".

If you think this is a server error, please contact the  
webmaster.

Error 403

69.100.102.100

Apache/2.4.33 (Unix) OpenSSL/1.0.2n PHP/7.2.4  
mod\_perl/2.0.8-dev Perl/v5.16.3

^ | v • Reply • Share ›



**Vishal Anand** • 5 months ago

I imported my database but whn i open the  
application it isnt showing the database.... what is  
the problem sir?? plz help me

^ | v • Reply • Share ›



**rajendra kumar manthan** • 5 months ago

Thanks sir. This is worked. My problem is solved.

^ | v • Reply • Share ›



**SweetAM** • 10 months ago

Thanks, I solve my problem by the 7 and 8th step.

^ | v • Reply • Share ›



**Shweta** • a year ago

I have installed XAMPP on my system



Even after restarting XAMPP, I get the access denied step on localhost/phpmyadmin/ page. Why so?

^ | v • Reply • Share ›



**Joshua Otwell** • a year ago

Saved me so much trouble. Thanks for this article. Worked like a charm.

^ | v • Reply • Share ›



**Veera** Mod ➔ Joshua Otwell • a year ago

Glad to help.

^ | v • Reply • Share ›



**Leonardo Oliveira** • a year ago

Loved this tutorial, really helped my problems, solved everything that I was trying to. Thanks

^ | v • Reply • Share ›



**Yasha** • a year ago

Sir how to get current password for xampp mysql..??!

^ | v • Reply • Share ›



**Leonardo Oliveira** ➔ Yasha • a year ago

Go to folder Xampp/mysql. Open the file my.ini, near to the top of the file you'll see a password line with the actual password.

Na pasta xampp, entra na pasta mysql e procura pelo arquivo my.ini, em uma das primeiras linhas vai ter o password e na frente o password atual.

^ | v • Reply • Share ›



**suriya pandian** • a year ago

But, if I wrote connection statement in php, it shows this error, '\$mysql\_user' (T\_VARIABLE)

^ | v • Reply • Share ›



**David Addison** • 2 years ago

How can you change the mysql password without starting the apache service?

^ | v • Reply • Share ›



**Ashish Rathore** ➔ David Addison  
• a year ago

By using command prompt you can change it. execute mysql.exe and then execute the

query given above.

1 ^ | v • Reply • Share ›



**David Addison** → Ashish Rathore

• a year ago

That worked! Thank you!

^ | v • Reply • Share ›



**Ed Friesema** • 2 years ago



Veera

JavaScript Developer

- [Github](#)
- [Twitter](#)
- [LinkedIn](#)
- [How to inject environment values in JavaScript app with Webpack](#)
- [How to animate page transition in React using styled components](#)
- [How to create a Chrome extension in React JS](#)
- [Oh-My-Zsh: Fix for parse error near elif](#)
- [How to split the terminal into multiple screens in Windows 10](#)
- [Mars Rover in JavaScript, React](#)
- [Gitflow - Animated](#)
- [My Git Workflow](#)
- [Hiking Mission Peak](#)
- [Building a radial gauge with SVG and React - Part 2](#)
- [View All Posts](#)
- [About](#)
- [Projects](#)
- [Contact](#)