Integrity ★ Service ★ Excellence

Unmanned Systems Autonomy Services: Build & File System

Dr. Derek Kingston
Control Science Center of Excellence
Aerospace Systems Directorate
Air Force Research Laboratory

File Structure







3rd Party


Name
3rd
doc
examples
mdms
resources
src
tests
PugiXML
TinyGPS
wrap_patches
boost_1_64_0
cppzmq-4.2.1
czmq-3.0.1
minizip-1.2
serial-1.2.1
sqlite-amalgamation-3120200
SQLiteCpp-1.3.1
zeromq-4.1.6
zlib-1.2.8
zyre-1.1.0
boost.wrap.tmpl
cppzmq.wrap.tmpl
czmq.wrap.tmpl
gtest.wrap
minizip.wrap.tmpl
serial.wrap.tmpl
sqlite3.wrap.tmpl
sqlitecpp.wrap.tmpl
zeromq.wrap.tmpl
zlib.wrap.tmpl
zyre.wrap.tmpl

Doc Directory





Examples Directory





MDMs Directory





Resources Directory





AFRL

Source Directory



Services Directory

Name	Name	Name
3rd	Communications	AdapterServiceHelper.h
doc	DPSS	AssignmentTreeBranchBoundBase.h
examples	Includes	AssignmentTreeBranchBoundService.h
mdms	Plans	AutomationDiagramDataService.h
resources	Services	AutomationRequestValidatorService.h
src	Tasks	BatchSummaryService.h
tests	Utilities	MessageLoggerDataService.h
	UxAS_Main.cpp	OperatingRegionStateService.h
	VisilibityLib	OsmPlannerService.h
		PlanBuilderService.h
		RouteAggregatorService.h
		RoutePlannerService.h
		RoutePlannerVisibilityService.h
		SendMessagesService.h
		SensorManagerService.h
		SerialAutomationRequestTestService.h
		ServiceBase.h
		ServiceManager.h
		TcpBridge.h
		Test_SimulationTime.h
		WaypointPlanManagerService.h

Tasks Directory



Tests Directory





UxAS Repositories

- **UxAS uses Git for source code management**

- **OpenUxAS: github.com/afrl-rq/OpenUxAS.git**
- **LmcpGen: github.com/afrl-rq/LmcpGen.git**
- **OpenAMASE: github.com/afrl-rq/OpenAMASE.git**
- **Closed source additions to UxAS: repos.vdl.afrl.af.mil/gitlab/tcas-uxas/UxAS-afrl_internal.git**

- **Use ‘git clone <repo>’ to checkout source code**

Building UxAS

- Uses the Meson build system
  - Multi-platform build system
  - Meta-compile: builds framework and input files to actual compile system
  - Creates ninja or visual studio build projects
  - ‘meson.build’ files organized hierarchically
  - Primary ‘meson.build’ in root OpenUxAS directory
- Ninja compile is attempt to use g++ in highly parallelizable manner

```
srcs_tasks = [
  'AngledAreaSearchTaskService.cpp',
  'AssignmentCoordinatorTaskService.cpp',
  'BlockadeTaskService.cpp',
  'CmasiAreaSearchTaskService.cpp',
  'CmasiLineSearchTaskService.cpp',
]

incs_tasks = [
  include_directories(
    '../../src/Includes',
    '../../src/Services',
  ),
  incs_lmcp,
]

lib_tasks = static_library(
  'tasks',
  srcs_tasks,
  dependencies: [
    dep_boost,
  ],
  cpp_args: [
    '-std=c++11',
  ],
  include_directories: incs_tasks
)
```

Meson Options








```
option(
  'afrl_internal',
  description: 'build with internal AFRL modules',
  type: 'boolean',
  value: false,
)
```

Building UxAS

1. Pre-requisites
2. Configure
3. Build

Building UxAS

1. Pre-requisites
   - Libraries, tools for build
   - ‘install_prerequisites.sh’ or follow detailed step-by-step instructions
     - Mostly system libraries needed for meson and some 3rd party libraries (e.g. uuid)
2. Configure
3. Build





Building UxAS



1. Pre-requisites
2. Configure
   - Setup 3rd party dependency download ‘./prepare’
   - Auto-generate library ‘RunLmcpGen.sh’
     - Requires LmcpGen at same file level as OpenUxAS
   - Setup complete build:
     ‘meson build --buildtype=release’ or
     ‘meson build –Dafrl_internal=true’
3. Build

Building UxAS

1. Pre-requisites
2. Configure
3. Build
   - Start build: ‘ninja –C build’

```
cd '/Users/Kingston/uxas/OpenUxAS'
/usr/local/bin/ninja -C build uxas
ninja: Entering directory `build'
[1/3] Compiling C++ object 'src/Services/services@sta/
[2/3] Linking static target src/Services/libservices.a
[3/3] Linking target uxas.
```

Re-Building UxAS

- Changes in MDMs need to re-run ‘RunLmcpGen.sh’
- Changes in 3rd party libraries require reconfiguring with ‘meson’
- Source changes will build directly with ninja without re-configuration

Automated Testing

- Uses Google Test for reporting pass/fail
- The ‘meson.build’ file in the tests directory is the top of the test hierarchy
  - Each sub-folder can contain additional tests
- Tests inject messages and then check the log file to determine proper response message reception
- Run all tests with: ‘ninja –C build test’

```
[0/1] Running all tests.
1/6 HelloWorld_test01                    OK      15.12 s
2/6 WaterwaySearch_test01                OK       8.70 s
3/6 DistributedCooperation_test01        OK      13.29 s
4/6 ImpactPlayAirExpandSqPointTest01     OK       7.96 s
5/6 AutomationRequestTest                OK      22.41 s
6/6 EligibleEntitiesTest                 OK      21.78 s

OK:         6
FAIL:       0
SKIP:       0
TIMEOUT:    0
```

Automated Testing

- Due to limitations in Google Test, no tests in the same file may collectively run longer than 30 seconds
- OpenUxAS is connected to Travis CI for automated tests on source code check in
- All tests configured to run via ‘ninja –C build test’ will be run on the server
- Complete Travis setup script is found in: OpenUxAS/.travis.yml

Documentation

- Three major parts to documentation
  1. User Manual
  2. LMCP messages, auto-created at: OpenUxAS/doc/LMCP/index.html
  3. Doxygen class descriptions
- User Manual and Doxygen documentation can be created with: ‘build_documentation.sh’
- Relies on LaTeX
- Continuing work in progress



Debugging

- UxAS is a collection of services each running in its own thread, so serial step-through can be challenging
- Gdb (and IDEs that use gdb) can facilitate breakpoints, tracebacks, and step-throughs

- Due to multiple threads as well as multiple instances of UxAS running for collaborative behaviors, traditional debugging (gdb) is of limited value
- Key tools:
  - MessageLogger service places all messages in a database for searching
  - AMASE provides log of messages received

AMASE Message Viewer





Questions?