

# MACFormatter: Hardware address format converter

Matthew Dittmer

April 28, 2013

# Introduction

The purpose of this application is to convert hardware addresses to colon delimited octets. Hardware addresses, or MAC(Media Access Control) addresses, are expressed in a variety of forms. These forms include two octets delimited by colons, dashes, periods, and no delimiters at all. There are many use for one form in particular. Two octets separated by colons are expected input for a variety of systems including wireless logs and access control lists.

# Usage

The usage of this application is simple. One can paste or type the hardware address in the the entry box and click "convert". The converted address will appear at the bottom of the window.

In addition to being show at the bottom of the window in colon delimited form, the application will automatically copy the result to the clipboard to paste for use in another system.

# Support

To report bugs and provide feedback, please email [dittmer.matthew@gmail.com](mailto:dittmer.matthew@gmail.com)

# License

The purpose of this application is to convert hardware addresses to colon delimited octets. Copyright (C) 2013 name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.