

Northstar Components

EDI Specifications User Guide

850 - Purchase Order

ANSI X.12 - Release 004010

All content fictional. Synthetic fixture in the terse guide layout.

Data Segment Sequence for Heading Area

Seg. Name Usage Max. Loop

ID Use Repeat

ST Transaction Set Header M 1

BEG Beginning Segment for Purchase Order M 1

CUR Currency 0 1

REF Reference Identification M >1

N1 Name M 1 N1 / 3

N3 Address Information 0 1 N1 / 3

Data Segment Sequence for Detail Area

Seg. Name Usage Max. Loop

ID Use Repeat

P01 Baseline Item Data M 1 P01/100000

Data Segment Sequence for Summary Area

Seg. Name Usage Max. Loop

ID Use Repeat

CTT Transaction Totals M 1

SE Transaction Set Trailer M 1

GLOSSARY

Abbreviations in the columns headed "Usage" have the following definitions:

C Conditional The presence of this item is dependent on other items.

M Mandatory This data segment shall be included in the transaction set.

O Optional The presence of this data segment is at the option of the sender.

N Not used

Northstar Components

Segment BEG - Beginning Segment for Purchase Order

Level Heading

Max. Use 1

Purpose To indicate the beginning of the Purchase Order Transaction Set

Comments The segment will indicate the type of purchase order and the P.O. number.

Example BEG*00*NE*NS-2026-0450**20260630

ID ELEMENT NAME FEATURES COMMENTS

BEG01 Transaction Set Purpose Code M ID 2/2 "00" = Original

BEG02 Purchase Order Type Code M ID 2/2 "NE" = New Order

BEG03 Purchase Order Number M AN 1/22 Buyer's purchase order number

BEG04 Release Number N Not Used

BEG05 Purchase Order Date M DT 8/8 Date expressed as CCYYMMDD

- 2 -

Northstar Components

Segment REF - Reference Identification

Level Heading

Max. Use >1

Purpose To specify identifying information

Comments The Northstar vendor id is required in the heading of every order.

Example REF*IA*NS-88213

ID ELEMENT NAME FEATURES COMMENTS

REF01 Reference Identification Qualifier M ID 2/3 "IA" = Internal Vendor Number

REF02 Reference Identification M AN 1/30 Reference information

- 3 -

Northstar Components

Segment N1 - Name

Level Heading

Max. Use 3

Purpose To identify a party by type of organization, name, and code

Comments This segment identifies the buyer and ship-to party.

Examples N1*BY*BUYER NAME*92*CC

N1*ST*SHIP DEST*92*002000

ID ELEMENT NAME FEATURES COMMENTS

N101 Entity Identifier Code M ID 2/3 Code identifying an organizational entity:

"BY" = Buying Party (Purchaser)

"ST" = Ship To

N102 Name M AN 1/60 Free-form name

N103 Identification Code Qualifier C ID 1/2 "92" = Assigned by Buyer

N104 Identification Code C AN 2/80 Party code

- 4 -

Northstar Components

Segment N3 - Address Information

Level Heading

Max. Use 1

Purpose To specify the location of the named party

ID ELEMENT NAME FEATURES COMMENTS

N301 Address Information M AN 1/55 Address line

N302 Address Information 0 AN 1/55 Address line

- 5 -

Northstar Components

Segment P01 - Baseline Item Data

Level Detail

Max. Use 100000

Purpose To specify basic line item data

Comments Every line must carry the buyer part number in the BP qualifier.

Example P01*1*24*EA*18750*CP*BP*NS-1

ID ELEMENT NAME FEATURES COMMENTS

P0101 Assigned Identification 0 AN 1/20 Line number

P0102 Quantity Ordered M R 1/15 Quantity ordered

P0103 Unit of Measure Code M ID 2/2 "EA" - Each "CS" - Case "PL" - Pallet

P0104 Unit Price M R 1/17 Price with implied decimal

P0106 Product ID Qualifier M ID 2/2 "BP" = Buyer's Part Number

P0107 Product ID M AN 1/48 Buyer's part number

- 6 -

Northstar Components

Segment CTT - Transaction Totals

Level Summary

Max. Use 1

Purpose To transmit a hash total for a specific element

ID ELEMENT NAME FEATURES COMMENTS

CTT01 Number of Line Items M N0 1/6 Total number of line items

- 7 -