EXP-5

DATE: 24/01/24 DEVELOP A ~~CUSTOMISED~~ COMMAND TO TEST THE SERVER CONNECTIVITY

AIM:

To Test verify the connectivity between the local computer and remote servers using the Ping commands in Windows

THEORY:

The Ping command is a basic network utility used to check whether a host is reachable across an IP network. It measures the round-trip time for messages the from the source to a destination and records packet loss and latency

PING COMMAND:

The Ping command is a network troubleshooting command used to check whether one device can communicate with another device over a network.

Ping Sends a Small packet from your computer to another computer or Server. If the destination receives it, it sends back an ICMP Echo reply.

If you receive a reply, it means

- the destination is reachable
- the network connection is working

Why is PING NEEDED?

Ping is used to check whether a device is connected to the network

- whether a website or server is reachable
- the speed of the connection
- whether packets are being lost during transmission

Purpose of Ping:

The main purpose of is to test network connectivity between two devices

Procedure:

1. Basic Ping command:

Ping www.google.com

Output:

Displays the IP address of the server

the number of packet sent. or Recieved.

2. Ping localhost Command:

Ping localhost

output.

Peplies from 127.0.0.1 Confirm the TCP/IP stack on the local system is working properly.

3. Ping using IP address command.

Ping 8.8.8.8.

Output

Displays connectivity between your system.

4. Continuous ping test command:

Ping www.google.com -t

Output:

Continuously pings the server until stopped manually.

5. Ping with specific number of Echo request command.

Ping www.google.com -n 5

Output:

Sends commands and results with average time.

6. Ping with packet size fragmentation

command:

ping www.google.com -l 1000

output:

Sends a Ping request with a packet size of 1000 bytes, showing transmission performance

RESULT:

The Ping commands were successfully Executed in the windows command prompt. The packet transmission status between the local computer and external servers were verified