

AWS Master Performance Report

CloudWatch-based AWS infrastructure performance analysis
Generated: 2026-10-03 18:32 UTC
Analysis Period: Last 7 Days

1. Executive Summary

807

Inventory Resources

39

Metric Rows

18

Regions

4

Services Analyzed

3

EC2 Instances

3

EBS Volumes

1

ALBs

1

Auto Scaling Groups

Overall observation: The current performance dataset contains CloudWatch observations for EC2, EBS, Application Load Balancer and Auto Scaling resources. Three EC2 instances were observed with low average CPU utilization. One EC2 instance recorded a maximum CPU value of 100% during the analysis period. No EC2 status-check failures were observed in the collected dataset.

2. AWS Resource Inventory

Service	Resource Count
ec2	406

memorydb	109
iam	71
elasticache	39
athena	34
rds	30
resource-explorer-2	23
events	19
xray	17
kms	16
logs	9
elasticloadbalancing	9
apprunner	6
backup	3
s3	3
ecr	3
acm	2
route53	2
sns	1
ssm	1
cloudwatch	1
autoscaling	1
cloudfront	1
wafv2	1

3. Region Overview

Region	Inventory Resources	Performance Metric Rows
ap-northeast-1	27	0
ap-northeast-2	27	0
ap-northeast-3	19	0
ap-south-1	133	0
ap-south-2	19	0
ap-southeast-1	37	0
ap-southeast-2	26	0
ca-central-1	26	0
eu-central-1	27	0
eu-north-1	31	0
eu-west-1	27	0
eu-west-2	27	0

eu-west-3	26	0
global	75	0
sa-east-1	26	0
us-east-1	154	29
us-west-1	71	10
us-west-2	29	0

4. EC2 Performance

Instance	Region	Average CPU	Maximum CPU	Assessment
i-0459f444830363d8a	us-east-1	1.11%	13.07%	Low Average CPU
i-014980792be5e5138	us-east-1	1.25%	12.61%	Low Average CPU
i-05c761bb30cd029a1	us-west-1	2.10%	100.00%	Review CPU Peak

Low Average CPU Instances

- i-0459f444830363d8a (us-east-1) — average CPU 1.11%
- i-014980792be5e5138 (us-east-1) — average CPU 1.25%
- i-05c761bb30cd029a1 (us-west-1) — average CPU 2.10%

CPU Peak Instances Requiring Review

- i-05c761bb30cd029a1 (us-west-1) — maximum CPU 100.00%

5. EBS Performance

Region	Volume	Metric	Average	Maximum
us-east-1	vol-0f4745da336a024b4	VolumeReadBytes	27740.637	191017472.0
us-east-1	vol-0f4745da336a024b4	VolumeWriteBytes	2987484.0118	108369408.0
us-east-1	vol-0f4745da336a024b4	VolumeReadOps	1.5359	10591.0
us-east-1	vol-0f4745da336a024b4	VolumeWriteOps	49.0179	1001.0
us-east-1	vol-00d63f2da91dfa655	VolumeReadBytes	26840.3381	191640064.0
us-east-1	vol-00d63f2da91dfa655	VolumeWriteBytes	2863737.1873	91129344.0
us-east-1	vol-00d63f2da91dfa655	VolumeReadOps	1.484	10611.0
us-east-1	vol-00d63f2da91dfa655	VolumeWriteOps	50.7007	842.0
us-west-1	vol-0ee5e27a823c11a3e	VolumeReadBytes	4468263.378	1415442432.0
us-west-1	vol-0ee5e27a823c11a3e	VolumeWriteBytes	8022757.3469	2377715712.0
us-west-1	vol-0ee5e27a823c11a3e	VolumeReadOps	107.491	16817.0
us-west-1	vol-0ee5e27a823c11a3e	VolumeWriteOps	100.1469	43216.0

EBS observations should be interpreted together with volume type, workload characteristics, I/O requirements and application behavior. Performance metrics alone do not establish that a storage change is required.

6. Application Load Balancer

Region	Resource	Metric	Average	Maximum
us-east-1	Blu-Green-LB	RequestCount		
us-east-1	Blu-Green-LB	TargetResponseTime		
us-east-1	Blu-Green-LB	HTTPCode_Target_4XX_Count		
us-east-1	Blu-Green-LB	HTTPCode_Target_5XX_Count		
us-east-1	Blu-Green-LB	ActiveConnectionCount		

7. Auto Scaling

Region	Resource	Metric	Average	Maximum
us-east-1	ASG -private	GroupMinSize	1	1
us-east-1	ASG -private	GroupDesiredCapacity	2	2
us-east-1	ASG -private	GroupMaxSize	4	4
us-east-1	ASG -private	GroupInServiceInstances	2	

8. Performance Findings & Recommendations

Priority	Service	Resource	Region	Finding	Recommendation
Observation	EC2		us-east-1	Low observed average CPU activity (1.11%).	Review workload pattern, instance purpose, and utilization history before considering any sizing change.
Observation	EC2		us-east-1	NetworkIn activity was observed with an average CloudWatch datapoint value of 295.58 Bytes. Maximum observed value was 16480.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-east-1	NetworkOut activity was observed with an average CloudWatch datapoint value of 216.22 Bytes. Maximum observed value was 5344.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EBS		us-	EBS VolumeReadBytes activity was observed. Average CloudWatch datapoint value:	Review the I/O time-series together with the workload using the volume, volume

			east-1	27740.64. Maximum observed value: 191017472.00.	type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeWriteBytes activity was observed. Average CloudWatch datapoint value: 2987484.01. Maximum observed value: 108369408.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeReadOps activity was observed. Average CloudWatch datapoint value: 1.54. Maximum observed value: 10591.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeWriteOps activity was observed. Average CloudWatch datapoint value: 49.02. Maximum observed value: 1001.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EC2		us-east-1	Low observed average CPU activity (1.25%).	Review workload pattern, instance purpose, and utilization history before considering any sizing change.
Observation	EC2		us-east-1	NetworkIn activity was observed with an average CloudWatch datapoint value of 294.93 Bytes. Maximum observed value was 17014.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-east-1	NetworkOut activity was observed with an average CloudWatch datapoint value of 215.00 Bytes. Maximum observed value was 5384.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-east-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EBS		us-east-1	EBS VolumeReadBytes activity was observed. Average CloudWatch datapoint value: 26840.34. Maximum observed value: 191640064.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeWriteBytes activity was observed. Average CloudWatch datapoint value: 2863737.19. Maximum observed value: 91129344.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeReadOps activity was observed. Average CloudWatch datapoint value: 1.48. Maximum observed value: 10611.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-east-1	EBS VolumeWriteOps activity was observed. Average CloudWatch datapoint value: 50.70. Maximum observed value: 842.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	ALB		us-east-1	Metric data was unavailable for the analysis period.	Review CloudWatch metric availability, resource configuration, and metric dimensions.
	ALB		us-	Metric data was unavailable for	Review CloudWatch metric availability, resource configuration, and metric

Observation			east-1	the analysis period.	dimensions.
Observation	ALB		us-east-1	Metric data was unavailable for the analysis period.	Review CloudWatch metric availability, resource configuration, and metric dimensions.
Observation	ALB		us-east-1	Metric data was unavailable for the analysis period.	Review CloudWatch metric availability, resource configuration, and metric dimensions.
Observation	ALB		us-east-1	Metric data was unavailable for the analysis period.	Review CloudWatch metric availability, resource configuration, and metric dimensions.
Observation	AutoScaling		us-east-1	Configured minimum Auto Scaling capacity is 1.	Validate the minimum capacity against application availability requirements.
Observation	AutoScaling		us-east-1	Configured desired Auto Scaling capacity is 2.	Validate desired capacity against normal workload and scaling policy.
Observation	AutoScaling		us-east-1	Configured maximum Auto Scaling capacity is 4.	Validate maximum capacity against expected peak workload.
Observation	AutoScaling		us-east-1	Observed in-service instance count is 2.	Compare in-service capacity with desired capacity and recent workload.
Observation	EC2		us-west-1	Low observed average CPU activity (2.10%). Peak observed CPU reached 100.00%.	Review workload pattern, instance purpose, and utilization history before considering any sizing change. Correlate the peak timestamp with application activity before making capacity changes.
Observation	EC2		us-west-1	NetworkIn activity was observed with an average CloudWatch datapoint value of 343177.63 Bytes. Maximum observed value was 401627042.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-west-1	NetworkOut activity was observed with an average CloudWatch datapoint value of 16097.59 Bytes. Maximum observed value was 6763399.00 Bytes.	Review the time-series trend together with application traffic patterns before drawing capacity conclusions.
Observation	EC2		us-west-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-west-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EC2		us-west-1	No failed EC2 status checks were observed during the analysis period.	No action indicated from this metric; continue monitoring.
Observation	EBS		us-west-1	EBS VolumeReadBytes activity was observed. Average CloudWatch datapoint value: 4468263.38. Maximum observed value: 1415442432.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-west-1	EBS VolumeWriteBytes activity was observed. Average CloudWatch datapoint value: 8022757.35. Maximum observed value: 2377715712.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
Observation	EBS		us-west-1	EBS VolumeReadOps activity was observed. Average CloudWatch datapoint value: 107.49. Maximum observed value: 16817.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
				EBS VolumeWriteOps activity	

Observation	EBS		us-west-1	was observed. Average CloudWatch datapoint value: 100.15. Maximum observed value: 43216.00.	Review the I/O time-series together with the workload using the volume, volume type, and storage requirements.
-------------	-----	--	-----------	---	--

9. EC2 Health / Status Checks

OK No EC2 status-check failures were observed in the collected CloudWatch dataset during the analysis period.

10. Analysis Notes & Limitations

- This report is based on the resources and CloudWatch metrics successfully collected during the analysis period.
- A low average CPU value does not by itself prove that an EC2 instance should be downsized.
- A high maximum CPU value does not by itself prove that an instance requires permanent capacity expansion. Peak timing and duration should be investigated.
- The current performance collection covers EC2, EBS, ALB and Auto Scaling resources.
- RDS resources may exist in the account inventory even when RDS performance metrics have not yet been included in the master performance dataset.
- This report is a performance-observation report and is not a complete cost-optimization or security audit.