


TOXI CLEAN-GOLDTM

"Super Speciality Toxin Binder with Natural Extracts"




RR VETERINARY
HEALTH CARE PVT. LTD.

Effects of Mycotoxins:



Different phases of mycotoxicity



Control of mycotoxicosis is crucial for maintenance of quality, safety, productivity and profitability in poultry farming.

TOXI CLEAN-GOLD is a unique toxin binder that is highly effective in the removal of feed mycotoxins that disturb the health and wellbeing of animals and there by protects the farmers from huge productivity losses.

Composition:

TOXI CLEAN-GOLD is a perfect and synergistic blend of

- ➔ Antifungal agents,
- ➔ Immunostimulants
- ➔ Activated charcoal
- ➔ Organic acids
- ➔ Feed sterilizing agents
- ➔ MOS
- ➔ Anti caking agents
- ➔ Specially processed uniform pore sized HSCAS

Key Benefits of TOXI CLEAN-GOLD:

- ➔ **TOXI CLEAN-GOLD** contains selective pore sized HSCAS that provides large surface area and high adsorptive capacities which makes aflatoxins in animal feeds to bind vigorously and forms complexes that are no more bioavailable to the bird to execute mycotoxic effects.
- ➔ **TOXI CLEAN-GOLD** is highly stable and works effectively even at an environment with moisture, humidity and extremely high or fluctuating temperatures.
- ➔ **TOXI CLEAN-GOLD** helps in the conversion of highly toxic mycotoxins into less toxic or detoxified metabolites that can be excreted out from the system very easily.
- ➔ **TOXI CLEAN-GOLD** controls the growth of toxigenic moulds and reduces their ability to biosynthesize mycotoxins
- ➔ **TOXI CLEAN-GOLD** helps in boosting of immune system by initiating compensatory mechanisms and elicits immune response to fight the toxigenic substances produced by fungi.
- ➔ **TOXI CLEAN-GOLD** contains organic acids that reduces the gut pH and inhibits the growth of moulds and other disease causing opportunistic bacteria.
- ➔ **TOXI CLEAN-GOLD** effectively improves productivity and FCR in birds

Recommended feed mixing ratio:

- For moisture content below 15% (or)
< 150 ppb of Toxin, use 1 Kg / Ton of feed
- For moisture content above 15% (or)
> 150 ppb Toxin, use 1.5 Kg / Ton of feed.

(Or)

As suggested by the Veterinarian.



25 Kg laminated BOPP bag.



**RR VETERINARY
HEALTH CARE PVT. LTD.**

An ISO 9001:2015 Certified Company

#4-122/1/1, Plot no. 115 & 123, Kuntloor Village, Abdullapurmet Mandal, R R Dist - 501 505, Telangana, INDIA.

For customer complaints, contact: Customer Care Executive at the above address or call +91 94904 10562. email: feedback@rrveterinary.in, www.rrveterinary.in, www.rrvhc.in