Product Name	Packing	Composition	Indications	Directions for Use
TOXI CLEAN™ GOLD	20 Kg Triple Laminated BOPP Bag.	HSCAS, MOS, Probiotics, Organic acids & Activated Charcoal.	Provides large surface area for higher adsorption of toxins & prevents Mycotoxicosis. Helps in boosting immune system & elicits immune response to fight toxigenic substances produced by fungi.	***For Regular Use:*** 1 Kg per Ton of feed (For< 15% available moisture (or) < 150ppb of toxin) ***For High Moisture in feed:*** 1.5 Kg per Ton of feed (> 15% available moisture (or) > 150 ppb of toxin) (or) As suggested by the Veterinarian.
Colferol-D3®	1 Kg Aluminium Pouch.	Each gram contains Cholecalciferol (Vitamin D3) 60000 I.U. fortified with herbal extracts.	For strengthening of bones, Improving BMD & Prevention of lameness, Rickets and TD in birds.	***Mixing Ratio:*** 20-30 g per ton of feed. Initially prepare a premix by mixing 20-30 g of COLFEROL-D3 in 3 Kg feed. Mix this premix with feed for final use. (or) As suggested by the Veterinarian.
THERMIQUIT® (FS)	10 Kg BOPP Bag.	Dextrose, Herbal Antipyretics, Electrolytes, Vitamin C.	For effective management of Heat stress in birds.	***General Heat Stress :*** 250-500 g per ton of feed. ***Acute Heat Stress :*** 500 g per ton of feed. (or) As suggested by the Veterinarian.
THERMIQUIT®	5 Litres HDPE Container.	Dextrose, Herbal Antipyretics, Electrolytes, Vitamin C.	For prevention of hyperthermia and to regulate body temperature during heat stress.	***General Heat Stress :*** 0.5 – 1 ml per litre water. ***Acute Heat Stress :*** 1.5 – 2 ml per litre water. (or) As suggested by the Veterinarian.
THERMIQUIT® (WS)	100 g Aluminium Pouch.	Dextrose, Herbal Antipyretics, Electrolytes, Vitamin C.	For replenishment of lost body electrolytes during heat stress and restoration of bird to zone of comfort.	1g per 2 litres of drinking water. (or) As suggested by the Veterinarian.
ANTIPROL®	5 Litres HDPE Container.	Selected Herbal bio actives.	For effective management of Cloacal / Vent Prolapse & Intussusception in birds.	**For Commercial Layers, Broilers & Broiler Breeders** — 10-15 ml per 100 birds for 5-7 days in drinking water. (or) As suggested by the Veterinarian.
Tylosure™	1kg Aluminium Pouch.	Each kg contains Tylosin Phosphate equivalent to Tylosin base 100gm.	For effective treatment of infections caused by Streptococcus, Staphylococcus, Pasteurella, Campylobacter Chronic Respiratory Disease (CRD) caused by Mycoplasma gallisepticum, infectious synovitis, and spirochetosis caused by Borrelia anserine.	**Layers:** 500 g per Ton of feed (50 ppm) from point of laying till 42nd week and 200 g per Ton of feed (20 ppm) from 43rd week to culling. **Broilers:** 200 g per Ton of feed (20 ppm) from day 1 to 45th day. **Broiler Breeders:** 500 g per Ton of feed from point of laying to culling. (or) As suggested by the Veterinarian.
LINEODOX™	10 kg Triple Laminated BOPP Bag.	Lincomycin 1%, Doxycyline 2%, Neomycin Sulphate 2% & Herbal extracts of Ocimum sanctum, Curcuma longa, Emblicaofficinalis, Terminaliabelerica, Terminaliachebula.	For the control of Gram Positive & Gram Negative bacterial infections, wet droppings and vent pasting in birds. Also controls and prevents Necrotic Enteritis & maintains the colonization of native and useful bacteria in intestines.	***Broilers Breeders*** : **Regular use**: 500 g per Ton of feed for 5-7days a month. **During production decline :**1-1.5 kg per Ton of feed for 5-7days a month. (or) As directed by the Veterinarian. ***Commercial Layers & Broilers***: **Regular use:** 250 g - 500 g per Ton of feed for 5-7days a month. **During production decline :** 1 kg per Ton of feed for 5-7days a month. (or) As suggested by the Veterinarian.

info@rrveterinary.in

Product Name	Packing	Composition	Indications	Directions for Use
D-BEAK®	50 g Aluminium Pouch.	Each 50g contains Vitamin K3….500 mg.	Helps as antihaemorrhagic agent during debeaking & protects against coccidiosis infection.	**Chicks & Growers :** 50 g per day for 3000 chicks for 5-7 days. **Coccidiosis :** 1 g in 5 Litres for 7-10days. (or) As suggested by the Veterinarian.
AVITOPAM®	1 Litre HDPE Container.	Vitamin A (Palmitate) 100000 I.U.	For effective rejuvenation of epithelial tissues, maintenance of Bone health & control of GOUT.	2-5 ml per 100 birds for 5-7 days in drinking water. (or) As suggested by the Veterinarian.
PROTEMIT™-EO	25 kg Triple Laminated BOPP Bag.	Unique blend of organic, inorganic acids and essential oils.	Helps in maintenance of pH in GIT, improves digestion and assimilation of nutrients.	**When used with AGP**: Broilers Breeders 1 kg per ton of feed; Broilers 500g per ton of feed; Layers 500g per ton of feed. **When used without AGP**: Broilers Breeders 2.5 - 3 kg per ton of feed; Broilers 2 – 2.5 kg per ton of feed; Layers 1.5 - 2 kg per ton of feed. (or) As suggested by the Veterinarian.
PROBOON-WS®	1kg Aluminium Pouch.	Blend of Probiotic strains added @ 4 X 10^9 cfu. namely, Bacillus subtilis, Bacillus licheniformis, Bacillus coagulans Clostridium butyricum, Streptococus faecalis Enterococcus faecium Saccharomyces boulardii.	For establishing the state of EUBIOSIS by creating good intestinal microflora and for controlling diarrhea of unknown etiology.	1 g per 1-2 Litres of drinking water. (or) As suggested by the Veterinarian.
PROBOON-FS®				100 g per ton of feed. (or) As suggested by the Veterinarian.
THERAPEUTIC FORMULATIONS				
Enrorite®	250 ml, 500 ml and 1 Litre Containers.	Contains 100 mg Enrofloxacin per ml.	For effective treatment of Gastrointestinal infections, respiratory infections and urinary tract infections in poultry caused by micro-organisms like Campylobacter E. coli, Haemophilus, Mycoplasma, Pasteurella and Salmonella species.	10 mg per kg body weight (1 ml of solution in 2 Liters of water) once daily orally for a span of 3-5 days in drinking water. (or) As suggested by the Veterinarian. ***Withdrawal Period:*** 5 Days for Eggs and 8 days for Chicken (or) As suggested by the Veterinarian.
BROMELEV™	250 ml, 500 ml & 1 Litre HDPE Containers.	Levofloxacin Hemihydrate I.P. Eq. to Levofloxacin.... 100 mg & Bromhexine Hydrochloride I.P. .. 15 mg.	For treatment of respiratory infections caused by bacteria including Mycoplasmosis, Fowl Cholera, Infectious Coryza, Salmonellosis, Colibacillosis.	1 ml / 10kg body weight (or) 1 ml / 4 liters of drinking water for 3 - 5 days. (or) As suggested by the Veterinarian. **Withdrawal Period:** Chicken : 28 days, Eggs : 7 days
ZITHROSURE™	500 g HDPE Container.	Each gram contains Azithromycin I.P. …100 mg	For treatment of Chronic Respiratory Diseases (CRD) caused by Mycoplasma spp. and URTI caused by Gram positive bacteria.	10 mg per kg body weight for 3-5 days for poultry, sheep, goat & cattle. (or) As suggested by the Veterinarian.

info@rrveterinary.in

RRVHC®
THE SIGN OF SUCCESS

PRODUCTS PROFILE

RR VETERINARY HEALTH CARE PVT. LTD.

An ISO 9001:2015 and ISO 22000:2005 Certified Company
#4-122/1/1, Plot. No. 115 & 123, Kuntloor Village,
Abdullapurmet Mandal, Ranga Reddy District-501 505. Telangana.
Ph: +91-40-4857 7778, Customer Care +91-94904 10562
info@rrveterinary.in | www.rrveterinary.in | www.rrvhc.in

BIO-SECURITY

Product Name	Packing	Composition	Indications	Directions for Use
RR ELIMINATOR®	20 kg premix Bucket +500 g Eliminator concentrate + 150 Bait Stations.	**Premix :** Contains homogeneous blend of Rice, Maize, Wheat, Jowar and Bajra flours with added flavours. **Eliminator Concentrate:** Bromadialone 0.25% w/w	For control of rodent infestation in poultry farms.	20 Kg Bucket with 150 Bait Stations is sufficient for covering an area of poultry farm that lodges 20000 Commercial Layers (or) 10000 Broilers Breeders (or) 40000 Commercial Broilers.
FLYXIL® GOLD	1 Litre & 5 Litres HDPE Containers.	Herbal Bioactive spray.	For control of fly larval propagation.	Mix 10 ml per Litre of water & Spray thoroughly on litter. (1 Litre is sufficient for treating an area of 50-200 sft).
FLYXIL® GOLD PLUS	1 Litre & 5 Litres HDPE Containers.	Rapid Acting Herbal Bioactives with natural desiccants.	For improved litter management and control of fly larval propagation.	Mix 5 ml per Litre of water & Spray thoroughly on litter. (1 Litre is sufficient for treating an area of 50-200 sft).
LARVEND™	1 Litre & 5 Litres HDPE Containers.	Red Bentonite fortified with herbal bioactives.	For litter conditioning and management. Also for control of fly larval propagation.	***For application in Layers:*** 600 ml to 800 ml of LARVEND is sufficient for spray in a shed with a capacity of 10000 birds. ***For application in Broiler Breeders:*** 800 ml of LARVEND is sufficient for spray in a shed with a capacity of 2000 birds. Prepare a working solution for spray, by adding 100 ml of LARVEND to 10 Litres of water and mix thoroughly for better dispersibility.
LARVEND™ Gold Plus	1 Litre & 5 Litres HDPE Containers.	Contains herbal extracts, Red Bentonite(Natural Clay) & Selective litter desiccants.	Unique litter conditioning agent for proper litter management.	**For application in Layers:** 400 ml to 600 ml of LARVEND GOLD PLUS is sufficient for spray in a shed with a capacity of 10000 birds. **For application in Broiler Breeders:** 600 ml of LARVEND GOLD PLUS is sufficient for spray in a shed with a capacity of 2000 birds. Prepare a working solution for spray, by adding 100 ml of LARVEND GOLD PLUS to 10 Litres of water and mix thoroughly for better dispersibility.
NOLARVE-C™	25 Kg Triple Laminated BOPP Bag.	Cyromazine 2% & Kaolin.	For fly larval control.	Mix 250 g per Ton of feed and feed orally for 4-6 weeks continuously.
SPOTON™	1Kg & 5 Kg Aluminium Pouches.	Propoxure 2% bait.	For killing adult house flies.	Sprinkle SPOTON on all fly infested areas & spread SPOTON granules on paper plate or gunny bags or old egg trays separated by a gap of 10-15 ft.
FreAll™	1 Litre Aluminium Container.	Cypermethrin 10% EC.	For efficient control of insects including Lice, Mites, Ticks and Flies.	Prepare FreAll solution of 5-15 ml per litre & spray this mixture on all fly infested areas. *For control of Lice and Mites: Mix* FreAll @ 3-5 ml per litre and use 50-60 litres of this spray mixture for an area of 1000 birds.
MICROKILL™	2 kg HDPE Container.	Triple salt containing Potassium Monopersulphate Potassium Hydrogen Sulphate & Potassium Sulphate (49.8% W/W) Sodium Chloride (1.5% W/W) Buffer & Excipients q.s.	Broad spectrum disinfectant that offers potent anti-microbial activity.	**Aerial spray in presence of birds:** 5 g per litre of water (for 125 sft. area) **Terminal disinfection:** 5 g per litre of water (for 25 sft. area) **Routine water sanitation:** 1 g per 10 litres of water **Water sanitation during disease outbreaks:** 1 g per litre of water **Hatchery sanitation:** 5 g per litre of water (Both for spraying, mopping & equipment washing). **Foot dip / Vehicle dip :** 5-10 g per litre of water. (or) As suggested by the Veterinarian.

Product Name	Packing	Composition	Indications	Directions for Use
PHENOKIL®	20 Litres MS Drum	High Boiling Tar Acid (HBTA) rich creosote oil & Phenolic compounds of high efficiency in killing germs.	An effective germicide for disinfection of vehicle dips, foot dips, hatcheries and other areas with potentially high microbial load.	**Foot dips & Vehicle dips:** Mix 5-10 ml per litre of water & use for foot and vehicle dips. **General cleaning:** Mix 5 ml per litre of water and use it for floor cleaning or for any other general cleaning purpose. (or) As suggested by the Veterinarian.
FORMA KLEEN®	50 Kg HDPE Racket.	Contains Formaldehyde 37% W/W with high Methanol content & added Stabilizers.	An effective disinfectant with potent Bactericidal, Sporicidal, Fungicidal and Virucidal activity.	Use 1-3% (10-30 ml/1 Litre of water) depending on the intended use and site of application. (or) As suggested by the Veterinarian.
CHEQVIR™	1 Litre & 5 Litres HDPE Containers.	Contains Glutaraldehyde…11.0 g Didecyl Dimethyl Ammonium Chloride…..8.15g Benzalkonium Chloride….17.85 g Excipients…….Q.S.	An excellent broad spectrum biocide for controlling Gram Positive & Gram Negative Bacteria, Mycoplasma, Fungal & Viral infections.	**Surface Disinfection Non-Food Contact Areas:** Prepare a solution of 4 ml per Litre water and spray over an area of 25 sft. **In the Presence of Birds:** Prepare a solution of 4 ml per Litre water and spray over an area of 150 sft. (or) As suggested by the Veterinarian.
AQUA REMID™	1 Litre & 5 Litres HDPE Containers.	Contains Didecyl Dimethyl Ammonium Chloride…..15 g. Aqueous Base….Q.S.	Fast acting Biocide with potent Bactericidal, Virucidal, Fungicidal and Algaecidal activity even in the presence of Hard Water & varied pH.	**During Disease Out Break:** Spray a solution of 5 ml per Litre water. **As a Water Sanitiser:** Mix 1 ml in 20 Litres of water. (or) As suggested by the Veterinarian.
ECTOHIBIT™-FS	1kg Aluminium Pouch.	Contains bio actives from natural extracts of selective plant species that acts as ectoparasiticides.	For effective control of ectoparasites in poultry such as flies, lice, mites and soft ticks.	Mix 1 Kg ECTOHIBIT-FS per ton of feed and use it on 1st, 5th, 12th, 25th, 37th & 50th days to get rid of the problem. **For Spraying on birds:** Mix 5g per liter of water (or) As suggested by the Veterinarian.

FEED SUPPLEMENTS

Product Name	Packing	Composition	Indications	Directions for Use
TOXELIM-B® GOLD	1 Litre & 5 Litres HDPE Containers.	Herbal & Synthetic bioactives,Vitamins, Minerals, Aminoacids, Antioxidants, Immunostimulants, Hepatoprotectants.	Unique and complete health tonic For improved productivity.	**Chicks:** 5-8 ml for 100 Chicks for 5-7 Days. **Broilers:** 8-10 ml for 100 birds for 2 Days in a week. **Layers:** 8-10 ml for 100 birds for 1 week in a month. **Broiler Breeders:** 20 ml for 100 birds for 1 week in a month. (or) As suggested by the Veterinarian.
TOXELIM-B® GOLD PLUS	1 Litre & 5 Litres HDPE Containers.	Higher concentrations of Herbal & Synthetic bioactives, Vitamins, Minerals, Aminoacids, Antioxidants, Digestive enzymes, Immunostimulants, Hepatoprotectants.	Unique and complete health tonic for improved productivity.	**Chicks:** 5 ml for 100 Chicks for 5-7 Days. **Broilers:** 7 ml for 100 birds for 2 Days in a week. **Layers:** 7 ml for 100 birds for 1 week in a month. **Broiler Breeders:** 15-20 ml for 100 birds for 1 week in a month. (or) As suggested by the Veterinarian.
TOXELIM-B®	25 kg BOPP Bag.	Herbal & Synthetic bioactives, Vitamins, Minerals, Aminoacids, Antioxidants, Immunostimulants, Hepatoprotectants.	An ideal hepatoprotectant that prevents Mycotoxicosis.	**Commercial Layers:** ***Regular mixing rate*** 250 g per ton of feed. ***Mixing rate when production declines*** 500 g per ton of feed. **Broiler & Broiler Breeders:** ***Regular mixing rate*** 500g per ton of feed. ***Mixing rate when production declines*** 1-1.5 Kg per ton of feed. (or) As suggested by the Veterinarian.
TOXELIM-B® GOLD	10 kg BOPP Bag.	Herbal & Synthetic bioactives, Vitamins, Minerals, Aminoacids, Antioxidants, Digestive enzymes, Immunostimulants, Hepatoprotectants.	Complete Health Supplement for increased productivity.	**Commercial Layers:** 250 g per ton of feed. **Broilers & Broiler Breeders:** 0.5-1.5 kg per Metric Ton of feed. (or) As suggested by the Veterinarian.

Product Name	Packing	Composition	Indications	Directions for Use
ERYTHROBOON®	1 Litre & 5 Litres HDPE Containers.	Iron, Vitamin B9, Vitamin B12 with added HGF Boosters.	An excellent Haematinic for in time management of Anaemic condition in birds & offers supportive therapy for CAV infection.	**Chicks:** 5 ml for 1000 birds for 5 to 7 days. **Broiler Breeders**:10-15 ml for 100 birds for a weak in a month. **Growers Broilers & Layers**: 5 ml for 100 birds for a weak in a month. (or) As suggested by the Veterinarian.
ERYTHROBOON®	1 Kg Aluminium Pouch.	Iron, Vitamin B9, Vitamin B12 with added HGF Boosters.	An excellent Haematinic for in time management of Anaemic condition in birds & offers supportive therapy for CAV infection.	**Broilers & Layers:** 1 Kg per ton of feed for 10 - 15 days. **Broiler Breeders:** 1-2 Kg per ton of feed for 10 - 15 days. (or) As suggested by the Veterinarian.
B-ComMORE®	1 Litre & 5 Litres HDPE Containers.	Higher concentrations of Vitamin B-Complex L-Lysine, Methionine & Tri Choline Citrate.	For management of general debility & prevention of polyneuritis in birds.	**As a Liver Tonic & Detoxifier:** **Chicks:** 5 ml per 100 birds for 5-7 days. **Growers, Layers, Broilers, Broiler Breeders**: 10-20 ml per 100 birds for 5-7 days. **As a B-Complex Supplement:** **Chicks:** 2 ml per 100 birds for 5-7 days. **Growers, Layers, Broilers, Broiler Breeders**: 5 ml per 100 birds for 5-7 days. (or) As suggested by the Veterinarian.
AVIGROW™	1 Litre & 5 Litres HDPE Containers.	Vitamins, Minerals, EAA, Malt, Tri Choline Citrate, Protein Hydrolysate, Herbal Appetizers & Digestive enzymes.	For achieving optimum growth and performance by fine tuning of body physiology and metabolism in birds.	**Chicks & Growers :** 5-10 ml per 100 birds for 5-7 days. **Layers :**10-15 ml per 100 birds for 5-7 days. **Broilers :** 15-20 ml per 100 birds for 5-7 days. **Broiler Breeders :** 20 -25 ml per 100 birds for 5-7 days. (or) As suggested by the Veterinarian.
SUCCICAL™ GOLD	1 Litre & 5 Litres HDPE Containers.	Vitamin D3, Vitamin B12, Ferric Ammonium Citrate, Tri Choline Citrate, Elemental Calcium with improved Bio-availability.	For achieving Calcium homeostasis, strengthening of Bones, Nervous system & for correcting hepatic insufficiency in birds.	**Chicks :**5ml per 5-7 days for 100 birds. **Growers/ Broilers/ Layers :** 15ml per 5-7 days for 100 birds. **Broiler Breeders :** 25ml per 5-7 days for 100 birds. (or) As suggested by the Veterinarian.
SUCCICAL™-FS	10 Kg Triple Laminated BOPP Bag.	Vitamin A, B12, C, D3, Calcium and Phosphorus in 2:1 ratio.	For achieving Calcium homeostasis, strengthening of Bones, Nervous system.	1Kg per ton of feed for 7-10 days every month.(or) As suggested by the Veterinarian.
SUCCICAL™-M	25 Kg Triple Laminated BOPP Bag.	MCHC, Vitamin A, B12, C, D3, Calcium and Phosphorus in 2:1 ratio.	Enhances bioavailability of Calcium and Phosphorous especially during egg laying phase and also for improved egg shell quality.	Mix 500g -1Kg per ton of feed for a span of 7-10 days in a month. (or) As suggested by the Veterinarian.
QUALIMIN™ PLUS	25 Kg Triple Laminated BOPP Bag.	Superior quality trace element mixture with Mn, Zn, Cu, Fe, I, Se.	For improving mineral absorption and assimilation & For improvement of other physiological activities that are vital for growth & development.	Mix 1Kg of QUALIMIN PLUS powder for 1 ton of feed. (or) As Suggested by the Veterinarian.
QUALIMIN™-GOLD	25 Kg Triple Laminated BOPP Bag.	Chelated form of vital trace elements with Amino acid base as organic carrier.	For improved GIT absorption and bioavailability which in turn enhances immunity, body metabolism and overall productivity.	**Growers, Layers & Broilers :** 500g -1 Kg per Ton of feed. **Broiler Breeders :** 1-2 Kg per Ton of feed. (or) As suggested by the Veterinarian.
GUTSTRESS® GOLD	1 Litre HDPE Container.	Contains Anti-stress Vitamins, Minerals and other vital bio actives for enhanced metabolism.	An excellent stress reliever for improved laying performance and overall health.	**Chicks:** 2 ml per 100 birds for 5-7 days. **Growers & Layers:** 4 ml per 100 birds for 5-7 days. **Broilers/ Brioler Breeders :**5 ml per 100 birds for 5-7 days. (or) As suggested by the Veterinarian.