

C:\Users\sufiy\OneDrive\Desktop\c++ programs\26th.c - [Executing] - Embarcadero Dev-C++ 6.3

File Edit Search View Project Execute Tools AStyle Window Help

TDM-GCC 9.2.0 32-bit Profiling

(globals)

Project Clas

```
1 #include <stdio.h>
2
3 typedef struct
4 {
5     int address;
6     int data;
7     char operation[10];
8 } Transaction;
9
10 void target(Transaction t)
11 {
12     printf("\nTarget received transaction\n");
13     printf("Operation : %s\n", t.operation);
14     printf("Address : 0x%X\n", t.address);
15     printf("Data : %d\n", t.data);
16 }
17
18 void initiator()
19 {
20     Transaction t;
21
22     t.address = 0x1000;
23     t.data = 100;
24
25     sprintf(t.operation, "WRITE");
26
27     printf("Initiator sending transaction...\n");
28
29     target(t);
30 }
```

Compiler Resources Compile Log Debug Find Results Console Close

Abort Compilation

Shorten compiler pat

- Errors: 0
- Warnings: 0
- Output Filename: C:\Users\sufiy\OneDrive\Desktop\c++ programs\26th.exe
- Output Size: 345.1552734375 KiB
- Compilation Time: 0.30s

Line: 8 Col: 15 Sel: 0 Lines: 42 Length: 736 Insert Done parsing in 0.016 seconds

91°F Mostly cloudy

Search

DEV C++

ENG US

10:45 19-08-2026

Transaction Level Modeling

Initiator sending transaction...

Target received transaction
Operation : WRITE
Address : 0x1000
Data : 100

Transaction completed successfully.

Process exited after 3.906 seconds with return value 0
Press any key to continue . . .