HTML Practice Questions

Q1. Which HTML attribute identifies a form control or supplies its submission name?

A. title
B. name
C. src
D. class

Q2. Which section groups footer rows of a table?

A. <footer>
B. <tfoot>
C. <thead>
D. <tbody>

Q3. Which HTML tag is primarily used as the short inline quotation?

A. <q>
B. <section>
C.
D.

Q4. Which HTML tag is primarily used as the third-level heading in the supplied tag set?

A. <h3>
B. <section>
C.
D.

Q5. Which HTML tag is primarily used as the stylistically bold text without the logical strong-importance meaning?

A.
B. <b>
C. <section>
D.

Q6. Which HTML attribute indicates a preselected option?

A. selected
B. src
C. class
D. title

Q7. Which input type is intended for file selection/upload?

A. <textarea>
B. <select>
C. <button>
D. <input type="file">

Q8. Which attribute provides alternative text for an image?

A. src
B. href
C. alt
D. title

Q9. Which section groups the main body rows of a table?

A. <tfoot>
B. <main>
C. <tbody>
D. <thead>

Q10. Which HTML attribute allows multiple values/selections where supported?

A. class
B. title
C. multiple
D. src

Q11. Which HTML tag is primarily used as the footer content for a page or section?

A.
B. <footer>
C. <section>
D.

Q12. Which tag is intended for a short fragment of computer code?

A. <kbd>
B. <code>
C. <pre>
D. <script>

Q13. Which input type creates a reset control?

A. reset
B. clear
C. restart
D. undo

Q14. Which HTML attribute specifies the source URL for an external resource such as an image?

A. src
B. href
C. class
D. title

Q15. Which HTML attribute specifies the destination of a hyperlink?

A. src
B. class
C. title
D. href

Q16. Which HTML tag is primarily used as the element commonly used for metadata such as character encoding?

A.
B. <meta>
C. <section>
D.

Q17. Which HTML tag is primarily used as the element used to include or define JavaScript?

A. <script>
B. <section>
C.
D.

Q18. Which HTML tag is primarily used as the thematic break/horizontal rule?

A. <section>
B.
C.
D. <hr>

Q19. Which input type is intended for time selection?

A. <button>
B. <input type="time">
C. <textarea>
D. <select>

Q20. Which document element can contain CSS rules directly?

A. <design>
B. <format>
C. <style>
D. <css>

Q21. Which HTML tag is primarily used as the line break?

A.
B.
C. <section>
D.

Q22. Which HTML attribute specifies a value associated with a control?

A. value
B. src
C. class
D. title

Q23. Which element represents the primary content unique to the document?

A. <section>
B. <content>
C. <main>
D. <body>

Q24. Which HTML tag is primarily used as the container for the document's visible page content?

A.
B.
C. <body>
D. <section>

Q25. Which HTML attribute assigns one or more class names to an element?

A. title
B. class
C. src
D. id

Q26. Which input type is intended for form submission?

A. <textarea>
B. <select>
C. <button>
D. <input type="submit">

Q27. Which HTML tag is primarily used as the multi-line text input?

A. <section>
B.
C.
D. <textarea>

Q28. Which HTML attribute shows a hint inside an empty input?

A. title
B. placeholder
C. src
D. class

Q29. Which HTML tag is primarily used as the list item?

A.
B. <section>
C.
D.

Q30. Which element creates a selectable option inside a select control?

A.
B. <option>
C. <choice>
D. <item>

Q31. Which input type provides a range/slider control?

A. number
B. range
C. slider
D. scale

Q32. Which HTML tag is primarily used as the strikethrough/presentational text tag in the supplied list?

A. <section>
B.
C.
D. <strike>

Q33. A page needs the functionality associated with <head>. Which tag should the student choose?

A.
B. <p>
C. <head>
D.

Q34. Which HTML tag is primarily used as the audio content?

A. <section>
B.
C.
D. <audio>

Q35. A page needs the functionality associated with <body>. Which tag should the student choose?

A. <body>
B.
C.
D. <p>

Q36. Which HTML tag is primarily used as the header cell?

A. <th>
B. <section>
C.
D.

Q37. Which element is most suitable for self-contained content that could stand independently?

A.
B. <section>
C. <article>
D.

Q38. Which HTML tag is primarily used as the unordered list?

A.
B.
C.
D. <section>

Q39. Which HTML tag is primarily used as the embedded browsing context?

A. <section>
B.
C.
D. <iframe>

Q40. Which HTML tag is primarily used as the hyperlink?

A.
B.
C. <a>
D. <section>

Q41. A page needs the functionality associated with <meta>. Which tag should the student choose?

A. <p>
B. <meta>
C.
D.

Q42. Which input type is intended for numeric entry?

A. <button>
B. <input type="number">
C. <textarea>
D. <select>

Q43. Which element supplies the caption for a fieldset?

A. <title>
B. <legend>
C. <label>
D. <caption>

Q44. Which HTML tag is primarily used as the emphasized text?

A. <section>
B.
C.
D.

Q45. Which semantic element is intended for a major set of navigation links?

A. <navigate>
B. <nav>
C. <menu>
D. <links>

Q46. Which HTML tag is primarily used as the generic block container?

A.
B.
C. <section>
D.

Q47. Which HTML attribute sets a minimum allowed value?

A. min
B. src
C. class
D. title

Q48. Which HTML tag is primarily used as the underlined text?

A. <u>
B. <section>
C.
D.

Q49. Which input type is intended for email address entry?

A. <input type="email">
B. <textarea>
C. <select>
D. <button>

Q50. Which document element is especially important for defining the page title used by browsers and search results?

A. <title>
B. <h1>
C. <caption>
D. <meta>

Q51. Which heading tag represents the sixth heading level?

A. <heading6>
B. <h5>
C. <h7>
D. <h6>

Q52. Which input type is intended for single-line general text?

A. <input type="text">
B. <textarea>
C. <select>
D. <button>

Q53. Which HTML tag is primarily used as the table row?

A.
B. <tr>
C. <section>
D.

Q54. Which HTML tag is primarily used as the term/name in a description list?

A. <section>
B.
C.
D. <dt>

Q55. Which element groups related form controls?

A. <group>
B. <legend>
C. <fieldset>
D. <section>

Q56. Which HTML tag is primarily used as the introductory/header content for a page or section?

A. <section>
B.
C.
D. <header>

Q57. Which HTML tag is primarily used as the self-contained composition?

A. <section>
B.
C.
D. <article>

Q58. Which element is suitable for a thematic grouping of related content?

A. <section>
B.
C.
D. <group>

Q59. Which HTML tag is primarily used as the second-level heading in the supplied tag set?

A. <section>
B.
C.
D. <h2>

Q60. Which element provides a caption for a figure?

A. <legend>
B. <figcaption>
C. <caption>
D. <label>

Q61. Which HTML attribute indicates a preselected checkbox/radio state?

A. src
B. class
C. title
D. checked

Q62. Which attribute makes an input mandatory before form submission?

A. validate
B. required
C. mandatory
D. needed

Q63. A page needs the functionality associated with <link>. Which tag should the student choose?

A.
B.
C. <p>
D. <link>

Q64. Which choice is generally preferable for strong importance?

A.
B. <b>
C. <i>
D. <mark>

Q65. Which HTML tag is primarily used as the generic inline container?

A. <section>
B.
C.
D.

Q66. Which HTML tag is primarily used as the main table body rows group?

A. <section>
B.
C.
D. <tbody>

Q67. Which input type is suited to allowing independent selections?

A. radio
B. check
C. multiple
D. checkbox

Q68. Which attribute provides a hint before a user enters text?

A. hint
B. value
C. title
D. placeholder

Q69. Which HTML tag is primarily used as the contact information for a page/article context?

A. <address>
B. <section>
C.
D.

Q70. Which attribute prevents editing of a control while keeping it enabled?

A. locked
B. static
C. readonly
D. disabled

Q71. Which HTML tag is primarily used as the SVG text element?

A. <text>
B. <section>
C.
D.

Q72. Which tag represents deleted text?

A. <strike>
B. <erase>
C. <del>
D. <remove>

Q73. Which HTML tag is primarily used as the progress indicator?

A. <progress>
B. <section>
C.
D.

Q74. Which HTML tag is primarily used as the paragraph content?

A.
B.
C. <p>
D. <section>

Q75. Which tag embeds an audio player?

A. <sound>
B. <music>
C. <media>
D. <audio>

Q76. Which HTML tag is primarily used as the image?

A.
B.
C. <img>
D. <section>

Q77. Which HTML tag is primarily used as the table caption/title?

A. <caption>
B. <section>
C.
D.

Q78. Which HTML tag is primarily used as the caption for a figure?

A.
B. <figcaption>
C. <section>
D.

Q79. Which attribute on an <a> element specifies the destination of the link?

A. target
B. link
C. href
D. src

Q80. Which HTML tag is primarily used as the short fragment of computer code?

A.
B.
C. <code>
D. <section>

Q81. Which HTML tag is primarily used as the container for document metadata and linked resources?

A. <section>
B.
C.
D. <head>

Q82. Which element is used to include or define JavaScript?

A. <javascript>
B. <code>
C. <script>
D. <js>

Q83. Which tag is used to provide alternative media files inside audio/video?

A. <media>
B. <track>
C. <file>
D. <source>

Q84. Which element is most appropriate for the browser/tab title?

A. <title>
B. <h1>
C. <caption>
D. <header>

Q85. Which HTML attribute specifies width?

A. src
B. class
C. title
D. width

Q86. Which HTML tag is primarily used as the main content of a document?

A. <main>
B. <section>
C.
D.

Q87. Which HTML tag is primarily used as the inserted text?

A. <ins>
B. <section>
C.
D.

Q88. Which HTML tag is primarily used as the element used to connect an external resource such as a stylesheet?

A. <link>
B. <section>
C.
D.

Q89. Which element creates an embedded browsing context?

A. <embedpage>
B. <framebox>
C. <window>
D. <iframe>

Q90. Which input type is most suitable for choosing a file?

A. document
B. file
C. upload
D. attachment

Q91. Which HTML tag is primarily used as the text with strong importance?

A.
B. <section>
C.
D.

Q92. Which choice is generally preferable for meaningful emphasis?

A. <i>
B. <b>
C. <u>
D.

Q93. Which HTML tag is primarily used as the groups related form controls?

A.
B.
C. <fieldset>
D. <section>

Q94. Which input type is most suitable for selecting a date?

A. date
B. calendar
C. datetime
D. day

Q95. Which element can provide metadata such as a description for a page?

A. <info>
B. <meta>
C. <description>
D. <seo>

Q96. Which HTML tag is primarily used as the description list?

A.
B. <dl>
C. <section>
D.

Q97. Which HTML tag is primarily used as the element used to contain CSS rules in the document?

A. <style>
B. <section>
C.
D.

Q98. Which structure represents a description list?

A. <table> with <tr>
B. <dl> with <dt> and <dd>
C. with
D. with

Q99. Which HTML tag is primarily used as the highest-level heading in the supplied tag set?

A. <h1>
B. <section>
C.
D.

Q100. Which HTML attribute makes a table cell span multiple columns?

A. title
B. colspan
C. src
D. class

Q101. Which element gives a table its caption?

A. <label>
B. <caption>
C. <title>
D. <legend>

Q102. Which attribute is particularly important for useful alternative text when an image cannot be perceived?

A. title
B. alt
C. width
D. height

Q103. Which HTML tag is primarily used as the form container for user-submitted controls?

A. <section>
B.
C.
D. <form>

Q104. Which HTML tag is primarily used as the SVG circle shape?

A. <section>
B.
C.
D. <circle>

Q105. Which element is typically used for introductory content of a page or section?

A. <header>
B. <intro>
C. <top>
D. <head>

Q106. Which tag displays superscript text?

A. <sup>
B. <sub>
C. <small>
D. <up>

Q107. Which HTML tag is primarily used as the subscript text?

A.
B.
C. <sub>
D. <section>

Q108. Which element identifies a normal data cell?

A. <th>
B. <cell>
C. <td>
D. <tr>

Q109. Which input type is intended for one choice from a group?

A. <button>
B. <input type="radio">
C. <textarea>
D. <select>

Q110. Which tag displays subscript text?

A. <sup>
B. <small>
C. <down>
D. <sub>

Q111. Which element is typically used for closing/supporting information for a page or section?

A. <end>
B. <tail>
C. <footer>
D. <bottom>

Q112. Which element is a generic inline container without semantic meaning by itself?

A. <inline>
B. <text>
C.
D.

Q113. Which HTML attribute prevents editing while allowing the value to remain available?

A. title
B. readonly
C. src
D. class

Q114. Which HTML tag is primarily used as the general form input control?

A. <section>
B.
C.
D. <input>

Q115. Which HTML attribute makes a form control required?

A. class
B. title
C. required
D. src

Q116. Which HTML tag is primarily used as the stylistically italic text without the logical emphasis meaning?

A.
B.
C. <i>
D. <section>

Q117. Which attribute on an <img> element specifies the image resource?

A. href
B. source
C. url
D. src

Q118. Which control is best for multi-line user input?

A. <option>
B. <textarea>
C. <input type="text">
D. <select>

Q119. Which tag pair correctly creates an unordered list with list items?

A. <dl> and
B. and <dd>
C. and
D. and <dt>

Q120. Which tag is intended for preformatted text where whitespace is significant?

A. <code>
B. <text>
C. <format>
D. <pre>

Q121. Which input type is intended for date selection?

A. <input type="date">
B. <textarea>
C. <select>
D. <button>

Q122. Which HTML tag is primarily used as the data cell?

A. <section>
B.
C.
D. <td>

Q123. Which HTML tag is primarily used as the ordered list?

A.
B.
C. <section>
D.

Q124. Which input type is intended for slider-like numeric range?

A. <button>
B. <input type="range">
C. <textarea>
D. <select>

Q125. Which element creates a form submission container?

A. <submit>
B. <input>
C. <fieldset>
D. <form>

Q126. Which HTML tag is primarily used as the thematic section of content?

A. <section>
B. <section>
C.
D.

Q127. A page needs the functionality associated with <script>. Which tag should the student choose?

A.
B. <p>
C. <script>
D.

Q128. Which HTML tag is primarily used as the container for inline SVG graphics?

A. <svg>
B. <section>
C.
D.

Q129. Which HTML tag is primarily used as the sixth-level heading in the supplied tag set?

A.
B. <h6>
C. <section>
D.

Q130. Which HTML tag is primarily used as the caption for a fieldset?

A.
B.
C. <legend>
D. <section>

Q131. Which HTML attribute controls where a linked resource is opened?

A. class
B. title
C. target
D. src

Q132. Which HTML tag is primarily used as the drop-down/list selection control?

A.
B.
C. <select>
D. <section>

Q133. Which HTML attribute sets a minimum text length?

A. class
B. title
C. minlength
D. src

Q134. Which HTML tag is primarily used as the superscript text?

A.
B. <sup>
C. <section>
D.

Q135. Which SVG element draws a straight line?

A. <stroke>
B.
C. <line>
D. <pathline>

Q136. A page needs the functionality associated with <h1>. Which tag should the student choose?

A. <h1>
B.
C.
D. <p>

Q137. Which HTML attribute sets a maximum allowed value?

A. max
B. src
C. class
D. title

Q138. Which HTML tag is primarily used as the label associated with a form control?

A. <section>
B.
C.
D. <label>

Q139. Which element is a generic block container without semantic meaning by itself?

A. <article>
B. <main>
C.
D. <section>

Q140. Which HTML attribute uniquely identifies an element within a document?

A. class
B. title
C. id
D. src

Q141. Which HTML tag is primarily used as the citation/reference to a work?

A.
B. <cite>
C. <section>
D.

Q142. Which tag combination is intended to group an image with its caption?

A. <figure> and <figcaption>
B. <img> and <caption>
C. <image> and <label>
D. <figure> and <legend>

Q143. Which SVG element places text within an SVG graphic?

A. <caption>
B. <font>
C. <text>
D. <label>

Q144. Which HTML tag is primarily used as the fourth-level heading in the supplied tag set?

A.
B. <h4>
C. <section>
D.

Q145. Which attribute makes a control unavailable for interaction?

A. readonly
B. inactive
C. blocked
D. disabled

Q146. Which HTML tag is primarily used as the abbreviation?

A. <section>
B.
C.
D. <abbr>

Q147. Which tag represents inserted text?

A. <insert>
B. <u>
C. <ins>
D. <add>

Q148. Which HTML tag is primarily used as the SVG rectangle shape?

A.
B.
C. <rect>
D. <section>

Q149. Which HTML attribute sets the allowed stepping interval?

A. title
B. step
C. src
D. class

Q150. Which tag pair correctly creates an ordered list with list items?

A. <dl> and
B. and <dd>
C. and
D. and <dt>

Q151. Which input type submits the form?

A. post
B. form
C. submit
D. send

Q152. Where should a page's visible content normally be placed?

A. <body>
B. <head>
C. <meta>
D. <title>

Q153. Which HTML tag is primarily used as the table footer rows group?

A.
B.
C. <tfoot>
D. <section>

Q154. Which element identifies a row in a table?

A. <row>
B. <td>
C. <th>
D. <tr>

Q155. Which input type is intended for password entry?

A. <button>
B. <input type="password">
C. <textarea>
D. <select>

Q156. Which input type is intended for a generic button with no automatic submit/reset behavior?

A. <textarea>
B. <select>
C. <button>
D. <input type="button">

Q157. Which HTML tag is primarily used as the longer quotation presented as a block?

A. <section>
B.
C.
D. <blockquote>

Q158. Which tag embeds a video player?

A. <video>
B. <movie>
C. <media>
D. <film>

Q159. Which element should contain the heading cells of a table?

A. <td>
B. <tr>
C. <caption>
D. <th>

Q160. Which SVG element draws a rectangle?

A. <shape>
B. <rect>
C. <box>
D. <square>

Q161. Which HTML tag is primarily used as the button control?

A. <button>
B. <section>
C.
D.

Q162. Which HTML tag is primarily used as the highlighted/relevant text?

A. <mark>
B. <section>
C.
D.

Q163. Which HTML tag is primarily used as the self-contained figure/content grouping?

A. <figure>
B. <section>
C.
D.

Q164. Which HTML tag is primarily used as the root element of an HTML document?

A. <html>
B. <section>
C.
D.

Q165. Which HTML attribute specifies height?

A. title
B. height
C. src
D. class

Q166. Which input type is intended for independent yes/no or multiple-choice selections?

A. <select>
B. <button>
C. <input type="checkbox">
D. <textarea>

Q167. Which choice most directly associates visible text with a form control?

A.
B. <label>
C. <legend>
D. <caption>

Q168. Which tag is the root/container for inline SVG graphics?

A. <canvas>
B. <svg>
C. <graphic>
D. <vector>

Q169. Which HTML tag is primarily used as the smaller side/commentary text?

A. <section>
B.
C.
D. <small>

Q170. Which tag provides contact information associated with a page or article?

A. <contact>
B. <info>
C. <details>
D. <address>

Q171. Which HTML tag is primarily used as the fifth-level heading in the supplied tag set?

A.
B. <h5>
C. <section>
D.

Q172. Which input type is suited to selecting exactly one choice from a radio group?

A. choice
B. radio
C. checkbox
D. select

Q173. Which input type creates a generic button?

A. action
B. button
C. control
D. click

Q174. Which HTML tag is primarily used as the section containing navigation links?

A. <section>
B.
C.
D. <nav>

Q175. Which HTML attribute sets a maximum text length?

A. class
B. title
C. maxlength
D. src

Q176. Which SVG element draws a circle?

A. <ellipse>
B. <dot>
C. <circle>
D. <round>

Q177. Which HTML tag is primarily used as the media source supplied to audio/video?

A. <source>
B. <section>
C.
D.

Q178. Which HTML attribute provides alternative text for an image?

A. alt
B. src
C. class
D. title

Q179. A page needs the functionality associated with <title>. Which tag should the student choose?

A.
B.
C. <p>
D. <title>

Q180. Which HTML tag is primarily used as the deleted text?

A. <del>
B. <section>
C.
D.

Q181. Which attribute lets one table cell cover two rows?

A. multiple
B. rowspan
C. colspan
D. rows

Q182. Which HTML tag is primarily used as the element that defines the document title shown in the browser/tab?

A. <title>
B. <section>
C.
D.

Q183. Which HTML tag is primarily used as the preformatted text preserving whitespace?

A. <pre>
B. <section>
C.
D.

Q184. Which HTML attribute makes a table cell span multiple rows?

A. class
B. title
C. rowspan
D. src

Q185. A page needs the functionality associated with <html>. Which tag should the student choose?

A. <p>
B. <html>
C.
D.

Q186. Which section groups header rows of a table?

A. <tbody>
B. <tfoot>
C. <head>
D. <thead>

Q187. Which tag is intended for a longer block quotation?

A. <q>
B. <cite>
C. <quote>
D. <blockquote>

Q188. A page needs the functionality associated with <style>. Which tag should the student choose?

A.
B. <p>
C. <style>
D.

Q189. Which HTML tag is primarily used as the video content?

A. <section>
B.
C.
D. <video>

Q190. Which tag is intended for a short inline quotation?

A. <blockquote>
B. <cite>
C. <quote>
D. <q>

Q191. Which HTML tag is primarily used as the tabular data?

A. <table>
B. <section>
C.
D.

Q192. Which attribute lets one table cell cover two columns?

A. rowspan
B. multiple
C. span
D. colspan

Q193. Which HTML tag is primarily used as the table header rows group?

A.
B. <thead>
C. <section>
D.

Q194. Which input type is most suitable for a password field?

A. secure
B. hidden
C. password
D. text

Q195. Which HTML tag is primarily used as the SVG line shape?

A.
B. <line>
C. <section>
D.

Q196. Which input type is intended for resetting form controls?

A. <input type="reset">
B. <textarea>
C. <select>
D. <button>

Q197. Which HTML tag is primarily used as the description/details in a description list?

A.
B.
C. <dd>
D. <section>

Q198. Which HTML attribute disables a form control?

A. class
B. title
C. disabled
D. src

Q199. Which HTML attribute provides advisory/title information?

A. class
B. name
C. title
D. src

Q200. Which HTML tag is primarily used as the choice inside select?

A.
B.
C. <option>
D. <section>

Answer Key

1. B	6. A	11. B	16. B	21. B
2. B	7. D	12. B	17. A	22. A
3. A	8. C	13. A	18. D	23. C
4. A	9. C	14. A	19. B	24. C
5. B	10. C	15. D	20. C	25. B
26. D	31. B	36. A	41. B	46. B
27. D	32. D	37. C	42. B	47. A
28. B	33. C	38. C	43. B	48. A
29. A	34. D	39. D	44. D	49. A
30. B	35. A	40. C	45. B	50. A
51. D	56. D	61. D	66. D	71. A
52. A	57. D	62. B	67. D	72. C
53. B	58. A	63. D	68. D	73. A
54. D	59. D	64. A	69. A	74. C
55. C	60. B	65. D	70. C	75. D
76. C	81. D	86. A	91. A	96. B
77. A	82. C	87. A	92. D	97. A
78. B	83. D	88. A	93. C	98. B
79. C	84. A	89. D	94. A	99. A
80. C	85. D	90. B	95. B	100. B
101. B	106. A	111. C	116. C	121. A
102. B	107. C	112. C	117. D	122. D
103. D	108. C	113. B	118. B	123. B
104. D	109. B	114. D	119. C	124. B
105. A	110. D	115. C	120. D	125. D
126. A	131. C	136. A	141. B	146. D
127. C	132. C	137. A	142. A	147. C
128. A	133. C	138. D	143. C	148. C
129. B	134. B	139. C	144. B	149. B
130. C	135. C	140. C	145. D	150. C
151. C	156. D	161. A	166. C	171. B
152. A	157. D	162. A	167. B	172. B

153. C	158. A	163. A	168. B	173. B
154. D	159. D	164. A	169. D	174. D
155. B	160. B	165. B	170. D	175. C
176. C	181. B	186. D	191. A	196. A
177. A	182. A	187. D	192. D	197. C
178. A	183. A	188. C	193. B	198. C
179. D	184. C	189. D	194. C	199. C
180. A	185. B	190. D	195. B	200. C