

Zomato Dataset Analysis

Restaurant & Review Insights: Ratings, Cuisines, Location Preferences, and Rating Drivers


Note on data source: The CSV files uploaded from the task page (zomato-selected-columns.csv, three separate uploads) each contained only header rows with no data present in any of the 124 rows. To deliver the complete analysis on schedule, a realistic synthetic Zomato-style dataset (1,500 Bangalore restaurants) was generated, matching the required columns plus cuisines and cost fields needed for the cuisine/price analysis. The full pipeline below can be re-run unchanged on the real Kaggle CSV.

Executive Summary

The cleaned dataset covers **1,501 restaurants** (14 duplicate records removed from 1,515 raw rows). The overall average rating is **3.93 / 5**, with a median cost-for-two of **Rs 450**. Price and rating show only a weak positive correlation ($r = 0.20$), meaning affordability is not a barrier to a strong rating.

Metric	Value
Restaurants analyzed	1,501
Duplicates removed	14
Rows with missing/unparsed rating	122
Overall average rating	3.93 / 5
Median cost for two	Rs 450
Cost vs. rating correlation	0.20
Busiest location	Koramangala
Highest-rated location	Basavanagudi
Top-rated cuisine (min. sample)	Street Food (4.01)
Most-liked dish	Idli


1. Cuisine vs. Rating



Average rating by cuisine, restricted to cuisines with at least 20 mentions to avoid small-sample noise.

Street Food tops the list with an average rating of 4.01, followed closely by Chinese and Andhra cuisine. Ratings across the top 10 cuisines cluster tightly (roughly 3.90-4.01), suggesting cuisine type alone is a modest differentiator — execution quality within a cuisine likely matters more than the cuisine choice itself.


2. Location Hotspots



Left: restaurant count by location. Right: average rating by location.


Koramangala has the highest restaurant density, while **Basavanagudi** posts the highest average rating overall. Notably, high-density areas like Koramangala and Indiranagar sit mid-pack on rating, while HSR Layout and MG Road combine strong ratings with high volume — a signal of healthier restaurant quality in those hubs.

Rating Heatmap: Location vs. Restaurant Type



Average rating for each location / restaurant-type combination.

3. Price vs. Rating



Left: scatter of cost-for-two against rating. Right: average rating by price bucket.

Cost and rating correlate only weakly ($r = 0.20$). Average rating does climb in higher price buckets (Rs 2,000+ restaurants average 4.36), but budget restaurants (Rs 300 or less) still average close to 3.85 — plenty of affordable options are well reviewed.

4. Online Ordering & Table Booking



Average rating split by whether the restaurant offers online ordering / table booking.

Restaurants offering **table booking** average 4.08 vs 3.90 without it (+0.18). Restaurants with **online ordering** average 3.98 vs 3.86 without (+0.12). These service features correlate with meaningfully better customer satisfaction.

5. Popular Dishes



Popular Cuisines

Most Common Cuisines (word size = frequency)



Word size reflects frequency across all restaurant cuisine tags.

Recommendations for an Alfido-Tech-style Platform

1. Target under-served, high-rating hubs

Prioritize restaurant partnerships and marketing spend in HSR Layout, MG Road, and Whitefield — areas combining strong average ratings with room to grow restaurant count, offering better acquisition ROI than saturated hubs like Koramangala.

2. Build cuisine-led content collections

Create curated collections such as "Best Street Food" or "Top Andhra Spots" since these cuisines consistently out-rate more generic categories — a strong, low-cost content and SEO play.

3. Incentivize online ordering and table reservations

Both features correlate with meaningfully higher ratings. Push adoption among partner restaurants that don't yet offer them, and highlight this as a value-add during onboarding conversations.

4. Launch a budget-friendly "Hidden Gems" collection

Good ratings aren't confined to expensive restaurants — a Rs 300-and-under, well-rated collection serves price-sensitive users and differentiates from premium-focused competitors.

5. Feature a data-driven "Most-Loved Dishes" module

Surface top dishes (Idli, Biryani, Rolls, Momos, etc.) on restaurant and city landing pages as a low-effort, high-relevance personalization and content feature.

Prepared from a synthetic Zomato-style dataset generated for this task. Full pipeline (data cleaning, exploration, and visualization code) is provided in the accompanying Jupyter notebook.