HTML Tags Ordered Alphabetically

$\mathbf{\overline{b}}$ = New in HTML5.

Tag	Compatibility	Description
<u><!--</u--></u>		Defines a comment
		Defines the document type
<u><a></u>		Defines a hyperlink
<abbr></abbr>		Defines an abbreviation or an acronym
<acronym></acronym>		Not supported in HTML5. Use <abbr> instead. Defines an acronym</abbr>
<address></address>		Defines contact information for the author/owner of a document
<applet></applet>		Not supported in HTML5. Use <embed/> or <object> instead. Defines an embedded applet</object>
<area/>	5	Defines an area inside an image-map
<article></article>	5	Defines an article
<aside></aside>	5	Defines content aside from the page content
<audio></audio>		Defines sound content
<u></u>		Defines bold text
<base/>		Specifies the base URL/target for all relative URLs in a document
<u><basefont/></u>		Not supported in HTML5. Use CSS instead. Specifies a default color, size, and font for all text in a document
<u><bdi></bdi></u>	5	Isolates a part of text that might be formatted in a different direction from other text outside it
<u><bdo></bdo></u>		Overrides the current text direction
 big>		Not supported in HTML5. Use CSS instead. Defines big text
 		Defines a section that is quoted from another source
<body></body>		Defines the document's body
<u> </u>		Defines a single line break
<button></button>		Defines a clickable button

<canvas></canvas>	5	Used to draw graphics, on the fly, via scripting (usually JavaScript)
<caption></caption>		Defines a table caption
<center></center>		Not supported in HTML5. Use CSS instead. Defines centered text
<cite></cite>		Defines the title of a work
<code></code>		Defines a piece of computer code
<u><col/></u>		Specifies column properties for each column within a <colgroup> element</colgroup>
<colgroup></colgroup>		Specifies a group of one or more columns in a table for formatting
<datalist></datalist>	5	Specifies a list of pre-defined options for input controls
<u><dd></dd></u>		Defines a description/value of a term in a description list
		Defines text that has been deleted from a document
<details></details>	5	Defines additional details that the user can view or hide
<dfn></dfn>		Represents the defining instance of a term
<dialog></dialog>	5	Defines a dialog box or window
<dir></dir>		Not supported in HTML5. Use instead. Defines a directory list
<div></div>		Defines a section in a document
<u><dl></dl></u>		Defines a description list
<u><dt></dt></u>		Defines a term/name in a description list
<u></u>		Defines emphasized text
<embed/>	5	Defines a container for an external (non-HTML) application
<fieldset></fieldset>		Groups related elements in a form
<figcaption></figcaption>	5	Defines a caption for a <figure> element</figure>
<figure></figure>	등	Specifies self-contained content
<u></u>		Not supported in HTML5. Use CSS instead. Defines font, color, and size for text
<footer></footer>	5	Defines a footer for a document or section
<form></form>		Defines an HTML form for user input

<u><frame/></u>		Not supported in HTML5. Defines a window (a frame) in a frameset
<frameset></frameset>		Not supported in HTML5. Defines a set of frames
<h1> to <h6></h6></h1>		Defines HTML headings
<head></head>		Defines information about the document
<header></header>	5	Defines a header for a document or section
<u><hr/></u>		Defines a thematic change in the content
<html></html>		Defines the root of an HTML document
<u><i>></i></u>		Defines a part of text in an alternate voice or mood
<iframe></iframe>		Defines an inline frame
		Defines an image
<input/>		Defines an input control
<ins></ins>		Defines a text that has been inserted into a document
<kbd></kbd>		Defines keyboard input
<keygen/>	5	Defines a key-pair generator field (for forms)
<label></label>		Defines a label for an <input/> element
<legend></legend>		Defines a caption for a <fieldset> element</fieldset>
<u>< i></u>		Defines a list item
<u><link/></u>		Defines the relationship between a document and an external resource (most used to link to style sheets)
<main></main>	5	Specifies the main content of a document
<map></map>		Defines a client-side image-map
<mark></mark>	5	Defines marked/highlighted text
<menu></menu>		Defines a list/menu of commands
<menuitem/>	5	Defines a command/menu item that the user can invoke from a popup menu
<meta/>		Defines metadata about an HTML document
<meter></meter>	5	Defines a scalar measurement within a known range (a gauge)

Sinax≥ Defines navigation links Inforames> Not supported in HTML5. Defines an alternate content for users that do not support frames Image: An inforames of the property of			
Defines an alternate content for users that do not support frames Index of the progress of a task Index of the progress of the progress of a task Index of the progress of the progress of a task Index of the progress of the progress of a task Index of the progress of the progress of a task of the progress of	<nav></nav>	5	Defines navigation links
Scripts	<noframes></noframes>		
Sol≥ Defines an ordered list Soptgroup> Defines a group of related options in a drop-down list Soption≥ Defines an option in a drop-down list Soutput> □ Defines an option in a drop-down list Soutput> □ Defines the result of a calculation Sp≥ Defines a paragraph Sparam> Defines a container for multiple image resources Spre> Defines preformatted text Spre> Defines preformatted text Sq> Defines a short quotation Srpe> Defines a short quotation Srp> Defines what to show in browsers that do not support ruby annotations Srt □ Defines an explanation/pronunciation of characters (for East Asian typography) Srt □ Defines a ruby annotation (for East Asian typography) Ss> Defines sample output from a computer program Script> Defines a client-side script Section> □ Defines a drop-down list Select> Defines multiple media resources for media elements (<video> and audion</video>	<noscript></noscript>		• •
coptgroup> Defines a group of related options in a drop-down list coption> Defines an option in a drop-down list coutput> Image: Defines the result of a calculation cp2 Defines a paragraph cparam> Defines a parameter for an object cparam> Defines a container for multiple image resources cpre> Defines preformatted text cprogress> Represents the progress of a task cq> Defines what to show in browsers that do not support ruby annotation crt> Image: Defines an explanation/pronunciation of characters (for East Asian typography) crt> Defines a ruby annotation (for East Asian typography) cs> Defines text that is no longer correct csamp> Defines a client-side script cscript> Defines a section in a document csection> Defines a drop-down list csmall> Defines multiple media resources for media elements (<video> and cvideo> and <a audio"="" href="mailto:</td><td><object></td><td></td><td>Defines an embedded object</td></tr><tr><td>Soption> Defines an option in a drop-down list Soutput> Image: Defines an option in a drop-down list Soutput> Defines the result of a calculation Sparam> Defines a parameter for an object Spicture> Defines a container for multiple image resources Spre2 Defines preformatted text Sprogress> Image: Represents the progress of a task Sq2 Defines a short quotation Scrip> Defines what to show in browsers that do not support ruby annotations Scrip> Defines an explanation/pronunciation of characters (for East Asian typography) Scruby> Defines a ruby annotation (for East Asian typography) Ssamp> Defines text that is no longer correct Samp> Defines sample output from a computer program Script> Defines a client-side script Section> Defines a drop-down list Semall> Defines smaller text Source> Defines multiple media resources for media elements (<video> and <a hre<="" td=""><td><u></u></td><td></td><td>Defines an ordered list</td></video>	<u></u>		Defines an ordered list
Defines the result of a calculation Defines a paragraph Defines a parameter for an object Defines a container for multiple image resources Defines preformatted text Peres Defines a short quotation Defines what to show in browsers that do not support ruby annotations Defines an explanation/pronunciation of characters (for East Asian typography) Defines a ruby annotation (for East Asian typography) Defines text that is no longer correct Samp> Defines a client-side script Defines a dient-side script Defines a drop-down list Defines smaller text Defines multiple media resources for media elements (<video> and audio>)</video>	<optgroup></optgroup>		Defines a group of related options in a drop-down list
Defines a paragraph Defines a parameter for an object perines a container for multiple image resources pres Defines preformatted text progress> Represents the progress of a task perines a short quotation perines what to show in browsers that do not support ruby annotations perines an explanation/pronunciation of characters (for East Asian typography) perines a ruby annotation (for East Asian typography) perines a ruby annotation (for East Asian typography) perines a client-side script section> Defines a client-side script section> Defines a drop-down list Defines smaller text source> Defines multiple media resources for media elements (<video> and <audio>)</audio></video>	<option></option>		Defines an option in a drop-down list
✓ picture> □ Defines a parameter for an object ✓ picture> □ Defines a container for multiple image resources ✓ pre> Defines preformatted text ✓ progress> □ Represents the progress of a task ✓ q> Defines a short quotation ✓ rp> □ Defines what to show in browsers that do not support ruby annotations ✓ rt> □ Defines an explanation/pronunciation of characters (for East Asian typography) ✓ ruby> □ Defines a ruby annotation (for East Asian typography) ✓ s> Defines text that is no longer correct ✓ samp> Defines sample output from a computer program ✓ section> □ Defines a client-side script ✓ section> □ Defines a drop-down list ✓ small> Defines multiple media resources for media elements (<video> and audio>)</video>	<output></output>	5	Defines the result of a calculation
✓ picture> □ Defines a container for multiple image resources ✓ progress> Defines preformatted text ✓ progress> □ Represents the progress of a task ✓ q> Defines a short quotation ✓ rp> □ Defines what to show in browsers that do not support ruby annotations ✓ rt> □ Defines an explanation/pronunciation of characters (for East Asian typography) ✓ ruby> □ Defines a ruby annotation (for East Asian typography) ✓ S> Defines text that is no longer correct ✓ samp> Defines sample output from a computer program ✓ script> Defines a client-side script ✓ section> □ Defines a section in a document ✓ select> Defines a drop-down list ✓ small> Defines smaller text ✓ source> □ Defines multiple media resources for media elements (< video> and < audio>)	<u></u>		Defines a paragraph
<pre></pre>	<param/>		Defines a parameter for an object
Represents the progress of a task CQ> Defines a short quotation CIP> Defines what to show in browsers that do not support ruby annotations CIT> Defines an explanation/pronunciation of characters (for East Asian typography) CIUDY> Defines a ruby annotation (for East Asian typography) CIPY Defines text that is no longer correct CIPY Defines sample output from a computer program CIPY Defines a client-side script CIPY Defines a section in a document CIPY Defines a drop-down list CIPY Defines smaller text CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (<video> and CIPY Defines multiple media resources for media elements (</video></video></video></video></video></video></video></video></video></video></video></video></video>	<picture></picture>	5	Defines a container for multiple image resources
Defines a short quotation Section > Defines a short quotation	<pre><</pre>		Defines preformatted text
Defines what to show in browsers that do not support ruby annotations Crt	<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	5	Represents the progress of a task
annotations Series Defines an explanation/pronunciation of characters (for East Asian typography)	<u>< 0></u>		Defines a short quotation
typography) <ruby> Defines a ruby annotation (for East Asian typography) <s> Defines text that is no longer correct Samp> Defines sample output from a computer program Script> Defines a client-side script Section> Defines a section in a document Defines a drop-down list Defines small> Defines smaller text Source> Defines multiple media resources for media elements (<video> and <audio>) To fine the typography) Defines a ruby annotation (for East Asian typography) Defines text that is no longer correct Samp> Defines sample output from a computer program Defines a client-side script Section> Defines a drop-down list Source> Defines multiple media resources for media elements (<video> and <audio>)</audio></video></audio></video></s></ruby>	<u><rp></rp></u>	5	
Defines text that is no longer correct Samp> Defines sample output from a computer program Secript> Defines a client-side script Section> Defines a section in a document Select> Defines a drop-down list Defines smaller text Defines multiple media resources for media elements (<video> and <audio>)</audio></video>	<u><rt></rt></u>	5	
Samp> Defines sample output from a computer program Script> Defines a client-side script Section> Defines a section in a document Select> Defines a drop-down list Small> Defines smaller text Source> Defines multiple media resources for media elements (<video> and <audio>)</audio></video>	<ruby></ruby>	5	Defines a ruby annotation (for East Asian typography)
<script> Defines a client-side script <section> Defines a section in a document <select> Defines a drop-down list <small> Defines smaller text <source> Defines multiple media resources for media elements (<video> and <audio>)</td><td><u><s></u></td><td></td><td>Defines text that is no longer correct</td></tr><tr><td><section> Defines a section in a document <select> Defines a drop-down list <small> Defines smaller text <source> Defines multiple media resources for media elements (<video> and <audio>)</td><td><samp></td><td></td><td>Defines sample output from a computer program</td></tr><tr><td><select> Defines a drop-down list <small> Defines smaller text <source> Defines multiple media resources for media elements (<video> and <audio>)</td><td><script></td><td></td><td>Defines a client-side script</td></tr><tr><td>Small> Defines smaller text Source> Defines multiple media resources for media elements (<video> and <audio>)</td><td><section></td><td>5</td><td>Defines a section in a document</td></tr><tr><td><u><source></u> Defines multiple media resources for media elements (<video> and <audio>)</td><td><select></td><td></td><td>Defines a drop-down list</td></tr><tr><td><audio>)</td><td><small></td><td></td><td>Defines smaller text</td></tr><tr><td><pre> Defines a section in a document</pre></td><td><source></td><td>5</td><td></td></tr><tr><td></td><td></td><td></td><td>Defines a section in a document</td></tr></tbody></table></script>			

<u><strike></strike></u> Not supported in HTML5. Use or <s> instead. Defines strikethrough text</s>	
 Defines important text	
<style> Defines style information for a document</td><td></td></tr><tr><td><sub></td><td></td></tr><tr><td><u><summary></u> Defines a visible heading for a <details> element</td><td></td></tr><tr><td><sup></td><td></td></tr><tr><td>Defines a table</td><td></td></tr><tr><td>Groups the body content in a table</td><td></td></tr><tr><td>Defines a cell in a table</td><td></td></tr><tr><td><textarea> Defines a multiline input control (text area)</td><td></td></tr><tr><td><tfoot> Groups the footer content in a table</td><td></td></tr><tr><td>Defines a header cell in a table</td><td></td></tr><tr><td><thead> Groups the header content in a table</td><td></td></tr><tr><td><time> Defines a date/time</td><td></td></tr><tr><td><title> Defines a title for the document</td><td></td></tr><tr><td></td><td></td></tr><tr><td><track></td><td>>)</td></tr><tr><td><tt>Not supported in HTML5. Use CSS instead. Defines teletype text</td><td></td></tr><tr><td><u> Defines text that should be stylistically different from normal</td><td>text</td></tr><tr><td> <u></u> Defines an unordered list </td><td></td></tr><tr><td><pre><var></pre> Defines a variable</td><td></td></tr><tr><td></td><td></td></tr><tr><td><u><video></u> Defines a video or movie</td><td></td></tr></tbody></table></style>	