

Professional Inspection for Aerial Adventure Programs

Organization: _____ Location: _____ Onsite Contact: _____

Inspected by: Date of Inspection:

Previously Inspector: Prev. Inspection Date:

Known Course
History

This report covers the condition of the aerial adventure site for the date of inspection reflected on this form. The inspection provided is strictly an evaluation of the structural condition of the course elements and equipment. The inspection does not include training on how to operate the equipment, nor how to operate the course. The inspection only verifies the existence of written local operating procedures (LOP), an emergency action plan (EAP), and training documentation. The inspection does not perform a review or evaluate the LOP, EAP and training documentation. Potential problems can occur afterwards due to vandalism, improper use, weather, etc. Rope Works Inc. is not responsible for modifications or repairs made to the challenge course by anyone other than a Rope Works Inc. employee. We recommend you conduct your own periodic internal monitoring at a minimum on a quarterly basis. At a minimum an annual professional inspection is required by a qualified professional to be in compliance with the Association for Challenge Course Technology ANSI/ACCT current published standards.

Reminders and Requirements

- Employers are required to issue staff appropriate fall protection for the duties to be performed.
- A Periodic Internal Monitoring of the aerial activities on your site shall be conducted by qualified personnel.
- Proper identification, tracking, and documentation of ALL equipment used for operations shall be kept and available at your annual professional inspection.
- Proper staff training should be provided for the operation of all aerial activities and equipment on your site.
- Operational Reviews shall be conducted once every five years.

All inspections include the following when applicable:

Lifeline HDW	Represents all hardware associated with the Life Safety System including but not limited to: wire rope, bolts, wire rope terminations, & redundant terminations.
Activity HDW	Represents all hardware associated with the element execution. This includes but is not limited to: foot cables, platforms, hand ropes/cables, boards, etc.
Environment	This represents the surrounding area of the activity/element. This includes but is not limited to: ground cover, trees, rocks, & terrain.
Equipment	This represents the equipment utilized in the operation of the course activities. This includes but is not limited to: rope, carabiners, helmets, belay devices, pulleys, trolleys, lanyards, etc.
Pass/Pass with Provisions/Fail	This represents the overall rating for the system based on the condition of the items inspected on the day of the inspection. Rope Works Inc. inspects all challenge course and canopy/zip line tours to the standards set forth by the ACCT. Any deviation from the ACCT standards in regards to the inspection criteria will be addressed in the Comment section .

Inspection Key

Pass - The equipment or operating system meets all manufacturer specifications, industry standards, and operational safety requirements at the time of inspection. No corrective actions are necessary. The item is approved for continued use until the next scheduled inspection.

Pass with Provisions - The equipment or operating system is generally in acceptable condition but requires minor corrective action, repair, or follow-up maintenance that does not pose an immediate safety concern.

- A written comment will accompany any *Pass with Provisions* rating, detailing the issue and recommended corrective action.
- If the provision is not resolved or verified as corrected by time indicated or the next annual inspection, the item will be reclassified as a **Fail** until compliance is achieved.

Fail - The equipment or operating system does not meet minimum safety or operational standards and presents a potential or immediate hazard. The item must be removed from service and repaired, replaced, or corrected before being used again. Documentation of corrective actions is required prior to reinspection and approval for use.

N/A - Not applicable, Not inspected, or inaccessible/not available at the time of inspection

Operating Systems

Operating System:	Name:	Result:	Comments or Required Changes
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	

Operating System ▾		☐ Pass ☐ Pass w/ Provisions ☐ Fail	
--------------------	--	--	--

SYSTEMS - **ZIPLINES**

Cable Type KEY: GAC = Galvanized Aircraft Cable, SS = Super Swaged

Braking System KEY: ZS = Zip Stop, FB = Friction Break, SB = Spring Bank, G = Gravity

EAD System KEY: - ZS = Zip Step, AP = Auto P

Zip Line	Cable Length (feet)	Unload Tension (lbf)	Load Tension (lbf)	Result:	Comments and/or Required Changes:
				☐ Pass ☐ Pass w/Provisions ☐ Fail	
	Cable Type	Braking System	EAD System		
	Cable ▾	Brakin... ▾	EAD ... ▾		

Zip Line	Cable Length (feet)	Unload Tension (lbf)	Load Tension (lbf)	Result:	Comments and/or Required Changes:
				☐ Pass ☐ Pass w/Provisions ☐ Fail	
	Cable Type	Braking System	EAD System		
	Cable ▾	Braking ... ▾	EAD System ▾		

Program Equipment Inspected

Any equipment that FAILS must be immediately removed from service and no longer used as part of the current operational inventory.

It is the responsibility of the client to read, understand, and follow all manufacturer guidelines, notices and recalls for the equipment used for your site's operations. This includes proper documentation and


inventory tracking of each item used for course operations. This should be done according to a written checklist that is monitored by the course manager or other qualified person at your site. Records should be available at your annual inspection that include and indicate the date of purchase, date of first use and the equipment shall be identifiable by the serial number/tag or other unique identifier that matches your written documentation and the manufacturer retirement criteria. If you are unable to produce this information and tracking, it will be pulled from service and noted on the inspection report.

EQUIPMENT - **HARNESSES**

Harness Type	Production Year	Quantity	Result:	Comments and/or Required Changes
Harness Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Harness Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Harness Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Harness Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Harness Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

EQUIPMENT - **HELMETS**

Helmet Type	Production Year	Quantity	Result:	Comments and/or Required Changes
Helmet Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	



ROPE WORKS

ROPES/CHALLENGE COURSE



Helmet Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Helmet Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Helmet Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Helmet Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

EQUIPMENT - **LANYARDS**

Lanyard Type	Producti onYear	Quantity	Result:	Comments and/or Required Changes
Lanyard Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Lanyard Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Lanyard Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Lanyard Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

Lanyard Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
----------------	--------	--	--	--

EQUIPMENT - **CONNECTORS (CARABINERS & QUICKLINKS)**

Connector Type	Producti onYear	Quantity	Result:	Comments and/or Required Changes
Connector Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Connector Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Connector Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Connector Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Connector Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

EQUIPMENT - **KERNMANTLE ROPE**

Rope Type	Producti onYear	Quantity	Result:	Comments and/or Required Changes
Rope Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Rope Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	


Rope Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Rope Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Rope Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

EQUIPMENT - **BELAY/DESCENT DEVICE**

Belay/Descent Type	Production Year	Quantity	Inspection Result:	Comments and/or Required Changes
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Belay/Descent Type ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

EQUIPMENT - **TROLLEYS AND PULLEYS**

Trolley & Pulley Type	Production Year	Quantity	Result:	Comments and/or Required Changes
-----------------------	-----------------	----------	---------	----------------------------------



ROPE WORKS

ROPES/CHALLENGE COURSE



Trolleys/Pulleys ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Trolleys/Pulleys ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Trolleys/Pulleys ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Trolleys/Pulleys ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	
Trolleys/Pulleys ▾	Year ▾		☐ Pass ☐ Pass w/Provisions ☐ Fail	

OTHER EQUIPMENT

Equipment Type/Name	Production Year	Quantity	Inspection Result:	Comments and/or Required Changes
			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	

			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	
			☐ Pass ☐ Pass w/Provisions ☐ Fail	

ACCT Operations Standards Criteria

The following documentation is currently required by the ANSI/ACCT 03-2019 Operations Standards. If your program does not have the following in existence it is noted below. It is your responsibility to ensure these are located or created and available. If these documents have been made available during the professional inspection it is noted below. It is important to recognize these documents are not reviewed by the professional inspector for content. They are only verified of their existence for program operations.

Local Written Operations Procedures (CHPT 2. ANSI/ACCT B.2.4)	☐ YES	☐ NO
Local Written Emergency Action Plan (CHPT 2 ANSI/ACCT B.2.5)	☐ YES	☐ NO
Minimum Annual Training (CHPT 3 ANSI/ACCT B.1.2)	☐ YES	☐ NO
Written Pre-Use Inspection in Use (CHPT 2 ANSI/ACCT B.2.13)	☐ YES	☐ NO
Inventory Tracking System in Use (CHPT 1 ANSI/ACCT I.3.2.1)	☐ YES	☐ NO
Operational Review Every 5 Years (CHPT 2 ANSI/ACCT B.2.7)	☐ YES	☐ NO

Comments: A QCP is a Qualified Course Professional that meets the criteria outlined by the ACCT. Operations & Emergency procedures must be written and specific to the site's local operations procedures.

0

Report Summary

Repairs, Alterations performed during inspection:

Comments:

0

*Critical Action = Required Changes Prior to use of Activity, Element, or Equipment

Comments:

0

Future Considerations (includes but not limited to age of course, recommended updates, suggestions, industry future)

Comments:

0

Next inspection date:

General Rope Works Inspection Retirement Guidelines: These are generalized and are not a substitute for the Pre use inspection.

Harness: Manufacture maximum use or condition warranted at time of inspection

Lanyards: Manufacture maximum use or condition warranted at time of inspection

Kernmantle Rope = 5 years or 1000 loads when used with top rope systems

Kernmantle Rope = 5 years or 300 loads, whichever comes first when used on aerial leap activities

Helmets: Manufacture maximum use or condition warranted at time of inspection

Pulleys, Trolleys, Carabiners, Belay/descent devices, Cable grabs: Manufacture maximum use or condition warranted at time of inspection