


Charles Abi Chahine.

architect · computational designer

design, computation, and the work of getting it built.



01		Sensi	A sensory copilot for floor plans.	2026
02		Encoding Urban Risk	Street risk classified from open map data.	2026
03		IEgoarCh	A prompt becomes a buildable LEGO set.	2026
04		Breathing Mass	A tower that breathes for Santiago.	2026
05		The Huddle	A research hub huddled against the wind.	2025/26
06		The Luminous Stratum	Sedimented light over a Cairo market.	2025
07		Rings of Mars: Ring 4000	A regolith-printed habitat ring for Mars.	2024
08		Saria, Dubai Maritime City	A residential tower on the water in Dubai.	2024



Sensi.

2026

COMPUTATION & AI

MACAD 2026 AWARD

A sensory copilot for floor plans.

In architecture we model everything: structure, cost, energy, code compliance. Layer after layer that makes a building accountable before it is built. Sensi adds the one layer we never formalized: how a space will actually feel. Not emotion, but the full sensory experience of standing in a room, scored across six senses: thermal, visual, acoustic, spatial, olfactory, tactile. Not in the abstract, but for a specific person.

MODULE

AIA Studio · MaCAD, IAAC

TEAM

Charles Abi Chahine, Emilie El Chidiac,
Lakzhmy Mari Zaro, María Sánchez
Domínguez

TOOLS


Python · LLM agents · Vision models ·
Web app



01 · THE SENSORY LAYER

Comfort research studies one sense at a time: thermal has its own models, acoustic its own standards. But we take a room in through all of them at once, and the senses are coupled: one moderates another. We call it the ripple. Add a bigger window and the daylight improves, but the same glass is a thinner sound barrier and leaks heat, and the noise that gets in can even diminish the daylight you gained. One design move, a chain of consequences.

The room score is not an average. It is half mean, half worst: the worst sense carries the room, because that is the one you would actually feel. A kitchen that scores fine on everything except smell does not get to hide behind its other senses. The scoring is deterministic: fixed rules over a coupling matrix. The LLM routes intent and explains results; it never decides the score. No black box.



DEMO · Sensi, end to end: a plan goes in, a room-by-room comfort report comes out.

02 · ACT 1 · ONBOARD: WHO IS THIS FOR

Comfort is not universal. The same plan read through two lenses tells two stories: a child who minds noise sees the loud living room light up; a grandmother who minds the cold sees the cold bedroom. So Sensi opens by learning who you are: a few questions, then a moodboard where each image you keep quietly tags the senses you lean toward. Your words become sense weights, the images nudge them, and it all compiles into a persona drawn as a petal rose.


03 · ACT 2 · SHAPE: COMFORT YOU CAN EDIT

This is the heart of the system. You talk to it in plain language; a fast routing model classifies your intent in about 0.6 seconds: score a room, edit it, or explore the relationships. Ask a question and a heavier model reads the whole room and answers in words. Make an edit (change a material, add a window, place curtains, adjust ventilation) and the agent plans it, validates it against the plan, applies it, and re-scores, live. Every edit is kept as a checkpoint, so the plan improves honestly over time.

Rooms are nodes, doors are edges: the kitchen's noise and smell reaching the bedroom through the hallway makes comfort a zoning problem you can see. The galaxy view holds the whole project as one living map of rooms, senses, and the design levers behind them, so you can find the connection you did not know was there.

04 · ACT 3 · REPORT: CLOSING THE LOOP

The last act closes the loop. Your final scores write a prompt and a vision model renders each room, under an honest rule: only the extreme senses speak. A clearly good or bad sense writes a phrase, the comfortable middle stays quiet, so the render stays grounded in what actually changed. You compare it back to the moodboard from Act 1; input and output meet. We benchmarked the renders across providers: about \$0.039 per room and 2.75× faster than the alternative we tested.



DEMO · Generating the report: final scores become a grounded render of each room.



Encoding Urban Risk.

2026

COMPUTATION & AI

Street risk classified from open map data.

Can the physical layout of a street, measurable from public map data, predict how risky it feels? We framed it as a three-class problem: low, medium, or high risk, using seven spatial features drawn from OpenStreetMap and Mapillary per street segment. This is the full arc of the project, not just the results, but the wrong turn that made them honest.



1961 · Jacobs
ALIVE TO BE SAFE

Eyes on the street, active frontages, mixed uses & foot traffic create natural surveillance.



1972 · Newman
OWNED TO BE SAFE

Territorial control, restricted access. Small recognisable communities self-police.



1984 · Hillier & Hanson
LAYOUT DETERMINES LIFE

Street configuration shapes movement, encounter and territorial control — Space Syntax.



1984 · Brantingham
FAMILIARITY BREEDS CRIME

Offenders strike within their awareness space — familiar routes and nodes.



2008 · Hillier & Sahbaz
MORE NEIGHBOURS = SAFER

Residential density neutralises risk. Safety in numbers confirmed across 65,000+ dwellings.



2017 · Summers & Johnson
ARTERIES & SHADOWS

Global Choice is the strongest single predictor. Crime spills within 100 m of major routes.

FIG 01

Seven features, each anchored in a lineage of urban-safety theory.

MODULE

Data Encoding · MaCAD, IAAC

TEAM

Charles Abi Chahine, Emilie El Chidiac, Lakzhmy Mari Zaro, María Sánchez Domínguez

TOOLS


Python · scikit-learn · OpenStreetMap · Mapillary · SHAP

01 · GROUNDED IN SIXTY YEARS OF THEORY

Every feature we chose traces back to established urban-safety theory. Jane Jacobs argued that active entrances create natural surveillance: “eyes on the street.” Oscar Newman showed that territorial clarity reduces the conditions for risk. Hillier and Hanson demonstrated through Space Syntax that network configuration shapes movement in predictable ways. Our unit of analysis is the segment, the stretch of street between two intersections, because risk clusters at that scale and a classified segment points a designer to a specific, addressable piece of street.

02 · HITTING THE WALL

We first tried to predict crime directly: sourcing roughly 920,000 London incidents and regressing them against our spatial features across five boroughs. Three models, Linear Regression, Decision Tree, Random Forest, all returned R^2 under 0.064. The models failed to learn. Crime is driven by social and economic forces that street geometry alone cannot capture. We treated this as a finding, not a failure. Spatial form is too weak for direct regression against crime, so we pivoted to a more honest goal: a spatial typology that serves as a proxy for perceived risk.




The wall: every model flat against the diagonal. Crime does not reduce to spatial features.

03 · THE PIVOT: A SPATIAL TYPOLOGY

We rebuilt the pipeline into eight steps: fetch from OSM and Mapillary, place seven normalised features onto each segment, collapse them into a weighted risk score, use PCA and a Kohonen map as diagnostics, cut into three classes with K-Means, train a classifier, and deploy to other cities. Across 36,000 segments the score is roughly normal, centred near 0.35, so rather than impose fixed cuts through the densest part, we let K-Means find the natural breakpoints. The split: 31% low, 47% medium, 22% high.

04 · COHERENT TYPES, AMBIGUOUS RISK

The Kohonen map sorts all seven features onto a 2D grid by similarity, and the network organises into legible street types. But coloured by risk, near-identical cells show quite different values. Typologies describe street character; they do not cleanly determine risk. That gap is the honest heart of the project.



Kohonen SOM: coherent typologies emerge, but risk sits ambiguously across them.

05 · WHAT ACTUALLY MATTERS

Logistic Regression hits 99% accuracy and Random Forest 95%: expected by construction, since the label was built from the same features the classifiers train on. Accuracy tells us the rule is clean and learnable, not that it is correct. The ablation study is more informative: transport proximity is the single most important feature, followed by connectivity and land use. Lighting contributes almost nothing, because Mapillary lighting is inconsistently mapped, and a feature that does not vary cannot discriminate.

06 · LONDON TRAINED, WORLD TESTED

With London as the training set, we applied the model to Barcelona’s Eixample and Trastevere in Rome. The Eixample comes out almost entirely high-risk, not because it is dangerous, but because its orthogonal grid, high enclosure, and high connectivity map onto London’s high-risk feature region. SHAP pinpoints the divergence: land use and visibility hit values the model has never seen, so it extrapolates into high-risk by default. Not an architecture flaw: a per-city normalisation and distribution-shift problem. English cities like Leeds and Birmingham, which share London’s morphological history, transfer far better; re-fitting the pipeline on Barcelona produces a contextually plausible spread of its own.



IEgoarCh.

2026

COMPUTATION & AI

IAAC EXHIBITION

A prompt becomes a buildable
LEGO set.

You type a building, and a minute later a real LEGO set is sitting on a shelf: rendered, modelled, brick-built, priced, and catalog-legal. Most "AI makes LEGO" demos stop at a gorgeous render, but a render is a promise, not a product. IEgoarCh builds the downstream half: the machinery that forces the dream to obey real bricks, real colours, and real gravity.



AI PROPOSES PROBABILISTIC

01



Prompt

a building name

02



FLUX.2 + LoRA

render · 28 steps

03



TRELLIS-2

image to 3D mesh

COMPUTATION PROVES DETERMINISTIC

04



Voxelize

32 studs wide

05



Legolize

split + merge

06



Buildable set

stable & legal

MODULE

Generative AI Seminar · MaCAD, IAAC

TEAM

Charles Abi Chahine, Emilie El Chidiac

TOOLS


FLUX.2 + LoRA · TRELLIS-2 · ComfyUI · Python

01 · ONE SENTENCE, FIVE MOVES

The pipeline runs text prompt → FLUX render → TRELLIS 3D mesh → voxelize → legolize → a priced, buildable set. The front half is generative and probabilistic: it invents the form. The back half is deterministic: it proves the form stands. The handoff in the middle is the entire idea.

02 · A LORA THAT SPEAKS LEGO

Base FLUX.2 does not speak fluent LEGO Architecture: ask for a LEGO building and you get something vaguely blocky. So we trained a LoRA on the visual grammar of real LEGO Architecture sets and swept its strength from 0 to 1.5: at 0 the render is a plain building, at 1.0 the studs and brick seams snap in. The LEGO-ness genuinely lives in the fine-tune, not in the words.



Same prompt, same seed, only the LoRA strength changes. 1.0 wins.

03 · FROM ONE PHOTO TO A WHOLE OBJECT

TRELLIS-2 takes the single render and completes the full 3D form: openly guessing the unseen back from everything it knows about how buildings behave. Then the deterministic half begins: the mesh is voxelized onto plate-height layers (bricks are not cubes, so the mesh is pre-stretched 2.5× vertically), and colours are sampled and exposure-matched back to the original render.




The TRELLIS mesh: a couple hundred thousand triangles with a wrapped texture.

04 · THE LEGOLIZER: WHERE BUILDABLE GETS EARNED

The computational centrepiece contains no AI at all. A split-and-merge solver covers each layer with the largest legal bricks that fit, full-height bricks first, then plates, then smooth tiles, with a slope pass that bevels staircases (to our knowledge the first open implementation of a method published in 2019) and a running-bond penalty that offsets seams the way a real bricklayer would.

Colours snap to the nearest real LEGO colour measured in CIEDE2000, the perceptual standard, not naive RGB distance. Every footprint is a real BrickLink part: 44 parts and 48 colours cross-validated between Rebrickable and LDraw into 1,598 legal combinations. Buildable means every piece goes in a cart.



Split and merge, one layer: the biggest real bricks that share a colour, not a sea of 1×1s.

05 · A SET YOU CAN KEEP

The output is a complete product: box art, a build booklet, a priced parts list, and a shelf that keeps every set you have generated. Re-roll the render, re-tune the bricks, reopen any set.



Breathing Mass.

2026

BIM & WORKFLOWS

A tower that breathes for Santiago.

Breathing Mass is a vertical ecosystem in Santiago where architecture, wind, and energy converge. The Hyper Lung captures, cleans, and redistributes polluted air through a breathing core, turning the tower into living infrastructure that breathes with the city. Within a larger hyperbuilding studio, our team owned its structure and facade: translating the lung analogy into a self-braced skeleton and an adaptive skin, every form justified by data and published to the program and data teams through Speckle.




FIG 01

Self-braced structural system: load transfer from plugged volumes through the triangulated cores.

MODULE

BIMSC Studio · MaCAD, IAAC

TEAM


Charles Abi Chahine, Ramy Ayoub, Hani Karime

TOOLS

Rhino · Grasshopper · Alpaca · Speckle

01 · THE ALVEOLAR SPINE: A LUNG ANALOGY

The core of the building is defined by the Alveolar Spine. Taking inspiration from the human lung, we developed a porous structural core that mirrors the function of the bronchi: a spine that carries load and moves air at the same time. The concept is not decorative; it is the organising logic for both the structure and the way the tower breathes.



From bronchi to a porous structural core: the lung analogy driving the spine.

02 · A SELF-BRACED SKELETON


The structure rests on the core: each volume is plugged onto it, so load transfers from volume to core to foundation. Three cores form a triangle that turns vertical mass into a self-braced system. Using Alpacá we measured the stress at the points connecting the core to the volumes, ran a structural optimization to remove unnecessary material, and transformed the resulting voxels into a lattice: dense at high-load junctions, tapered where the loads fall away. The optimization cuts the primary structure from roughly 1,650 to 235 tonnes.

03 · GROWING THE VOLUMES

The plugin masses are computationally grown along the lattice, their placement and density optimized by incident radiation for thermal regulation, wind pressure for airflow, and volumetric density. A data-driven deterministic engine measures each candidate volume across 232 branches and normalises it, so every form is justified by data before it is committed.

04 · THE BREATHING CORE: AN ENVIRONMENTAL MACHINE

The core is where the tower earns its name. A water-cascade system, electrostatic precipitation for air purification, and Climeworks-style capture pull CO₂ and particulates from ambient air, cleaning it before it is redistributed through the spine and stored back into the ground. The structure and the environmental system are one and the same object.



The environmental machine: water cascade, electrostatic precipitation, and CO₂ capture.

05 · FIXED VS. ADAPTIVE FACADE

The skin operates in two modes depending on the program behind it. A pattern derived from mashrabiya logic becomes a performative facade geometry: an adaptive, dynamic system where it needs to breathe and respond, and a fixed, collated system where it does not. Wind direction and radiation set the pattern; the same grammar reads as both a static and a moving skin.

06 · THE TOWER

Assembled, the system reads as a stack of plugged volumes around a breathing spine: a tower that behaves less like an object and more like a piece of the city's respiratory infrastructure.



The Hyper Lung against the Andes.



The Huddle.

2025/26

DESIGN & RESEARCH

IAAC EXHIBITION

A research hub huddled against the wind.

Punta Arenas sits at the southern tip of Chile in a cold, perpetually windy subpolar climate. The Huddle is a research and education hub with an expedition basecamp for 1,000 users, designed the way penguins survive the same latitudes: compact forms, packed close, shielding one another from the wind.




FIG 01

Westerly wind speeds across the southern hemisphere, the monthly wind rose, and a year of dry-bulb temperature and relative humidity.

MODULE

ACESD Studio · MacAD, IAAC

TEAM

Charles Abi Chahine, Emilie El Chidiac,
María Sánchez Domínguez, Lakzhmy Mari
Zaro

TOOLS

Rhino · Grasshopper · Wasp · Kangaroo ·
Speckle

01 · ENDURANCE, NOT SHELTER

Punta Arenas sits on the Magellan Strait, and its position is its programme: a departure point for expeditions toward the nearby islands and the Antarctic south. The hub is a research laboratory tied to the local university.

We compared two plots and took the harder one: open, windy, worked on by salt and moisture, but with a direct relationship to the sea. Climate analysis confirmed the severity, so the project begins by accepting wind as an omnipresent force rather than resisting it.

02 · LEARNING FROM THE KAWI


The core typology comes from the kawis, the huts of the region's native tribes, whose aerodynamic form is already adapted to extreme wind. We reinterpreted it as a modular system of 4×4×4 m units under a 16 m height limit, and the gaps the aggregation leaves become wind-protected courtyards and tunnels that accelerate the airflow.

A topological map sorts a 50,000 m² programme into public, researcher-only and sensitive laboratory groups, with adjacency rules that keep the public accessible and the labs protected. The vertical cores are fixed; the dormitories, libraries and shared spaces scale with demand.

03 · A WORKFLOW, NOT A SHAPE

The definition runs as one chain. An adaptable program definition feeds two sequential Kangaroo solvers, the first placing the programme roughly through physics-based logic, the second refining it into precise subprogram locations. Wasp then aggregates the kit of parts under a rule layout grouped by part and access type.

Because it is a system rather than an object, the part count is known at every moment: one iteration carries 23 private laboratory modules against 28 public ones. Whether the building holds 50 users or 1,000, the rules hold.



The whole definition: program definition, two Kangaroo passes, the Wasp aggregation rule layout, skin generation, information extraction.


04 · PROGRAM BECOMES MASSING

The layout is legible: public programme wraps around and shields the research and residential areas, and a single circulation spine connects everything. In section the building stays compact under the height limit, the skin acting as a buffer against the cold wind, and the courtyards it encloses are rare protected outdoor space here.

05 · TIMBER, SEISMIC FORCES, AND A SKIN OF THREE PANELS

The structure is grounded in local timber, which cuts the logistical and environmental footprint and ties the building back to the region's vernacular. Shear walls and diagonal bracing take the lateral wind loads, and seismic isolators take the horizontal movement. Alpaca4D displacement maps confirmed stable behaviour at a mass of roughly 709 tons.

The envelope is a kit of three ETFE panels. The Shield sits on windward faces and uses hoop-stress logic at 800 Pa to stop the membrane flapping; the Lens traps solar gain in argon-filled cushions; the Gill lets the mechanical zones breathe. A Global Index weights wind incidence, solar orientation and daylight need equally and picks the panel for each face, so the facade reads as a map of the climate on it.



Structure by part: the engineered-wood crosses, square modules and y-node, with the shear walls, the seismic isolators, and the three layers of the skin.

06 · WIND BECOMES A RESOURCE

The aggregation opens wind tunnels between the modules, and those tunnels accelerate the flow. Vertical turbines stand in exactly those zones and harvest the site's most abundant force. The thing the building was shaped to survive ends up powering it.



The Luminous Stratum.

2025

DESIGN & RESEARCH

Sedimented light over a Cairo market.

In the dense historic fabric of Cairo, light is both a blessing and a burden. The Luminous Stratum proposes a new architectural language that negotiates this relationship: a “volume of sedimented light” that mimics the city’s stratification while filtering the harsh sun. Designed for the Complex Forming seminar, it is an independent system of stacked lamellas that hovers within the void of the Bab Al-Luk historic market, leaving the original structure untouched.



FIG 01

Sedimented light in the market below.

MODULE

Complex Forming · MacAD, IAAC

TEAM

Charles Abi Chahine

TOOLS


Rhino · Grasshopper · Kangaroo

01 · MORE THAN A ROOF

The system is deliberately independent: it revitalizes the market below without touching the historic walls. Voids are cut into the geometry precisely so the new form pulls away from its context, respecting the constraint of independence. It reads as a continuous volume that nests within the void: a porous buffer that protects the atrium without sealing it off.

02 · COMPUTATIONAL FORM-FINDING


The geometry is generated through Kangaroo physics. The process begins with a flat mesh; strategic voids are cut in to ensure the form pulls away from the historic context. Edge anchor points and specific ‘OnCurve’ goals define the footprint, then vertical load forces pull the mesh upward into a relaxed catenary vault. The most defining move comes next: mesh faces are sorted by their normal vectors, and that orientation dictates function.



DEMO · Step by step: flat mesh, strategic voids, form-finding goals, solver relaxation, face sorting.

03 · GEOMETRY BECOMES FUNCTION


Vertical faces become gradient frosted louvers that control sun glare; horizontal faces become structural lamellas that serve as shelving and walkable surfaces. The architectural elements all materialize simultaneously from the relaxed mesh: the form-finding is the generator, resolving the complex geometry into louvers, lamellas, and paths in one unified move. The system is modular, repeated along the market hall; for the last vault, different anchor points turn the workflow into a continuous staircase connecting the two levels.



Iterating vertical loads and louver/lamella domains to balance shading against structure.

04 · AN OCCUPIABLE LATTICE

Form-finding is rarely linear. I tested vertical loads from a shallow 15% to a steep 75%, and calibrated the domains for the frosted louvers and structural lamellas to tune porosity: the balance between sun shading and structural integrity. The selected iteration uses a 35% vertical load, giving the optimal vault height and spatial clearance for the functional layers below. The result is an occupiable lattice of filtered light that respects the past while embracing a computational future.



Section: an independent system hovering within the void, holding its distance from the historic walls.



SHEET 07 / 08



Rings of Mars: Ring 4000.

2024

DESIGN & RESEARCH

TOP 50 • VOLUME ZERO

A regolith-printed habitat ring for Mars.

How do you design a habitat for Mars? Marsception, run by Volume Zero, asked that in 2024, and our answer was a ring. Ring 4000 sits on the rugged rim of a crater inside Valles Marineris, a 3D-printed regolith shell holding farming, research, living and a transportation ring in one closed loop, with the long game that every crater gets its own ring until the rings make a community. It was an early bet that generative tools belonged on an architect's desk, made when that still raised eyebrows.

MODULE
International Competition

TEAM
Charles Abi Chahine, Emilie El Chidiac

TOOLS
Rhino • SubD • AI workflows • V-Ray

01 · A RING IN A CRATER

Three concentric circles. The inner one is a controlled farm under a glass facade, visible from every room so the researchers far from home keep a piece of Earth's green in view. The middle circle is transportation. The outer circle is living and working space, and on the lowest level five sleeping pods give the crew comfort and protection against the Martian environment. The shell is 3D-printed regolith on the outside, high-density polyethylene on the inside for an air-tight seal, and BIPV solar panels over the facade; the canyon walls of Valles Marineris do the rest of the radiation shielding.



Ring 4000 on its crater rim inside Valles Marineris.

02 · WHY A RING

The craters are the site Mars already gives you, so the ring takes their shape instead of fighting it. And a ring suits everything a habitat needs: the ecosystem closes on itself, water split by electrolysis into oxygen and hydrogen, plants turning the crew's CO₂ into food, the carbon and water reacting back into HDPE for printing and fuel for back-up power and vehicles; the transport runs in a loop; and expansion is simply the next crater over, 4,000 km of canyon to grow along.

03 · HOW IT WAS MADE

First the research: regolith melted into a paste and printed by drone robotics, and every surface shaped to stand at an angle that needs no support, because support structures are the thing nobody wants to print on Mars. Then the model, in Rhino with SubD, from the massing of the ring down to the sleeping pods. Then the part that was new at the time: feeding the geometry to generative image tools, when image generation was only just becoming a thing, to render concepts straight from the model, and finishing them in V-Ray.



The competition board: the ring exploded by level, the plan, the closed loops of water, oxygen, food, HDPE and fuel, the pods and the transportation ring, and the long section through the crater pit.

04 · WHAT CAME OF IT

Top 50 at Marsception, with both our names on the public results page. And our first proof that generative tools and architecture could share a desk: an early bet, and it aged well.



SHEET 08 / 08



Saria, Dubai Maritime City.

2024

PRACTICE

A residential tower on the water in Dubai.

Saria is a residential tower on the water at Dubai Maritime City, with the Dubai skyline behind it. I took it from pre-concept through to design development as a Design Architect at SOMA: parametric facade iterations in Rhino and Grasshopper, then the BIM model for delivery. The drawings here are from the concept design submission of March 2024, with SOMA as design architect.

MODULE

SOMA · Design Architect

TEAM

SOMA: office project

TOOLS

Rhino · Grasshopper · Revit

01 · A TOWER ON THE WATER


The plot sits at the edge of the Maritime City peninsula, so the tower is read from the water first: a slender square plan rising off a podium, with the skyline of Business Bay and the Burj behind it. Four levels of podium carry the parking under a landscaped deck; above it sit 38 levels, the roof at 167 m. The amenities are on the first level over the podium, a gym, a lounge and juice bar, an outdoor deck and a pool opening onto the planted terrace; the tower's rhythm breaks once at level 20 and again at the top two floors, which have plans of their own.



Saria from the water, the podium and tower in their context of neighbouring towers.

02 · THE FACADE

The facade is where the parametric work went. The balconies shift and step across the elevation rather than stacking in a straight line, and the pattern was iterated in Rhino and Grasshopper: how far each band projects, where the planters sit, how the rhythm breaks at level 20 and again at the crown. What survived the iterations went into the BIM model in Revit, which is what the set below is cut from.



North-west elevation: the podium, the stepping balcony bands, the break at level 20 and the crown, with the level datums from ground to the roof at 167.30 m.

03 · THE PODIUM AND THE GROUND

At street level the podium is wrapped in planting and opens under a deep canopy at the entrance; the landscape runs over the podium roof and down to the promenade, so the tower lands in a garden rather than on a car park. The ground floor takes the lobby and the drop-off, the podium levels the parking, and the deck above carries the pool and the outdoor amenity.

04 · THE DRAWINGS

The concept set: the master plan on its plot, the ground floor with the lobby and drop-off, the amenity level over the podium, and a typical residential floor, which runs from the 12th to the 34th with the core in the middle and the apartments around it.



Master plan: the tower and podium on the plot, setbacks and the waterfront edge.

Eighteen projects, four belts.

This portfolio is a selection of eight. Every project, with its full gallery, demos, and write-up, is on the site.

