




The Art of Google Dorking

Meetup





CONTENTS

- What is Google hacking/dorking?
- Advanced operators
- Automated operators
- Other operators
- Defending against Google Dorking
- Resources





GOOGLE HACKING/DORKING





WHAT IS GOOGLE HACKING?



- It's not hacking into Google servers!
- Google hacking is using different Google operators to effectively optimise search results.
- It also involves using Google to identify vulnerabilities in websites. It is not limited to Google.
- Results are highly customisable.



WHAT IS GOOGLE DORKING?

"A Google dork query, sometimes just referred to as a "dork", is a search string or custom query that uses advanced search operators to find information not readily available on a website."

Google "Dorking" can become illegal if used to surreptitiously access someone else's device, log into someone else's account. Searching for information may not be illegal, but using it for unauthorised purposes almost certainly is.





GOOGLE BASICS

Google Bots

Crawl web sites and search for information

Google Index

Massive index of web pages – index is what gets searched. Relates pages to each other

Google Cache

Even deleted pages still have copies in Google cache.

Google API

Programs perform search and retrieve results using XML





GOOGLE ADVANCED SEARCH



Google

Advanced Search

Find pages with...

all these words:

this exact word or phrase:

any of these words:

none of these words:

numbers ranging from:

to

To do this in the search box.

Type the important words: tri-colour rat terrier

Put exact words in quotes: "rat terrier"

Type OR between all the words you want: miniature OR standard

Put a minus sign just before words that you don't want: -robot, -"Jack Russell"

Put two full stops between the numbers and add a unit of measurement: 10...25 kg, 1980...1985, 2000...2011

Then narrow your results by...

language:

any language

Find pages in the language that you select.

region:

any region

Find pages published in a particular region.

last update:

anytime

Find pages updated within the time that you specify.

site or domain:

Search one site (like wikipedia.org) or limit your results to a domain like .edu, .org or .gov

terms appearing:

anywhere in the page

Search for terms in the whole page, page title or web address, or links to the page you're looking for.

SafeSearch:

show explicit results

Tell [SafeSearch](#) whether to filter sexually explicit content.

file type:

any format

Find pages in the format that you prefer.

usage rights:

not filtered by license

Find pages that you are free to use yourself.

Advanced Search

Google

Advanced Image Search

Find images with...

all these words:

this exact word or phrase:

any of these words:

none of these words:

To do this in the search box.

Type the important words: winter four-fruit

Put exact words in quotes: "fruit flower"

Type OR between all the words you want: trees OR woods OR grasses

Put a minus sign just before words that you don't want: -windows

Then narrow your results by...

image size:

any size

Find images in any size you need.

aspect ratio:

any aspect ratio

Specify the shape of images.

colours in the image:

☒ any colour

☐ full colour

☐ black & white

☐ transparent

☐ this colour

Find images in your preferred colours.

type of image:

any type

Limit the kind of images that you find.

region:

any region

Find images published in a particular region.

site or domain:

Search one site (like vimeo.org) or limit your results to a domain like .edu, .org or .gov

SafeSearch:

show explicit results

Tell [SafeSearch](#) whether to filter sexually explicit content.

file type:

any format

Find images in the format that you prefer.

usage rights:

all

Find images that you are free to use.

Advanced Search



GOOGLE ADVANCE SEARCH – DORK QUERIES

Queries syntax, special characters and operators





GOOGLE ADVANCED SEARCH – SPECIAL CHARACTERS



Asterisk [*]

Substitution
with any
other word
in the query

Tilde [~]

Also research
synonyms of
that word

Minus [-]

Remove that
word from
the research

Plus [+]

Force
inclusion of
something
common

Quotes ["]

Quotes
around
search
phrases

Boolean OR

[|]



GOOGLE ADVANCED SEARCH OPERATORS



inurl

Find that word or sentences in the **URL**

inurl: php?d=

intitle

Find that word or sentences in the **title** of a website **intitle:**

search

related

Search for related websites
related:www.apple.com

site

Restrict to a specific site

site:fakesite.com

filetype

Research by file type

filetype:pdf
shakespeare

cache

Display the cached version of pages found

cache:amazon.com

OPERATOR	PURPOSE	MIXES WITH OTHER OPERATORS?	CAN BE USED ALONE?	WEB	IMAGES	GROUPS	NEWS
intitle	Search page Title	yes	yes	yes	yes	yes	yes
allintitle	Search page title	no	yes	yes	yes	yes	yes
inurl	Search URL	yes	yes	yes	yes	not really	like intitle
allinurl	Search URL	no	yes	yes	yes	yes	like intitle
filetype	specific files	yes	no	yes	yes	no	not really
allintext	Search text of page only	not really	yes	yes	yes	yes	yes
site	Search specific site	yes	yes	yes	yes	no	not really
link	Search for links to pages	no	yes	yes	no	no	not really
inanchor	Search link anchor text	yes	yes	yes	yes	not really	yes
numrange	Locate number	yes	yes	yes	no	no	not really
daterange	Search in data range	yes	no	yes	not really	not really	not really
author	Group author search	yes	yes	no	no	yes	not really
group	Group name search	not really	yes	no	no	yes	not really
insubject	Group subject search	yes	yes	like intitle	like intitle	yes	like intitle
msgid	Group msgid search	no	yes	not really	not really	yes	not really





GOOGLE DORKING EXAMPLES

These examples are meant for illustration purposes only





QUERIES PRE-ASSESSMENT


Pre-Assessment

There are many things to consider before testing a target, many of which Google can help with. One shining example is the collection of email addresses and usernames.






SIMPLE GMAIL SEARCH



@gmail.com is converted to
atgmaildotcom


Add in **site:facebook.com** and
you find some Facebook users
connected to an email address
124K results





SIMPLE GMAIL SEARCH

Slight change **site:facebook.com at gmaildotcom**
(just adding a space after at and before gmaildotcom) 90.3 million results





SIMPLE GMAIL SEARCH



site:facebook.com @gmail.com 70.8 million results not as accurate

Google site:facebook.com @gmail.com

Q All News Videos Books Images More

About 70,800,000 results (0.43 seconds)

facebook.com
https://www.facebook.com > ... > Product/Service 11

Gmail - Home

Gmail. 3641410 likes · 5630 talking about this. **Gmail** is built on the idea that email can be more intuitive, efficient, and useful. And maybe even fun.

facebook.com
https://www.facebook.com > Gmail > photos 11

gmail

Please answer. I forgot my **Gmail** account password. Make a Forgot password and Phone No. I have been The current phone number is no more.

facebook.com
https://mbasic.facebook.com > Gmail > photos 11

Log In

Consider yourself a Gmail ninja? Put your knowledge to the test ... Information about my gmail is only this : secondgamingme@**gmail.com**. Please help me !!

facebook.com
https://m.facebook.com > ... > Gmail 11

Gmail - کور | فیسبوک

Gmail is built on the idea that email can be more intuitive, efficient, ... <http://gmail.com/> ... Visit our Help Center: <http://mail.google.com/support>.

facebook.com
https://mbasic.facebook.com > Gmail > photos 11

Dec 18, 2015



SIMPLE GMAIL SEARCH



site:facebook.com at*gmail*com 77.8 million results not accurate

Google

site:facebook.com at*gmail*com

Q All News Images Videos Books More

Page 2 of about 77,800,000 results (0.25 seconds)

facebook.com
https://en-gb.facebook.com › business › help 11

About Gmail in Inbox in Meta Business Suite

Gmail in Inbox in Facebook Business Suite connects your Gmail account to Facebook Business Suite to manage your business's communications in one place.

facebook.com
https://www.facebook.com › Gmail › photos › a-one-s... 11

Sep 11, 2015

Gmail. A one-stop shop for all your email accounts. ... informations required to fill the form of google gmail recovery page.....how t recover my account.

facebook.com
https://fr-ca.facebook.com › Gmail › posts 11

Gmail - Publications

Gmail. 3 637 347 mentions J'aime · 5 951 en parlent. Gmail is built on the idea that email can be more intuitive, efficient, and useful. And maybe even fun.

facebook.com
https://m.facebook.com › story 11


Gmail

Hay Gogle lam From Bangladesh I Have a Gmail account Recovery problem so Please contact us. And Any Worker Please. My English Not Good But I Say I Have Lost ...

facebook.com
https://m.facebook.com › Gmail › photos 11



SIMPLE SITE SEARCH



The screenshot shows a Google search interface. The search bar contains the text "site:ikea.com \"armchairs\"". Below the search bar, there are tabs for "All", "Shopping", "Images", "News", "Maps", and "More". The search results show "About 27,400 results (0.40 seconds)". The first result is from "ikea.com" with the URL "https://www.ikea.com › cat › armchairs-16239". The title is "Armchair" and the description is "Browse our range of **armchairs**, rocking chairs and wingback chairs. A comfy armchair in an unused corner can create a perfect reading nook or add more ...". There is a small image of a light-colored armchair. The second result is also from "ikea.com" with the URL "https://www.ikea.com › Products › Furniture". The title is "Armchair - Accent Chairs - Wingback Chair - Wing Chair" and the description is "Discover our range of affordable **armchairs**, accent chairs and wingback chairs. Find comfortable and stylish living room seating option for your home." There is a small image of a dark-colored armchair. The price "£229.00" is visible at the bottom left of the second result.

Google

site:ikea.com "armchairs"

All Shopping Images News Maps More Tools

About 27,400 results (0.40 seconds)

ikea.com
https://www.ikea.com › cat › armchairs-16239

Armchair

Browse our range of **armchairs**, rocking chairs and wingback chairs. A comfy armchair in an unused corner can create a perfect reading nook or add more ...

Fabric Armchairs · Leather Recliner Chair · Rattan Armchairs · Recliner Chair

ikea.com
https://www.ikea.com › Products › Furniture


Armchair - Accent Chairs - Wingback Chair - Wing Chair

Discover our range of affordable **armchairs**, accent chairs and wingback chairs. Find comfortable and stylish living room seating option for your home.

£229.00




SIMPLE SITE SEARCH TO FIND PEOPLE WORKING AT MICROSOFT





`site:linkedin.com inurl:pub - inurl:dir "at Microsoft" "Current"`

`site:linkedin.com inurl:pub - inurl:dir "at Microsoft" "previous"`





SIMPLE SEARCH GOOGLE DORK CAN FIND USERS






SIMPLE SITE SEARCH NOT ANONYMOUS



Website caching



How to view .html pages as cached “text only” in Google

Link to live website

Link to Google’s text of a cached webpage

- The graphics, videos, etc. are then downloaded by your browser from the target’s webserver

To view a “text only” version of Google’s cache...

1. Cut and paste this text into your browser address bar:

<http://webcache.googleusercontent.com/search?strip=1&q=cache:>

2. Add the target address onto the end of the above string:


<http://webcache.googleusercontent.com/search?strip=1&q=cache:www.qa.com>

**no
space**

Note: cached documents (e.g. .pdf, .ppt, etc.) are already “text only”



JOB SEARCHING ON LINKEDIN



site:linkedin.com/in -inurl:dir ("cyber security" OR "it security" OR "infosec" OR "cissp" OR "cryptography") ("trainer" OR "training" OR "train" OR "trained" OR "manager" OR "coach" OR "educator") ("educating" OR "teaching" OR "learning" OR "coaching" OR "hr" OR "development" OR "human resources" OR "education" OR "learning and development")






site:pastebin.* -site:pastebin.com

**site:paste.* intext:"@gmail.com"
intext:"@yahoo.com"**

**site:pastebin.com intext:"@gmail.com"
intext:"@yahoo.com"**

site:pastebin.* password AND email





DIGITAL CAMERA DUMPS



index.of.dcim Digital Camera Image dumps

Google index.of.dcim

Q All Images Videos News Books More Tools

About 770,000 results (0.36 seconds)

Images for index.of.dcim

Feedback

See more images →

Carnegie Mellon University
https://www.cs.cmu.edu › ~yhchu › Photos › DCIM 34

[Index of /~yhchu/Photos/DCIM](#)

Index of /~yhchu/Photos/DCIM. [ICO], Name · Last modified · Size · Description. [PARENTDIR], Parent Directory, -. [DIR], 100CASIO/, 2004-06-10 23:07, - ...

182.253.110
http://182.253.110.154 › master › DCIM

[Index of /master/DCIM](#)

Index of /master/DCIM ; [PARENTDIR], Parent Directory, -.

Institute of Electrical and Electronics Engineers
https://ewh.ieee.org › docs › lethac › videos › DCIM 34

[Index of /sb/delhi/ggsipu/docs/lethac/videos/3/ ...](#)

Name	Last modified	Size
Parent Directory	-	-



WEBCAMS





CONFIDENTIAL INFORMATION & MAIL LIST



“not for distribution” 2023

Google

intitle:"Index Of" -inurl:maillog maillog size

[ICO], Name · Last modified · Size · Description ... mail-log-1g14.txt, 09-Nov-2019 19:37, 34 [TXT], mail-log-1g15.txt, 09-Nov-2019 19:37, 219M.

AGSeeds

https://www.agseeds.com › WEB-INF › railo › logs

Index of /WEB-INF/railo/logs

Name	Last modified	Size
Parent Directory		-
application.log	10-Mar-2023 21:23	78K
deploy.log	11-Dec-2013 10:20	60

View 11 more rows

nisseitm.com.my

https://mail.nisseitm.com.my

Index of /

Index of /	Name	Last modified	Size	Description
	maillog	2020-01-21 18:11	147M	

```
Jan 19 03:15:05 server dovecot: pop3-login: Login: user=<nurun@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25753, TLS, session=<BmD+326c45WviOd1>
Jan 19 03:15:05 server dovecot: pop3(nurun@nisseitm.com.my)<25753><BmD+326c45WviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:05 server dovecot: pop3-login: Login: user=<fwpan@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25756, TLS, session=<yB3/326cGr6viOd1>
Jan 19 03:15:05 server dovecot: pop3(fwpan@nisseitm.com.my)<25756><yB3/326cGr6viOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<aimran@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25757, TLS, session=<cyRUA4G6cNwSviOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<renushen@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25758, TLS, session=<4U0A4G6cpsyviOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<khuzahidah@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25759, TLS, session=<f1cA4G6c5fWviOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<privita@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25760, TLS, session=<jnAA4G6cK2viOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<ypphung@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25761, TLS, session=<knUA4G6cvhaviOd1>
Jan 19 03:15:06 server dovecot: pop3(aimran@nisseitm.com.my)<25757><cyRUA4G6cNwSviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(renushen@nisseitm.com.my)<25758><4U0A4G6cpsyviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(khuzahidah@nisseitm.com.my)<25759><f1cA4G6c5fWviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(privita@nisseitm.com.my)<25760><jnAA4G6cK2viOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(ypphung@nisseitm.com.my)<25761><knUA4G6cvhaviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<christana@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25762, TLS, session=<0RoB4G6cHD+viOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<hidayu@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25763, TLS, session=<N1484G6cRqaviOd1>
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<rafie@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25764, TLS, session=<8KUC4G6cSJOviOd1>
Jan 19 03:15:06 server dovecot: pop3(christana@nisseitm.com.my)<25762><0RoB4G6cHD+viOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<pravit@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25765, TLS, session=<rbyC4G6cVeGviOd1>
Jan 19 03:15:06 server dovecot: pop3(hidayu@nisseitm.com.my)<25763><N1484G6cRqaviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(rafie@nisseitm.com.my)<25764><8KUC4G6cSJOviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3(pravit@nisseitm.com.my)<25765><rbyC4G6cVeGviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<mfjlaw@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25766, TLS, session=<PrYC4G6cYE0viOd1>
Jan 19 03:15:06 server dovecot: pop3(mfjlaw@nisseitm.com.my)<25766><PrYC4G6cYE0viOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:06 server dovecot: pop3-login: Login: user=<azra@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25767, TLS, session=<tcID4G6clRevviOd1>
Jan 19 03:15:06 server dovecot: pop3(azra@nisseitm.com.my)<25767><tcID4G6clRevviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<ariff@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25768, TLS, session=<vXYE4G6c8TuvviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<bhyeap@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25769, TLS, session=<gZE4G6co1CviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<khairuldin@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25770, TLS, session=<Gd0G4G6cmqWviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<anas@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25771, TLS, session=<kduG4G6cKviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<azril@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25772, TLS, session=<ltwG4G6clVevviOd1>
Jan 19 03:15:07 server dovecot: pop3(ariff@nisseitm.com.my)<25768><vXYE4G6c8TuvviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:07 server dovecot: pop3(bhyeap@nisseitm.com.my)<25769><gZE4G6co1CviOd1>: Disconnected: Logged out top=0/0, retr=0/0, del=0/0, size=0, bytes=12/43
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<azrim@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25773, TLS, session=<tsG4G6cySaviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<azwan@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25774, TLS, session=<xuUG4G6cIXviOd1>
Jan 19 03:15:07 server dovecot: pop3-login: Login: user=<amir@nisseitm.com.my>, method=PLAIN, rip=175.136.231.101, lip=124.217.230.49, mpid=25775, TLS, session=<d4UG4G6cEISviOd1>
```

intitle:"Index Of" -inurl:maillog maillog size

Google

"not for distribution" 2023

announcement of Mapletree Logistics Trust dated 30 March 2023 titled "Launch of ...

3 pages

Travelodge UK

https://www.travelodge.co.uk › default › files › PDF

Jersey—April 21, 2023. Thame and London Limited (" ...

7 days ago — This announcement is **not for distribution** in Canada, Japan or Australia. The information in this announcement does not constitute an offer ...

2 pages

Home Barclays

https://home.barclays › investor-relations › 2023 › PDF

important notice

NOT FOR DISTRIBUTION TO ANY U.S. PERSON OR TO ANY PERSON OR ADDRESS IN THE ... The date of these Base Listing Particulars is 21 April 2023. Manager.





SENSITIVE DIRECTORY EXAMPLE

Inurl:admin inurl:uploads

intext:"Private Key" filetype:pem

"Config" intitle:"Index of" intext:vpn



Index of /suporte/vpn/config/keys

- [Parent Directory](#)
- [01.pem](#)
- [02.pem](#)
- [acisesp.crt](#)
- [acisesp.csr](#)
- [acisesp.key](#)
- [ca.crt](#)
- [ca.key](#)
- [dh1024.pem](#)
- [index.txt](#)
- [index.txt.attr](#)
- [serial](#)

```
-----BEGIN RSA PRIVATE KEY-----
MIICXQIBAAKBgQDbH7Fv+2E7Y64ZwIoYJIGM89KBoxbdgC1oP8Xue60/PJb/dyMJ
eQ+XqZ1VoCT1u0MgSnNdzn/5I839r+rJHiJscSDDtUkVbgX2gc46QdKnP+svkhiv
bSg7iCbVpadPIHsNBNJYXQLsZx84oZ4+MPmf19ceG1Aw6//Nqa4tL6GvWIDAQAB
AoGASgnramsF74s+yFGiV4X+QCIifqscjrtAnHjv6CTh5PwUCT24GPT0yXAG0Whj
Dzy28bI2SPuhWg0/DPjj3BD5kA51f1lMUjF57H8aMexbmEVSlCgAf004Eoy1e1BL
rzwD/xDP1C09UCZ8oVe33n/F9taKSN0xd7VU8EhZmjdoQAECQQDvEP9BA1A/z3HP
GIEIegNwKS4wM2Y5oUp/p+xZ26breFYOrN3juGphHbJUt1AjGgKmoZsOQN9opUk
q0dUrDkXAkEA6qUTC2nIKtMHcwCf/f/M3VH9G3jPE1Ucob5zCGKsbgp1HRbTG92x
6vu9vZ04eARDsovpptX0V/Ytty1P8nkWQ3BALx6tk1Z1aRuWdrbHPYrBLJ/2G2
9/3EsD54EB1eZDVJnS+HjddqC7PI2IN1PrmoO+GB1H00DLH/0gg67AeY/1Y8CQB3B
12jgd1Dv+Bbecmusn9dFSXrNZD0n6/ybAU2D7ef6ixyzQ0xaXfC1wgckw/98UvV2
hsfyZ2gw5o2yCY4wVUECQQCFKJYxeSNr7AiRF/JjtwJTeYThcUwRaoH0W4VRQ+t
5SsIwz1DoGhBtpqYJpM1Y8xEcJlGJ+EjisKNc1JrN171
-----END RSA PRIVATE KEY-----
```



SENSITIVE DIRECTORY EXAMPLE

db_password filetype:env

Never put your .env files in the web server directory. As you can see, this can cause serious damage.



Source of .env - ValorantTournaments

6 days ago — Source ; 1. 1. PORT=8102 ; 2 - ADDRESS=192.168.131.221 ; 3 - DB_ADDRESS=192.168.131.221 ; 4 - DB_USER=middlemen ; 5 - ...

e-CODEX
https://secure.e-codex.eu/blob/env/connector_blue

~spindlers/domibus/docker-test-setup.git - Gitblit

DB_PASSWORD=connectorBlue. DB_NAME=connectorBlue. DB_HOST=DB_HOST.
#CONNECTOR_DELIVERY_URL=http://localhost:8080/services/domibusConnectorDeliveryWeb

cyart.net
<http://www.cyart.net/.env>

www.cyart.net/.env

... DB_DATABASE=caiyicaihui DB_USERNAME=root DB_PASSWORD=
BROADCAST_DRIVER=log CACHE_DRIVER=file SESSION_DRIVER=file...

Arch Linux
<https://aur.archlinux.org/cgit/aur.git/tree/global>

global.env - aur.git - AUR Package Repositories - Arch Linux

... Security Info=False;User
ID=sa;Password=#DB_PASSWORD#;MultipleActiveResultSets=False;Connect...



parscoders.com
<https://git.parscoders.com/.../Gitservice>



CLOUD STORAGE



- site:s3.amazonaws.com "example.com"
- site:blob.core.windows.net "example.com"
- site:googleapis.com "example.com"
- site:drive.google.com "example.com"





AUTOMATING GOOGLE DORKING




QA

CHATGPT GOOGLE DORKING FOR OSINT





ONLINE GOOGLE HACKING TOOLS DORKSEARCH.COM





GOOGLE DORKING USING KALI LINUX

The screenshot displays a Kali Linux desktop environment with three windows open. The top-left window is the 'Fast Google Dorks Scan' application, showing a search query: `https://www.linkedin.com/in/IvanGlinkin/ | @glinkinivan` and its version: 2.335. The bottom-left window is a text editor showing the output of the scan, listing various PDF files found on the 'aha.ru' domain, such as `http://aha.ru/~geivanit/ijpsycho.pdf` and `http://aon.aha.ru/Docs/FAR/far103.pdf`. The right window is a file manager showing the 'outputs' directory, which contains several text files generated by the scan, including `20230404_211631_aha.ru (copy 1).txt` and `20230428_092610_aha.ru (copy 1).txt`.

Fast Google Dorks Scan Tool on Kali Linux OS



ONLINE GOOGLE HACKING TOOLS



FREE SCANS ▾

Product ▾PricingServicesResources ▾Company ▾

Log InRegister

FREE TOOLS / INFORMATION GATHERING

Google Hacking

Use advanced search operators (Google Dorks) to find juicy information about target websites.

📄 Sample report

📄 Use cases

📄 Technical details

Target

www.example.com

Select one of our 18 Google Dorks

Publicly exposed documents ▾

🔍 Search Google



FREE TOOLS / INFORMATION GATHERING

Google Hacking

Use advanced search operators (Google Dorks) to find juicy information about target websites.

📄 Sample report

📄 Use cases

📄 Technical details

Target

www.example.com

Select one of our 18 Google Dorks

Publicly exposed documents ▾

Publicly exposed documents
Directory listing vulnerabilities
Configuration files exposed
Database files exposed
Log files exposed
Backup and old files
Login pages
SQL errors
PHP errors / warning
phpinfo()
Search pastebin.com / pasting sites
Search github.com and gitlab.com
Search stackoverflow.com
Signup pages
Find Subdomains
Find Sub-Subdomains
Search in Wayback Machine
Show only IP addresses (opens multiple tabs)



DOCUMENTS INTELTECHNIQUES

<https://inteltechniques.com/tools/Documents.html>



INTELTECHNIQUES
By Michael Bazzell

Training Services Resources Tools Blog Podcast Magazine Books Contact

Tools

Search Engines

Facebook

Twitter

Instagram

LinkedIn

Communities

Email Addresses

Usernames

Names

Addresses

Telephone Numbers

Maps

Documents

Pastes

Images

Videos

Domains

IP Addresses

Business & Government

Vehicles

Virtual Currencies

Breaches & Leaks

Live Audio Streams

Live Video Streams

APIs

OSINT Guide

My latest (2023 10th Edition) book on Open Source Intelligence (OSINT) is now available! Click [HERE](#) for details.

OSINT

TECHNIQUES

Documents Search Tool

Search Terms

Populate All

Search Terms

DOC/DOCX

Search Terms

XLS/XLSX/CSV

Search Terms

PPT/PPTX/KEY

Search Terms

gmail AND password

Search Terms

TXT/RTF/XML

Search Terms

ODT/ODS/ODP

Search Terms

ZIP/RAR/7Z

Search Terms

JPG/JPEG/PNG

Search Terms

MPG/MP4

Search Terms

MP3/WAV

Search Terms

Submit All

Search Terms

Google Docs

Search Terms

Google Drive

Search Terms

Google API

Search Terms

MS Docs

Search Terms

Amazon AWS

Search Terms

Cloudfront

Search Terms

GrayHatWarfare

Search Terms

SlideShare

Search Terms

Prezi

Search Terms

ISSUU

Search Terms

Powershow

Search Terms

Slide Bean

Search Terms

Author Stream

Search Terms

Scribd

Search Terms

PDF Drive

Search Terms

Wikileaks

Search Terms

Archive.org

Search Terms

Google Books

Google

ext:txt OR ext:rtf OR ext:xml gmail AND password

All

Images

Videos

News

Maps

More

Tools

About 40,500 results (0.29 seconds)

GitHub

https://github.com

Passwords

Leaked-Databases

5

SecLists/alleged-gmail-passwords.txt at master

SecLists is the security tester's companion. It's a collection of multiple types of lists used during security assessments, collected in one place.

https://github.com

Gmail-cracker

blob

Passwords

5

Gmail-cracker/Passwords.txt at main

Contribute to shubham05ai/Gmail-cracker development by creating an account on GitHub.

Exploit Database

https://www.exploit-db.com

ezines

G-line

g-line3

3

g-line3.txt

What a bunch of pathetic loserz... Host: system-meltdown.kicks-ass.org username: -dyrt- password: comeon Host: gmail.com Username: loosecannon0x1@gmail.

Drupal

https://www.drupal.org

files

users

16

users.txt

"Username","Email","Password","Birth Date"

"user1","email+1@gmail.com","password",04/27/1982...

The Apache Software Foundation

https://usergrid.apache.org

_sources

orgs-and-apps

24

admin-user.txt

Using the API Services BaaS API, you can create, update, or retrieve an admin user. You can also set or reset an admin user's password, activate or reactivate ...



ONLINE GOOGLE HACKING TOOLS – DORKGENIUS.COM



Dork

DorkGenius lets you generate custom Google, Bing, and DuckDuckGo dorks with ease. Simply input your search parameters and let our state-of-the-art AI technology do the rest.

Enter in the text field below what you would like your search engine dork to do.

What do you want your dork to do?

Generate

Google Dork Result

Copy

Bing Dork Result

Copy

DuckDuckGo Dork Result

Copy

Search with Your Custom Dorks



NOT JUST GOOGLE



BING SEARCH OPERATORS

Operator	Meaning
" "	Literal String
OR	Boolean OR e.g. "Frog" OR "Toad"
	Boolean OR
AND	Boolean AND e.g. "James Bond" AND "Aston Martin"
-	Boolean NOT e.g. "Burmese Python" NOT "Monty"
*	Wildcard





BING SEARCH OPERATORS 2



Operator	Meaning
language:	Returns results matching the language specified e.g. restaurants language:it
define	Returns definitions of a word / phrase
domain:	Restrict results to the domain specified
ext:	Restricts results to only those file extensions specified
hasfeed:	Restricts results to those sites that have an RSS or Atom feed based on the keyword(s) entered e.g. site:bbc.co.uk hasfeed:news
inanchor:	Keywords(s) appear in the HTML anchor tag
imagesize:	Returns images based on pixel size (small < 200px, medium 200 – 500px, large > 500px e.g. chocolate labrador imagesize:large
ip:	returns sites hosted at the supplied IP address e.g. ip:54.154.85.53
Contains	Returns sites that contain the specified filetype e.g. Alarm panel contains:pdf
LinkFromDomain:	This operator allows Bing to quickly pull out links of the actual code of the website. LinkedFromDomain:qa.com



YANDEX SEARCH OPERATORS



Yandex Search Operators	
url:	Similar to site: but adding a * to the end of the URL pulls up any docs sharing that URL url: Alice url:en.wikiquote.org/wiki/*
lang:	Language filter ccn lang:fr
mime:	Similar to filetype mime:docx gdpr
Adding a keyword:	Adding a keyword using the plus Example: osint +tools
&&:	is used to show pages that contains both the keywords in search result. Power && searching
!	If you search for a keyword, let us say AND, you will get some results showing only AND and then the results will extend to ANDroid. If we want to get only result for AND keyword; use this operator. Example: !and
date:	Page modified date bombing date:20180416



DUCKDUCKGO SEARCH OPERATORS



DuckDuckGo Operators	
Cats dogs	Results about cats or dogs
"cats and dogs"	Results for exact term "cats and dogs". If no results are found, we'll try to show related results.
cats +dogs	More dogs in results
cats filetype:pdf	PDFs about cats. Supported file types: pdf, doc(x), xls(x), ppt(x), html
dogs site:example.com	Pages about dogs from example.com
Cats -site:example.com	Pages about cats, excluding example.com
intitle:dogs	Page title includes the word "dogs"
inurl:cats	Page URL includes the word "cats"



BAIDU & STARTPAGE SEARCH OPERATORS



Baidu Search Operators	
Adv. Search	https://www.baidu.com/gaoji/advanced.html
In English	http://www.baiduinenglish.com/
Search Tips	https://www.seomandarin.com/baidu-search-tips.html

StartPage Search Operators	
Operators	Most standard Google operators work
Adv. Search	https://www.startpage.com/en/advanced-search.html
Search Tips	https://support.startpage.com/index.php?/Knowledgebase/List/Index/1



TWITTER SEARCH OPERATORS



Twitter Operators	
from:username	Using this operator, you will get resulting tweets only from that user
since:YYYY-MM-DD	This operator will show Tweets that have been sent since the date provided
filter:media	Adding this operator onto a search will narrow down to tweets containing media (images/videos) e.g., from:@POTUS filter:media
url:	This operator will show users tweets that contain URLs with the word term of choice within it e.g., <u>url:amazon</u> combined "deals" url:amazon
lang:	The lang operator filters Tweets for given language e.g., lang:es (Spanish)
Near:	The near operator will find Tweets within a certain distance of a place concert near:london



INTERNET OF THINGS (IOT)

SHODAN.IO
ZOOMEYE.ORG
CENSYS.IO



Filters Cheat Sheet		
Shodan currently crawls nearly 1,500 ports across the Internet. Here are a few of the most commonly-used search filters to get started.		
Filter Name	Description	Example
city	Name of the city	Devices in San Diego
country	2-letter Country code	Open ports in the United States
http.title	Title of the website	"Hacked" Websites
net	Network range or IP in CIDR notation	Services in the range of 8.8.0.0 to 8.8.255.255
org	Name of the organization that owns the IP space	Devices at Google
port	Port number for the service that is running	SSH servers
product	Name of the software that is powering the service	Samsung Smart TVs
screenshot.label	Label that describes the content of the image	Screenshots of Industrial Control Systems
state	U.S. State	Devices in Texas

Search Query Examples

// BASICS

Websites that require HTTPS connections
`HTTP Strict-Transport-Security`

SEARCH

Services that have the word "Apache" in their headings
`Apache`

SEARCH

Apache web servers
`product:Apache`

SEARCH

Services with a hostname containing either "google.com" OR "facebook.com"
`hostname:google.com,facebook.com`

SEARCH

// HTTP FILTERS

Websites that have the word "Apache" in their HTML
`http.html:Apache`

SEARCH

Websites that are using the Bootstrap CSS framework
`http.component:bootstrap`

SEARCH

// SSL FILTERS

Websites that support TLS 1.3
`ssl.version:tlsv1.3 HTTP`

SEARCH

Websites that support HTTP/2
`ssl.alpn:h2`

SEARCH

Services that support SSLv2 and don't support TLS
`ssl.version:sslv2 -ssl.version:tlsv1,tlsv1.2,tlsv1.3`

SEARCH

SSL services (HTTPS, SMTPS, POP3S etc.) that were issued a certificate for "google.com"
`ssl.cert.subject.cn:google.com`

SEARCH

Non-HTTPS SSL services that were issued a certificate for "google.com"
`ssl.cert.subject.cn:google.com -HTTP`

SEARCH

// SSH FILTERS

SSH on port 22 OR 3333
`ssh -port:22,3333`

SEARCH

SSH on non-standard ports
`ssh -port:22`

SEARCH

// SCREENSHOT FILTERS

Public VNC services hiding behind common web ports
`has_screenshot:true rfb disabled port:80,443`

SEARCH

Search the OCR in Remote desktops for compromised by ransomware

SEARCH



PREVENT GOOGLE DORKING ATTACK



PREVENTING GOOGLE HACKING ATTACKS



- Understand how Google works
- Understand how Google can be used by attackers to gain access to your sensitive information
- Test your website to figure out what could harm you. Conduct Search Engine Discovery Reconnaissance for Information Leakage (OWASP). Then patch/fix/remove the problem if possible.
- As we can see, it's not difficult to find sensitive folders or files over the network. Because of the simplicity, security skills are not required to steal information.
- Set a password/MFA on your home or work IOT devices



PREVENTING GOOGLE HACKING ATTACKS



This example **allows all robots** to visit **all files** because the wildcard "*" specifies all robots:

```
User-agent: *
```

```
Disallow:
```

This example keeps all robots out:

```
User-agent: *
```

```
Disallow: /
```

The next is an example that tells all crawlers not to enter four directories of a website:

```
User-agent: *
```

```
Disallow: /cgi-bin/ Disallow: /images/ Disallow: /tmp/
```

```
Disallow: /private/
```



PREVENTING GOOGLE HACKING ATTACKS



Example that tells **a specific crawler** not to enter one specific directory:

User-agent: BadBot # replace the 'BadBot' with the actual user-agent of the bot

Disallow: /private/

Example that tells **all crawlers** not to enter one specific file:

User-agent: *

Disallow: /directory/file.html

Note that all other files in the specified directory will be processed.

Example demonstrating how comments can be used:

Comments appear after the "#" symbol at the start of a line, or after a directive User-agent: * # match all bots Disallow: / # keep them out



PREVENTING GOOGLE HACKING ATTACKS



- Keep sensitive data off the web!!
- Do not display detailed Error Message
- Do not allow Directory Browsing
- Perform periodic Google Assessments
- Update robots.txt (For examples and suggestions for using a robots.txt file, see <http://www.robotstxt.org>)
- Use meta-tags: NOARCHIVE
- Remove site or pages from search engine's index.
- Prevent access to devices (printers, cameras, copiers) from Web applications, or use proven access control measures



MAZE

“Dorking is like a maze, sometimes it’s easy to solve, sometimes it’s hard but it’s always satisfying to get to your goal.”
Mark Martin





RESOURCES

<https://www.ncsc.gov.uk/cyberaware/home>

<https://ahrefs.com/blog/google-advanced-search-operators/>

<https://tryhackme.com/room/googledorking>

[https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/01-Information_Gathering/01-](https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/01-Information_Gathering/01-Conduct_Search_Engine_Discovery_Reconnaissance_for_Information_Leakage)

[Conduct Search Engine Discovery Reconnaissance for Information Leakage](https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/01-Information_Gathering/01-Conduct_Search_Engine_Discovery_Reconnaissance_for_Information_Leakage)

https://www.googleguide.com/advanced_operators_reference.html

<https://dorksearch.com/blog/future-of-osint-people-searching/>

<https://resources.infosecinstitute.com/topic/defending-from-google-hackers/>

