

Parameters for Cases (caseparams.dtx)

Charles Duan

May 3, 2023

These parameters are specifically for **case** and similar references.

agency

Administrative agency name. Essentially the same as **court** except the name will be abbreviated.

court

Court deciding the case. The court name will *not* be abbreviated, at least currently.

d

Second party name in the case. See `caseref.dtx` for the input syntax for this parameter.

dbid

Database identifier for an online case.

docket

Docket number of the case. If the value starts with a number, the word “No.” will be automatically prepended to the docket number.

```
\def\hi@defkey@docket#1#2\@stop#3{%  
  \@ifdigit{#1}{\def\hi@kv@docket{No.~#3}}{\def\hi@kv@docket{#3}}%  
}
```

enbanc

[Value optional] En banc case parenthetical. Although intended for cases, this parameter can be attached to any reference.

inlinedefendant

[Value optional] Don't use the first party as main party. For **case** citations, the first party named is typically used as the short name (with some exceptions). This parameter forces the second party to be used.

mem

[Value optional] Memorandum opinion parenthetical. Although intended for cases, this parameter can be attached to any reference.

p

First party name in the case. See `caseref.dtx` for the input syntax for this parameter.

parties

Named parties to a case, separated by “ v. ”. This is a shortcut for setting parameters **p** and **d**.

percuriam

[Value optional] Per curiam opinion.

prior

Prior history for a case. The syntax for this parameter is described in `caseref.dtx`.

revparties

[Value optional] Parties to this case are reverse of named case.

sameparties

[Value optional] Parties to this case are same as named case.

slip

[Value optional] Slip opinion or law.

slipop

Alias for **slip**.

subsequent

Subsequent history for a case. The syntax for this parameter is described in `caseref.dtx`.