

Hicite Unit Tests

Charles Duan

September 3, 2025

1 refs.dtx

1.1 defcitegroup

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

Passed: \testregister ->

Test: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$
Exp: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456

```

Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|

```

Passed: AssertEqual
Test: 123
Exp: 123

Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
Passed: \testyear ->
Test: 2000
Exp: 2000

Probably passed: AssertBox: \inline {thefda}
Test: the Food and Drug Administration (“FDA”)
Exp: the Food and Drug Administration (“FDA”)

Probably passed: AssertBox: \inline {thefda}
Test: the FDA
Exp: the FDA

3 names.dtx

3.1 Name Splitting

Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//
Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/
Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/
Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II///
Exp: John/Doe/II///
Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/
Exp: John/Doe/II/Firm/

Exp: |John/Doe/II/Firm/\hi@etal |
Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: |Georg/von Trapp///|
Exp: |Georg/von Trapp///|
Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: |Georg/von Trapp//Austria/|
Exp: |Georg/von Trapp//Austria/|
Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: |Georg/von Trapp/Jr./Austria/|
Exp: |Georg/von Trapp/Jr./Austria/|
Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit
Test: |Jane/Double Barrelled///|
Exp: |Jane/Double Barrelled///|
Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit
Test: |Jane/Double Barrelled/Jr.//|
Exp: |Jane/Double Barrelled/Jr.//|
Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit
Test: |Jane/Double Barrelled/bis//|
Exp: |Jane/Double Barrelled/bis//|
Passed: \hi@nameproc@inst {Federal Trade Commission}
Test: |Fed. Trade Comm'n|
Exp: |Fed. Trade Comm'n|
Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson
Test: |John Q. Public/Public|
Exp: |John Q. Public/Public|
Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson
Test: |John Q. Public\hi@etal /Public\hi@etal |
Exp: |John Q. Public\hi@etal /Public\hi@etal |
Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson
Test: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Exp: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson
Test: |John Doe, U.S. Army/Doe|
Exp: |John Doe, U.S. Army/Doe|

3.2 Name List Arrangement

Passed: \hi@kv@test ->
Test: |A|
Exp: |A|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@and B|
Exp: |A\hi@namelist@and B|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C|
Exp: |A\hi@namelist@comma B\hi@namelist@and C|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|
Exp: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|

```

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: \hi@namelist@insts Z\hi@namelist@and Y
Exp: \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

```

Passed: \hi@date@parse {538 bc}

Test: 538 \BC |
Exp: 538 \BC |

Passed: \hi@date@parse {538 ad}

Test: \AD ~538 |
Exp: \AD ~538 |

Passed: \hi@date@parse {c 538 ad}

Test: c.~\AD ~538 |
Exp: c.~\AD ~538 |

Passed: \hi@date@parse {c 538 ace}

Test: c.~538 \ACE |
Exp: c.~538 \ACE |

Passed: \hi@date@parse {nd}

Test: n.d\@ . |
Exp: n.d\@ . |

Passed: \hi@date@parse {signed feb 15 2021}

Test: \hi@fn@dateprefix {signed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021 |

Passed: \hi@date@parse {{may} feb 15 2021}

Test: \hi@fn@dateprefix {may} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021 |

Passed: \hi@date@parse {signed into law feb 15 2021}

Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{feb 15 2021}

Test: \hi@fn@dateprefix {issued} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{filed feb 15 2021}

Test: \hi@fn@dateprefix {filed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021 |

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}

Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->

Test: \newlabel{lbl}{{}{note }{4}{} } |
Exp: \newlabel{lbl}{{}{note }{4}{} } |

Passed: \hir@lbl ->

Test: {note }{} |
Exp: {note }{} |

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}

Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->

Test: \newlabel{lbl}{{[discussion]}{note }{4}{} } |
Exp: \newlabel{lbl}{{[discussion]}{note }{4}{} } |

Passed: \hir@lbl ->
Test: `{note }{}`
Exp: `{note }{}`

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}
Test: `4[a b]`
Exp: `4[a b]`

Passed: \WrittenText ->
Test: `\newlabel{end:lbl}{notes }{4}}`
Exp: `\newlabel{end:lbl}{notes }{4}}`

Passed: \hir@lbl ->
Test: `{note }{}`
Exp: `{note }{}`

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b
Test: `a b`
Exp: `a b`

Passed: \WrittenText ->
Test: `\newlabel{lbl}{{text accompanying note }{4}}{}`
Exp: `\newlabel{lbl}{{text accompanying note }{4}}{}`

Passed: \hir@lbl ->
Test: `{text accompanying note }{}`
Exp: `{text accompanying note }{}`

Probably passed: AssertBox: a \hiendlabel {lbl} b
Test: `a b`
Exp: `a b`

Passed: \WrittenText ->
Test: `\newlabel{end:lbl}{{text accompanying notes }{3}}`
Exp: `\newlabel{end:lbl}{{text accompanying notes }{3}}`

Passed: \hir@lbl ->
Test: `{text accompanying note }{}`
Exp: `{text accompanying note }{}`

Probably passed: AssertBox: a \hitanlabel {lbl} b
Test: `a b`
Exp: `a b`

Passed: \WrittenText ->
Test: `\newlabel{lbl}{{note }{4}{ and accompanying text}}`
Exp: `\newlabel{lbl}{{note }{4}{ and accompanying text}}`

Passed: \hir@lbl ->
Test: `{note }{ and accompanying text}`
Exp: `{note }{ and accompanying text}`

Probably passed: AssertBox: a \hiendtanlabel {lbl} b
Test: `a b`
Exp: `a b`

Passed: \WrittenText ->
Test: `\newlabel{end:lbl}{{notes }{3}}`
Exp: `\newlabel{end:lbl}{{notes }{3}}`

Passed: \hir@lbl ->
Test: `{note }{ and accompanying text}`

Exp: |{note }{ and accompanying text}|

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{}{Figure }{4}}|
Exp: |\newlabel{lbl}{{}{Figure }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|}
Exp: |{Figure }{|}

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Figures }{4}}|
Exp: |\newlabel{end:lbl}{{Figures }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|}
Exp: |{Figure }{|}

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Section }{III.A}}|
Exp: |\newlabel{lbl}{{background}{Section }{III.A}}|

Passed: \hir@lbl ->

Test: |{Section }{|}
Exp: |{Section }{|}

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Part }{III}}|
Exp: |\newlabel{lbl}{{background}{Part }{III}}|

Passed: \hir@lbl ->

Test: |{Part }{|}
Exp: |{Part }{|}

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Sections }{III.B}}|
Exp: |\newlabel{end:lbl}{{Sections }{III.B}}|

Passed: \hir@lbl ->

Test: |{Section }{|}

Exp: |{Section }{|}

5.4 Parsing

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: |*infra* Section III|
Exp: |*infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion *supra* notes 2-3|
Exp: |discussion *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |remarks *infra* Section III|
Exp: |remarks *infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |remarks *supra* notes 2-3|
Exp: |remarks *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |Section III|
Exp: |Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion|
Exp: |discussion|

6 urls.dtx

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

http	http	http
:	:	:
//www.google.	//www.google.	//www.google.
com/search?q=	com/search?q=	com/search?q=
hello+world	hello%20world	antidis
	%20how%20are	establishment
	%20you	arianism

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref}}`

Passed: \hi@pse@parse {ref at 3}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`
Exp: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: `//ref`
Exp: `//ref`

Passed: \hi@pse@sigvolref {1 ref}\TestSVR

Test: `/1/ref`
Exp: `/1/ref`

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR

Test: `cf./1/ref`
Exp: `cf./1/ref`

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR

Test: `cf.//ref`
Exp: `cf.//ref`

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR

Test: `see also/also/ref`
Exp: `see also/also/ref`

8 pages.dtx

8.1 Formatting

Passed: \@format@pageno {15}

Test: 15
Exp: 15

Passed: \@format@pageno {15,,}

Test: 15
Exp: 15

Passed: \@format@pageno {15, 20}

Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15,, 20}

Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15-20, 25-30}

Test: 15--20, 25--30
Exp: 15--20, 25--30

Passed: \@format@pageno {115-120, 1425-1530}

Test: 115--20, 1425--530
Exp: 115--20, 1425--530

Passed: \@format@pageno {paragraph 15}

Test: para.~15
Exp: para.~15

Passed: \@format@pageno {paragraphs 15}

Test: para.~15
Exp: para.~15

Passed: \@format@pageno {paragraph 15-20}

Test: paras.~15--20
Exp: paras.~15--20

Passed: \@format@pageno {paragraph 15, 20}

Test: paras.~15, 20
Exp: paras.~15, 20

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: para.~15, at 25--30
Exp: para.~15, at 25--30

Passed: \@format@pageno {paragraph 15/a1}

Test: para.~15(a)\penalty \hi@psize@penaltysize (1)
Exp: para.~15(a)\penalty \hi@psize@penaltysize (1)

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)
Exp: para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)

Passed: \@format@pageno {paragraph 15/a1-/2}

Test: para.~15(a)\penalty \hi@psize@penaltysize (1)--(2)
Exp: para.~15(a)\penalty \hi@psize@penaltysize (1)--(2)

Passed: \@format@pageno {paragraph 15/a1, /a2-/3}

Test: para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)
Exp: para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}
Test: para.~15, tbls.4--5, at 36
Exp: para.~15, tbls.4--5, at 36

Passed: \@format@pageno {15 note 6}
Test: 15 n.6
Exp: 15 n.6

Passed: \@format@pageno {15 note 5, 6, 7}
Test: 15 nn.5, 6 \& 7
Exp: 15 nn.5, 6 \& 7

Passed: \@format@pageno {15 & note 5, 6, 7}
Test: 15 \& nn.5, 6 \& 7
Exp: 15 \& nn.5, 6 \& 7

Passed: \@format@pageno {S 5-6}
Test: \textsection \textsection ~5--6
Exp: \textsection \textsection ~5--6

Passed: \@format@pageno {P 5-6}
Test: \textparagraph \textparagraph ~5--6
Exp: \textparagraph \textparagraph ~5--6

Passed: \@format@pageno {-34/a}
Test: 34(a)
Exp: 34(a)

Passed: \@format@pageno {!A5}
Test: \hi@pgnum@raw A5
Exp: \hi@pgnum@raw A5

*Passed: \@format@pageno {*123-125}*
Test: *123--25
Exp: *123--25

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}
Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}
Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}
Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}
Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}
Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}
Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}
Test: |,

Exp: |,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: | at

Exp: | at

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: | at

Exp: | at

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->

Test: |\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}|

Exp: |\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}|

Exp: |\@paren {\hi@paren@cite }{generic}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \TestDefer ->

Test: |Deferred c|

Exp: |Deferred c|

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |⁵[abc]|

Exp: |⁵[abc]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: $\left| \begin{smallmatrix} 6 \\ \text{def} \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} 6 \\ \text{def} \end{smallmatrix} \right|$

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: $\left| \right|$

Exp: $\left| \right|$

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: $\left| \begin{smallmatrix} 7 \\ \text{ghi} \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} 7 \\ \text{ghi} \end{smallmatrix} \right|$

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: $\left| \right|$

Exp: $\left| \right|$

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: $\left| \right|$

Exp: $\left| \right|$

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: $\left| \right|$

Exp: $\left| \right|$

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: $\left| \begin{smallmatrix} \text{jkl mno} \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} \text{jkl mno} \end{smallmatrix} \right|$

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: $\left| \begin{smallmatrix} (\text{abc}). \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} (\text{abc}). \end{smallmatrix} \right|$

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: $\left| \begin{smallmatrix} (\text{abc.}). \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} (\text{abc.}). \end{smallmatrix} \right|$

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\@hi@dottrue }\hi@parens@show \if@hi@dot \else .\fi

Test: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

Exp: $\left| \begin{smallmatrix} , \text{abc}. \end{smallmatrix} \right|$

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: $\left| \right|$

Exp: $\left| \right|$

Passed: \WrittenText ->

Test: \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }

Exp: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }

Passed: \ListTestResult ->

Test: {ref}{other}{Other Source/s}|

Exp: {ref}{other}{Other Source/s}|

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: ABCDE...12FGHIJ|

Exp: ABCDE...12FGHIJ|

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: ABCDE...12FGHIJ...15A....2B|

Exp: ABCDE...12FGHIJ...15A....2B|

Passed: \hi@toa@makesortable {ref}

Test: KLMNO...25PQRST|

Exp: KLMNO...25PQRST|

10.4 Heading Lists

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulation|

Exp: Regulation|

Probably passed: AssertBox: \hi@toa@headlist@show {stat}
Test: Regulations
Exp: Regulations

Probably passed: AssertBox: \hi@toa@headlist@show {stat}
Test: Regulations and Treaty
Exp: Regulations and Treaty

Probably passed: AssertBox: \hi@toa@headlist@show {stat}
Test: Regulations, Treaty and Statute
Exp: Regulations, Treaty and Statute

Probably passed: AssertBox: \hi@toa@headlist@show {stat}
Test: Regulations, Treaties and Statute
Exp: Regulations, Treaties and Statute

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}
Test passed: AssertTrue: \IfKnownList {hi@toa@list}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refM,
Exp: refM,

Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: item
Exp: item

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refM,
Exp: refM,

Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: item
Exp: item

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refM,
Exp: refA, refM,

Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: items
Exp: items

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refI, refM,
Exp: refA, refI, refM,

Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: items and element
Exp: items and element

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refI, refM,
Exp: refA, refI, refM,

Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: items and element
Exp: items and element

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}

Test: |ii|
Exp: |ii|

Passed: \hi@toa@refcount {ref}

Test: |1|
Exp: |1|

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}

Test: |2|
Exp: |2|

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}

Test: |3|
Exp: |3|

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: |ii--iv|
Exp: |ii--iv|

Passed: \hi@toa@refcount {ref}

Test: |4|
Exp: |4|

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*

Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}

Test: |ii--iv, 4|
Exp: |ii--iv, 4|

Passed: \hi@toa@refcount {ref}

Test: |5|
Exp: |5|

* *Passed: \the \everypar*

Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}

Test: |ii--iv, 4--5|

Exp: |ii--iv, 4--5|
Passed: \hi@toa@refcount {ref}

Test: |6|
 Exp: |6|

* *Passed: \the \everypar*
 Test: |\StarMark \everypar {}|
 Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
 Test: |ii--iv, 4--5, 7|
 Exp: |ii--iv, 4--5, 7|

Passed: \hi@toa@refcount {ref}
 Test: |7|
 Exp: |7|

* *Passed: \the \everypar*
 Test: |\StarMark \everypar {}|
 Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
 Test: |\PassimText |
 Exp: |\PassimText |

Passed: \hi@toa@usepg {ref}
 Test: |\PassimText |
 Exp: |\PassimText |

Passed: \hi@toa@usepg {ref}
 Test: |ii--iv, 4--5, 7|
 Exp: |ii--iv, 4--5, 7|

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}
 Test: |1-2, 3-4, 5|
 Exp: |1-2, 3-4, 5|

The following can only be tested visually. Make sure that these look acceptable.

A 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	A B C D E F . . 1-2, 3, 4, 5	A B C D E F G . . 1-2, 3, 4, 5	A B C D E F G H . . 1-2, 3, 4, 5

10.8 TOA Categories

Passed: \hi@toacat@get {garcia}
 Test: |case:Case/s|
 Exp: |case:Case/s|

Passed: \hi@toacat@get {dc-comics}
 Test: |other:Other Source/s|
 Exp: |other:Other Source/s|

Passed: \hi@toacat@get {faceoff}
 Test: |m:Motion Picture/s|
 Exp: |m:Motion Picture/s|

Passed: \catlist ->
 Test: |case, const, edict, m, other|
 Exp: |case, const, edict, m, other|

11 draw.dtx

11.1 Which

Passed: \hi@draw@which {sc,fc}

Test: |fc|
Exp: |fc|

Passed: \hi@draw@which {sc,fc}

Test: |sc|
Exp: |sc|

Passed: \hi@draw@which {isc,sc,fc}

Test: |sc|
Exp: |sc|

Probably passed: AssertBox: \footnote {\Inline {amarin}. \sentence {see amarín at 1379}.}

Test: |^s[Amarín. See 104 F.4th at 1379.]|
Exp: |^s[Amarín. See 104 F.4th at 1379.]|

12 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden

Test: |Am. U. L. Rev.|
Exp: |Am. U. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden

Test: |B.U. L.J.|
Exp: |B.U. L.J.|

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden

Test: |Am. L. Wkly.|
Exp: |Am. L. Wkly.|

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden

Test: |Am. Law.|
Exp: |Am. Law.|

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden

Test: |Law Wkly.|
Exp: |Law Wkly.|

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden

Test: |Calif. L. Rev.|
Exp: |Calif. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden

Test: |Calif. L. Rev. Online|
Exp: |Calif. L. Rev. Online|

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden

Test: |S. Cal. L. Rev.|
Exp: |S. Cal. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden

Test: |spec. rev. ed.|
Exp: |spec. rev. ed.|

13 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |Book Title|

Exp: |Book Title|

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |BOOK TITLE|

Exp: |BOOK TITLE|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

14 format.dtx

14.1 Ordinal Numbers

Passed: \hi@numtotxt {1}

Test: |First|

Exp: |First|

Passed: \hi@numtotxt {2}

Test: |Second|

Exp: |Second|

Passed: \hi@numtotxt {10}

Test: |Tenth|

Exp: |Tenth|

Passed: \hi@numtotxt {12}

Test: |Twelfth|

Exp: |Twelfth|

Passed: \hi@numtotxt {45}

Test: |Forty-Fifth|

Exp: |Forty-Fifth|

Passed: \hi@numtotxt {82}

Test: |Eighty-Second|

Exp: |Eighty-Second|

Passed: \hi@numtotxt {90}

Test: |Ninetieth|

Exp: |Ninetieth|

Passed: \hi@numtotxt {123}

Test: |123d|

Exp: |123d|

Passed: \hi@numtotxt {20000}

Test: |Twenty Thousandth|

Exp: |Twenty Thousandth|

Passed: \hi@numtotxt {23456}

Test: |23,456th|

Exp: |23,456th|

14.2 Capitalization

Probably passed: AssertBox: \@capnext hello

Test: |hello|
Exp: |hello|

Probably passed: AssertBox: \@capnext hello

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext Hello

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext \emph {hello}

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext eBay

Test: |eBay|
Exp: |eBay|

Probably passed: AssertBox: \@capnext emBay

Test: |EmBay|
Exp: |EmBay|

Probably passed: AssertBox: \@capnext \emph {\textsection \textsection ~123--124}

Test: |Sections 123–124|
Exp: |Sections 123–124|

Probably passed: AssertBox: \@capnext \emph {\textparagraph ~15}

Test: |Paragraph 15|
Exp: |Paragraph 15|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: |The Great Escape|
Exp: |The Great Escape|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: |the Great Escape|
Exp: |the Great Escape|

14.3 Commas

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello World}

Test: |Hello World,|
Exp: |Hello World,|

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello ``World''}

Test: |Hello “World,”|
Exp: |Hello “World,”|

15 caseref.dtx

15.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}

Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}

Passed: \hi@case@shortfmt {Test}

Test: |Test|
Exp: |Test|

Passed: \hi@case@shortfmt {Test, Inc.}

Test: Test|
Exp: Test|

Passed: \hi@case@shortfmt {Test USA, Inc.}

Test: Test|
Exp: Test|

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0
 Test passed: \hi@case@scorename {FTC}: 2000>0

15.2 Name Formatting

15.2.1 Named Parties

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

15.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

15.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}
Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}
Exp: \hi@fn@casesc {Federal Trade Commission}

15.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

15.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{(``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{(``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}
Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

15.2.6 Parties and Name

Passed: \hi@kv@name ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})

Passed: \hi@kv@aname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}
Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}
Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}

15.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->
Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->
Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

15.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}
Exp: \hi@fn@casesc {The United States Ship}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}
Exp: \hi@fn@casesc {The U.S. Ship}

15.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

15.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

15.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

15.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁹[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁹[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ¹⁰[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ¹⁰[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹¹[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹¹[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

15.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹²[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-rd-dct}

Test: ¹⁴[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹⁴[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {plessy}

Test: ¹⁵[*Plessy v. Ferguson*, 163 U.S. 537 (1896), *overruled by* *Brown v. Bd. of Educ. of Topeka*, 347 U.S. 483 (1954).]
Exp: ¹⁵[*Plessy v. Ferguson*, 163 U.S. 537 (1896), *overruled by* *Brown v. Bd. of Educ. of Topeka*, 347 U.S. 483 (1954).]

Probably passed: AssertBox: \note {us-v-craft}

Test: ¹⁶[*United States v. Craft*, 535 U.S. 274 (2002).]
Exp: ¹⁶[*United States v. Craft*, 535 U.S. 274 (2002).]

Probably passed: AssertBox: \note {berge-v-board}

Test: ¹⁷[*United States ex rel. Berge v. Bd. of Trs.*, 104 F.3d 1453 (4th Cir. 1997).]
Exp: ¹⁷[*United States ex rel. Berge v. Bd. of Trs.*, 104 F.3d 1453 (4th Cir. 1997).]

16 statrefs.dtx

Probably passed: AssertBox: \inline {271}

Test: 35 U.S.C. § 271|
Exp: 35 U.S.C. § 271|

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁸[35 U.S.C. § 271(b).]|
Exp: ¹⁸[35 U.S.C. § 271(b).]|

Probably passed: AssertBox: \Inline {273}

Test: Section 273 of title 35 of the U.S. Code|
Exp: Section 273 of title 35 of the U.S. Code|

Probably passed: AssertBox: \note {dmca}

Test: ¹⁹[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204.]|
Exp: ¹⁹[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204.]|

Probably passed: AssertBox: \inline {dmca}

Test: the Digital Millennium Copyright Act (“DMCA”)|
Exp: the Digital Millennium Copyright Act (“DMCA”)|

Probably passed: AssertBox: \note {dmca at S 1201}

Test: ²⁰[DMCA § 1201.]|
Exp: ²⁰[DMCA § 1201.]|

Probably passed: AssertBox: \inline {dmca}

Test: the DMCA|
Exp: the DMCA|

Probably passed: AssertBox: \Inline {dmca}

Test: The DMCA|
Exp: The DMCA|

Probably passed: AssertBox: \inline {dmca at S 1201}

Test: § 1201|
Exp: § 1201|

Probably passed: AssertBox: \note {337}

Test: ²¹[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|
Exp: ²¹[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|

Probably passed: AssertBox: \inline {337}

Test: section 337 of the Tariff Act of 1930|
Exp: section 337 of the Tariff Act of 1930|

Probably passed: AssertBox: \note {337 at /a}

Test: ²²[Tariff Act § 337(a).]|
Exp: ²²[Tariff Act § 337(a).]|

Probably passed: AssertBox: \inline {337}

Test: section 337|
Exp: section 337|

Probably passed: AssertBox: \inline {337 at /a}

Test: section 337(a)|
Exp: section 337(a)|

Probably passed: AssertBox: \note {fdara}

Test: ²³[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|
Exp: ²³[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|

Probably passed: AssertBox: \inline {fdara}

Test: the FDA Reauthorization Act of 2017 (“FDARA”)|
Exp: the FDA Reauthorization Act of 2017 (“FDARA”)|

Probably passed: AssertBox: \inline {fdara}

Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \Inline {fdara}

Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \inline {fdara at S 1}

Test: § 1 of FDARA
Exp: § 1 of FDARA

Probably passed: AssertBox: \footnote {\inline {caa}. \sentence {caa}.}

Test: ²⁴[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730.]
Exp: ²⁴[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730.]

16.1 Model Code Parenthetical

Passed: \hi@modelcode@dateparen ->

Test: 2000
Exp: 2000

Passed: \hi@modelcode@dateparen ->

Test: \hi@fn@bookauthor {Am. L. Inst.} 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.} 2000

Passed: \hi@modelcode@dateparen ->

Test: \hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000

Passed: \hi@modelcode@dateparen ->

Test: \hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000

Probably passed: AssertBox: \note {ali at S 847A}

Test: ²⁵[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]
Exp: ²⁵[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]

Probably passed: AssertBox: \note {ali at S 847A}

Test: ²⁶[Id.]
Exp: ²⁶[Id.]

Probably passed: AssertBox: \note {ali at S 848}

Test: ²⁷[RESTATEMENT (SECOND) OF TORTS § 848.]
Exp: ²⁷[RESTATEMENT (SECOND) OF TORTS § 848.]

17 bookrefs.dtx

17.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test:
Exp:

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

17.2 Cite Containers

Probably passed: AssertBox: \note {pantzer at 100}

Test: ²⁸[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Exp: ²⁸[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Probably passed: AssertBox: \note {adams-lee at 174}

Test: ²⁹[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

Exp: ²⁹[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

18 artrefs.dtx

Probably passed: AssertBox: \note {tu-kesselheim}

Test: ³⁰[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]

Exp: ³⁰[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]

18.1 Article Dates

Probably passed: AssertBox: \note {jrnartyearonly}

Test: ³¹[A B, *Year Only Article*, 2014 J.L. 123.]

Exp: ³¹[A B, *Year Only Article*, 2014 J.L. 123.]
Probably passed: AssertBox: \note {jrnartyearvol}
Test: ³²[C D, *Same Year and Volume Article*, 2014 J.L. 123.]
Exp: ³²[C D, *Same Year and Volume Article*, 2014 J.L. 123.]
Probably passed: AssertBox: \note {procartyearonly}
Test: ³³[A B, *Year Only Article*, in 2014 PROC. L. no. 15.]
Exp: ³³[A B, *Year Only Article*, in 2014 PROC. L. no. 15.]
Probably passed: AssertBox: \note {procartyearvol}
Test: ³⁴[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]
Exp: ³⁴[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]

18.2 Manuscript

Probably passed: AssertBox: \inline {testmanuscript}
Test: |John Doe|
Exp: |John Doe|
Probably passed: AssertBox: \note {testmanuscript}
Test: ³⁵[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]
Exp: ³⁵[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]
Probably passed: AssertBox: \inline {testmanuscript}
Test: |Doe|
Exp: |Doe|

18.3 Website

Probably passed: AssertBox: \note {romano}
Test: ³⁶[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]
Exp: ³⁶[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]

19 genparams.dtx

19.1 Parallel Cites

Probably passed: AssertBox: \note {semayne}
Test: ³⁷[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]
Exp: ³⁷[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]
Probably passed: AssertBox: \note {semayne at 195 ::coke: 91b}
Test: ³⁸[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]
Exp: ³⁸[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]

20 bookparams.dtx

Probably passed: AssertBox: \note {a}
Test: ³⁹[A A, TITLE (3d ed. 2020).]
Exp: ³⁹[A A, TITLE (3d ed. 2020).]
Probably passed: AssertBox: \note {b}
Test: ⁴⁰[B B, TITLE (rev. 3, spec. ed. 2020).]
Exp: ⁴⁰[B B, TITLE (rev. 3, spec. ed. 2020).]
Probably passed: AssertBox: \note {c-d}
Test: ⁴¹[COMPILATION (C C & D D eds., 2020).]

Exp: ⁴¹[COMPILATION (C C & D D eds., 2020).]

Passed: \hi@kv@number ->

Test: 11

Exp: 11

Passed: \hi@kv@publisher ->

Test:

Exp:

Passed: \hi@kv@number ->

Test: No. 12345

Exp: No. 12345

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.

Exp: Cong. Rsch. Serv.

Passed: \hi@kv@number ->

Test: No. 12345

Exp: No. 12345

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.

Exp: Cong. Rsch. Serv.

Passed: \hi@kv@edtype ->

Test: eds. \& trans.

Exp: eds. \& trans.

21 abbrev.dtx

Passed: \abb@abbrev {test}{Company}

Test: Co.

Exp: Co.

Passed: \abb@abbrev {test}{The Company}

Test: The Co.

Exp: The Co.

Passed: \abb@abbrev {test}{Company Treasure}

Test: Co. Treasure

Exp: Co. Treasure

Passed: \abb@abbrev {test}{The Company Treasure}

Test: The Co. Treasure

Exp: The Co. Treasure

Passed: \abb@abbrev {test}{The Companying Art}

Test: The Companying Art

Exp: The Companying Art

Passed: \abb@abbrev {test}{Companying Art}

Test: Companying Art

Exp: Companying Art

Passed: \abb@abbrev {test}{AcCompany Art}

Test: AcCompany Art

Exp: AcCompany Art

Passed: \abb@abbrev {test}{An AcCompany Art}

Test: An AcCompany Art

Exp: An AcCompany Art

Passed: \abb@abbrev {test}{An Ac{ }Company Art}
Test: An Ac{ }Co. Art
Exp: An Ac{ }Co. Art

Passed: \abb@abbrev {test}{Big Company}
Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}
Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}
Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}
Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}
Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}
Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}
Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}
Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}
Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}
Passed: \abb@abbrev {test}{First Company}
Test: FiComp.
Exp: FiComp.

Passed: \abb@abbrev {test}{First Company Treasure}
Test: FiComp. Treasure
Exp: FiComp. Treasure

Passed: \abb@abbrev {test}{The First Company}
Test: The First Co.
Exp: The First Co.

Passed: \abb@abbrev {test}{The First Company Treasure}

Test: |The First Co. Treasure|

Exp: |The First Co. Treasure|

452 tests performed. All tests passed.