

Hicite Unit Tests

Charles Duan

August 26, 2023

1 refs.dtx

1.1 defcitegroup

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

Passed: \testregister ->

Test: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$
Exp: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456

```

Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|

```

```

    Passed: AssertEqual
Test: 123|
Exp: 123|

    Passed: AssertEqual
Test: U.S.C.|
Exp: U.S.C.|

    Passed: AssertEqual
Test: S 456|
Exp: S 456|

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
Passed: \testyear ->
Test: 2000|
Exp: 2000|

```

3 names.dtx

3.1 Name Splitting

```

    Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle////|
Exp: Aristotle////|

    Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//|
Exp: Aristotle//Jr.//|

    Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle////\hi@etal |
Exp: Aristotle////\hi@etal |

    Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/|
Exp: Aristotle///Platonian Academy/|

    Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/|
Exp: Aristotle//III/Academy/|

    Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///|
Exp: John/Doe///|

    Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///\hi@etal |
Exp: John/Doe///\hi@etal |

    Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II//\hi@etal |
Exp: John/Doe/II//\hi@etal |

    Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/\hi@etal |
Exp: John/Doe/II/Firm/\hi@etal |

    Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: Georg/von Trapp///|
Exp: Georg/von Trapp///|

    Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: Georg/von Trapp//Austria/|

```

Exp: Georg/von Trapp//Austria/

Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit

Test: Georg/von Trapp/Jr./Austria/

Exp: Georg/von Trapp/Jr./Austria/

Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit

Test: Jane/Double Barrelled///

Exp: Jane/Double Barrelled///

Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit

Test: Jane/Double Barrelled/Jr.//

Exp: Jane/Double Barrelled/Jr.//

Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit

Test: Jane/Double Barrelled/bis//

Exp: Jane/Double Barrelled/bis//

Passed: \hi@nameproc@inst {Federal Trade Commission}

Test: Fed. Trade Comm'n

Exp: Fed. Trade Comm'n

Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson

Test: John Q. Public/Public

Exp: John Q. Public/Public

Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson

Test: John Q. Public\hi@etal /Public\hi@etal

Exp: John Q. Public\hi@etal /Public\hi@etal

Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson

Test: Martin Luther King Jr.\hi@etal /King\hi@etal

Exp: Martin Luther King Jr.\hi@etal /King\hi@etal

Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson

Test: John Doe, U.S. Army/Doe

Exp: John Doe, U.S. Army/Doe

3.2 Name List Arrangement

Passed: \hi@kv@test ->

Test: A

Exp: A

Passed: \hi@kv@test ->

Test: A\hi@namelist@and B

Exp: A\hi@namelist@and B

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C

Exp: A\hi@namelist@comma B\hi@namelist@and C

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: \hi@namelist@insts Z\hi@namelist@and Y

Exp: \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

4 dates.dtx

Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

Passed: \hi@date@parse {538 bc}
Test: 538 \BC
Exp: 538 \BC

Passed: \hi@date@parse {538 ad}
Test: \AD ~538
Exp: \AD ~538

Passed: \hi@date@parse {c 538 ad}
Test: c.\AD ~538
Exp: c.\AD ~538

Passed: \hi@date@parse {c 538 ace}
Test: c.\538 \ACE
Exp: c.\538 \ACE

Passed: \hi@date@parse {nd}
Test: n.d\@ .
Exp: n.d\@ .

Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021

Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021

Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021

Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021

Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}
Test: ⁴[a b]
Exp: ⁴[a b]

Passed: \WrittenText ->
Test: \newlabel{lbl}{{}{note }{4}{}}
Exp: \newlabel{lbl}{{}{note }{4}{}}

Passed: \hir@lbl ->
Test: {note }{}
Exp: {note }{}

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}
Test: ⁴[a b]
Exp: ⁴[a b]

Passed: \WrittenText ->
Test: \newlabel{lbl}{{[discussion]}{note }{4}{}}
Exp: \newlabel{lbl}{{[discussion]}{note }{4}{}}

Passed: \hir@lbl ->
Test: {note }{}
Exp: {note }{}

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}
Test: ⁴[a b]
Exp: ⁴[a b]

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \}_{4}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \}_{4}\}$

Passed: \hir@lbl ->

Test: $\{\text{note } \}\{\}$
Exp: $\{\text{note } \}\{\}$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{text accompanying note } \}_{4}\{\}\}$
Exp: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{text accompanying note } \}_{4}\{\}\}$

Passed: \hir@lbl ->

Test: $\{\text{text accompanying note } \}\{\}$
Exp: $\{\text{text accompanying note } \}\{\}$

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes } \}_{3}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes } \}_{3}\}$

Passed: \hir@lbl ->

Test: $\{\text{text accompanying note } \}\{\}$
Exp: $\{\text{text accompanying note } \}\{\}$

Probably passed: AssertBox: a \hitanlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{note } \}_{4}\{\text{ and accompanying text}\}$
Exp: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{note } \}_{4}\{\text{ and accompanying text}\}$

Passed: \hir@lbl ->

Test: $\{\text{note } \}\{\text{ and accompanying text}\}$
Exp: $\{\text{note } \}\{\text{ and accompanying text}\}$

Probably passed: AssertBox: a \hientdanlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \}_{3}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \}_{3}\}$

Passed: \hir@lbl ->

Test: $\{\text{note } \}\{\text{ and accompanying text}\}$
Exp: $\{\text{note } \}\{\text{ and accompanying text}\}$

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: \newlabel{lbl}{{}{Figure }{4}{}}
Exp: \newlabel{lbl}{{}{Figure }{4}{}}

Passed: \hir@lbl ->

Test: {Figure }{}
Exp: {Figure }{}|

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: a b
Exp: a b

Passed: \WrittenText ->

Test: \newlabel{end:lbl}{{Figures }{4}}
Exp: \newlabel{end:lbl}{{Figures }{4}}

Passed: \hir@lbl ->

Test: {Figure }{}
Exp: {Figure }{}|

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: a b
Exp: a b

Passed: \WrittenText ->

Test: \newlabel{lbl}{{background}{Section }{III.A}{}}
Exp: \newlabel{lbl}{{background}{Section }{III.A}{}}

Passed: \hir@lbl ->

Test: {Section }{}
Exp: {Section }{}|

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: a b
Exp: a b

Passed: \WrittenText ->

Test: \newlabel{lbl}{{background}{Part }{III}{}}
Exp: \newlabel{lbl}{{background}{Part }{III}{}}

Passed: \hir@lbl ->

Test: {Part }{}
Exp: {Part }{}|

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: a b
Exp: a b

Passed: \WrittenText ->

Test: \newlabel{end:lbl}{{Sections }{III.B}}
Exp: \newlabel{end:lbl}{{Sections }{III.B}}

Passed: \hir@lbl ->

Test: {Section }{}
Exp: {Section }{}|

5.4 Parsing

Passed: \@this@page ->

Test: {discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}
Exp: {discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}

Test:	{discussion}\{\hi@fn@sig {infra}}\{note 3 and accompanying text}
Exp:	{discussion}\{\hi@fn@sig {infra}}\{note 3 and accompanying text}

Test: {\discussion}\{\hi@fn@sig {\infra}}{\notes 3--5 and accompanying text}
Exp: {\discussion}\{\hi@fn@sig {\infra}}{\notes 3--5 and accompanying text}

Test: $\{\text{discussion}\}^{\{\text{hi@fn@sig}\supra\}}\{\text{notes 3--5 and accompanying text}\}$
Exp: $\{\text{discussion}\}^{\{\text{hi@fn@sig}\supra\}}\{\text{notes 3--5 and accompanying text}\}$

Probably passed: AssertBox: \fc@this

Test:	<i>infra</i> Section III
Exp:	<i>infra</i> Section III

Probably passed: AssertBox: \fc@this

Test:	discussion <i>supra</i> notes 2–3
Exp:	discussion <i>supra</i> notes 2–3

Probably passed: AssertBox: \fc@this

Test:	remarks <i>infra</i> Section III
Exp:	remarks <i>infra</i> Section III

Probably passed: AssertBox: \fc@this

Test:	remarks <i>supra</i> notes 2–3
Exp:	remarks <i>supra</i> notes 2–3

Probably passed: AssertBox: \fc@this

Test:	Section III
Exp:	Section III

Probably passed: AssertBox: \fc@this

Test:	discussion
Exp:	discussion

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

http://www.google.com/search?q=hello+world	http://www.google.com/search?q=hello%20world%20how%20are%20you	http://www.google.com/search?q=antidisestablishmentarianism
--	--	---

Passed: \hi@pse@parse {ref}

Test:	<code>\hi@pse@cite {\hi@pse@svr {ref}}</code>
Exp:	<code>\hi@pse@cite {\hi@pse@svr {ref}}</code>

Passed: \hi@pse@parse {ref at 3}

Test:	<code>\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}</code>
Exp:	<code>\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}</code>

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: \hi@pse@cite {\hi@pse@svr {see 15 ref}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}}|

Exp: \hi@pse@cite {\hi@pse@svr {see 15 ref}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}}|

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}|

Exp: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}|

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: \hi@pse@cite {\hi@pse@svr {ref1}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}}|

Exp: \hi@pse@cite {\hi@pse@svr {ref1}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}}|

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: //ref|

Exp: //ref|

Passed: \hi@pse@sigvolref {1 ref}\TestSVR

Test: /1/ref|

Exp: /1/ref|

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR

Test: cf./1/ref|

Exp: cf./1/ref|

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR

Test: cf./ref|

Exp: cf./ref|

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR

Test: see also/also/ref|

Exp: see also/also/ref|

8 pages.dtx

8.1 Formatting

Passed: \@format@pageno {15}

Test: 15|

Exp: 15|

Passed: \@format@pageno {15,,,}

Test: 15|

Exp: 15|

Passed: \@format@pageno {15, 20}
Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15,, , 20}
Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15-20, 25-30}
Test: 15--20, 25--30
Exp: 15--20, 25--30

Passed: \@format@pageno {115-120, 1425-1530}
Test: 115--20, 1425--530
Exp: 115--20, 1425--530

Passed: \@format@pageno {paragraph 15}
Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraphs 15}
Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraph 15-20}
Test: paras.\protect \nobreakspace {}15--20
Exp: paras.\protect \nobreakspace {}15--20

Passed: \@format@pageno {paragraph 15, 20}
Test: paras.\protect \nobreakspace {}15, 20
Exp: paras.\protect \nobreakspace {}15, 20

Passed: \@format@pageno {paragraph 15, at 25-30}
Test: para.\protect \nobreakspace {}15, at 25--30
Exp: para.\protect \nobreakspace {}15, at 25--30

Passed: \@format@pageno {paragraph 15/a1}
Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)

Passed: \@format@pageno {paragraph 15/a1, /a2}
Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}
Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36
Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36

Passed: \@format@pageno {15 note 6}
Test: 15 n.6
Exp: 15 n.6

Passed: \@format@pageno {15 note 5, 6, 7}
Test: 15 nn.5, 6 \& 7
Exp: 15 nn.5, 6 \& 7

Passed: \@format@pageno {15 & note 5, 6, 7}
Test: 15 \& nn.5, 6 \& 7
Exp: 15 \& nn.5, 6 \& 7

Passed: \@format@pageno {S 5-6}
Test: \textsection \textsection \protect \nobreakspace {}5--6

Exp: `\textsection \textsection \protect \nobreakspace {}5--6`
Passed: \@format@pageno {P 5-6}
Test: `\textparagraph \textparagraph \protect \nobreakspace {}5--6`
Exp: `\textparagraph \textparagraph \protect \nobreakspace {}5--6`
Passed: \@format@pageno {-34/a}
Test: `34(a)`
Exp: `34(a)`
Passed: \@format@pageno {!A5}
Test: `\hi@pgnum@raw A5`
Exp: `\hi@pgnum@raw A5`
*Passed: \@format@pageno {*123-125}*
Test: `*123--25`
Exp: `*123--25`

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}
Test: `|, at`
Exp: `|, at`
Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}
Test: `|, at`
Exp: `|, at`
Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}
Test: `|at`
Exp: `|at`
Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}
Test: `|at`
Exp: `|at`

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->
Test: `\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}`
Exp: `\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}`

Passed: \hi@parens ->
Test: \@paren {\hi@paren@cite }{generic}
Exp: \@paren {\hi@paren@cite }{generic}

Passed: \hi@parens ->
Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \hi@parens ->
Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \hi@parens ->
Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \TestDefer ->
Test: Deferred c
Exp: Deferred c

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem
Test: ⁵[abc]
Exp: ⁵[abc]

Probably passed: AssertBox: \hi@deferred@note@enditem
Test: ⁶[def]
Exp: ⁶[def]

Probably passed: AssertBox: \hi@deferred@note@enditem
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring
Test: ⁷[ghi]
Exp: ⁷[ghi]

Probably passed: AssertBox: \hi@deferred@note@enditem
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring
Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: | jkl mno
Exp: | jkl mno

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc).
Exp: | (abc).

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc.).
Exp: | (abc.).

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue }{\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: | \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: | \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: | \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: | \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|
Exp: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|

Passed: \ListTestResult ->

Test: |{ref}{other}{0ther Source/s}|
Exp: |{ref}{other}{0ther Source/s}|

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: |ABCDE...12FGHIJ|
Exp: |ABCDE...12FGHIJ|

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: |ABCDE...12FGHIJ...15A....2B|
Exp: |ABCDE...12FGHIJ...15A....2B|

Passed: \hi@toa@makesortable {ref}

Test: |KLMNO...25PQRST|
Exp: |KLMNO...25PQRST|

10.4 Sublists

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulation|
Exp: |Regulation|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations|
Exp: |Regulations|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations and Treaty|
Exp: |Regulations and Treaty|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaty and Statute|
Exp: |Regulations, Treaty and Statute|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaties and Statute|
Exp: |Regulations, Treaties and Statute|

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refM, |

Exp: refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: item |

Exp: item |

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refM, |

Exp: refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: item |

Exp: item |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refM, |

Exp: refA, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items |

Exp: items |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |

Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items and element |

Exp: items and element |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |

Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items and element |

Exp: items and element |

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}

Test: ii |

Exp: ii |

Passed: \hi@toa@refcount {ref}

Test: 1 |

Exp: 1 |

Passed: \the \everypar

Test: |

Exp: |

Passed: \hi@toa@usepg {ref}

Test: ii--iii |

Exp: ii--iii |

Passed: \hi@toa@refcount {ref}
Test: 2
Exp: 2

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iii
Exp: ii--iii

Passed: \hi@toa@refcount {ref}
Test: 3
Exp: 3

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iv
Exp: ii--iv

Passed: \hi@toa@refcount {ref}
Test: 4
Exp: 4

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4
Exp: ii--iv, 4

Passed: \hi@toa@refcount {ref}
Test: 5
Exp: 5

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5

Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* *Passed: \the \everypar*

Test: `\StarMark \everypar {}`
Exp: `\StarMark \everypar {}`

Passed: \hi@toa@usepg {ref}

Test: `\PassimText`
Exp: `\PassimText`

Passed: \hi@toa@usepg {ref}

Test: `\PassimText`
Exp: `\PassimText`

Passed: \hi@toa@usepg {ref}

Test: `ii--iv, 4--5, 7`
Exp: `ii--iv, 4--5, 7`

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}

Test: `1-2, 3-4, 5`
Exp: `1-2, 3-4, 5`

The following can only be tested visually. Make sure that these look acceptable.

<code>A . . . 1-2, 3, 4, 5</code>	<code>AB . . . 1-2, 3, 4, 5</code>	<code>ABC . . 1-2, 3, 4, 5</code>	<code>ABCD . . 1-2, 3, 4, 5</code>
<code>ABCDE . . 1-2, 3, 4, 5</code>	<code>ABCDEF . 1-2, 3, 4, 5</code>	<code>ABCDEFG . . 1-2, 3, 4, 5</code>	<code>ABCDEFGH . 1-2, 3, 4, 5</code>

11 draw.dtx

11.1 Which

Passed: \hi@draw@which {sc,fc}

Test: `fc`
Exp: `fc`

Passed: \hi@draw@which {sc,fc}

Test: `sc`
Exp: `sc`

Passed: \hi@draw@which {isc,sc,fc}

Test: `sc`
Exp: `sc`

12 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden

Test: `Am. U. L. Rev.`
Exp: `Am. U. L. Rev.`

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden

Test: `B.U. L.J.`
Exp: `B.U. L.J.`

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden

Test: `Am. L. Wkly.`
Exp: `Am. L. Wkly.`

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden

Test: `Am. Law.`
Exp: `Am. Law.`

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden
Test: Law Wkly.
Exp: Law Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden
Test: Calif. L. Rev.
Exp: Calif. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden
Test: Calif. L. Rev. Online
Exp: Calif. L. Rev. Online

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden
Test: S. Cal. L. Rev.
Exp: S. Cal. L. Rev.

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden
Test: spec. rev. ed.
Exp: spec. rev. ed.

13 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}
Test: Book Title
Exp: Book Title

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}
Test: BOOK TITLE
Exp: BOOK TITLE

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: Case Title
Exp: Case Title

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: Case Title
Exp: Case Title

14 caseref.dtx

14.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
 Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}
Test: Test
Exp: Test

Passed: \hi@case@shortfmt {Test, Inc.}
Test: Test
Exp: Test

Passed: \hi@case@shortfmt {Test USA, Inc.}
Test: Test
Exp: Test

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0

Test passed: \hi@case@scorename {FTC}: 2000>0

14.2 Name Formatting

14.2.1 Named Parties

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

14.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

14.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}

Exp: \hi@fn@casesc {Fed. Trade Comm'n}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}|

Exp: \hi@fn@casesc {Federal Trade Commission}|

14.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}|

Exp: \hi@fn@casesc {Actavis}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}|

Exp: \hi@fn@casesc {Actavis}|

14.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->

Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|

Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis II}|

Exp: \hi@fn@casesc {Actavis II}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis II}|

Exp: \hi@fn@casesc {Actavis II}|

14.2.6 Parties and Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

14.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

14.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}|

Exp: \hi@fn@casesc {The United States Ship}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}|

Exp: \hi@fn@casesc {The U.S. Ship}|

14.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

14.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

14.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

14.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

14.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {unocal-rf-rd-dct}

Test: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {plessy}

Test: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

15 statrefs.dtx

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁵[35 U.S.C. § 271(b).]
Exp: ¹⁵[35 U.S.C. § 271(b).]

16 bookrefs.dtx

16.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test:
Exp:

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.,
forthcoming \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.,
forthcoming \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use
{year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use
{year}}|

17 artrefs.dtx

Probably passed: AssertBox: \inline {testmanuscript}

Test: John Doe|

Exp: John Doe|

Probably passed: AssertBox: \note {testmanuscript}

Test: ¹⁶[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]|

Exp: ¹⁶[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]|

Probably passed: AssertBox: \inline {testmanuscript}

Test: Doe|

Exp: Doe|

18 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ¹⁷[A A, TITLE (3d ed. 2020).]|

Exp: ¹⁷[A A, TITLE (3d ed. 2020).]|

Probably passed: AssertBox: \note {b}

Test: ¹⁸[B B, TITLE (rev. 3, spec. ed. 2020).]|

Exp: ¹⁸[B B, TITLE (rev. 3, spec. ed. 2020).]|

Probably passed: AssertBox: \note {c-d}

Test: ¹⁹[COMPILATION (C C & D D eds., 2020).]|

Exp: ¹⁹[COMPILATION (C C & D D eds., 2020).]|

Passed: \hi@kv@number ->

Test: 11|

Exp: 11|

Passed: \hi@kv@publisher ->
Test: |
Exp: |

Passed: \hi@kv@number ->
Test: |No. 12345|
Exp: |No. 12345|

Passed: \hi@kv@publisher ->
Test: |Cong. Rsch. Serv.|
Exp: |Cong. Rsch. Serv.|

Passed: \hi@kv@number ->
Test: |No. 12345|
Exp: |No. 12345|

Passed: \hi@kv@publisher ->
Test: |Cong. Rsch. Serv.|
Exp: |Cong. Rsch. Serv.|

Passed: \hi@kv@edtype ->
Test: |eds. \& trans.|
Exp: |eds. \& trans.|

19 abbrev.dtx

Passed: \abb@abbrev {test}{Company}
Test: |Co.|
Exp: |Co.|

Passed: \abb@abbrev {test}{The Company}
Test: |The Co.|
Exp: |The Co.|

Passed: \abb@abbrev {test}{Company Treasure}
Test: |Co. Treasure|
Exp: |Co. Treasure|

Passed: \abb@abbrev {test}{The Company Treasure}
Test: |The Co. Treasure|
Exp: |The Co. Treasure|

Passed: \abb@abbrev {test}{The Companying Art}
Test: |The Companying Art|
Exp: |The Companying Art|

Passed: \abb@abbrev {test}{Companying Art}
Test: |Companying Art|
Exp: |Companying Art|

Passed: \abb@abbrev {test}{AcCompany Art}
Test: |AcCompany Art|
Exp: |AcCompany Art|

Passed: \abb@abbrev {test}{An AcCompany Art}
Test: |An AcCompany Art|
Exp: |An AcCompany Art|

Passed: \abb@abbrev {test}{An Ac{ }Company Art}
Test: |An Ac{ }Co. Art|
Exp: |An Ac{ }Co. Art|

Passed: \abb@abbrev {test}{Big Company}

Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}

Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}

Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}

Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}

Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}

Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}

Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}

Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}

Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}

Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}

Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}

Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}

Passed: \abb@abbrev {test}{First Company}

Test: FiComp.
Exp: FiComp.

Passed: \abb@abbrev {test}{First Company Treasure}

Test: FiComp. Treasure
Exp: FiComp. Treasure

Passed: \abb@abbrev {test}{The First Company}

Test: The First Co.
Exp: The First Co.

Passed: \abb@abbrev {test}{The First Company Treasure}

Test: The First Co. Treasure
Exp: The First Co. Treasure

383 tests performed. All tests passed.