

Hicite Unit Tests

Charles Duan

September 17, 2024

1 refs.dtx

1.1 defcitegroup

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

Passed: \testregister ->

Test: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$
Exp: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$

1.2 TOA Categories

Passed: \hi@toacat@get {garcia}

Test: case:Case/s
Exp: case:Case/s

Passed: \hi@toacat@get {dc-comics}

Test: $\text{other:Other Source/s}$
Exp: $\text{other:Other Source/s}$

Passed: \hi@toacat@get {faceoff}

Test: $\text{m:Motion Picture/s}$
Exp: $\text{m:Motion Picture/s}$

Passed: \catlist ->

Test: $\text{case, const, edict, m, other}$
Exp: $\text{case, const, edict, m, other}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123

```

Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |$ 456|
Exp: |$ 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |$ 456|
Exp: |$ 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi

```

```

    Passed: \testyear ->
Test: 2000|
Exp: 2000|

    Passed: AssertEqual
Test: 123|
Exp: 123|

    Passed: AssertEqual
Test: U.S.C.|
Exp: U.S.C.|

    Passed: AssertEqual
Test: $ 456|
Exp: $ 456|

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000|
Exp: 2000|

    Passed: AssertEqual
Test: 123|
Exp: 123|

    Passed: AssertEqual
Test: U.S.C.|
Exp: U.S.C.|

    Passed: AssertEqual
Test: $ 456|
Exp: $ 456|

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000|
Exp: 2000|

    Probably passed: AssertBox: \inline {thefda}
Test: the Food and Drug Administration ("FDA")|
Exp: the Food and Drug Administration ("FDA")|

    Probably passed: AssertBox: \inline {thefda}
Test: the FDA|
Exp: the FDA|

```

3 names.dtx

3.1 Name Splitting

```

    Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle////|
Exp: Aristotle////|

    Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//|
Exp: Aristotle//Jr.//|

    Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle////\hi@etal|
Exp: Aristotle////\hi@etal|

```

Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/

Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle///III/Academy/
Exp: Aristotle///III/Academy/

Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///

Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///\hi@etal |
Exp: John/Doe///\hi@etal |

Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II//\hi@etal |
Exp: John/Doe/II//\hi@etal |

Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/\hi@etal |
Exp: John/Doe/II/Firm/\hi@etal |

Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: Georg/von Trapp///
Exp: Georg/von Trapp///

Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: Georg/von Trapp//Austria/
Exp: Georg/von Trapp//Austria/

Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: Georg/von Trapp/Jr./Austria/
Exp: Georg/von Trapp/Jr./Austria/

Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit
Test: Jane/Double Barrelled///
Exp: Jane/Double Barrelled///

Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit
Test: Jane/Double Barrelled/Jr.//
Exp: Jane/Double Barrelled/Jr.//

Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit
Test: Jane/Double Barrelled/bis//
Exp: Jane/Double Barrelled/bis//

Passed: \hi@nameproc@inst {Federal Trade Commission}
Test: Fed. Trade Comm'n
Exp: Fed. Trade Comm'n

Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson
Test: John Q. Public/Public
Exp: John Q. Public/Public

Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson
Test: John Q. Public\hi@etal /Public\hi@etal |
Exp: John Q. Public\hi@etal /Public\hi@etal |

Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson
Test: Martin Luther King Jr.\hi@etal /King\hi@etal |
Exp: Martin Luther King Jr.\hi@etal /King\hi@etal |

Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson

Test: John Doe, U.S. Army/Doe
Exp: John Doe, U.S. Army/Doe

3.2 Name List Arrangement

Passed: \hi@kv@test ->

Test: A
Exp: A

Passed: \hi@kv@test ->

Test: A\hi@namelist@and B
Exp: A\hi@namelist@and B

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C
Exp: A\hi@namelist@comma B\hi@namelist@and C

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: \hi@namelist@insts Z\hi@namelist@and Y
Exp: \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

4 dates.dtx

Passed: \hi@date@parse {!foobar baz}

Test: foobar baz
Exp: foobar baz

Passed: \hi@date@parse {feb 15 2021}

Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {15 feb 2021}

Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {2021 15 feb}

Test: Feb. 15, 2021
Exp: Feb. 15, 2021

Passed: \hi@date@parse {2021 feb 15}

Test: Feb. 15, 2021

Exp: Feb. 15, 2021
Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021
Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021
Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021
Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021
Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022
Passed: \hi@date@parse {538 bc}
Test: 538 \BC
Exp: 538 \BC
Passed: \hi@date@parse {538 ad}
Test: \AD ~538
Exp: \AD ~538
Passed: \hi@date@parse {c 538 ad}
Test: c.~\AD ~538
Exp: c.~\AD ~538
Passed: \hi@date@parse {c 538 ace}
Test: c.~538 \ACE
Exp: c.~538 \ACE
Passed: \hi@date@parse {nd}
Test: n.d\@ .
Exp: n.d\@ .
Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021
Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021
Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021
Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021
Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}

Test: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\}\}\{\mathrm{note}\}\{4\}\{\}\} \right|$
Exp: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\}\}\{\mathrm{note}\}\{4\}\{\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{\mathrm{note}\}\{\}\} \right|$
Exp: $\left| \{\mathrm{note}\}\{\}\} \right|$

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}

Test: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\mathrm{discussion}\}\}\{\mathrm{note}\}\{4\}\{\}\} \right|$
Exp: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\mathrm{discussion}\}\}\{\mathrm{note}\}\{4\}\{\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{\mathrm{note}\}\{\}\} \right|$
Exp: $\left| \{\mathrm{note}\}\{\}\} \right|$

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}

Test: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} 4 \\ a \end{smallmatrix} \begin{smallmatrix} b \\ \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash\mathrm{newlabel}\{\mathrm{end:lbl}\}\{\{\mathrm{notes}\}\}\{4\}\} \right|$
Exp: $\left| \backslash\mathrm{newlabel}\{\mathrm{end:lbl}\}\{\{\mathrm{notes}\}\}\{4\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{\mathrm{note}\}\{\}\} \right|$
Exp: $\left| \{\mathrm{note}\}\{\}\} \right|$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $\left| \begin{smallmatrix} a \\ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \\ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\}\}\{\mathrm{text\ accompanying\ note}\}\{4\}\{\}\} \right|$
Exp: $\left| \backslash\mathrm{newlabel}\{\mathrm{lbl}\}\{\{\}\}\{\mathrm{text\ accompanying\ note}\}\{4\}\{\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{\mathrm{text\ accompanying\ note}\}\{\}\} \right|$
Exp: $\left| \{\mathrm{text\ accompanying\ note}\}\{\}\} \right|$

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: $\left| \begin{smallmatrix} a \\ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \\ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash\mathrm{newlabel}\{\mathrm{end:lbl}\}\{\{\mathrm{text\ accompanying\ notes}\}\}\{3\}\} \right|$
Exp: $\left| \backslash\mathrm{newlabel}\{\mathrm{end:lbl}\}\{\{\mathrm{text\ accompanying\ notes}\}\}\{3\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{\mathrm{text\ accompanying\ note}\}\{\}\} \right|$
Exp: $\left| \{\mathrm{text\ accompanying\ note}\}\{\}\} \right|$

Probably passed: AssertBox: a \hitanlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\\newlabel{lbl}{{}{note }{4}}{ and accompanying text}}|
Exp: |\\newlabel{lbl}{{}{note }{4}}{ and accompanying text}}|

Passed: \hir@lbl ->

Test: |{note }{ and accompanying text}|
Exp: |{note }{ and accompanying text}|

Probably passed: AssertBox: a \hientanlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\\newlabel{end:lbl}{{notes }{3}}|
Exp: |\\newlabel{end:lbl}{{notes }{3}}|

Passed: \hir@lbl ->

Test: |{note }{ and accompanying text}|
Exp: |{note }{ and accompanying text}|

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\\newlabel{lbl}{{}{Figure }{4}}|
Exp: |\\newlabel{lbl}{{}{Figure }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|
Exp: |{Figure }{|

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\\newlabel{end:lbl}{{Figures }{4}}|
Exp: |\\newlabel{end:lbl}{{Figures }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|
Exp: |{Figure }{|

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\\newlabel{lbl}{{background}{Section }{III.A}}|
Exp: |\\newlabel{lbl}{{background}{Section }{III.A}}|

Passed: \hir@lbl ->

Test: |{Section }{|
Exp: |{Section }{|

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Part }{III}{}}|
Exp: |\newlabel{lbl}{{background}{Part }{III}{}}|

Passed: \hir@lbl ->

Test: |{Part }{|
Exp: |{Part }{|

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Sections }{III.B}}|
Exp: |\newlabel{end:lbl}{{Sections }{III.B}}|

Passed: \hir@lbl ->

Test: |{Section }{|
Exp: |{Section }{|

5.4 Parsing

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: |*infra* Section III|
Exp: |*infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion *supra* notes 2–3|
Exp: |discussion *supra* notes 2–3|

Probably passed: AssertBox: \fc@this

Test: |remarks *infra* Section III|
Exp: |remarks *infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |remarks *supra* notes 2–3|
Exp: |remarks *supra* notes 2–3|

Probably passed: AssertBox: \fc@this

Test: |Section III|
Exp: |Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion|
Exp: |discussion|

6 urls.dtx

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

http://www. google.com/ search?q= hello+world	http://www. google.com/ search?q=hello %20world %20how%20are %20you	http://www. google.com/ search?q= antidis establishment arianism
--	--	---

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: \hi@pse@cite {\hi@pse@svr {ref}}|
Exp: \hi@pse@cite {\hi@pse@svr {ref}}|

Passed: \hi@pse@parse {ref at 3}

Test: \hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}}|
Exp: \hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}}|

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: \hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}}\hi@pse@page {3}}\hi@pse@paren
{paren1}}\hi@pse@paren {paren2}}|
Exp: \hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}}\hi@pse@page {3}}\hi@pse@paren
{paren1}}\hi@pse@paren {paren2}}|

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite
\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr
{ref5}}|
Exp: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite
\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr
{ref5}}|

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more
paren}\hi@pse@paren {paren; with semicolon}}|
Exp: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more
paren}\hi@pse@paren {paren; with semicolon}}|

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: //ref|
Exp: //ref|

Passed: \hi@pse@sigvolref {1 ref}\TestSVR
Test: /1/ref
Exp: /1/ref

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR
Test: cf./1/ref
Exp: cf./1/ref

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR
Test: cf.//ref
Exp: cf.//ref

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR
Test: see also/also/ref
Exp: see also/also/ref

8 pages.dtx

8.1 Formatting

Passed: \@format@pageno {15}
Test: 15
Exp: 15

Passed: \@format@pageno {15,,}
Test: 15
Exp: 15

Passed: \@format@pageno {15, 20}
Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15,, , 20}
Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15-20, 25-30}
Test: 15--20, 25--30
Exp: 15--20, 25--30

Passed: \@format@pageno {115-120, 1425-1530}
Test: 115--20, 1425--530
Exp: 115--20, 1425--530

Passed: \@format@pageno {paragraph 15}
Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraphs 15}
Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraph 15-20}
Test: paras.\protect \nobreakspace {}15--20
Exp: paras.\protect \nobreakspace {}15--20

Passed: \@format@pageno {paragraph 15, 20}
Test: paras.\protect \nobreakspace {}15, 20
Exp: paras.\protect \nobreakspace {}15, 20

Passed: \@format@pageno {paragraph 15, at 25-30}
Test: para.\protect \nobreakspace {}15, at 25--30
Exp: para.\protect \nobreakspace {}15, at 25--30

Passed: \@format@pageno {paragraph 15/a1}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Passed: \@format@pageno {paragraph 15/a1-/2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)|

Passed: \@format@pageno {paragraph 15/a1, /a2-/3}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}

Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Passed: \@format@pageno {15 note 6}

Test: 15 n.6|

Exp: 15 n.6|

Passed: \@format@pageno {15 note 5, 6, 7}

Test: 15 nn.5, 6 \& 7|

Exp: 15 nn.5, 6 \& 7|

Passed: \@format@pageno {15 & note 5, 6, 7}

Test: 15 \& nn.5, 6 \& 7|

Exp: 15 \& nn.5, 6 \& 7|

Passed: \@format@pageno {S 5-6}

Test: \textsection \textsection \protect \nobreakspace {}5--6|

Exp: \textsection \textsection \protect \nobreakspace {}5--6|

Passed: \@format@pageno {P 5-6}

Test: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Exp: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Passed: \@format@pageno {-34/a}

Test: 34(a)|

Exp: 34(a)|

Passed: \@format@pageno {!A5}

Test: \hi@pgnum@raw A5|

Exp: \hi@pgnum@raw A5|

Passed: \@format@pageno {*123-125}

Test: *123--25|

Exp: *123--25|

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}

Test: ||

Exp: ||

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}

Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}

Test: ||
Exp: ||

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}

Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}

Test: |,
Exp: |,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}

Test: ||
Exp: ||

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}

Test: |,
Exp: |,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: |at |
Exp: |at |

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: |at |
Exp: |at |

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->

Test: |\@paren {\z@ }{\Zero}\@paren {\@ne }{\One}\@paren {\tw@ }{\Two}
Exp: |\@paren {\z@ }{\Zero}\@paren {\@ne }{\One}\@paren {\tw@ }{\Two}

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}
Exp: |\@paren {\hi@paren@cite }{\generic}

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}
Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}

Passed: \TestDefer ->

Test: Deferred c|
Exp: Deferred c|

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: ⁵[abc]|
Exp: ⁵[abc]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: ⁶[def]|
Exp: ⁶[def]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: ⁷[ghi]|
Exp: ⁷[ghi]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: jkl mno|
Exp: jkl mno|

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {@@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: (abc).|
Exp: (abc).|

Probably passed: AssertBox: \def \hi@parens {@@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: (abc.).|
Exp: (abc.).|

Probably passed: AssertBox: \def \hi@parens {@@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: , abc.|

Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|

Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue }{\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|

Exp: |, abc.|

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |

Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |

Exp: |

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }

Exp: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }

Passed: \ListTestResult ->

Test: {ref}{other}{Other Source/s}|

Exp: {ref}{other}{Other Source/s}|

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: |ABCDE...12FGHIJ|
Exp: |ABCDE...12FGHIJ|

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: |ABCDE...12FGHIJ...15A....2B|
Exp: |ABCDE...12FGHIJ...15A....2B|

Passed: \hi@toa@makesortable {ref}

Test: |KLMNO...25PQRST|
Exp: |KLMNO...25PQRST|

10.4 Sublists

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulation|
Exp: |Regulation|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations|
Exp: |Regulations|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations and Treaty|
Exp: |Regulations and Treaty|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaty and Statute|
Exp: |Regulations, Treaty and Statute|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaties and Statute|
Exp: |Regulations, Treaties and Statute|

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|
Exp: |refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |item|
Exp: |item|

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|
Exp: |refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |item|
Exp: |item|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refM,|
Exp: |refA, refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |items|

Exp: |items|
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: |refA, refI, refM,|
Exp: |refA, refI, refM,|
Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: |items and element|
Exp: |items and element|
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: |refA, refI, refM,|
Exp: |refA, refI, refM,|
Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: |items and element|
Exp: |items and element|

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}
Test: |ii|
Exp: |ii|
Passed: \hi@toa@refcount {ref}
Test: |1|
Exp: |1|
Passed: \the \everypar
Test: |
Exp: |
Passed: \hi@toa@usepg {ref}
Test: |ii--iii|
Exp: |ii--iii|
Passed: \hi@toa@refcount {ref}
Test: |2|
Exp: |2|
Passed: \the \everypar
Test: |
Exp: |
Passed: \hi@toa@usepg {ref}
Test: |ii--iii|
Exp: |ii--iii|
Passed: \hi@toa@refcount {ref}
Test: |3|
Exp: |3|
Passed: \the \everypar
Test: |
Exp: |
Passed: \hi@toa@usepg {ref}
Test: |ii--iv|
Exp: |ii--iv|
Passed: \hi@toa@refcount {ref}
Test: |4|
Exp: |4|

Stars should now show up at the start of every first test paragraph.

```

* Passed: \the \everypar
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4
Exp: ii--iv, 4

Passed: \hi@toa@refcount {ref}
Test: 5
Exp: 5

* Passed: \the \everypar
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5

Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* Passed: \the \everypar
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* Passed: \the \everypar
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText

Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

```

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}

```

Test: 1-2, 3-4, 5
Exp: 1-2, 3-4, 5

```

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	A B C D E F . . 1-2, 3, 4, 5	A B C D E F G . 1-2, 3, 4, 5	A B C D E F G H . . 1-2, 3, 4, 5

11 draw.dtx

11.1 Which

Passed: \hi@draw@which {sc,fc}

Test: fc
Exp: fc

Passed: \hi@draw@which {sc,fc}

Test: sc
Exp: sc

Passed: \hi@draw@which {isc,sc,fc}

Test: sc
Exp: sc

12 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden

Test: Am. U. L. Rev.
Exp: Am. U. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden

Test: B.U. L.J.
Exp: B.U. L.J.

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden

Test: Am. L. Wkly.
Exp: Am. L. Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden

Test: Am. Law.
Exp: Am. Law.

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden

Test: Law Wkly.
Exp: Law Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden

Test: Calif. L. Rev.
Exp: Calif. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden

Test: Calif. L. Rev. Online
Exp: Calif. L. Rev. Online

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden

Test: S. Cal. L. Rev.
Exp: S. Cal. L. Rev.

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden

Test: spec. rev. ed.
Exp: spec. rev. ed.

13 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: Book Title
Exp: Book Title

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: BOOK TITLE

Exp: |BOOK TITLE|
Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: |Case Title|
Exp: |Case Title|
Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: |Case Title|
Exp: |Case Title|

14 format.dtx

14.1 Ordinal Numbers

Passed: \hi@numtotxt {1}
Test: |First|
Exp: |First|
Passed: \hi@numtotxt {2}
Test: |Second|
Exp: |Second|
Passed: \hi@numtotxt {10}
Test: |Tenth|
Exp: |Tenth|
Passed: \hi@numtotxt {12}
Test: |Twelfth|
Exp: |Twelfth|
Passed: \hi@numtotxt {45}
Test: |Forty-Fifth|
Exp: |Forty-Fifth|
Passed: \hi@numtotxt {82}
Test: |Eighty-Second|
Exp: |Eighty-Second|
Passed: \hi@numtotxt {90}
Test: |Ninetieth|
Exp: |Ninetieth|
Passed: \hi@numtotxt {123}
Test: |123d|
Exp: |123d|
Passed: \hi@numtotxt {20000}
Test: |Twenty Thousandth|
Exp: |Twenty Thousandth|
Passed: \hi@numtotxt {23456}
Test: |23,456th|
Exp: |23,456th|

14.2 Capitalization

Probably passed: AssertBox: \@capnext hello
Test: |hello|
Exp: |hello|
Probably passed: AssertBox: \@capnext hello
Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext Hello

Test: Hello|
Exp: Hello|

Probably passed: AssertBox: \@capnext \emph {hello}

Test: Hello|
Exp: Hello|

Probably passed: AssertBox: \@capnext eBay

Test: eBay|
Exp: eBay|

Probably passed: AssertBox: \@capnext emBay

Test: EmBay|
Exp: EmBay|

Probably passed: AssertBox: \@capnext \emph {\textsection \textsection ~123--124}

Test: Sections 123–124|
Exp: Sections 123–124|

Probably passed: AssertBox: \@capnext \emph {\textparagraph ~15}

Test: Paragraph 15|
Exp: Paragraph 15|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: The Great Escape|
Exp: The Great Escape|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: the Great Escape|
Exp: the Great Escape|

14.3 Commas

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello World}

Test: Hello World,|
Exp: Hello World,|

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello ``World''}

Test: Hello “World,”|
Exp: Hello “World,”|

15 caseref.dtx

15.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
 Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}

Test: Test|
Exp: Test|

Passed: \hi@case@shortfmt {Test, Inc.}

Test: Test|
Exp: Test|

Passed: \hi@case@shortfmt {Test USA, Inc.}

Test: Test|
Exp: Test|

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0
 Test passed: \hi@case@scorename {FTC}: 2000>0

15.2 Name Formatting

15.2.1 Named Parties

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

15.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

15.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Fed. Trade Comm'n}|
Exp: \hi@fn@casesc {Fed. Trade Comm'n}|

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Federal Trade Commission}|
Exp: \hi@fn@casesc {Federal Trade Commission}|

15.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Actavis}|
Exp: \hi@fn@casesc {Actavis}|

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Actavis}|
Exp: \hi@fn@casesc {Actavis}|

15.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }|

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->
Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|
Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Actavis II}|
Exp: \hi@fn@casesc {Actavis II}|

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Actavis II}|
Exp: \hi@fn@casesc {Actavis II}|

15.2.6 Parties and Name

Passed: \hi@kv@name ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

15.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

15.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}|

Exp: \hi@fn@casesc {The United States Ship}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}
Exp: \hi@fn@casesc {The U.S. Ship}

15.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

15.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

15.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

15.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

15.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-rd-dct}

Test: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {plessy}

Test: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

Probably passed: AssertBox: \note {us-v-craft}

Test: ¹⁵[United States v. Craft, 535 U.S. 274 (2002).]
Exp: ¹⁵[United States v. Craft, 535 U.S. 274 (2002).]

Probably passed: AssertBox: \note {berge-v-board}

Test: ¹⁶[United States *ex rel.* Berge v. Bd. of Trs., 104 F.3d 1453 (4th Cir. 1997).]
Exp: ¹⁶[United States *ex rel.* Berge v. Bd. of Trs., 104 F.3d 1453 (4th Cir. 1997).]

16 statrefs.dtx

Probably passed: AssertBox: \inline {271}

Test: § 271 of title 35 of the U.S. Code
Exp: § 271 of title 35 of the U.S. Code

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁷[35 U.S.C. § 271(b).]
Exp: ¹⁷[35 U.S.C. § 271(b).]

Probably passed: AssertBox: \note {dmca}

Test: ¹⁸[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204].
Exp: ¹⁸[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204].

Probably passed: AssertBox: \inline {dmca}

Test: the Digital Millennium Copyright Act (“DMCA”)

Exp: |the Digital Millennium Copyright Act (“DMCA”)|

Probably passed: AssertBox: \note {dmca at S 1201}

Test: |¹⁹[DMCA § 1201.]|

Exp: |¹⁹[DMCA § 1201.]|

Probably passed: AssertBox: \inline {dmca}

Test: |the DMCA|

Exp: |the DMCA|

Probably passed: AssertBox: \Inline {dmca}

Test: |The DMCA|

Exp: |The DMCA|

Probably passed: AssertBox: \inline {dmca at S 1201}

Test: |§ 1201|

Exp: |§ 1201|

Probably passed: AssertBox: \note {337}

Test: |²⁰[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|

Exp: |²⁰[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|

Probably passed: AssertBox: \inline {337}

Test: |section 337 of the Tariff Act of 1930|

Exp: |section 337 of the Tariff Act of 1930|

Probably passed: AssertBox: \note {337 at /a}

Test: |²¹[Tariff Act § 337(a).]|

Exp: |²¹[Tariff Act § 337(a).]|

Probably passed: AssertBox: \inline {337}

Test: |section 337|

Exp: |section 337|

Probably passed: AssertBox: \inline {337 at /a}

Test: |section 337(a)|

Exp: |section 337(a)|

Probably passed: AssertBox: \note {fdara}

Test: |²²[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|

Exp: |²²[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|

Probably passed: AssertBox: \inline {fdara}

Test: |the FDA Reauthorization Act of 2017 (“FDARA”)|

Exp: |the FDA Reauthorization Act of 2017 (“FDARA”)|

Probably passed: AssertBox: \inline {fdara}

Test: |FDARA|

Exp: |FDARA|

Probably passed: AssertBox: \Inline {fdara}

Test: |FDARA|

Exp: |FDARA|

Probably passed: AssertBox: \inline {fdara at S 1}

Test: |§ 1 of FDARA|

Exp: |§ 1 of FDARA|

17 bookrefs.dtx

17.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test: |

Exp: |

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

17.2 Cite Containers

Probably passed: AssertBox: \note {pantzer at 100}

Test: ²³[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Exp: ²³[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Probably passed: AssertBox: \note {adams-lee at 174}

Test: ²⁴[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

Exp: ²⁴[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

18 artrefs.dtx

Probably passed: AssertBox: \note {tu-kesselheim}

Test: ²⁵[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on*

Exp: ²⁵[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]

18.1 Article Dates

Probably passed: AssertBox: \note {jrnartyearonly}

Test: ²⁶[A B, *Year Only Article*, 2014 J.L. 123.]
Exp: ²⁶[A B, *Year Only Article*, 2014 J.L. 123.]

Probably passed: AssertBox: \note {jrnartyearvol}

Test: ²⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]
Exp: ²⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]

Probably passed: AssertBox: \note {procartyearonly}

Test: ²⁸[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]
Exp: ²⁸[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]

Probably passed: AssertBox: \note {procartyearvol}

Test: ²⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]
Exp: ²⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]

18.2 Manuscript

Probably passed: AssertBox: \inline {testmanuscript}

Test: John Doe
Exp: John Doe

Probably passed: AssertBox: \note {testmanuscript}

Test: ³⁰[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]
Exp: ³⁰[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]

Probably passed: AssertBox: \inline {testmanuscript}

Test: Doe
Exp: Doe

18.3 Website

Probably passed: AssertBox: \note {romano}

Test: ³¹[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]
Exp: ³¹[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]

19 genparams.dtx

19.1 Parallel Cites

Probably passed: AssertBox: \note {semayne}

Test: ³²[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]
Exp: ³²[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]

Probably passed: AssertBox: \note {semayne at 195 ::coke: 91b}

Test: ³³[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]
Exp: ³³[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]

20 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ³⁴[A A, TITLE (3d ed. 2020).]
Exp: ³⁴[A A, TITLE (3d ed. 2020).]

Probably passed: AssertBox: \note {b}

Test: ³⁵[B B, TITLE (rev. 3, spec. ed. 2020).]
Exp: ³⁵[B B, TITLE (rev. 3, spec. ed. 2020).]

Probably passed: AssertBox: \note {c-d}

Test: ³⁶[COMPILATION (C C & D D eds., 2020).]
Exp: ³⁶[COMPILATION (C C & D D eds., 2020).]

Passed: \hi@kv@number ->

Test: 11
Exp: 11

Passed: \hi@kv@publisher ->

Test:
Exp:

Passed: \hi@kv@number ->

Test: No. 12345
Exp: No. 12345

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.
Exp: Cong. Rsch. Serv.

Passed: \hi@kv@number ->

Test: No. 12345
Exp: No. 12345

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.
Exp: Cong. Rsch. Serv.

Passed: \hi@kv@edtype ->

Test: eds. \& trans.
Exp: eds. \& trans.

21 abbrev.dtx

Passed: \abb@abbrev {test}{Company}

Test: Co.
Exp: Co.

Passed: \abb@abbrev {test}{The Company}

Test: The Co.
Exp: The Co.

Passed: \abb@abbrev {test}{Company Treasure}

Test: Co. Treasure
Exp: Co. Treasure

Passed: \abb@abbrev {test}{The Company Treasure}

Test: The Co. Treasure
Exp: The Co. Treasure

Passed: \abb@abbrev {test}{The Companying Art}

Test: The Companying Art
Exp: The Companying Art

Passed: \abb@abbrev {test}{Companying Art}
Test: Companying Art
Exp: Companying Art

Passed: \abb@abbrev {test}{AcCompany Art}
Test: AcCompany Art
Exp: AcCompany Art

Passed: \abb@abbrev {test}{An AcCompany Art}
Test: An AcCompany Art
Exp: An AcCompany Art

Passed: \abb@abbrev {test}{An Ac{}Company Art}
Test: An Ac{}Co. Art
Exp: An Ac{}Co. Art

Passed: \abb@abbrev {test}{Big Company}
Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}
Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}
Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}
Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}
Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}
Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}
Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}
Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}
Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}

```

    Passed: \abb@abbrev {test}{First Company}
Test: |FiComp.|
Exp: |FiComp.|

    Passed: \abb@abbrev {test}{First Company Treasure}
Test: |FiComp. Treasure|
Exp: |FiComp. Treasure|

    Passed: \abb@abbrev {test}{The First Company}
Test: |The First Co.|
Exp: |The First Co.|

    Passed: \abb@abbrev {test}{The First Company Treasure}
Test: |The First Co. Treasure|
Exp: |The First Co. Treasure|

```

442 tests performed. All tests passed.