

Hicite Unit Tests

Charles Duan

May 3, 2023

1 refs.dtx

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456
Exp: S 456

Passed: AssertEqual

Test: 123
Exp: 123

```

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

```

Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.
 Passed: AssertEqual
Test: S 456
Exp: S 456
 Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
 Passed: \testyear ->
Test: 2000
Exp: 2000

3 names.dtx

3.1 Name Splitting

Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
 Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//
 Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
 Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/
 Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/
 Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
 Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
 Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II//
Exp: John/Doe/II//
 Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/
Exp: John/Doe/II/Firm/
 Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: Georg/von Trapp///
Exp: Georg/von Trapp///
 Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: Georg/von Trapp//Austria/
Exp: Georg/von Trapp//Austria/
 Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: Georg/von Trapp/Jr./Austria/

Exp: Georg/von Trapp/Jr./Austria/

Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit

Test: Jane/Double Barrelled///

Exp: Jane/Double Barrelled///

Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit

Test: Jane/Double Barrelled/Jr.//

Exp: Jane/Double Barrelled/Jr.//

Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit

Test: Jane/Double Barrelled/bis//

Exp: Jane/Double Barrelled/bis//

Passed: \hi@nameproc@inst {Federal Trade Commission}

Test: Fed. Trade Comm'n

Exp: Fed. Trade Comm'n

Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson

Test: John Q. Public/Public

Exp: John Q. Public/Public

Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson

Test: John Q. Public\hi@etal /Public\hi@etal

Exp: John Q. Public\hi@etal /Public\hi@etal

Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson

Test: Martin Luther King Jr.\hi@etal /King\hi@etal

Exp: Martin Luther King Jr.\hi@etal /King\hi@etal

Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson

Test: John Doe, U.S. Army/Doe

Exp: John Doe, U.S. Army/Doe

3.2 Name List Arrangement

Passed: \hi@kv@test ->

Test: A

Exp: A

Passed: \hi@kv@test ->

Test: A\hi@namelist@and B

Exp: A\hi@namelist@and B

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C

Exp: A\hi@namelist@comma B\hi@namelist@and C

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: \hi@namelist@insts Z\hi@namelist@and Y

Exp: \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

    Passed: \hi@date@parse {538 bc}
Test: 538 \BC
Exp: 538 \BC

    Passed: \hi@date@parse {538 ad}
Test: \AD ~538
Exp: \AD ~538

    Passed: \hi@date@parse {c 538 ad}
Test: c.\AD ~538
Exp: c.\AD ~538

```

Passed: \hi@date@parse {c 538 ace}
Test: c.~538 \ACE |
Exp: c.~538 \ACE |

Passed: \hi@date@parse {nd}
Test: n.d\@ . |
Exp: n.d\@ . |

Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021 |

Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021 |

Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021 |

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{}{note }{4}{}} |
Exp: \newlabel{lbl}{{}{note }{4}{}} |

Passed: \hir@lbl ->
Test: {note }{} |
Exp: {note }{} |

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{discussion}{note }{4}{}} |
Exp: \newlabel{lbl}{{discussion}{note }{4}{}} |

Passed: \hir@lbl ->
Test: {note }{} |
Exp: {note }{} |

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{end:lbl}{{notes }{4}{}} |
Exp: \newlabel{end:lbl}{{notes }{4}{}} |

Passed: \hir@lbl ->

Test: $\{\text{note } \{\}\}$
Exp: $\{\text{note } \{\}\}$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$
Exp: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{text accompanying note } \{4\}\{\}\}$
Exp: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{text accompanying note } \{4\}\{\}\}$

Passed: \hir@lbl ->

Test: $\{\text{text accompanying note } \{\}\}$
Exp: $\{\text{text accompanying note } \{\}\}$

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$
Exp: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes } \{3\}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes } \{3\}\}$

Passed: \hir@lbl ->

Test: $\{\text{text accompanying note } \{\}\}$
Exp: $\{\text{text accompanying note } \{\}\}$

Probably passed: AssertBox: a \hitanlabel {lbl} b

Test: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$
Exp: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{note } \{4\}\{\text{ and accompanying text}\}\}$
Exp: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{note } \{4\}\{\text{ and accompanying text}\}\}$

Passed: \hir@lbl ->

Test: $\{\text{note } \{\}\{\text{ and accompanying text}\}$
Exp: $\{\text{note } \{\}\{\text{ and accompanying text}\}$

Probably passed: AssertBox: a \hiendtanlabel {lbl} b

Test: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$
Exp: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \{3\}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes } \{3\}\}$

Passed: \hir@lbl ->

Test: $\{\text{note } \{\}\{\text{ and accompanying text}\}$
Exp: $\{\text{note } \{\}\{\text{ and accompanying text}\}$

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$
Exp: $\left| \begin{array}{l} a \ b \\ a \ b \end{array} \right|$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{Figure } \{4\}\{\}\}$
Exp: $\backslash\text{newlabel}\{lbl\}\{\{\}\{\text{Figure } \{4\}\{\}\}$

Passed: \hir@lbl ->

Test: {\Figure {}}
Exp: {\Figure {}}

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: \newlabel{end:lbl}{{Figures }{4}}
Exp: \newlabel{end:lbl}{{Figures }{4}}

Passed: \hir@lbl ->

Test: {\Figure {}}
Exp: {\Figure {}}

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: \newlabel{lbl}{{background}{Section }{III.A}{}}
Exp: \newlabel{lbl}{{background}{Section }{III.A}{}}

Passed: \hir@lbl ->

Test: {\Section {}}
Exp: {\Section {}}

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: \newlabel{lbl}{{background}{Part }{III}{}}
Exp: \newlabel{lbl}{{background}{Part }{III}{}}

Passed: \hir@lbl ->

Test: {\Part {}}
Exp: {\Part {}}

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: \newlabel{end:lbl}{{Sections }{III.B}}
Exp: \newlabel{end:lbl}{{Sections }{III.B}}

Passed: \hir@lbl ->

Test: {\Section {}}
Exp: {\Section {}}

5.4 Parsing

Passed: \@this@page ->

Test: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}
Exp: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}

Passed: \@this@page ->

Test: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}
Exp: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}

Passed: \@this@page ->

Test: {\discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}
Exp: {\discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}

Passed: \@this@page ->

Test: {\discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}
Exp: {\discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: *infra* Section III
Exp: *infra* Section III

Probably passed: AssertBox: \fc@this

Test: discussion *supra* notes 2--3
Exp: discussion *supra* notes 2--3

Probably passed: AssertBox: \fc@this

Test: remarks *infra* Section III
Exp: remarks *infra* Section III

Probably passed: AssertBox: \fc@this

Test: remarks *supra* notes 2--3
Exp: remarks *supra* notes 2--3

Probably passed: AssertBox: \fc@this

Test: Section III
Exp: Section III

Probably passed: AssertBox: \fc@this

Test: discussion
Exp: discussion

6 parse.dtx

6.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: \hi@pse@cite {\hi@pse@svr {ref}}
Exp: \hi@pse@cite {\hi@pse@svr {ref}}

Passed: \hi@pse@parse {ref at 3}

Test: \hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}
Exp: \hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: \hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}
Exp: \hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}

6.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}
Exp: \hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}|`

6.3 Delimiters Inside Parentheticals

Passed: `\hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}`

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}|`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}|`

6.4 Signal, Volume, and Reference Parsing

Passed: `\hi@pse@sigvolref {ref}\TestSVR`

Test: `//ref|`

Exp: `//ref|`

Passed: `\hi@pse@sigvolref {1 ref}\TestSVR`

Test: `/1/ref|`

Exp: `/1/ref|`

Passed: `\hi@pse@sigvolref {cf. 1 ref}\TestSVR`

Test: `cf./1/ref|`

Exp: `cf./1/ref|`

Passed: `\hi@pse@sigvolref {cf. ref}\TestSVR`

Test: `cf.//ref|`

Exp: `cf.//ref|`

Passed: `\hi@pse@sigvolref {see also also ref}\TestSVR`

Test: `see also/also/ref|`

Exp: `see also/also/ref|`

7 pages.dtx

7.1 Formatting

Passed: `\@format@pageno {15}`

Test: `15|`

Exp: `15|`

Passed: `\@format@pageno {15,,}`

Test: `15|`

Exp: `15|`

Passed: `\@format@pageno {15, 20}`

Test: `15, 20|`

Exp: `15, 20|`

Passed: `\@format@pageno {15,, , 20}`

Test: `15, 20|`

Exp: `15, 20|`

Passed: `\@format@pageno {15-20, 25-30}`

Test: `15--20, 25--30|`

Exp: `15--20, 25--30|`

Passed: `\@format@pageno {115-120, 1425-1530}`

Test: `115--20, 1425--530|`

Exp: `115--20, 1425--530|`

Passed: \@format@pageno {paragraph 15}

Test: para.\protect \nobreakspace {}15|

Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraphs 15}

Test: para.\protect \nobreakspace {}15|

Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraph 15-20}

Test: paras.\protect \nobreakspace {}15--20|

Exp: paras.\protect \nobreakspace {}15--20|

Passed: \@format@pageno {paragraph 15, 20}

Test: paras.\protect \nobreakspace {}15, 20|

Exp: paras.\protect \nobreakspace {}15, 20|

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: para.\protect \nobreakspace {}15, at 25--30|

Exp: para.\protect \nobreakspace {}15, at 25--30|

Passed: \@format@pageno {paragraph 15/a1}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}

Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Passed: \@format@pageno {15 note 6}

Test: 15 n.6|

Exp: 15 n.6|

Passed: \@format@pageno {15 note 5, 6, 7}

Test: 15 nn.5, 6 \& 7|

Exp: 15 nn.5, 6 \& 7|

Passed: \@format@pageno {15 & note 5, 6, 7}

Test: 15 \& nn.5, 6 \& 7|

Exp: 15 \& nn.5, 6 \& 7|

Passed: \@format@pageno {S 5-6}

Test: \textsection \textsection \protect \nobreakspace {}5--6|

Exp: \textsection \textsection \protect \nobreakspace {}5--6|

Passed: \@format@pageno {P 5-6}

Test: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Exp: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Passed: \@format@pageno {-34/a}

Test: 34(a)|

Exp: 34(a)|

Passed: \@format@pageno {!A5}

Test: \hi@pgnum@raw A5|

Exp: \hi@pgnum@raw A5|

Passed: \@format@pageno {*123-125}

Test: *123--25|

Exp: |*123--25|

7.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}

Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}

Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\hi@pnum@raw A1}\hi@page@space {Title}

Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {\hi@pnum@raw A1}\hi@page@space {Title 5}

Test: |, at |
Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}

Test: |,
Exp: |,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}

Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}

Test: |,
Exp: |,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: |at |
Exp: |at |

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: |at |
Exp: |at |

8 parens.dtx

8.1 Ordering

Passed: \hi@parens ->

Test: |\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}|
Exp: |\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}|
Exp: |\@paren {\hi@paren@cite }{generic}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in}
 \clause {a}}|
Exp: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in}
 \clause {a}}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren
 {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: `\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|`

Passed: \hi@parens ->

Test: `\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|`

Exp: `\@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|`

Passed: \TestDefer ->

Test: `Deferred c|`

Exp: `Deferred c|`

8.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: `5[abc]|`

Exp: `5[abc]|`

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: `6[def]|`

Exp: `6[def]|`

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: `7[ghi]|`

Exp: `7[ghi]|`

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: `|`

Exp: `|`

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: `|jkl mno|`

Exp: `|jkl mno|`

8.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: |(abc).|
Exp: |(abc).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: |(abc.).|
Exp: |(abc.).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue }{\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

9 toa.dtx

9.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref}{{v}{5}}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{|}

Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref}{{v}{5}}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{|}

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{{v}{5}}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{|}

Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{{v}{5}}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{|}

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

9.2 Aux File Reading

Passed: \PageTestResult ->

Test: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|
Exp: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|

Passed: \ListTestResult ->

Test: |{ref}{other}{0ther Source/s}|
Exp: |{ref}{other}{0ther Source/s}|

9.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: |ABCDE...12FGHIJ|
Exp: |ABCDE...12FGHIJ|

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: |ABCDE...12FGHIJ...15A...2B|
Exp: |ABCDE...12FGHIJ...15A...2B|

Passed: \hi@toa@makesortable {ref}

Test: |KLMNO...25PQRST|
Exp: |KLMNO...25PQRST|

9.4 Sublists

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulation|
Exp: |Regulation|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations|
Exp: |Regulations|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations and Treaty|
Exp: |Regulations and Treaty|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaty and Statute|
Exp: |Regulations, Treaty and Statute|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaties and Statute|
Exp: |Regulations, Treaties and Statute|

9.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|
Exp: |refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |item|
Exp: |item|

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refM, |
Exp: refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: item |
Exp: item |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refM, |
Exp: refA, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items |
Exp: items |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |
Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items and element |
Exp: items and element |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |
Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: items and element |
Exp: items and element |

9.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}

Test: ii |
Exp: ii |

Passed: \hi@toa@refcount {ref}

Test: 1 |
Exp: 1 |

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: ii--iii |
Exp: ii--iii |

Passed: \hi@toa@refcount {ref}

Test: 2 |
Exp: 2 |

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: ii--iii |
Exp: ii--iii |

Passed: \hi@toa@refcount {ref}
Test: 3
Exp: 3

Passed: \the \everypar
Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: ii--iv
Exp: ii--iv

Passed: \hi@toa@refcount {ref}
Test: 4
Exp: 4

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4
Exp: ii--iv, 4

Passed: \hi@toa@refcount {ref}
Test: 5
Exp: 5

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5

Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText

Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText

Passed: \hi@toa@usepg {ref}

Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

9.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}

Test: 1-2, 3-4, 5
Exp: 1-2, 3-4, 5

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	ABCDEF . 1-2, 3, 4, 5	ABCDEFG . . 1-2, 3, 4, 5	ABCDEFGH . 1-2, 3, 4, 5

10 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden

Test: Am. U. L. Rev.
Exp: Am. U. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden

Test: B.U. L.J.
Exp: B.U. L.J.

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden

Test: Am. L. Wkly.
Exp: Am. L. Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden

Test: Am. Law.
Exp: Am. Law.

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden

Test: Law Wkly.
Exp: Law Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden

Test: Calif. L. Rev.
Exp: Calif. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden

Test: Calif. L. Rev. Online
Exp: Calif. L. Rev. Online

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden

Test: S. Cal. L. Rev.
Exp: S. Cal. L. Rev.

11 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: Book Title
Exp: Book Title

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: BOOK TITLE
Exp: BOOK TITLE

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: Case Title

Exp: |Case Title|
Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: |Case Title|
Exp: |Case Title|

12 caseref.dtx

12.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
 Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}
Test: |Test|
Exp: |Test|
Passed: \hi@case@shortfmt {Test, Inc.}
Test: |Test|
Exp: |Test|
Passed: \hi@case@shortfmt {Test USA, Inc.}
Test: |Test|
Exp: |Test|
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0
 Test passed: \hi@case@scorename {FTC}: 2000>0

12.2 Name Formatting

12.2.1 Named Parties

Passed: \hi@kv@name ->
Test: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Passed: \hi@kv@lname ->
Test: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Passed: \hi@kv@aname ->
Test: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: |\hi@fn@casefc {Wheaton\hi@versus Peters}|
Passed: \hi@kv@ainline ->
Test: |\hi@fn@casesc {Wheaton}|
Exp: |\hi@fn@casesc {Wheaton}|
Passed: \hi@kv@inline ->
Test: |\hi@fn@casesc {Wheaton}|
Exp: |\hi@fn@casesc {Wheaton}|

12.2.2 Ex Rel. Party

Passed: \hi@kv@name ->
Test: |\hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|
Exp: |\hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

12.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}
Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}
Exp: \hi@fn@casesc {Federal Trade Commission}

12.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

12.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow {actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow {actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->

Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc {Actavis II}}|

Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc {Actavis II}}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis II}|

Exp: \hi@fn@casesc {Actavis II}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis II}|

Exp: \hi@fn@casesc {Actavis II}|

12.2.6 Parties and Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

12.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}

Exp: \hi@fn@casesc {Wands}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}

Exp: \hi@fn@casesc {Wands}

12.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}

Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}

Exp: \hi@fn@casesc {The United States Ship}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}

Exp: \hi@fn@casesc {The U.S. Ship}

12.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}

Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

12.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)

Exp: U.S. (8 Wheat.)

12.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }\@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }\@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

12.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

12.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {unocal-rf-rd-dct}

Test: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {plessy}

Test: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

13 statrefs.dtx

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁵[35 U.S.C. § 271(b).]
Exp: ¹⁵[35 U.S.C. § 271(b).]

14 abbrev.dtx

Passed: \abb@abbrev {test}{Company}

Test: Co.
Exp: Co.

Passed: \abb@abbrev {test}{The Company}

Test: The Co.
Exp: The Co.

Passed: \abb@abbrev {test}{Company Treasure}

Test: Co. Treasure
Exp: Co. Treasure

Passed: \abb@abbrev {test}{The Company Treasure}

Test: The Co. Treasure
Exp: The Co. Treasure

Passed: \abb@abbrev {test}{The Companying Art}

Test: The Companying Art
Exp: The Companying Art

Passed: \abb@abbrev {test}{Companying Art}

Test: Companying Art
Exp: Companying Art

Passed: \abb@abbrev {test}{AcCompany Art}

Test: AcCompany Art
Exp: AcCompany Art

Passed: \abb@abbrev {test}{An AcCompany Art}

Test: An AcCompany Art
Exp: An AcCompany Art

Passed: \abb@abbrev {test}{An Ac{}Company Art}

Test: An Ac{}Co. Art
Exp: An Ac{}Co. Art

Passed: \abb@abbrev {test}{Big Company}

Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}

Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}

Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}

Test: The BigCo.'s Treasure

Exp: |The BigCo.'s Treasure|
Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: |The BigCo.-Treasure|
Exp: |The BigCo.-Treasure|
Passed: \abb@abbrev {test}{Really Big Company}
Test: |R.B. Co.|
Exp: |R.B. Co.|
Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: |The R.B. Co. Treasure|
Exp: |The R.B. Co. Treasure|
Passed: \abb@abbrev {test}{Big Company Machines}
Test: |B.C.M.|
Exp: |B.C.M.|
Passed: \abb@abbrev {test}{The Big Company Machines}
Test: |The B.C.M.|
Exp: |The B.C.M.|
Passed: \abb@abbrev {test}{The Big Company Machines Works}
Test: |The B.C.M. Works|
Exp: |The B.C.M. Works|
Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: |The BigCo. Machinesys|
Exp: |The BigCo. Machinesys|
Passed: \abb@abbrev {test}{Enormous Example}
Test: |Really Big Ex.|
Exp: |Really Big Ex.|
macro:->{First Company}{FiComp.}
Passed: \abb@abbrev {test}{First Company}
Test: |FiComp.|
Exp: |FiComp.|
Passed: \abb@abbrev {test}{First Company Treasure}
Test: |FiComp. Treasure|
Exp: |FiComp. Treasure|
Passed: \abb@abbrev {test}{The First Company}
Test: |The First Co.|
Exp: |The First Co.|
Passed: \abb@abbrev {test}{The First Company Treasure}
Test: |The First Co. Treasure|
Exp: |The First Co. Treasure|

356 tests performed. All tests passed.