

Hicite Unit Tests

Charles Duan

August 12, 2023

1 refs.dtx

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456
Exp: S 456

Passed: AssertEqual

Test: 123
Exp: 123

```

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

```

Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
Passed: \testyear ->
Test: 2000
Exp: 2000

Probably passed: AssertBox: \inline {thefda}
Test: the Food and Drug Administration (“FDA”)
Exp: the Food and Drug Administration (“FDA”)

Probably passed: AssertBox: \inline {thefda}
Test: the FDA
Exp: the FDA

3 names.dtx

3.1 Name Splitting

Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//

Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/
Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/
Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II///
Exp: John/Doe/II///
Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/
Exp: John/Doe/II/Firm/
Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: Georg/von Trapp///

Exp: Georg/von Trapp//|
Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: Georg/von Trapp//Austria/
Exp: Georg/von Trapp//Austria/
Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: Georg/von Trapp/Jr./Austria/
Exp: Georg/von Trapp/Jr./Austria/
Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit
Test: Jane/Double Barrelled///
Exp: Jane/Double Barrelled///
Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit
Test: Jane/Double Barrelled/Jr.//
Exp: Jane/Double Barrelled/Jr.//
Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit
Test: Jane/Double Barrelled/bis//
Exp: Jane/Double Barrelled/bis//
Passed: \hi@nameproc@inst {Federal Trade Commission}
Test: Fed. Trade Comm'n
Exp: Fed. Trade Comm'n
Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson
Test: John Q. Public/Public
Exp: John Q. Public/Public
Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson
Test: John Q. Public\hi@etal /Public\hi@etal
Exp: John Q. Public\hi@etal /Public\hi@etal
Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson
Test: Martin Luther King Jr.\hi@etal /King\hi@etal
Exp: Martin Luther King Jr.\hi@etal /King\hi@etal
Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson
Test: John Doe, U.S. Army/Doe
Exp: John Doe, U.S. Army/Doe

3.2 Name List Arrangement

Passed: \hi@kv@test ->
Test: A
Exp: A
Passed: \hi@kv@test ->
Test: A\hi@namelist@and B
Exp: A\hi@namelist@and B
Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C
Exp: A\hi@namelist@comma B\hi@namelist@and C
Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z
Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

    Passed: \hi@kv@test ->
Test: \hi@namelist@insts Z\hi@namelist@and Y
Exp: \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

    Passed: \hi@date@parse {538 bc}
Test: 538 \BC
Exp: 538 \BC

```

Passed: \hi@date@parse {538 ad}
Test: \AD ~538
Exp: \AD ~538

Passed: \hi@date@parse {c 538 ad}
Test: c.\AD ~538
Exp: c.\AD ~538

Passed: \hi@date@parse {c 538 ace}
Test: c.\538 \ACE
Exp: c.\538 \ACE

Passed: \hi@date@parse {nd}
Test: n.d\@ .
Exp: n.d\@ .

Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021

Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021

Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021

Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021

Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}
Test: ⁴[a b]
Exp: ⁴[a b]

Passed: \WrittenText ->
Test: \newlabel{lbl}{{}{note }{4}{}}
Exp: \newlabel{lbl}{{}{note }{4}{}}

Passed: \hir@lbl ->
Test: {note }{}
Exp: {note }{}

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}
Test: ⁴[a b]
Exp: ⁴[a b]

Passed: \WrittenText ->
Test: \newlabel{lbl}{{[discussion]}{note }{4}{}}
Exp: \newlabel{lbl}{{[discussion]}{note }{4}{}}

Passed: \hir@lbl ->
Test: {note }{}
Exp: {note }{}

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}

Test: $\left| \begin{smallmatrix} 4 \\ a \ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} 4 \\ a \ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash newlabel\{end:lbl\}\{\{notes \}\{4\}\} \right|$
Exp: $\left| \backslash newlabel\{end:lbl\}\{\{notes \}\{4\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{note \}\{\} \right|$
Exp: $\left| \{note \}\{\} \right|$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash newlabel\{lbl\}\{\}\{\{text \text{ accompanying note } \}\{4\}\{\}\} \right|$
Exp: $\left| \backslash newlabel\{lbl\}\{\}\{\{text \text{ accompanying note } \}\{4\}\{\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{text \text{ accompanying note } \}\{\} \right|$
Exp: $\left| \{text \text{ accompanying note } \}\{\} \right|$

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash newlabel\{end:lbl\}\{\}\{\{text \text{ accompanying notes } \}\{3\}\} \right|$
Exp: $\left| \backslash newlabel\{end:lbl\}\{\}\{\{text \text{ accompanying notes } \}\{3\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{text \text{ accompanying note } \}\{\} \right|$
Exp: $\left| \{text \text{ accompanying note } \}\{\} \right|$

Probably passed: AssertBox: a \hitanlabel {lbl} b

Test: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash newlabel\{lbl\}\{\}\{\{note \}\{4\}\{\text{ and accompanying text} \}\} \right|$
Exp: $\left| \backslash newlabel\{lbl\}\{\}\{\{note \}\{4\}\{\text{ and accompanying text} \}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{note \}\{\text{ and accompanying text} \} \right|$
Exp: $\left| \{note \}\{\text{ and accompanying text} \} \right|$

Probably passed: AssertBox: a \hiendtanlabel {lbl} b

Test: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$
Exp: $\left| \begin{smallmatrix} a \ b \end{smallmatrix} \right|$

Passed: \WrittenText ->

Test: $\left| \backslash newlabel\{end:lbl\}\{\}\{\{notes \}\{3\}\} \right|$
Exp: $\left| \backslash newlabel\{end:lbl\}\{\}\{\{notes \}\{3\}\} \right|$

Passed: \hir@lbl ->

Test: $\left| \{note \}\{\text{ and accompanying text} \} \right|$
Exp: $\left| \{note \}\{\text{ and accompanying text} \} \right|$

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{}{Figure }{4}}|
Exp: |\newlabel{lbl}{{}{Figure }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|
Exp: |{Figure }{|

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Figures }{4}}|
Exp: |\newlabel{end:lbl}{{Figures }{4}}|

Passed: \hir@lbl ->

Test: |{Figure }{|
Exp: |{Figure }{|

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Section }{III.A}}|
Exp: |\newlabel{lbl}{{background}{Section }{III.A}}|

Passed: \hir@lbl ->

Test: |{Section }{|
Exp: |{Section }{|

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Part }{III}}|
Exp: |\newlabel{lbl}{{background}{Part }{III}}|

Passed: \hir@lbl ->

Test: |{Part }{|
Exp: |{Part }{|

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Sections }{III.B}}|
Exp: |\newlabel{end:lbl}{{Sections }{III.B}}|

Passed: \hir@lbl ->

Test: |{Section }{|
Exp: |{Section }{|

5.4 Parsing

Passed: \@this@page ->

Test: `{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`
Exp: `{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`

Passed: \@this@page ->

Test: `{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`
Exp: `{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`

Passed: \@this@page ->

Test: `{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}`
Exp: `{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}`

Passed: \@this@page ->

Test: `{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}`
Exp: `{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}`

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: `infra Section III`
Exp: `infra Section III`

Probably passed: AssertBox: \fc@this

Test: `discussion supra notes 2-3`
Exp: `discussion supra notes 2-3`

Probably passed: AssertBox: \fc@this

Test: `remarks infra Section III`
Exp: `remarks infra Section III`

Probably passed: AssertBox: \fc@this

Test: `remarks supra notes 2-3`
Exp: `remarks supra notes 2-3`

Probably passed: AssertBox: \fc@this

Test: `Section III`
Exp: `Section III`

Probably passed: AssertBox: \fc@this

Test: `discussion`
Exp: `discussion`

6 urls.dtx

The following should not produce overflow boxes. Also ensure that the links themselves work as expected.

<code>http://www.</code>	<code>http://www.</code>	<code>http://www.</code>
<code>google.com/</code>	<code>google.com/</code>	<code>google.com/</code>
<code>search?q=hello</code>	<code>search?q=</code>	<code>search?q=</code>
<code>%20world</code>	<code>antidis</code>	<code>antidis</code>
<code>search?q=</code>	<code>establishment</code>	<code>establishment</code>
<code>hello+world</code>	<code>%20you</code>	<code>arianism</code>

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref}}`

Passed: \hi@pse@parse {ref at 3}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

Exp: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: `//ref`

Exp: `//ref`

Passed: \hi@pse@sigvolref {1 ref}\TestSVR

Test: `/1/ref`

Exp: `/1/ref`

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR

Test: `cf./1/ref`

Exp: `cf./1/ref`

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR

Test: `cf.//ref`

Exp: `cf.//ref`

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR

Test: `see also/also/ref`

Exp: `see also/also/ref`

8 pages.dtx

8.1 Formatting

Passed: \@format@pageno {15}

Test: `15`

Exp: `15`

Passed: \@format@pageno {15,,}

Test: 15|
Exp: 15|

Passed: \@format@pageno {15, 20}

Test: 15, 20|
Exp: 15, 20|

Passed: \@format@pageno {15,, , 20}

Test: 15, 20|
Exp: 15, 20|

Passed: \@format@pageno {15-20, 25-30}

Test: 15--20, 25--30|
Exp: 15--20, 25--30|

Passed: \@format@pageno {115-120, 1425-1530}

Test: 115--20, 1425--530|
Exp: 115--20, 1425--530|

Passed: \@format@pageno {paragraph 15}

Test: para.\protect \nobreakspace {}15|
Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraphs 15}

Test: para.\protect \nobreakspace {}15|
Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraph 15-20}

Test: paras.\protect \nobreakspace {}15--20|
Exp: paras.\protect \nobreakspace {}15--20|

Passed: \@format@pageno {paragraph 15, 20}

Test: paras.\protect \nobreakspace {}15, 20|
Exp: paras.\protect \nobreakspace {}15, 20|

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: para.\protect \nobreakspace {}15, at 25--30|
Exp: para.\protect \nobreakspace {}15, at 25--30|

Passed: \@format@pageno {paragraph 15/a1}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Passed: \@format@pageno {paragraph 15/a1-/2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)|
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)|

Passed: \@format@pageno {paragraph 15/a1, /a2-/3}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}

Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36|
Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Passed: \@format@pageno {15 note 6}
Test: 15 n.6|
Exp: 15 n.6|

Passed: \@format@pageno {15 note 5, 6, 7}
Test: 15 nn.5, 6 \& 7|
Exp: 15 nn.5, 6 \& 7|

Passed: \@format@pageno {15 & note 5, 6, 7}
Test: 15 \& nn.5, 6 \& 7|
Exp: 15 \& nn.5, 6 \& 7|

Passed: \@format@pageno {S 5-6}
Test: \textsection \textsection \protect \nobreakspace {}5--6|
Exp: \textsection \textsection \protect \nobreakspace {}5--6|

Passed: \@format@pageno {P 5-6}
Test: \textparagraph \textparagraph \protect \nobreakspace {}5--6|
Exp: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Passed: \@format@pageno {-34/a}
Test: 34(a)|
Exp: 34(a)|

Passed: \@format@pageno {!A5}
Test: \hi@pgnum@raw A5|
Exp: \hi@pgnum@raw A5|

*Passed: \@format@pageno {*123-125}*
Test: *123--25|
Exp: *123--25|

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}
Test: ||
Exp: ||

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}
Test: , at |
Exp: , at |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}
Test: ||
Exp: ||

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}
Test: , at |
Exp: , at |

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}
Test: , |
Exp: , |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}
Test: ||
Exp: ||

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}
Test: , |
Exp: , |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}
Test: | at |

Exp: | at |

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: | at |

Exp: | at |

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->

Test: |\@paren {\z@ }{\Zero}\@paren {\@ne }{\One}\@paren {\tw@ }{\Two}|

Exp: |\@paren {\z@ }{\Zero}\@paren {\@ne }{\One}\@paren {\tw@ }{\Two}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}|

Exp: |\@paren {\hi@paren@cite }{\generic}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: |\@paren {\hi@paren@cite }{\generic}\@paren {\hi@paren@cite }{\quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \TestDefer ->

Test: |Deferred c|

Exp: |Deferred c|

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |⁵[abc]|

Exp: |⁵[abc]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |⁶[def]|

Exp: |⁶[def]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |⁷[ghi]
Exp: |⁷[ghi]

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: | jkl mno
Exp: | jkl mno

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc).
Exp: | (abc).
Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc.).
Exp: | (abc.).
Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.
Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.
Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue }{\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc.
Exp: | , abc.

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: | \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}

Exp: `\@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}`

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: `\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}`

Exp: `\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}`

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |

Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |

Exp: |

Passed: \WrittenText ->

Test: |

Exp: |

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: `{\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }`

Exp: `{\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }`

Passed: \ListTestResult ->

Test: `{ref}{other}{Other Source/s}`

Exp: `{ref}{other}{Other Source/s}`

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: `ABCDE...12FGHIJ`

Exp: `ABCDE...12FGHIJ`

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: `ABCDE...12FGHIJ...15A....2B`

Exp: `ABCDE...12FGHIJ...15A....2B`

Passed: \hi@toa@makesortable {ref}

Test: `KLMNO...25PQRST`

Exp: `KLMNO...25PQRST`

10.4 Sublists

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: `Regulation`

Exp: `Regulation`

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: `Regulations`

Exp: `Regulations`

Probably passed: AssertBox: \hi@toa@sublist@show {stat}
Test: Regulations and Treaty
Exp: Regulations and Treaty

Probably passed: AssertBox: \hi@toa@sublist@show {stat}
Test: Regulations, Treaty and Statute
Exp: Regulations, Treaty and Statute

Probably passed: AssertBox: \hi@toa@sublist@show {stat}
Test: Regulations, Treaties and Statute
Exp: Regulations, Treaties and Statute

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}
 Test passed: AssertTrue: \IfKnownList {hi@toa@list}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refM,
Exp: refM,

Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: item
Exp: item

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refM,
Exp: refM,

Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: item
Exp: item

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refM,
Exp: refA, refM,

Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: items
Exp: items

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refI, refM,
Exp: refA, refI, refM,

Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: items and element
Exp: items and element

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }
Test: refA, refI, refM,
Exp: refA, refI, refM,

Probably passed: AssertBox: \hi@toa@sublist@show {list}
Test: items and element
Exp: items and element

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}
Test: ii
Exp: ii

Passed: \hi@toa@refcount {ref}
Test: 1
Exp: 1

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iii
Exp: ii--iii

Passed: \hi@toa@refcount {ref}
Test: 2
Exp: 2

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iii
Exp: ii--iii

Passed: \hi@toa@refcount {ref}
Test: 3
Exp: 3

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iv
Exp: ii--iv

Passed: \hi@toa@refcount {ref}
Test: 4
Exp: 4

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*

Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4
Exp: ii--iv, 4

Passed: \hi@toa@refcount {ref}
Test: 5
Exp: 5

* *Passed: \the \everypar*

Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5

Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}
Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7
Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}
Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText
Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText
Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}
Test: 1-2, 3-4, 5
Exp: 1-2, 3-4, 5

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	ABCDEF . 1-2, 3, 4, 5	ABCDEFG . . 1-2, 3, 4, 5	ABCDEFGH . 1-2, 3, 4, 5

11 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden
Test: Am. U. L. Rev.
Exp: Am. U. L. Rev.
Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden
Test: B.U. L.J.
Exp: B.U. L.J.
Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden
Test: Am. L. Wkly.
Exp: Am. L. Wkly.
Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden
Test: Am. Law.
Exp: Am. Law.
Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden
Test: Law Wkly.
Exp: Law Wkly.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden

Test: Calif. L. Rev.
Exp: Calif. L. Rev.

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden

Test: Calif. L. Rev. Online
Exp: Calif. L. Rev. Online

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden

Test: S. Cal. L. Rev.
Exp: S. Cal. L. Rev.

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden

Test: spec. rev. ed.
Exp: spec. rev. ed.

12 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: Book Title
Exp: Book Title

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: BOOK TITLE
Exp: BOOK TITLE

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: Case Title
Exp: Case Title

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: Case Title
Exp: Case Title

13 caseref.dtx

13.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
 Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}

Test: Test
Exp: Test

Passed: \hi@case@shortfmt {Test, Inc.}

Test: Test
Exp: Test

Passed: \hi@case@shortfmt {Test USA, Inc.}

Test: Test
Exp: Test

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0
 Test passed: \hi@case@scorename {FTC}: 2000>0

13.2 Name Formatting

13.2.1 Named Parties

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

13.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

13.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}
Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}
Exp: \hi@fn@casesc {Federal Trade Commission}

13.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

13.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@case@choosellorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}
Exp: \hi@case@choosellorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

13.2.6 Parties and Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

13.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

13.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}|

Exp: \hi@fn@casesc {The United States Ship}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}|

Exp: \hi@fn@casesc {The U.S. Ship}|

13.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

13.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

13.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

13.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

13.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {unocal-rf-rd-dct}

Test: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {plessy}

Test: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

14 statrefs.dtx

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁵[35 U.S.C. § 271(b).]
Exp: ¹⁵[35 U.S.C. § 271(b).]

15 bookrefs.dtx

15.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test:
Exp:

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.
\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.,
forthcoming \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed.,
forthcoming \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use
{year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use
{year}}|

16 artrefs.dtx

Probably passed: AssertBox: \note {jrnartyearonly}

Test: ¹⁶[A B, *Year Only Article*, 2014 J.L. 123.]|

Exp: ¹⁶[A B, *Year Only Article*, 2014 J.L. 123.]|

Probably passed: AssertBox: \note {jrnartyearvol}

Test: ¹⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]|

Exp: ¹⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]|

Probably passed: AssertBox: \note {procartyearonly}

Test: ¹⁸[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]|

Exp: ¹⁸[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]|

Probably passed: AssertBox: \note {procartyearvol}

Test: ¹⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]|

Exp: ¹⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]|

17 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ²⁰[A A, TITLE (3d ed. 2020).]|

Exp: ²⁰[A A, TITLE (3d ed. 2020).]|

Probably passed: AssertBox: \note {b}

Test: ²¹[B B, TITLE (rev. 3, spec. ed. 2020).]|

Exp: ²¹[B B, TITLE (rev. 3, spec. ed. 2020).]|

Probably passed: AssertBox: \note {c-d}

Test: ²²[COMPILATION (C C & D D eds., 2020).]|

Exp: ²²[COMPILATION (C C & D D eds., 2020).]|

Passed: \hi@kv@number ->
Test: 11|
Exp: 11|

Passed: \hi@kv@publisher ->
Test: |
Exp: |

Passed: \hi@kv@number ->
Test: No. 12345|
Exp: No. 12345|

Passed: \hi@kv@publisher ->
Test: Cong. Rsch. Serv.|
Exp: Cong. Rsch. Serv.|

Passed: \hi@kv@number ->
Test: No. 12345|
Exp: No. 12345|

Passed: \hi@kv@publisher ->
Test: Cong. Rsch. Serv.|
Exp: Cong. Rsch. Serv.|

Passed: \hi@kv@edtype ->
Test: eds. \& trans.|
Exp: eds. \& trans.|

18 abbrev.dtx

Passed: \abb@abbrev {test}{Company}
Test: Co.|
Exp: Co.|

Passed: \abb@abbrev {test}{The Company}
Test: The Co.|
Exp: The Co.|

Passed: \abb@abbrev {test}{Company Treasure}
Test: Co. Treasure|
Exp: Co. Treasure|

Passed: \abb@abbrev {test}{The Company Treasure}
Test: The Co. Treasure|
Exp: The Co. Treasure|

Passed: \abb@abbrev {test}{The Companying Art}
Test: The Companying Art|
Exp: The Companying Art|

Passed: \abb@abbrev {test}{Companying Art}
Test: Companying Art|
Exp: Companying Art|

Passed: \abb@abbrev {test}{AcCompany Art}
Test: AcCompany Art|
Exp: AcCompany Art|

Passed: \abb@abbrev {test}{An AcCompany Art}
Test: An AcCompany Art|
Exp: An AcCompany Art|

Passed: \abb@abbrev {test}{An Ac{ }Company Art}
Test: An Ac{ }Co. Art
Exp: An Ac{ }Co. Art

Passed: \abb@abbrev {test}{Big Company}
Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}
Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}
Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}
Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}
Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}
Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}
Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}
Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}
Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}
Passed: \abb@abbrev {test}{First Company}
Test: FiComp.
Exp: FiComp.

Passed: \abb@abbrev {test}{First Company Treasure}
Test: FiComp. Treasure
Exp: FiComp. Treasure

Passed: \abb@abbrev {test}{The First Company}
Test: The First Co.
Exp: The First Co.

Passed: \abb@abbrev {test}{The First Company Treasure}

Test: |The First Co. Treasure|

Exp: |The First Co. Treasure|

384 tests performed. All tests passed.