

Hicite Unit Tests

Charles Duan

July 26, 2023

1 refs.dtx

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456
Exp: S 456

Passed: AssertEqual

Test: 123
Exp: 123

```

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: F.3d
Exp: F.3d

    Passed: AssertEqual
Test: 456
Exp: 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

    Passed: AssertEqual
Test: 123
Exp: 123

```

```

    Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

    Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
    Passed: \testyear ->
Test: 2000
Exp: 2000

```

3 names.dtx

3.1 Name Splitting

```

    Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle////
Exp: Aristotle////

    Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//

    Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle////\hi@etal
Exp: Aristotle////\hi@etal

    Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/

    Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/

    Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///

    Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///\hi@etal
Exp: John/Doe///\hi@etal

    Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II//\hi@etal
Exp: John/Doe/II//\hi@etal

    Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/\hi@etal
Exp: John/Doe/II/Firm/\hi@etal

    Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: Georg/von Trapp///
Exp: Georg/von Trapp///

    Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: Georg/von Trapp//Austria/
Exp: Georg/von Trapp//Austria/

    Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: Georg/von Trapp/Jr./Austria/

```

Exp: Georg/von Trapp/Jr./Austria/

Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit

Test: Jane/Double Barrelled///

Exp: Jane/Double Barrelled///

Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit

Test: Jane/Double Barrelled/Jr.//

Exp: Jane/Double Barrelled/Jr.//

Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit

Test: Jane/Double Barrelled/bis//

Exp: Jane/Double Barrelled/bis//

Passed: \hi@nameproc@inst {Federal Trade Commission}

Test: Fed. Trade Comm'n

Exp: Fed. Trade Comm'n

Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson

Test: John Q. Public/Public

Exp: John Q. Public/Public

Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson

Test: John Q. Public\hi@etal /Public\hi@etal

Exp: John Q. Public\hi@etal /Public\hi@etal

Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson

Test: Martin Luther King Jr.\hi@etal /King\hi@etal

Exp: Martin Luther King Jr.\hi@etal /King\hi@etal

Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson

Test: John Doe, U.S. Army/Doe

Exp: John Doe, U.S. Army/Doe

3.2 Name List Arrangement

Passed: \hi@kv@test ->

Test: A

Exp: A

Passed: \hi@kv@test ->

Test: A\hi@namelist@and B

Exp: A\hi@namelist@and B

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C

Exp: A\hi@namelist@comma B\hi@namelist@and C

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: \hi@namelist@insts Z\hi@namelist@and Y

Exp: \hi@namelist@insts Z\hi@namelist@and Y

Passed: \hi@kv@test ->

Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

    Passed: \hi@date@parse {538 bc}
Test: 538 \BC
Exp: 538 \BC

    Passed: \hi@date@parse {538 ad}
Test: \AD ~538
Exp: \AD ~538

    Passed: \hi@date@parse {c 538 ad}
Test: c.\AD ~538
Exp: c.\AD ~538

```

Passed: \hi@date@parse {c 538 ace}
Test: c.~538 \ACE |
Exp: c.~538 \ACE |

Passed: \hi@date@parse {nd}
Test: n.d\@ . |
Exp: n.d\@ . |

Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021 |

Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021 |

Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021 |

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{}{note }{4}{}} |
Exp: \newlabel{lbl}{{}{note }{4}{}} |

Passed: \hir@lbl ->
Test: {note }{} |
Exp: {note }{} |

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{discussion}{note }{4}{}} |
Exp: \newlabel{lbl}{{discussion}{note }{4}{}} |

Passed: \hir@lbl ->
Test: {note }{} |
Exp: {note }{} |

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{end:lbl}{{notes }{4}{}} |
Exp: \newlabel{end:lbl}{{notes }{4}{}} |

Passed: \hir@lbl ->

Test: $\{ \text{note} \}$
Exp: $\{ \text{note} \}$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{text accompanying note } \{ \{ 4 \} \} \}$
Exp: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{text accompanying note } \{ \{ 4 \} \} \}$

Passed: \hir@lbl ->

Test: $\{ \text{text accompanying note } \{ \} \}$
Exp: $\{ \text{text accompanying note } \{ \} \}$

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{ \text{end:lbl} \} \{ \} \{ \text{text accompanying notes } \{ \{ 3 \} \} \}$
Exp: $\backslash\text{newlabel}\{ \text{end:lbl} \} \{ \} \{ \text{text accompanying notes } \{ \{ 3 \} \} \}$

Passed: \hir@lbl ->

Test: $\{ \text{text accompanying note } \{ \} \}$
Exp: $\{ \text{text accompanying note } \{ \} \}$

Probably passed: AssertBox: a \hitanlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{note } \{ \{ 4 \} \} \text{ and accompanying text} \}$
Exp: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{note } \{ \{ 4 \} \} \text{ and accompanying text} \}$

Passed: \hir@lbl ->

Test: $\{ \text{note } \{ \} \text{ and accompanying text} \}$
Exp: $\{ \text{note } \{ \} \text{ and accompanying text} \}$

Probably passed: AssertBox: a \hiendtanlabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{ \text{end:lbl} \} \{ \} \{ \text{notes } \{ \{ 3 \} \} \}$
Exp: $\backslash\text{newlabel}\{ \text{end:lbl} \} \{ \} \{ \text{notes } \{ \{ 3 \} \} \}$

Passed: \hir@lbl ->

Test: $\{ \text{note } \{ \} \text{ and accompanying text} \}$
Exp: $\{ \text{note } \{ \} \text{ and accompanying text} \}$

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: $a\ b$
Exp: $a\ b$

Passed: \WrittenText ->

Test: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{Figure } \{ \{ 4 \} \} \}$
Exp: $\backslash\text{newlabel}\{ \text{lbl} \} \{ \} \{ \text{Figure } \{ \{ 4 \} \} \}$

Passed: \hir@lbl ->
Test: {\Figure }{|
Exp: {\Figure }{|
 Probably passed: AssertBox: a \hiendlabel {lbl} b
Test: |a b|
Exp: |a b|
 Passed: \WrittenText ->
Test: \newlabel{end:lbl}{\Figures }{4}}|
Exp: \newlabel{end:lbl}{\Figures }{4}}|
 Passed: \hir@lbl ->
Test: {\Figure }{|
Exp: {\Figure }{|

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b
Test: |a b|
Exp: |a b|
 Passed: \WrittenText ->
Test: \newlabel{lbl}{\background}{Section }{III.A}{|
Exp: \newlabel{lbl}{\background}{Section }{III.A}{|
 Passed: \hir@lbl ->
Test: {\Section }{|
Exp: {\Section }{|
 Probably passed: AssertBox: a \hisectlabel [background]{lbl} b
Test: |a b|
Exp: |a b|
 Passed: \WrittenText ->
Test: \newlabel{lbl}{\background}{Part }{III}{|
Exp: \newlabel{lbl}{\background}{Part }{III}{|
 Passed: \hir@lbl ->
Test: {\Part }{|
Exp: {\Part }{|
 Probably passed: AssertBox: a \hiendsectlabel {lbl} b
Test: |a b|
Exp: |a b|
 Passed: \WrittenText ->
Test: \newlabel{end:lbl}{\Sections }{III.B}}|
Exp: \newlabel{end:lbl}{\Sections }{III.B}}|
 Passed: \hir@lbl ->
Test: {\Section }{|
Exp: {\Section }{|

5.4 Parsing

Passed: \@this@page ->
Test: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
 Passed: \@this@page ->
Test: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: {\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: |*infra* Section III|
Exp: |*infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion *supra* notes 2-3|
Exp: |discussion *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |remarks *infra* Section III|
Exp: |remarks *infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |remarks *supra* notes 2-3|
Exp: |remarks *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |Section III|
Exp: |Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion|
Exp: |discussion|

6 urls.dtx

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

http://www. google.com/ search?q= hello+world	http://www. google.com/ search?q=hello %20world %20how%20are %20you	http://www. google.com/ search?q= antidis establishment arianism
--	--	---

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: |\hi@pse@cite {\hi@pse@svr {ref}}|
Exp: |\hi@pse@cite {\hi@pse@svr {ref}}|

Passed: \hi@pse@parse {ref at 3}

Test: |\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}}|
Exp: |\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}}|

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: |\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}}|

Exp: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}}`

7.2 Multiple Items

Passed: `\hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}`

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}|`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}|`

7.3 Delimiters Inside Parentheticals

Passed: `\hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}`

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}}|`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}}|`

7.4 Signal, Volume, and Reference Parsing

Passed: `\hi@pse@sigvolref {ref}\TestSVR`

Test: `//ref|`

Exp: `//ref|`

Passed: `\hi@pse@sigvolref {1 ref}\TestSVR`

Test: `/1/ref|`

Exp: `/1/ref|`

Passed: `\hi@pse@sigvolref {cf. 1 ref}\TestSVR`

Test: `cf./1/ref|`

Exp: `cf./1/ref|`

Passed: `\hi@pse@sigvolref {cf. ref}\TestSVR`

Test: `cf./ref|`

Exp: `cf./ref|`

Passed: `\hi@pse@sigvolref {see also also ref}\TestSVR`

Test: `see also/also/ref|`

Exp: `see also/also/ref|`

8 pages.dtx

8.1 Formatting

Passed: `\@format@pageno {15}`

Test: `15|`

Exp: `15|`

Passed: `\@format@pageno {15,,}`

Test: `15|`

Exp: `15|`

Passed: `\@format@pageno {15, 20}`

Test: `15, 20|`

Exp: `15, 20|`

Passed: \@format@pageno {15,, , 20}

Test: 15, 20|

Exp: 15, 20|

Passed: \@format@pageno {15-20, 25-30}

Test: 15--20, 25--30|

Exp: 15--20, 25--30|

Passed: \@format@pageno {115-120, 1425-1530}

Test: 115--20, 1425--530|

Exp: 115--20, 1425--530|

Passed: \@format@pageno {paragraph 15}

Test: para.\protect \nobreakspace {}15|

Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraphs 15}

Test: para.\protect \nobreakspace {}15|

Exp: para.\protect \nobreakspace {}15|

Passed: \@format@pageno {paragraph 15-20}

Test: paras.\protect \nobreakspace {}15--20|

Exp: paras.\protect \nobreakspace {}15--20|

Passed: \@format@pageno {paragraph 15, 20}

Test: paras.\protect \nobreakspace {}15, 20|

Exp: paras.\protect \nobreakspace {}15, 20|

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: para.\protect \nobreakspace {}15, at 25--30|

Exp: para.\protect \nobreakspace {}15, at 25--30|

Passed: \@format@pageno {paragraph 15/a1}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)|

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}

Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Passed: \@format@pageno {15 note 6}

Test: 15 n.6|

Exp: 15 n.6|

Passed: \@format@pageno {15 note 5, 6, 7}

Test: 15 nn.5, 6 \& 7|

Exp: 15 nn.5, 6 \& 7|

Passed: \@format@pageno {15 & note 5, 6, 7}

Test: 15 \& nn.5, 6 \& 7|

Exp: 15 \& nn.5, 6 \& 7|

Passed: \@format@pageno {S 5-6}

Test: \textsection \textsection \protect \nobreakspace {}5--6|

Exp: \textsection \textsection \protect \nobreakspace {}5--6|

Passed: \@format@pageno {P 5-6}

Test: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Exp: `\textparagraph \textparagraph \protect \nobreakspace {}5--6`

Passed: \@format@pageno {-34/a}

Test: `34(a)`

Exp: `34(a)`

Passed: \@format@pageno {!A5}

Test: `\hi@pgnum@raw A5`

Exp: `\hi@pgnum@raw A5`

*Passed: \@format@pageno {*123-125}*

Test: `*123--25`

Exp: `*123--25`

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}

Test: `|`

Exp: `|`

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}

Test: `, at`

Exp: `, at`

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}

Test: `|`

Exp: `|`

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}

Test: `, at`

Exp: `, at`

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}

Test: `,`

Exp: `,`

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}

Test: `|`

Exp: `|`

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}

Test: `,`

Exp: `,`

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: `at`

Exp: `at`

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: `at`

Exp: `at`

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->

Test: `\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}`

Exp: `\@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}`

Passed: \hi@parens ->

Test: `\@paren {\hi@paren@cite }{generic}`

Exp: `\@paren {\hi@paren@cite }{generic}`

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \TestDefer ->

Test: Deferred c|

Exp: Deferred c|

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: ⁵[abc]|

Exp: ⁵[abc]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: ⁶[def]|

Exp: ⁶[def]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: ⁷[ghi]|

Exp: ⁷[ghi]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |jkl mno|
Exp: |jkl mno|

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: |(abc).|
Exp: |(abc).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: |(abc.).|
Exp: |(abc.).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\@hi@dottrue } }\hi@parens@show \if@hi@dot \else .\fi

Test: |, abc.|
Exp: |, abc.|

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|
Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|
Exp: |\@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}|

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: |
Exp: |

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|
Exp: |{\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }|

Passed: \ListTestResult ->

Test: |{ref}{other}{0ther Source/s}|
Exp: |{ref}{other}{0ther Source/s}|

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: |ABCDE...12FGHIJ|
Exp: |ABCDE...12FGHIJ|

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: |ABCDE...12FGHIJ...15A....2B|
Exp: |ABCDE...12FGHIJ...15A....2B|

Passed: \hi@toa@makesortable {ref}

Test: |KLMNO...25PQRST|
Exp: |KLMNO...25PQRST|

10.4 Sublists

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulation|
Exp: |Regulation|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations|
Exp: |Regulations|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations and Treaty|
Exp: |Regulations and Treaty|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaty and Statute|
Exp: |Regulations, Treaty and Statute|

Probably passed: AssertBox: \hi@toa@sublist@show {stat}

Test: |Regulations, Treaties and Statute|
Exp: |Regulations, Treaties and Statute|

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|
Exp: |refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |item|
Exp: |item|

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}
Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|
Exp: |refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |item|
Exp: |item|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refM,|
Exp: |refA, refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |items|
Exp: |items|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refI, refM,|
Exp: |refA, refI, refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |items and element|
Exp: |items and element|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refI, refM,|
Exp: |refA, refI, refM,|

Probably passed: AssertBox: \hi@toa@sublist@show {list}

Test: |items and element|
Exp: |items and element|

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}

Test: |ii|
Exp: |ii|

Passed: \hi@toa@refcount {ref}

Test: |1|
Exp: |1|

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}

Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}

Test: |2|
Exp: |2|

Passed: \the \everypar

Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}
Test: |3|
Exp: |3|

Passed: \the \everypar
Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: |ii--iv|
Exp: |ii--iv|

Passed: \hi@toa@refcount {ref}
Test: |4|
Exp: |4|

Stars should now show up at the start of every first test paragraph.
 * *Passed: \the \everypar*
Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
Test: |ii--iv, 4|
Exp: |ii--iv, 4|

Passed: \hi@toa@refcount {ref}
Test: |5|
Exp: |5|

* *Passed: \the \everypar*
Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
Test: |ii--iv, 4--5|
Exp: |ii--iv, 4--5|

Passed: \hi@toa@refcount {ref}
Test: |6|
Exp: |6|

* *Passed: \the \everypar*
Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
Test: |ii--iv, 4--5, 7|
Exp: |ii--iv, 4--5, 7|

Passed: \hi@toa@refcount {ref}
Test: |7|
Exp: |7|

* *Passed: \the \everypar*
Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
Test: |\PassimText |
Exp: |\PassimText |

Passed: \hi@toa@usepg {ref}
Test: \PassimText |
Exp: \PassimText |

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7 |
Exp: ii--iv, 4--5, 7 |

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}
Test: 1-2, 3-4, 5 |
Exp: 1-2, 3-4, 5 |

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	ABCDEF . 1-2, 3, 4, 5	ABCDEFG . . 1-2, 3, 4, 5	ABCDEFGH . 1-2, 3, 4, 5

11 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden
Test: Am. U. L. Rev. |
Exp: Am. U. L. Rev. |

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden
Test: B.U. L.J. |
Exp: B.U. L.J. |

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden
Test: Am. L. Wkly. |
Exp: Am. L. Wkly. |

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden
Test: Am. Law. |
Exp: Am. Law. |

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden
Test: Law Wkly. |
Exp: Law Wkly. |

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden
Test: Calif. L. Rev. |
Exp: Calif. L. Rev. |

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden
Test: Calif. L. Rev. Online |
Exp: Calif. L. Rev. Online |

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden
Test: S. Cal. L. Rev. |
Exp: S. Cal. L. Rev. |

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden
Test: spec. rev. ed. |
Exp: spec. rev. ed. |

12 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}
Test: Book Title |

Exp: `|Book Title|`
Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}
Test: `|BOOK TITLE|`
Exp: `|BOOK TITLE|`
Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: `|Case Title|`
Exp: `|Case Title|`
Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}
Test: `|Case Title|`
Exp: `|Case Title|`

13 caseref.dtx

13.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}
Test: `|Test|`
Exp: `|Test|`
Passed: \hi@case@shortfmt {Test, Inc.}
Test: `|Test|`
Exp: `|Test|`
Passed: \hi@case@shortfmt {Test USA, Inc.}
Test: `|Test|`
Exp: `|Test|`
Test passed: \hi@case@scorename {Wheaton}: 4000>0
Test passed: \hi@case@scorename {}: -10000<0
Test passed: \hi@case@scorename {Wheaton}: 4000>0
Test passed: \hi@case@scorename {Bank of America}: 3000>0
Test passed: \hi@case@scorename {FTC}: 2000>0

13.2 Name Formatting

13.2.1 Named Parties

Passed: \hi@kv@name ->
Test: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Exp: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Passed: \hi@kv@lname ->
Test: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Exp: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Passed: \hi@kv@aname ->
Test: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Exp: `| \hi@fn@casefc {Wheaton\hi@versus Peters} |`
Passed: \hi@kv@ainline ->
Test: `| \hi@fn@casesc {Wheaton} |`
Exp: `| \hi@fn@casesc {Wheaton} |`
Passed: \hi@kv@inline ->
Test: `| \hi@fn@casesc {Wheaton} |`
Exp: `| \hi@fn@casesc {Wheaton} |`

13.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}
Exp: \hi@fn@casesc {Wheaton}

13.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}
Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}
Exp: \hi@fn@casesc {Federal Trade Commission}

13.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}

Exp: `\hi@fn@casesc {Actavis}|`

13.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow {actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }`

Exp: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow {actavis}{ (``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }`

Passed: \hi@kv@lname ->

Test: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |`

Exp: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |`

Passed: \hi@kv@aname ->

Test: `\hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc {Actavis II}}|`

Exp: `\hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc {Actavis II}}|`

Passed: \hi@kv@ainline ->

Test: `\hi@fn@casesc {Actavis II}|`

Exp: `\hi@fn@casesc {Actavis II}|`

Passed: \hi@kv@inline ->

Test: `\hi@fn@casesc {Actavis II}|`

Exp: `\hi@fn@casesc {Actavis II}|`

13.2.6 Parties and Name

Passed: \hi@kv@name ->

Test: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|`

Exp: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|`

Passed: \hi@kv@lname ->

Test: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|`

Exp: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})|`

Passed: \hi@kv@aname ->

Test: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|`

Exp: `\hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|`

Passed: \hi@kv@inline ->

Test: `\hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|`

Exp: `\hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|`

Passed: \hi@kv@ainline ->

Test: `\hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|`

Exp: `\hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|`

13.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: `\hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|`

Exp: `\hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|`

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

13.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}
Exp: \hi@fn@casesc {The United States Ship}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}
Exp: \hi@fn@casesc {The U.S. Ship}

13.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

13.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

13.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }\@paren {\hi@paren@casedocdocket
}{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }\@paren {\hi@paren@casedocdocket
}{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

13.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

13.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {unocal-rf-rd-dct}

Test: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \note {plessy}

Test: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁴[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

14 statrefs.dtx

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁵[35 U.S.C. § 271(b).]
Exp: ¹⁵[35 U.S.C. § 271(b).]

15 bookrefs.dtx

15.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test:
Exp:

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}
Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

16 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ¹⁶[A A, TITLE (3d ed. 2020).]|

Exp: ¹⁶[A A, TITLE (3d ed. 2020).]|

Probably passed: AssertBox: \note {b}

Test: ¹⁷[B B, TITLE (rev. 3, spec. ed. 2020).]|

Exp: ¹⁷[B B, TITLE (rev. 3, spec. ed. 2020).]|

Probably passed: AssertBox: \note {c-d}

Test: ¹⁸[COMPILATION (C C & D D eds., 2020).]|

Exp: ¹⁸[COMPILATION (C C & D D eds., 2020).]|

Passed: \hi@kv@number ->

Test: 11|

Exp: 11|

Passed: \hi@kv@publisher ->

Test: |

Exp: |

Passed: \hi@kv@number ->

Test: No. 12345|

Exp: No. 12345|

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.|

Exp: Cong. Rsch. Serv.|

Passed: \hi@kv@number ->

Test: No. 12345|

Exp: No. 12345|

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.|

Exp: Cong. Rsch. Serv.|

Passed: \hi@kv@edtype ->

Test: eds. \& trans.|

Exp: eds. \& trans.|

17 abbrev.dtx

Passed: \abb@abbrev {test}{Company}

Test: Co.|

Exp: Co.|

Passed: \abb@abbrev {test}{The Company}

Test: The Co.|

Exp: The Co.|

Passed: \abb@abbrev {test}{Company Treasure}

Test: Co. Treasure|

Exp: Co. Treasure|

Passed: \abb@abbrev {test}{The Company Treasure}

Test: The Co. Treasure

Exp: The Co. Treasure

Passed: \abb@abbrev {test}{The Companying Art}

Test: The Companying Art

Exp: The Companying Art

Passed: \abb@abbrev {test}{Companying Art}

Test: Companying Art

Exp: Companying Art

Passed: \abb@abbrev {test}{AcCompany Art}

Test: AcCompany Art

Exp: AcCompany Art

Passed: \abb@abbrev {test}{An AcCompany Art}

Test: An AcCompany Art

Exp: An AcCompany Art

Passed: \abb@abbrev {test}{An Ac{}Company Art}

Test: An Ac{}Co. Art

Exp: An Ac{}Co. Art

Passed: \abb@abbrev {test}{Big Company}

Test: BigCo.

Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}

Test: The BigCo.

Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}

Test: The BigCo. Treasure

Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}

Test: The BigCo.'s Treasure

Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}

Test: The BigCo.-Treasure

Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}

Test: R.B. Co.

Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}

Test: The R.B. Co. Treasure

Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}

Test: B.C.M.

Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}

Test: The B.C.M.

Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}

Test: The B.C.M. Works

Exp: The B.C.M. Works

```

    Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: The BigCo. Machinesys|
Exp: The BigCo. Machinesys|

    Passed: \abb@abbrev {test}{Enormous Example}
Test: Really Big Ex.|
Exp: Really Big Ex.|

macro:->{First Company}{FiComp.}
    Passed: \abb@abbrev {test}{First Company}
Test: FiComp.|
Exp: FiComp.|

    Passed: \abb@abbrev {test}{First Company Treasure}
Test: FiComp. Treasure|
Exp: FiComp. Treasure|

    Passed: \abb@abbrev {test}{The First Company}
Test: The First Co.|
Exp: The First Co.|

    Passed: \abb@abbrev {test}{The First Company Treasure}
Test: The First Co. Treasure|
Exp: The First Co. Treasure|

```

376 tests performed. All tests passed.