# Parameters for Cases (caseparams.dtx)

### Charles Duan

February 29, 2024

These parameters are specifically for case and similar references.

### agency

Administrative agency name. Essentially the same as court except the name will be abbreviated.

#### court

Court deciding the case. The court name will *not* be abbreviated, at least currently.

### d

Second party name in the case. See caseref.dtx for the input syntax for this parameter.

#### dbid

Database identifier for an online case.

### docket

Docket number of the case. If the value starts with a number, the word "No." will be automatically prepended to the docket number.

```
\def\hi@defkey@docket#1#2\@stop#3{%
  \@ifdigit{#1}{\def\hi@kv@docket{No.~#3}}{\def\hi@kv@docket{#3}}%
}
```

#### enbanc

[Value optional] En banc case parenthetical. Although intended for cases, this parameter can be attached to any reference.

#### inlinedefendant

[Value optional] Don't use the first party as main party. For case citations, the first party named is typically used as the short name (with some exceptions). This parameter forces the second party to be used.

#### mem

[Value optional] Memorandum opinion parenthetical. Although intended for cases, this parameter can be attached to any reference.

#### р

First party name in the case. See caseref.dtx for the input syntax for this parameter.

### parties

Named parties to a case, separated by "v.". This is a shortcut for setting parameters p and d.

### percuriam

[Value optional] Per curiam opinion.

### prior

Prior history for a case. The syntax for this parameter is described in caseref.dtx.

### revparties

[Value optional] Parties to this case are reverse of named case.

### sameparties

[Value optional] Parties to this case are same as named case.

### slip

[Value optional] Slip opinion or law.

### slipop

Alias for slip.

## subsequent

Subsequent history for a case. The syntax for this parameter is described in caseref.dtx.