

# Parameters for Cases (caseparams.dtx)

Charles Duan

August 21, 2024

These parameters are specifically for **case** and similar references.

## **agency**

Administrative agency name. Essentially the same as **court** except the name will be abbreviated.

## **court**

Court deciding the case. The court name will *not* be abbreviated, at least currently.

## **d**

Second party name in the case. See `caseref.dtx` for the input syntax for this parameter.

## **dbid**

Database identifier for an online case.

## **docket**

Docket number of the case. If the value starts with a number, the word “No.” will be automatically prepended to the docket number.

```
\def\hi@defkey@docket#1#2\@stop#3{%  
  \ifdigit{#1}{\def\hi@kv@docket{No.~#3}}{\def\hi@kv@docket{#3}}%  
}
```

## **enbanc**

*[Value optional]* En banc case parenthetical. Although intended for cases, this parameter can be attached to any reference.

**inlinedefendant**

*[Value optional]* Don't use the first party as main party. For **case** citations, the first party named is typically used as the short name (with some exceptions). This parameter forces the second party to be used.

**mem**

*[Value optional]* Memorandum opinion parenthetical. Although intended for cases, this parameter can be attached to any reference.

**p**

First party name in the case. See `caseref.dtx` for the input syntax for this parameter.

**parties**

Named parties to a case, separated by “ v. ”. This is a shortcut for setting parameters **p** and **d**.

**percuriam**

*[Value optional]* Per curiam opinion.

**prior**

Prior history for a case. The syntax for this parameter is described in `caseref.dtx`.

**revparties**

*[Value optional]* Parties to this case are reverse of named case.

**sameparties**

*[Value optional]* Parties to this case are same as named case.

**slip**

*[Value optional]* Slip opinion or law.

**slipop**

Alias for **slip**.

**subsequent**

Subsequent history for a case. The syntax for this parameter is described in `caseref.dtx`.