

Package Options (options.dtx)

Charles Duan

September 6, 2026

The following options are accepted by this package.

1 Font and Formatting Styles

review Law review formatting: selects law review fonts, expects footnotes, formats *supra* cites with note numbers, and so on.

```
\DeclareOption{review}{\hi@hooks@review}
```

journal Alias for **review**.

```
\DeclareOption{journal}{\hi@hooks@review}
```

journalfonts Selects law review fonts. Same as `\HiUseFontPack{review}`. Other formatting aspects are not changed.

```
\DeclareOption{journalfonts}{\HiUseFontPack{review}}
```

memofonts Selects legal memorandum fonts. Same as `\HiUseFontPack{memo}`. Other formatting aspects are not changed.

```
\DeclareOption{memofonts}{\HiUseFontPack{memo}}
```

memo Legal memorandum formatting: selects memorandum fonts, expects citations in text, and so on.

```
\DeclareOption{memo}{\hi@hooks@memo}
```

brief Alias for **memo**.

```
\DeclareOption{brief}{\hi@hooks@memo}
```

italcase Case names are italicized regardless of font packs previously chosen.

```
\DeclareOption{italcase}{\HiUseFontPack{italcase}}
```

1(a) Hooks for Memo and Review Formats The choice between review and memo style triggers a variety of differences in citation processing, so provided here are two hooks that other components of this package can add to for special processing depending on style. The hooks will be executed at the end of the package.

```
\def\hi@hooks@review{}
\def\hi@hooks@memo{}
```

2 Author Lists

noauthwarn No warning will be issued if three or more authors are given without the [noetal](#) parameter.

```
\DeclareOption{noauthwarn}{\hi@nameList@noauthwarn}
```

3 Footnote Appearance

endnote Uses endnotes rather than footnotes for formatting.

```
\DeclareOption{endnote}{\hi@useendnotes}
```

endnotes Same as [endnote](#).

```
\DeclareOption{endnotes}{\hi@useendnotes}
```

somenotename In general, if a case is named inline in text and a citation to the case is made immediately thereafter, then the case name is suppressed in the citation so as to avoid redundancy. This option makes an exception where the citation to the case is the first citation in a footnote. In such cases, the inline use was in text potentially distant from the footnote, so naming the case again in the footnote is less redundant and potentially helpful to readers.

```
\DeclareOption{somenotename}{\hi@noname@sometimes}
```

nonotename Suppresses case names even in citations at the start of footnotes. This is typical of most legal journals.

```
\DeclareOption{nonotename}{\hi@noname@always}
```

4 URLs

overrideurl *Hereinafter's* `\url` command will override other packages without warning (see `urls.dtx`).

```
\DeclareOption{overrideurl}{%
\def\hi@url@override{\let\url\HiUrl}%
}
```

nooverrideurl *Hereinafter* will not define `\url`, leaving any other package's definition intact (see `urls.dtx`).

```
\DeclareOption{nooverrideurl}{%
\let\hi@url@override\relax
}
```

fullurl URLs are displayed with their full text.

```
\DeclareOption{fullurl}{\hi@urlstyle@full}
```

toaur URLs are displayed with their full text in the table of authorities and a shortcut otherwise, as described in `urls.dtx`.

```
\DeclareOption{toaur}{%
  \hi@urlstyle@link
  \def\HiLinkText{online}
  \def\HiLinkTrailer{%
    Locations of authorities available online are shown in the Table of
    Authorities.%
  }
}
```

linkurl URLs are displayed as a linked word, as described in `urls.dtx`.

```
\DeclareOption{linkurl}{\hi@urlstyle@link}
```

useopturl Redefines the `opturl` parameter to be the same as `url`, as described in the documentation for the former parameter.

```
\DeclareOption{useopturl}{\hi@param@alias{opturl}{url}}
```

5 Table of Authorities

toastar Stars are added to common references in the table of authorities, as described in `toa.dtx`.

```
\DeclareOption{toastar}{\hi@toa@starcount=4\relax}
```

6 Cross-References

noterefs Cross-references to text will refer to the closest footnote numbers. This is typical of law reviews and is the standard when the `review` option is selected.

```
\DeclareOption{noterefs}{\hi@xref@opt@noterefs}
```

pagerefs Cross-references to text will refer to the page numbers on which the relevant text is found. This is typical of legal memoranda and is the standard when the `memo` option is selected.

```
\DeclareOption{pagerefs}{\hi@xref@opt@pagerefs}
```

xrefsupra All *supra*-style short citations will include a cross-reference to the full citation of the same reference. This is useful only for legal memoranda, and is described further in `supra.dtx`.

```
\DeclareOption{xrefsupra}{\hi@supra@opt@xref}
```

7 Table of Authorities

legacy Enable all legacy commands described in `legacy.dtx`, overwriting existing commands without warning.

```
\DeclareOption{legacy}{\let\hi@legacy@chk\@secondoftwo}
```

nolegacy Disable all legacy commands described in `legacy.dtx`.

```
\DeclareOption{legacy}{\let\hi@legacy@chk\@gobbletwo}
```