

Hicite Unit Tests

Charles Duan

June 18, 2026

1 refs.dtx

1.1 defcitegroup

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

Passed: \testregister ->

Test: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$
Exp: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456

```

Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|

```

Passed: AssertEqual
Test: 123
Exp: 123

Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
Passed: \testyear ->
Test: 2000
Exp: 2000

Probably passed: AssertBox: \inline {thefda}
Test: the Food and Drug Administration (“FDA”)
Exp: the Food and Drug Administration (“FDA”)

Probably passed: AssertBox: \inline {thefda}
Test: the FDA
Exp: the FDA

3 names.dtx

3.1 Name Splitting

Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//

Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/

Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/

Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II///
Exp: John/Doe/II///
Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/
Exp: John/Doe/II/Firm/

Exp: |John/Doe/II/Firm/\hi@etal |
Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: |Georg/von Trapp///|
Exp: |Georg/von Trapp///|
Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: |Georg/von Trapp//Austria/|
Exp: |Georg/von Trapp//Austria/|
Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: |Georg/von Trapp/Jr./Austria/|
Exp: |Georg/von Trapp/Jr./Austria/|
Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit
Test: |Jane/Double Barrelled///|
Exp: |Jane/Double Barrelled///|
Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit
Test: |Jane/Double Barrelled/Jr.//|
Exp: |Jane/Double Barrelled/Jr.//|
Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit
Test: |Jane/Double Barrelled/bis//|
Exp: |Jane/Double Barrelled/bis//|
Passed: \hi@nameproc@inst {Federal Trade Commission}
Test: |Fed. Trade Comm'n|
Exp: |Fed. Trade Comm'n|
Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson
Test: |John Q. Public/Public|
Exp: |John Q. Public/Public|
Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson
Test: |John Q. Public\hi@etal /Public\hi@etal |
Exp: |John Q. Public\hi@etal /Public\hi@etal |
Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson
Test: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Exp: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson
Test: |John Doe, U.S. Army/Doe|
Exp: |John Doe, U.S. Army/Doe|

3.2 Name List Arrangement

Passed: \hi@kv@test ->
Test: |A|
Exp: |A|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@and B|
Exp: |A\hi@namelist@and B|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C|
Exp: |A\hi@namelist@comma B\hi@namelist@and C|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|
Exp: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|

```

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: \hi@namelist@insts Z\hi@namelist@and Y
Exp: \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

```

Passed: \hi@date@parse {538 bc}
Test: 538 \BC |
Exp: 538 \BC |

Passed: \hi@date@parse {538 ad}
Test: \AD ~538 |
Exp: \AD ~538 |

Passed: \hi@date@parse {c 538 ad}
Test: c.~\AD ~538 |
Exp: c.~\AD ~538 |

Passed: \hi@date@parse {c 538 ace}
Test: c.~538 \ACE |
Exp: c.~538 \ACE |

Passed: \hi@date@parse {nd}
Test: n.d\@ . |
Exp: n.d\@ . |

Passed: \hi@date@parse {signed feb 15 2021}
Test: \hi@fn@dateprefix {signed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021 |

Passed: \hi@date@parse {{may} feb 15 2021}
Test: \hi@fn@dateprefix {may} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021 |

Passed: \hi@date@parse {signed into law feb 15 2021}
Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{feb 15 2021}
Test: \hi@fn@dateprefix {issued} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{filed feb 15 2021}
Test: \hi@fn@dateprefix {filed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021 |

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{}{note\protect \nobreakspace {}{4}{}} |
Exp: \newlabel{lbl}{{}{note\protect \nobreakspace {}{4}{}} |

Passed: \hir@lbl ->
Test: {note\protect \nobreakspace {}{}} |
Exp: {note\protect \nobreakspace {}{}} |

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}
Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->
Test: \newlabel{lbl}{{discussion}{note\protect \nobreakspace {}{4}{}} |
Exp: \newlabel{lbl}{{discussion}{note\protect \nobreakspace {}{4}{}} |

Passed: \hir@lbl ->

Test: |{note\protect \nobreakspace {}|{}|
Exp: |{note\protect \nobreakspace {}|{}|

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}

Test: |⁴[a b]|
Exp: |⁴[a b]|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{\notes\protect \nobreakspace {}|{4}}|
Exp: |\newlabel{end:lbl}{\notes\protect \nobreakspace {}|{4}}|

Passed: \hir@lbl ->

Test: |{note\protect \nobreakspace {}|{}|
Exp: |{note\protect \nobreakspace {}|{}|

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{\{}{text accompanying note\protect \nobreakspace {}|{4}}|
Exp: |\newlabel{lbl}{\{}{text accompanying note\protect \nobreakspace {}|{4}}|

Passed: \hir@lbl ->

Test: |{text accompanying note\protect \nobreakspace {}|{}|
Exp: |{text accompanying note\protect \nobreakspace {}|{}|

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{\text accompanying notes\protect \nobreakspace {}|{3}}|
Exp: |\newlabel{end:lbl}{\text accompanying notes\protect \nobreakspace {}|{3}}|

Passed: \hir@lbl ->

Test: |{text accompanying note\protect \nobreakspace {}|{}|
Exp: |{text accompanying note\protect \nobreakspace {}|{}|

Probably passed: AssertBox: a \hitlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{\{}{note\protect \nobreakspace {}|{4}}{ and accompanying text}}|
Exp: |\newlabel{lbl}{\{}{note\protect \nobreakspace {}|{4}}{ and accompanying text}}|

Passed: \hir@lbl ->

Test: |{note\protect \nobreakspace {}|{}{ and accompanying text}}|
Exp: |{note\protect \nobreakspace {}|{}{ and accompanying text}}|

Probably passed: AssertBox: a \hiendtanlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{\notes\protect \nobreakspace {}|{3}}|
Exp: |\newlabel{end:lbl}{\notes\protect \nobreakspace {}|{3}}|

Passed: \hir@lbl ->

Test: |{note\protect \nobreakspace {}|{}{ and accompanying text}}|

Exp: `{\note\protect \nobreakspace {}}{ and accompanying text}`

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: `|a b|`
Exp: `|a b|`

Passed: \WrittenText ->

Test: `\newlabel{lbl}{{}{Figure\protect \nobreakspace {}}{4}{}}`
Exp: `\newlabel{lbl}{{}{Figure\protect \nobreakspace {}}{4}{}}`

Passed: \hir@lbl ->

Test: `{Figure\protect \nobreakspace {}}{}`
Exp: `{Figure\protect \nobreakspace {}}{}`

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: `|a b|`
Exp: `|a b|`

Passed: \WrittenText ->

Test: `\newlabel{end:lbl}{{Figures\protect \nobreakspace {}}{4}{}}`
Exp: `\newlabel{end:lbl}{{Figures\protect \nobreakspace {}}{4}{}}`

Passed: \hir@lbl ->

Test: `{Figure\protect \nobreakspace {}}{}`
Exp: `{Figure\protect \nobreakspace {}}{}`

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: `|a b|`
Exp: `|a b|`

Passed: \WrittenText ->

Test: `\newlabel{lbl}{{background}{Section\protect \nobreakspace {}}{III.A}{}}`
Exp: `\newlabel{lbl}{{background}{Section\protect \nobreakspace {}}{III.A}{}}`

Passed: \hir@lbl ->

Test: `{Section\protect \nobreakspace {}}{}`
Exp: `{Section\protect \nobreakspace {}}{}`

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: `|a b|`
Exp: `|a b|`

Passed: \WrittenText ->

Test: `\newlabel{lbl}{{background}{Part\protect \nobreakspace {}}{III}{}}`
Exp: `\newlabel{lbl}{{background}{Part\protect \nobreakspace {}}{III}{}}`

Passed: \hir@lbl ->

Test: `{Part\protect \nobreakspace {}}{}`
Exp: `{Part\protect \nobreakspace {}}{}`

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: `|a b|`
Exp: `|a b|`

Passed: \WrittenText ->

Test: `\newlabel{end:lbl}{{Sections\protect \nobreakspace {}}{III.B}{}}`
Exp: `\newlabel{end:lbl}{{Sections\protect \nobreakspace {}}{III.B}{}}`

Passed: \hir@lbl ->

Test: `{Section\protect \nobreakspace {}}{}`

Exp: `{\Section\protect \nobreakspace {}{}}`

5.4 Parsing

Passed: \@this@page ->

Test: `{\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`
Exp: `{\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`

Passed: \@this@page ->

Test: `{\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`
Exp: `{\discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}`

Passed: \@this@page ->

Test: `{\discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}`
Exp: `{\discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}`

Passed: \@this@page ->

Test: `{\discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}`
Exp: `{\discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}`

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: `infra Section III`
Exp: `infra Section III`

Probably passed: AssertBox: \fc@this

Test: `discussion supra notes 2-3`
Exp: `discussion supra notes 2-3`

Probably passed: AssertBox: \fc@this

Test: `remarks infra Section III`
Exp: `remarks infra Section III`

Probably passed: AssertBox: \fc@this

Test: `remarks supra notes 2-3`
Exp: `remarks supra notes 2-3`

Probably passed: AssertBox: \fc@this

Test: `Section III`
Exp: `Section III`

Probably passed: AssertBox: \fc@this

Test: `discussion`
Exp: `discussion`

6 urls.dtx

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

<code>http</code>	<code>http</code>	<code>http</code>
<code>:</code>	<code>:</code>	<code>:</code>
<code>http</code>	<code>//www.google.</code>	<code>//www.google.</code>
<code>:</code>	<code>com/search?q=</code>	<code>com/search?q=</code>
<code>//www.google.</code>	<code>hello%20world</code>	<code>antidis</code>
<code>com/search?q=</code>	<code>%20how%20are</code>	<code>establishment</code>
<code>hello+world</code>	<code>%20you</code>	<code>arianism</code>

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref}}`

Passed: \hi@pse@parse {ref at 3}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`
Exp: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`
Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: `//ref`
Exp: `//ref`

Passed: \hi@pse@sigvolref {1 ref}\TestSVR

Test: `/1/ref`
Exp: `/1/ref`

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR

Test: `cf./1/ref`
Exp: `cf./1/ref`

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR

Test: `cf.//ref`
Exp: `cf.//ref`

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR

Test: `see also/also/ref`
Exp: `see also/also/ref`

8 pages.dtx

8.1 Formatting

Passed: \@format@pageno {15}

Test: 15
Exp: 15

Passed: \@format@pageno {15,,}

Test: 15
Exp: 15

Passed: \@format@pageno {15, 20}

Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15,, 20}

Test: 15, 20
Exp: 15, 20

Passed: \@format@pageno {15-20, 25-30}

Test: 15--20, 25--30
Exp: 15--20, 25--30

Passed: \@format@pageno {115-120, 1425-1530}

Test: 115--20, 1425--530
Exp: 115--20, 1425--530

Passed: \@format@pageno {paragraph 15}

Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraphs 15}

Test: para.\protect \nobreakspace {}15
Exp: para.\protect \nobreakspace {}15

Passed: \@format@pageno {paragraph 15-20}

Test: paras.\protect \nobreakspace {}15--20
Exp: paras.\protect \nobreakspace {}15--20

Passed: \@format@pageno {paragraph 15, 20}

Test: paras.\protect \nobreakspace {}15, 20
Exp: paras.\protect \nobreakspace {}15, 20

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: para.\protect \nobreakspace {}15, at 25--30
Exp: para.\protect \nobreakspace {}15, at 25--30

Passed: \@format@pageno {paragraph 15/a1}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty
 \hi@psize@penaltysize (2)
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty
 \hi@psize@penaltysize (2)

Passed: \@format@pageno {paragraph 15/a1-/2}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)
Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1)--(2)

Passed: \@format@pageno {paragraph 15/a1, /a2-/3}

Test: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Exp: para.\protect \nobreakspace {}15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Passed: \@format@pageno {paragraph 15, table 4-5, at 36}

Test: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Exp: para.\protect \nobreakspace {}15, tbls.4--5, at 36|

Passed: \@format@pageno {15 note 6}

Test: 15 n.6|

Exp: 15 n.6|

Passed: \@format@pageno {15 note 5, 6, 7}

Test: 15 nn.5, 6 \& 7|

Exp: 15 nn.5, 6 \& 7|

Passed: \@format@pageno {15 & note 5, 6, 7}

Test: 15 \& nn.5, 6 \& 7|

Exp: 15 \& nn.5, 6 \& 7|

Passed: \@format@pageno {S 5-6}

Test: \textsection \textsection \protect \nobreakspace {}5--6|

Exp: \textsection \textsection \protect \nobreakspace {}5--6|

Passed: \@format@pageno {P 5-6}

Test: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Exp: \textparagraph \textparagraph \protect \nobreakspace {}5--6|

Passed: \@format@pageno {-34/a}

Test: 34(a)|

Exp: 34(a)|

Passed: \@format@pageno {!A5}

Test: \hi@pgnum@raw A5|

Exp: \hi@pgnum@raw A5|

Passed: \@format@pageno {*123-125}

Test: *123--25|

Exp: *123--25|

8.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}

Test: |

Exp: |

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}

Test: |, at |

Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}

Test: |

Exp: |

Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}

Test: |, at |

Exp: |, at |

Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}

Test: |

Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}

Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}

Test: |
Exp: |

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: | at |
Exp: | at |

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: | at |
Exp: | at |

9 parens.dtx

9.1 Ordering

Passed: \hi@parens ->

Test: \@paren {\z@ }\{Zero}\@paren {\@ne }\{One}\@paren {\tw@ }\{Two}
Exp: \@paren {\z@ }\{Zero}\@paren {\@ne }\{One}\@paren {\tw@ }\{Two}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }\{generic}
Exp: \@paren {\hi@paren@cite }\{generic}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@comment }\{\hi@fn@sig {discussed in}
 \clause {a}}
Exp: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@comment }\{\hi@fn@sig {discussed in}
 \clause {a}}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@cite }\{quoting \clause {b}}\@paren
 {\hi@paren@comment }\{\hi@fn@sig {discussed in} \clause {a}}
Exp: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@cite }\{quoting \clause {b}}\@paren
 {\hi@paren@comment }\{\hi@fn@sig {discussed in} \clause {a}}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@cite }\{quoting \clause {b}}\@paren
 {\hi@paren@comment }\{\hi@fn@sig {discussed in} \clause {a}}
Exp: \@paren {\hi@paren@cite }\{generic}\@paren {\hi@paren@cite }\{quoting \clause {b}}\@paren
 {\hi@paren@comment }\{\hi@fn@sig {discussed in} \clause {a}}

Passed: \TestDefer ->

Test: Deferred c
Exp: Deferred c

9.2 Deferred Notes

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: $\left[\begin{smallmatrix} 5 \\ \text{abc} \end{smallmatrix} \right]$

Exp: $\left[\begin{smallmatrix} 5 \\ \text{abc} \end{smallmatrix} \right]$

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: $\left[\begin{smallmatrix} 6 \\ \text{def} \end{smallmatrix} \right]$

Exp: $\left[\begin{smallmatrix} 6 \\ \text{def} \end{smallmatrix} \right]$

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: $\left[\begin{smallmatrix} 7 \\ \text{ghi} \end{smallmatrix} \right]$

Exp: $\left[\begin{smallmatrix} 7 \\ \text{ghi} \end{smallmatrix} \right]$

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: | jkl mno

Exp: | jkl mno

9.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: (abc).|

Exp: (abc).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: (abc.).|

Exp: (abc.).|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: , abc.|

Exp: , abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: , abc.|

Exp: , abc.|

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue } }\hi@parens@show \if@hi@dot \else .\fi

Test: , abc.|

Exp: , abc.|

10 toa.dtx

10.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test:
Exp:

Passed: \WrittenText ->

Test: \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}
Exp: \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}
Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test:
Exp:

Passed: \WrittenText ->

Test: \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}
Exp: \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{other:Other Source/s}}{}}
Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test:
Exp:

Passed: \WrittenText ->

Test:
Exp:

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test:
Exp:

Passed: \WrittenText ->

Test:
Exp:

10.2 Aux File Reading

Passed: \PageTestResult ->

Test: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }
Exp: {\hi@pg@ref }{\v}{5}{\csname @roman\endcsname \c@page }

Passed: \ListTestResult ->

Test: {ref}{other}{Other Source/s}
Exp: {ref}{other}{Other Source/s}

10.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: ABCDE...12FGHIJ
Exp: ABCDE...12FGHIJ

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: ABCDE...12FGHIJ...15A...2B
Exp: ABCDE...12FGHIJ...15A...2B

Passed: \hi@toa@makesortable {ref}

Test: KLMNO...25PQRST

Exp: |KLMNO...25PQRST|

10.4 Heading Lists

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: |Regulation|

Exp: |Regulation|

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: |Regulations|

Exp: |Regulations|

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: |Regulations and Treaty|

Exp: |Regulations and Treaty|

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: |Regulations, Treaty and Statute|

Exp: |Regulations, Treaty and Statute|

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: |Regulations, Treaties and Statute|

Exp: |Regulations, Treaties and Statute|

10.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|

Exp: |refM,|

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: |item|

Exp: |item|

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refM,|

Exp: |refM,|

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: |item|

Exp: |item|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refM,|

Exp: |refA, refM,|

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: |items|

Exp: |items|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refI, refM,|

Exp: |refA, refI, refM,|

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: |items and element|

Exp: |items and element|

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: |refA, refI, refM,|

Exp: |refA, refI, refM, |
Probably passed: AssertBox: \hi@toa@headlist@show {list}
Test: |items and element|
Exp: |items and element|

10.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}
Test: |ii|
Exp: |ii|

Passed: \hi@toa@refcount {ref}
Test: |1|
Exp: |1|

Passed: \the \everypar
Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}
Test: |2|
Exp: |2|

Passed: \the \everypar
Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: |ii--iii|
Exp: |ii--iii|

Passed: \hi@toa@refcount {ref}
Test: |3|
Exp: |3|

Passed: \the \everypar
Test: |
Exp: |

Passed: \hi@toa@usepg {ref}
Test: |ii--iv|
Exp: |ii--iv|

Passed: \hi@toa@refcount {ref}
Test: |4|
Exp: |4|

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*
Test: |\StarMark \everypar {}|
Exp: |\StarMark \everypar {}|

Passed: \hi@toa@usepg {ref}
Test: |ii--iv, 4|
Exp: |ii--iv, 4|

Passed: \hi@toa@refcount {ref}
Test: |5|
Exp: |5|

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}
Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5
Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}
Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7
Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}
Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText
Passed: \hi@toa@usepg {ref}
Test: \PassimText
Exp: \PassimText
Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

10.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}
Test: 1-2, 3-4, 5
Exp: 1-2, 3-4, 5

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	A B C D E F . . 1-2, 3, 4, 5	A B C D E F G . 1-2, 3, 4, 5	A B C D E F G H . . 1-2, 3, 4, 5

10.8 TOA Categories

Passed: \hi@toacat@get {garcia}
Test: case:Case/s
Exp: case:Case/s
Passed: \hi@toacat@get {dc-comics}
Test: other:Other Source/s
Exp: other:Other Source/s
Passed: \hi@toacat@get {faceoff}
Test: m:Motion Picture/s

Exp: |m:Motion Picture/s|
Passed: \catlist ->
Test: |case, const, edict, m, other|
Exp: |case, const, edict, m, other|

11 draw.dtx

11.1 Which

Passed: \hi@draw@which {sc,fc}
Test: |fc|
Exp: |fc|
Passed: \hi@draw@which {sc,fc}
Test: |sc|
Exp: |sc|
Passed: \hi@draw@which {isc,sc,fc}
Test: |sc|
Exp: |sc|

12 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden
Test: |Am. U. L. Rev.|
Exp: |Am. U. L. Rev.|
Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden
Test: |B.U. L.J.|
Exp: |B.U. L.J.|
Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden
Test: |Am. L. Wkly.|
Exp: |Am. L. Wkly.|
Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden
Test: |Am. Law.|
Exp: |Am. Law.|
Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden
Test: |Law Wkly.|
Exp: |Law Wkly.|
Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden
Test: |Calif. L. Rev.|
Exp: |Calif. L. Rev.|
Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden
Test: |Calif. L. Rev. Online|
Exp: |Calif. L. Rev. Online|
Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden
Test: |S. Cal. L. Rev.|
Exp: |S. Cal. L. Rev.|
Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden
Test: |spec. rev. ed.|
Exp: |spec. rev. ed.|

13 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |Book Title|

Exp: |Book Title|

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |BOOK TITLE|

Exp: |BOOK TITLE|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

14 format.dtx

14.1 Ordinal Numbers

Passed: \hi@numtotxt {1}

Test: |First|

Exp: |First|

Passed: \hi@numtotxt {2}

Test: |Second|

Exp: |Second|

Passed: \hi@numtotxt {10}

Test: |Tenth|

Exp: |Tenth|

Passed: \hi@numtotxt {12}

Test: |Twelfth|

Exp: |Twelfth|

Passed: \hi@numtotxt {45}

Test: |Forty-Fifth|

Exp: |Forty-Fifth|

Passed: \hi@numtotxt {82}

Test: |Eighty-Second|

Exp: |Eighty-Second|

Passed: \hi@numtotxt {90}

Test: |Ninetieth|

Exp: |Ninetieth|

Passed: \hi@numtotxt {123}

Test: |123d|

Exp: |123d|

Passed: \hi@numtotxt {20000}

Test: |Twenty Thousandth|

Exp: |Twenty Thousandth|

Passed: \hi@numtotxt {23456}

Test: |23,456th|

Exp: |23,456th|

14.2 Capitalization

Probably passed: AssertBox: \@capnext hello

Test: |hello|
Exp: |hello|

Probably passed: AssertBox: \@capnext Hello

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext Hello

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext \emph {hello}

Test: |Hello|
Exp: |Hello|

Probably passed: AssertBox: \@capnext eBay

Test: |eBay|
Exp: |eBay|

Probably passed: AssertBox: \@capnext emBay

Test: |EmBay|
Exp: |EmBay|

Probably passed: AssertBox: \@capnext \emph {\textsection \textsection ~123--124}

Test: |Sections 123–124|
Exp: |Sections 123–124|

Probably passed: AssertBox: \@capnext \emph {\textparagraph ~15}

Test: |Paragraph 15|
Exp: |Paragraph 15|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: |The Great Escape|
Exp: |The Great Escape|

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: |the Great Escape|
Exp: |the Great Escape|

14.3 Commas

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello World}

Test: |Hello World,|
Exp: |Hello World,|

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello ``World''}

Test: |Hello “World,”|
Exp: |Hello “World,”|

15 caseref.dtx

15.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}

Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}

Passed: \hi@case@shortfmt {Test}

Test: |Test|
Exp: |Test|

Passed: \hi@case@shortfmt {Test, Inc.}

Test: Test|
Exp: Test|

Passed: \hi@case@shortfmt {Test USA, Inc.}

Test: Test|
Exp: Test|

Test passed: \hi@case@scorename {Wheaton}: 4000>0
Test passed: \hi@case@scorename {}: -10000<0
Test passed: \hi@case@scorename {Wheaton}: 4000>0
Test passed: \hi@case@scorename {Bank of America}: 3000>0
Test passed: \hi@case@scorename {FTC}: 2000>0

15.2 Name Formatting

15.2.1 Named Parties

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}|
Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

15.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}|
Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}|
Exp: \hi@fn@casesc {Wheaton}|

15.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}
Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}
Exp: \hi@fn@casesc {Federal Trade Commission}

15.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}
Exp: \hi@fn@casesc {Actavis}

15.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{(``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{(``\hi@fn@casesc {Actavis II}'')\protect \@hi@dotfalse }

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}
Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Actavis II}
Exp: \hi@fn@casesc {Actavis II}

15.2.6 Parties and Name

Passed: \hi@kv@name ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litigation})

Passed: \hi@kv@aname ->
Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}
Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}
Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}

15.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->
Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@lname ->
Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->
Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}

Passed: \hi@kv@inline ->
Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

Passed: \hi@kv@ainline ->
Test: \hi@fn@casesc {Wands}
Exp: \hi@fn@casesc {Wands}

15.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}
Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}
Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}
Exp: \hi@fn@casesc {The United States Ship}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}
Exp: \hi@fn@casesc {The U.S. Ship}

15.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

15.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

15.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

15.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ⁸[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ⁹[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹⁰[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

15.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹¹[*Oil Co. v. Atlantic*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹²[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹²[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* *Oil Co. v. Atlantic*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-rd-dct}

Test: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹³[*Oil Co. v. Atl. Richfield*, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {plessy}

Test: ¹⁴[*Plessy v. Ferguson*, 163 U.S. 537 (1896), *overruled by* *Brown v. Bd. of Educ. of Topeka*, 347 U.S. 483 (1954).]
Exp: ¹⁴[*Plessy v. Ferguson*, 163 U.S. 537 (1896), *overruled by* *Brown v. Bd. of Educ. of Topeka*, 347 U.S. 483 (1954).]

Probably passed: AssertBox: \note {us-v-craft}

Test: ¹⁵[*United States v. Craft*, 535 U.S. 274 (2002).]
Exp: ¹⁵[*United States v. Craft*, 535 U.S. 274 (2002).]

Probably passed: AssertBox: \note {berge-v-board}

Test: ¹⁶[*United States ex rel. Berge v. Bd. of Trs.*, 104 F.3d 1453 (4th Cir. 1997).]
Exp: ¹⁶[*United States ex rel. Berge v. Bd. of Trs.*, 104 F.3d 1453 (4th Cir. 1997).]

16 statrefs.dtx

Probably passed: AssertBox: \inline {271}

Test: 35 U.S.C. § 271|
Exp: 35 U.S.C. § 271|

Probably passed: AssertBox: \note {271 at /b}

Test: ¹⁷[35 U.S.C. § 271(b).]|
Exp: ¹⁷[35 U.S.C. § 271(b).]|

Probably passed: AssertBox: \Inline {273}

Test: Section 273 of title 35 of the U.S. Code|
Exp: Section 273 of title 35 of the U.S. Code|

Probably passed: AssertBox: \note {dmca}

Test: ¹⁸[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204.]|
Exp: ¹⁸[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204.]|

Probably passed: AssertBox: \inline {dmca}

Test: the Digital Millennium Copyright Act (“DMCA”)|
Exp: the Digital Millennium Copyright Act (“DMCA”)|

Probably passed: AssertBox: \note {dmca at S 1201}

Test: ¹⁹[DMCA § 1201.]|
Exp: ¹⁹[DMCA § 1201.]|

Probably passed: AssertBox: \inline {dmca}

Test: the DMCA|
Exp: the DMCA|

Probably passed: AssertBox: \Inline {dmca}

Test: The DMCA|
Exp: The DMCA|

Probably passed: AssertBox: \inline {dmca at S 1201}

Test: § 1201|
Exp: § 1201|

Probably passed: AssertBox: \note {337}

Test: ²⁰[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|
Exp: ²⁰[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]|

Probably passed: AssertBox: \inline {337}

Test: section 337 of the Tariff Act of 1930|
Exp: section 337 of the Tariff Act of 1930|

Probably passed: AssertBox: \note {337 at /a}

Test: ²¹[Tariff Act § 337(a).]|
Exp: ²¹[Tariff Act § 337(a).]|

Probably passed: AssertBox: \inline {337}

Test: section 337|
Exp: section 337|

Probably passed: AssertBox: \inline {337 at /a}

Test: section 337(a)|
Exp: section 337(a)|

Probably passed: AssertBox: \note {fdara}

Test: ²²[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|
Exp: ²²[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]|

Probably passed: AssertBox: \inline {fdara}

Test: the FDA Reauthorization Act of 2017 (“FDARA”)|
Exp: the FDA Reauthorization Act of 2017 (“FDARA”)|

Probably passed: AssertBox: \inline {fdara}
Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \Inline {fdara}
Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \inline {fdara at S 1}
Test: § 1 of FDARA
Exp: § 1 of FDARA

Probably passed: AssertBox: \footnote {\inline {caa}. \sentence {caa}.}
Test: ²³[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730.]
Exp: ²³[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730.]

16.1 Model Code Parenthetical

Passed: \hi@modelcode@dateparen ->
Test: 2000
Exp: 2000

Passed: \hi@modelcode@dateparen ->
Test: \hi@fn@bookauthor {Am. L. Inst.} 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.} 2000

Passed: \hi@modelcode@dateparen ->
Test: \hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000

Passed: \hi@modelcode@dateparen ->
Test: \hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000
Exp: \hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000

Probably passed: AssertBox: \note {ali at S 847A}
Test: ²⁴[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]
Exp: ²⁴[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]

Probably passed: AssertBox: \note {ali at S 847A}
Test: ²⁵[*Id.*]
Exp: ²⁵[*Id.*]

Probably passed: AssertBox: \note {ali at S 848}
Test: ²⁶[RESTATEMENT (SECOND) OF TORTS § 848.]
Exp: ²⁶[RESTATEMENT (SECOND) OF TORTS § 848.]

17 govrefs.dtx

Probably passed: AssertBox: \note {yoda-2015}
Test: ²⁷[You Own Devices Act, H.R. 862, 114th Cong. (Feb. 11, 2015).]
Exp: ²⁷[You Own Devices Act, H.R. 862, 114th Cong. (Feb. 11, 2015).]

Probably passed: AssertBox: \inline {mapia}
Test: the Medication Affordability and Patient Integrity Act (“MAPIA”)
Exp: the Medication Affordability and Patient Integrity Act (“MAPIA”)

Probably passed: AssertBox: \note {mapia}
Test: ²⁸[Medication Affordability and Patient Integrity Act (MAPIA), S. 2658, 119th Cong. (as reported by S. Health, Education, Labor & Pensions Comm., June 17, 2026).]
Exp: ²⁸[Medication Affordability and Patient Integrity Act (MAPIA), S. 2658, 119th Cong. (as reported by S. Health, Education, Labor & Pensions Comm., June 17, 2026).]

Probably passed: AssertBox: \inline {mapia}

Test: MAPIA
Exp: MAPIA

Probably passed: AssertBox: \note {mapia at S 1}

Test: ²⁹[S. 2658, § 1.]
Exp: ²⁹[S. 2658, § 1.]

Probably passed: AssertBox: \note {oda-report at 5}

Test: ³⁰[ORPHAN DRUG ACT, H.R. REP. NO. 97-840, at 5 (1982).]
Exp: ³⁰[ORPHAN DRUG ACT, H.R. REP. NO. 97-840, at 5 (1982).]

Probably passed: AssertBox: \note {azar-hearing}

Test: ³¹[Nomination of Alex Azar to Serve as Secretary of Health and Human Services: Hearing Before the S. Comm. Health, Education, Labor & Pensions, 115th Cong. (Nov. 29, 2017).]
Exp: ³¹[Nomination of Alex Azar to Serve as Secretary of Health and Human Services: Hearing Before the S. Comm. Health, Education, Labor & Pensions, 115th Cong. (Nov. 29, 2017).]

18 bookrefs.dtx

18.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test: |
Exp: |

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}
Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}
Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|
Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

18.2 Cite Containers

Probably passed: AssertBox: \note {pantzer at 100}

Test: ³²[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]|
Exp: ³²[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]|

Probably passed: AssertBox: \note {adams-lee at 174}

Test: ³³[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]|
Exp: ³³[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]|

Probably passed: AssertBox: \note {johnston at 12; see smith-object at 76}

Test: ³⁴[NAMING THE WORLD 12 (Bret Anthony Johnston ed., 2007); see R.T. Smith, *Object of Affection*, in NAMING THE WORLD, *supra*, at 75, 76.]|
Exp: ³⁴[NAMING THE WORLD 12 (Bret Anthony Johnston ed., 2007); see R.T. Smith, *Object of Affection*, in NAMING THE WORLD, *supra*, at 75, 76.]|

19 artrefs.dtx

Probably passed: AssertBox: \note {tu-kesselheim}

Test: ³⁵[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]|
Exp: ³⁵[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]|

19.1 Article Dates

Probably passed: AssertBox: \note {jrnartyearonly}

Test: ³⁶[A B, *Year Only Article*, 2014 J.L. 123.]|
Exp: ³⁶[A B, *Year Only Article*, 2014 J.L. 123.]|

Probably passed: AssertBox: \note {jrnartyearvol}

Test: ³⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]|
Exp: ³⁷[C D, *Same Year and Volume Article*, 2014 J.L. 123.]|

Probably passed: AssertBox: \note {procartyearonly}

Test: ³⁸[A B, *Year Only Article*, in 2014 PROC. L. no. 15.]|
Exp: ³⁸[A B, *Year Only Article*, in 2014 PROC. L. no. 15.]|

Probably passed: AssertBox: \note {procartyearvol}

Test: ³⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]|
Exp: ³⁹[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]|

19.2 Manuscript

Probably passed: AssertBox: \inline {testmanuscript}

Test: |John Doe|
Exp: |John Doe|

Probably passed: AssertBox: \note {testmanuscript}

Test: ⁴⁰[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]
Exp: ⁴⁰[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]

Probably passed: AssertBox: \inline {testmanuscript}

Test: Doe
Exp: Doe

19.3 Website

Probably passed: AssertBox: \note {romano}

Test: ⁴¹[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]
Exp: ⁴¹[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]

20 genparams.dtx

20.1 Parallel Cites

Probably passed: AssertBox: \note {semayne}

Test: ⁴²[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]
Exp: ⁴²[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]

Probably passed: AssertBox: \note {semayne at 195 ::coke: 91b}

Test: ⁴³[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]
Exp: ⁴³[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]

21 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ⁴⁴[A A, TITLE (3d ed. 2020).]
Exp: ⁴⁴[A A, TITLE (3d ed. 2020).]

Probably passed: AssertBox: \note {b}

Test: ⁴⁵[B B, TITLE (rev. 3, spec. ed. 2020).]
Exp: ⁴⁵[B B, TITLE (rev. 3, spec. ed. 2020).]

Probably passed: AssertBox: \note {c-d}

Test: ⁴⁶[COMPILATION (C C & D D eds., 2020).]
Exp: ⁴⁶[COMPILATION (C C & D D eds., 2020).]

Passed: \hi@kv@number ->

Test: 11
Exp: 11

Passed: \hi@kv@publisher ->

Test:
Exp:

Passed: \hi@kv@number ->

Test: No. 12345
Exp: No. 12345

Passed: \hi@kv@publisher ->

Test: Cong. Rsch. Serv.
Exp: Cong. Rsch. Serv.

Passed: \hi@kv@number ->

Test: No. 12345

Exp: |No. 12345|
Passed: \hi@kv@publisher ->
 Test: |Cong. Rsch. Serv.|
 Exp: |Cong. Rsch. Serv.|
Passed: \hi@kv@edtype ->
 Test: |eds. \& trans.|
 Exp: |eds. \& trans.|

22 strings.dtx

Passed: \test ->
 Test: |\yes {This is a }{test}|
 Exp: |\yes {This is a }{test}|
Passed: \test ->
 Test: |\no |
 Exp: |\no |
Passed: \test ->
 Test: |yes{ you are wonderful}|
 Exp: |yes{ you are wonderful}|
Passed: \test ->
 Test: |no|
 Exp: |no|

23 abbrev.dtx

Passed: \abb@abbrev {test}{Company}
 Test: |Co.|
 Exp: |Co.|
Passed: \abb@abbrev {test}{The Company}
 Test: |The Co.|
 Exp: |The Co.|
Passed: \abb@abbrev {test}{Company Treasure}
 Test: |Co. Treasure|
 Exp: |Co. Treasure|
Passed: \abb@abbrev {test}{The Company Treasure}
 Test: |The Co. Treasure|
 Exp: |The Co. Treasure|
Passed: \abb@abbrev {test}{The Companying Art}
 Test: |The Companying Art|
 Exp: |The Companying Art|
Passed: \abb@abbrev {test}{Companying Art}
 Test: |Companying Art|
 Exp: |Companying Art|
Passed: \abb@abbrev {test}{AcCompany Art}
 Test: |AcCompany Art|
 Exp: |AcCompany Art|
Passed: \abb@abbrev {test}{An AcCompany Art}
 Test: |An AcCompany Art|
 Exp: |An AcCompany Art|

Passed: \abb@abbrev {test}{An Ac{ }Company Art}
Test: An Ac{ }Co. Art
Exp: An Ac{ }Co. Art

Passed: \abb@abbrev {test}{Big Company}
Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}
Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}
Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}
Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}
Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}
Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}
Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}
Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}
Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}
Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}
Passed: \abb@abbrev {test}{First Company}
Test: FiComp.
Exp: FiComp.

Passed: \abb@abbrev {test}{First Company Treasure}
Test: FiComp. Treasure
Exp: FiComp. Treasure

Passed: \abb@abbrev {test}{The First Company}
Test: The First Co.
Exp: The First Co.

```

    Passed: \abb@abbrev {test}{The First Company Treasure}
Test: The First Co. Treasure
Exp: The First Co. Treasure

    Passed: \abb@abbrev {test}{abc delete def}
Test: abc def
Exp: abc def

    Passed: \abb@abbrev {test}{abc delete}
Test: abc
Exp: abc

    Passed: \abb@abbrev {test}{delete def}
Test: def
Exp: def

    Passed: \abb@abbrev {test}{delete}
Test:
Exp:

    Passed: \abb@abbrev {test}{a delete-fail}
Test: a delete-fail
Exp: a delete-fail

    Passed: \abb@abbrev {test}{a-delete fail}
Test: a-delete fail
Exp: a-delete fail

    Passed: \abb@abbrev {test}{Really Big delete Company}
Test: R.B. Co.
Exp: R.B. Co.

    Passed: \abb@abbrev {test}{Really Big delete-Company}
Test: R.B. delete-Co.
Exp: R.B. delete-Co.

```

471 tests performed. All tests passed.