

Hicite Unit Tests

Charles Duan

September 5, 2026

1 refs.dtx

1.1 defcitegroup

Passed: \testregister ->

Test: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$
Exp: $\{a\}\{\text{Prefix } a\}\{b\}\{\text{Prefix } b\}\{c\}\{\text{Prefix } c\}$

Passed: \testregister ->

Test: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$
Exp: $\{\text{pre-}a\}\{\text{Prefix } a\}\{\text{pre-}b\}\{\text{Prefix } b\}\{\text{pre-}c\}\{\text{Prefix } c\}$

2 cparse.dtx

2.1 Volume/Reporter/Page

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: F.3d
Exp: F.3d

Passed: AssertEqual

Test: 456
Exp: 456

Passed: AssertEqual

Test: 123
Exp: 123

Passed: AssertEqual

Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual

Test: S 456

```

Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |F.3d|
Exp: |F.3d|
      Passed: AssertEqual
Test: |456|
Exp: |456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|
      Passed: AssertEqual
Test: |123|
Exp: |123|
      Passed: AssertEqual
Test: |U.S.C.|
Exp: |U.S.C.|
      Passed: AssertEqual
Test: |S 456|
Exp: |S 456|
      Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
      Passed: \testyear ->
Test: |2000|
Exp: |2000|

```

Passed: AssertEqual
Test: 123
Exp: 123

Passed: AssertEqual
Test: U.S.C.
Exp: U.S.C.

Passed: AssertEqual
Test: S 456
Exp: S 456

Test passed: AssertFalse: \@test \ifx \testyear \relax \fi
Passed: \testyear ->
Test: 2000
Exp: 2000

Probably passed: AssertBox: \inline {thefda}
Test: the Food and Drug Administration (“FDA”)
Exp: the Food and Drug Administration (“FDA”)

Probably passed: AssertBox: \inline {thefda}
Test: the FDA
Exp: the FDA

3 names.dtx

3.1 Name Splitting

Passed: \hi@namesplit {Aristotle}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle Jr.}\TestNameSplit
Test: Aristotle//Jr.//
Exp: Aristotle//Jr.//

Passed: \hi@namesplit {Aristotle et al.}\TestNameSplit
Test: Aristotle///
Exp: Aristotle///
Passed: \hi@namesplit {Aristotle, Platonian Academy}\TestNameSplit
Test: Aristotle///Platonian Academy/
Exp: Aristotle///Platonian Academy/

Passed: \hi@namesplit {Aristotle III, Academy}\TestNameSplit
Test: Aristotle//III/Academy/
Exp: Aristotle//III/Academy/

Passed: \hi@namesplit {John Doe}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe et al.}\TestNameSplit
Test: John/Doe///
Exp: John/Doe///
Passed: \hi@namesplit {John Doe II et al.}\TestNameSplit
Test: John/Doe/II///
Exp: John/Doe/II///
Passed: \hi@namesplit {John Doe II, Firm et al.}\TestNameSplit
Test: John/Doe/II/Firm/
Exp: John/Doe/II/Firm/

Exp: |John/Doe/II/Firm/\hi@etal |
Passed: \hi@namesplit {Georg von Trapp}\TestNameSplit
Test: |Georg/von Trapp///|
Exp: |Georg/von Trapp///|
Passed: \hi@namesplit {Georg von Trapp, Austria}\TestNameSplit
Test: |Georg/von Trapp//Austria/|
Exp: |Georg/von Trapp//Austria/|
Passed: \hi@namesplit {Georg von Trapp Jr., Austria}\TestNameSplit
Test: |Georg/von Trapp/Jr./Austria/|
Exp: |Georg/von Trapp/Jr./Austria/|
Passed: \hi@namesplit {Jane {Double Barrelled}}\TestNameSplit
Test: |Jane/Double Barrelled///|
Exp: |Jane/Double Barrelled///|
Passed: \hi@namesplit {Jane {Double Barrelled Jr.}}\TestNameSplit
Test: |Jane/Double Barrelled/Jr.//|
Exp: |Jane/Double Barrelled/Jr.//|
Passed: \hi@namesplit {Jane {Double Barrelled {bis}}}\TestNameSplit
Test: |Jane/Double Barrelled/bis//|
Exp: |Jane/Double Barrelled/bis//|
Passed: \hi@nameproc@inst {Federal Trade Commission}
Test: |Fed. Trade Comm'n|
Exp: |Fed. Trade Comm'n|
Passed: \hi@nameproc@person {John Q. Public}\TestNameprocPerson
Test: |John Q. Public/Public|
Exp: |John Q. Public/Public|
Passed: \hi@nameproc@person {John Q. Public et al.}\TestNameprocPerson
Test: |John Q. Public\hi@etal /Public\hi@etal |
Exp: |John Q. Public\hi@etal /Public\hi@etal |
Passed: \hi@nameproc@person {Martin Luther King Jr. et al.}\TestNameprocPerson
Test: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Exp: |Martin Luther King Jr.\hi@etal /King\hi@etal |
Passed: \hi@nameproc@person {John Doe, United States Army}\TestNameprocPerson
Test: |John Doe, U.S. Army/Doe|
Exp: |John Doe, U.S. Army/Doe|

3.2 Name List Arrangement

Passed: \hi@kv@test ->
Test: |A|
Exp: |A|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@and B|
Exp: |A\hi@namelist@and B|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C|
Exp: |A\hi@namelist@comma B\hi@namelist@and C|
Passed: \hi@kv@test ->
Test: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|
Exp: |A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z|

```

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: \hi@namelist@insts Z\hi@namelist@and Y
Exp: \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

    Passed: \hi@kv@test ->
Test: A\hi@namelist@and B, \hi@namelist@insts Z
Exp: A\hi@namelist@and B, \hi@namelist@insts Z

    Passed: \hi@kv@test ->
Test: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y
Exp: A\hi@namelist@comma B\hi@namelist@and C, \hi@namelist@insts Z\hi@namelist@and Y

```

4 dates.dtx

```

    Passed: \hi@date@parse {!foobar baz}
Test: foobar baz
Exp: foobar baz

    Passed: \hi@date@parse {feb 15 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {15 feb 2021}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 15 feb}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {2021 feb 15}
Test: Feb. 15, 2021
Exp: Feb. 15, 2021

    Passed: \hi@date@parse {feb 15-20 2021}
Test: Feb. 15--20, 2021
Exp: Feb. 15--20, 2021

    Passed: \hi@date@parse {feb 2021}
Test: Feb. 2021
Exp: Feb. 2021

    Passed: \hi@date@parse {feb-april 2021}
Test: Feb.--Apr. 2021
Exp: Feb.--Apr. 2021

    Passed: \hi@date@parse {2021}
Test: 2021
Exp: 2021

    Passed: \hi@date@parse {2021-2022}
Test: 2021--2022
Exp: 2021--2022

```

Passed: \hi@date@parse {538 bc}

Test: 538 \BC |
Exp: 538 \BC |

Passed: \hi@date@parse {538 ad}

Test: \AD ~538 |
Exp: \AD ~538 |

Passed: \hi@date@parse {c 538 ad}

Test: c.~\AD ~538 |
Exp: c.~\AD ~538 |

Passed: \hi@date@parse {c 538 ace}

Test: c.~538 \ACE |
Exp: c.~538 \ACE |

Passed: \hi@date@parse {nd}

Test: n.d\@ . |
Exp: n.d\@ . |

Passed: \hi@date@parse {signed feb 15 2021}

Test: \hi@fn@dateprefix {signed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed} Feb. 15, 2021 |

Passed: \hi@date@parse {{may} feb 15 2021}

Test: \hi@fn@dateprefix {may} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {may} Feb. 15, 2021 |

Passed: \hi@date@parse {signed into law feb 15 2021}

Test: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {signed into law} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{feb 15 2021}

Test: \hi@fn@dateprefix {issued} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {issued} Feb. 15, 2021 |

Passed: \hi@date@parse [issued]{filed feb 15 2021}

Test: \hi@fn@dateprefix {filed} Feb. 15, 2021 |
Exp: \hi@fn@dateprefix {filed} Feb. 15, 2021 |

5 xref.dtx

Probably passed: AssertBox: \footnote {a \hilabel {lbl} b}

Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->

Test: \newlabel{lbl}{{}{note~}{4}{} } |
Exp: \newlabel{lbl}{{}{note~}{4}{} } |

Passed: \hir@lbl ->

Test: {note~}{} |
Exp: {note~}{} |

Probably passed: AssertBox: \footnote {a \hilabel [discussion]{lbl} b}

Test: ⁴[a b] |
Exp: ⁴[a b] |

Passed: \WrittenText ->

Test: \newlabel{lbl}{{[discussion]}{note~}{4}{} } |
Exp: \newlabel{lbl}{{[discussion]}{note~}{4}{} } |

Passed: \hir@lbl ->
Test: $\{\text{note~}\{\}\}$
Exp: $\{\text{note~}\{\}\}$

Probably passed: AssertBox: \footnote {a \hiendlabel {lbl} b}
Test: $\begin{matrix} 4 \\ \left[\begin{matrix} a & b \end{matrix} \right] \end{matrix}$
Exp: $\begin{matrix} 4 \\ \left[\begin{matrix} a & b \end{matrix} \right] \end{matrix}$

Passed: \WrittenText ->
Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes~}\}\{4\}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes~}\}\{4\}\}$

Passed: \hir@lbl ->
Test: $\{\text{note~}\{\}\}$
Exp: $\{\text{note~}\{\}\}$

5.1 In Text

Probably passed: AssertBox: a \hilabel {lbl} b
Test: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$
Exp: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$

Passed: \WrittenText ->
Test: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{text accompanying note~}\}\{4\}\{\}\}$
Exp: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{text accompanying note~}\}\{4\}\{\}\}$

Passed: \hir@lbl ->
Test: $\{\text{text accompanying note~}\}\{\}$
Exp: $\{\text{text accompanying note~}\}\{\}$

Probably passed: AssertBox: a \hiendlabel {lbl} b
Test: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$
Exp: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$

Passed: \WrittenText ->
Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes~}\}\{3\}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{text accompanying notes~}\}\{3\}\}$

Passed: \hir@lbl ->
Test: $\{\text{text accompanying note~}\}\{\}$
Exp: $\{\text{text accompanying note~}\}\{\}$

Probably passed: AssertBox: a \hitanlabel {lbl} b
Test: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$
Exp: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$

Passed: \WrittenText ->
Test: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{note~}\}\{4\}\{\text{ and accompanying text}\}\}$
Exp: $\backslash\text{newlabel}\{\text{lbl}\}\{\{\}\}\{\text{note~}\}\{4\}\{\text{ and accompanying text}\}\}$

Passed: \hir@lbl ->
Test: $\{\text{note~}\}\{\text{ and accompanying text}\}$
Exp: $\{\text{note~}\}\{\text{ and accompanying text}\}$

Probably passed: AssertBox: a \hiendtanlabel {lbl} b
Test: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$
Exp: $\begin{matrix} a & b \\ \left| \right. \end{matrix}$

Passed: \WrittenText ->
Test: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes~}\}\{3\}\}$
Exp: $\backslash\text{newlabel}\{\text{end:lbl}\}\{\{\text{notes~}\}\{3\}\}$

Passed: \hir@lbl ->
Test: $\{\text{note~}\}\{\text{ and accompanying text}\}$

Exp: |{note~}{ and accompanying text}|

5.2 Floats

Probably passed: AssertBox: a \hilabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{}{Figure~}{4}}{|
Exp: |\newlabel{lbl}{{}{Figure~}{4}}{|

Passed: \hir@lbl ->

Test: |{Figure~}{}|
Exp: |{Figure~}{}|

Probably passed: AssertBox: a \hiendlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Figures~}{4}}{|
Exp: |\newlabel{end:lbl}{{Figures~}{4}}{|

Passed: \hir@lbl ->

Test: |{Figure~}{}|
Exp: |{Figure~}{}|

5.3 Sections

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Section~}{III.A}}{|
Exp: |\newlabel{lbl}{{background}{Section~}{III.A}}{|

Passed: \hir@lbl ->

Test: |{Section~}{}|
Exp: |{Section~}{}|

Probably passed: AssertBox: a \hisectlabel [background]{lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{lbl}{{background}{Part~}{III}}{|
Exp: |\newlabel{lbl}{{background}{Part~}{III}}{|

Passed: \hir@lbl ->

Test: |{Part~}{}|
Exp: |{Part~}{}|

Probably passed: AssertBox: a \hiendsectlabel {lbl} b

Test: |a b|
Exp: |a b|

Passed: \WrittenText ->

Test: |\newlabel{end:lbl}{{Sections~}{III.B}}{|
Exp: |\newlabel{end:lbl}{{Sections~}{III.B}}{|

Passed: \hir@lbl ->

Test: |{Section~}{}|

Exp: |{Section~}{~}|

5.4 Parsing

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{note 3 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {infra}}{notes 3--5 and accompanying text}|

Passed: \@this@page ->

Test: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|
Exp: |{discussion}{\hi@fn@sig {supra}}{notes 3--5 and accompanying text}|

5.5 Formatting

Probably passed: AssertBox: \fc@this

Test: |*infra* Section III|
Exp: |*infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion *supra* notes 2-3|
Exp: |discussion *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |remarks *infra* Section III|
Exp: |remarks *infra* Section III|

Probably passed: AssertBox: \fc@this

Test: |remarks *supra* notes 2-3|
Exp: |remarks *supra* notes 2-3|

Probably passed: AssertBox: \fc@this

Test: |Section III|
Exp: |Section III|

Probably passed: AssertBox: \fc@this

Test: |discussion|
Exp: |discussion|

6 urls.dtx

6.1 URL to Link Conversion

Passed: \csname hi@u\the \hi@url@count @link\endcsname

Test: |http://www.google.com|
Exp: |http://www.google.com|

Passed: \csname hi@u\the \hi@url@count @link\endcsname

Test: |http://www.google.com?q=_|
Exp: |http://www.google.com?q=_|

Passed: \csname hi@u\the \hi@url@count @link\endcsname

Test: |http://www.google.com|
Exp: |http://www.google.com|

6.2 URL to Text Conversion

Passed: \csname hi@u\the \hi@url@count @text\endcsname

Test: `\unhbox \voidb@x \protect \hi@url@insertbox {:}{4}\protect \hi@uchar@break \protect \hi@url@insertbox {a}{4}`

Exp: `\unhbox \voidb@x \protect \hi@url@insertbox {:}{4}\protect \hi@uchar@break \protect \hi@url@insertbox {a}{4}`

Passed: \csname hi@u\the \hi@url@count @text\endcsname

Test: `\unhbox \voidb@x \protect \hi@url@insertbox {:}{5}\protect \hi@uchar@spacenobreak \protect \hi@url@insertbox {/}{5}`

Exp: `\unhbox \voidb@x \protect \hi@url@insertbox {:}{5}\protect \hi@uchar@spacenobreak \protect \hi@url@insertbox {/}{5}`

Passed: \@expand \unexpanded {\csname hi@u\the \hi@url@count @text\endcsname }{ii}

Test: `\unhbox \voidb@x \hi@url@insertbox {a}{6}\hi@url@insertbox {.}{6}\@hi@dottrue`

Exp: `\unhbox \voidb@x \hi@url@insertbox {a}{6}\hi@url@insertbox {.}{6}\@hi@dottrue`

Passed: \csname hi@u\the \hi@url@count @text\endcsname

Test: `\unhbox \voidb@x \protect \hi@uchar@spacenobreak \protect \hi@url@insertbox {/}{7}\protect \hi@uchar@spacebreak \protect \hi@url@insertbox {a}{7}`

Exp: `\unhbox \voidb@x \protect \hi@uchar@spacenobreak \protect \hi@url@insertbox {/}{7}\protect \hi@uchar@spacebreak \protect \hi@url@insertbox {a}{7}`

Passed: \csname hi@u\the \hi@url@count @text\endcsname

Test: `\unhbox \voidb@x \protect \hi@url@insertbox {a}{8}\protect \hi@uchar@break \protect \hi@url@insertbox {b}{8}`

Exp: `\unhbox \voidb@x \protect \hi@url@insertbox {a}{8}\protect \hi@uchar@break \protect \hi@url@insertbox {b}{8}`

6.3 Overfull Boxes

The following should not produce overfull boxes. Also ensure that the links themselves work as expected.

<code>http://www.google.com/search?q=hello+world</code>	<code>http://www.google.com/search?q=hello%20world%20how%20are%20you</code>	<code>http://www.google.com/search?q=antidisestablishmentarianism</code>
---	---	--

6.4 Link URLs

Probably passed: AssertBox: \url {http://www.google.com}

Test: `link5[Link trailer.]`

Exp: `link5[Link trailer.]`

Probably passed: AssertBox: \url {http://www.yahoo.com}

Test: `link`

Exp: `link`

Probably passed: AssertBox: \url {http://www.google.com}

Test: `http://www.google.com`

Exp: `http://www.google.com`

7 parse.dtx

7.1 Citation Parts

Passed: \hi@pse@parse {ref}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref}}`

Passed: \hi@pse@parse {ref at 3}

Test: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref}}\hi@pse@page {3}`

Passed: \hi@pse@parse {see 15 ref[opt] at 3 (paren1) (paren2)}

Test: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

Exp: `\hi@pse@cite {\hi@pse@svr {see 15 ref}}\hi@pse@opt {opt}\hi@pse@page {3}\hi@pse@paren {paren1}\hi@pse@paren {paren2}`

7.2 Multiple Items

Passed: \hi@pse@parse {ref1; see ref2; ref3; but see ref4; ref5}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@cite {\hi@pse@svr {see ref2}}\hi@pse@cite {\hi@pse@svr {ref3}}\hi@pse@cite {\hi@pse@svr {but see ref4}}\hi@pse@cite {\hi@pse@svr {ref5}}`

7.3 Delimiters Inside Parentheticals

Passed: \hi@pse@parse {ref1 (paren (inside paren) more paren) (paren; with semicolon)}

Test: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

Exp: `\hi@pse@cite {\hi@pse@svr {ref1}}\hi@pse@paren {paren (inside paren) more paren}\hi@pse@paren {paren; with semicolon}`

7.4 Signal, Volume, and Reference Parsing

Passed: \hi@pse@sigvolref {ref}\TestSVR

Test: `//ref`

Exp: `//ref`

Passed: \hi@pse@sigvolref {1 ref}\TestSVR

Test: `/1/ref`

Exp: `/1/ref`

Passed: \hi@pse@sigvolref {cf. 1 ref}\TestSVR

Test: `cf./1/ref`

Exp: `cf./1/ref`

Passed: \hi@pse@sigvolref {cf. ref}\TestSVR

Test: `cf.//ref`

Exp: `cf.//ref`

Passed: \hi@pse@sigvolref {see also also ref}\TestSVR

Test: `see also/also/ref`

Exp: `see also/also/ref`

8 signals.dtx

Probably passed: AssertBox: \hi@signals@withfont {see also}

Test: `see also`

Exp: `see also`

Probably passed: AssertBox: \hi@signals@withfont {see, e.g.,}

Test: `see, e.g.,`

Exp: |see, e.g.,|

9 pages.dtx

9.1 Formatting

Passed: \@format@pageno {15}

Test: |15|

Exp: |15|

Passed: \@format@pageno {15,,}

Test: |15|

Exp: |15|

Passed: \@format@pageno {15, 20}

Test: |15, 20|

Exp: |15, 20|

Passed: \@format@pageno {15,, 20}

Test: |15, 20|

Exp: |15, 20|

Passed: \@format@pageno {15-20, 25-30}

Test: |15--20, 25--30|

Exp: |15--20, 25--30|

Passed: \@format@pageno {115-120, 1425-1530}

Test: |115--20, 1425--530|

Exp: |115--20, 1425--530|

Passed: \@format@pageno {paragraph 15}

Test: |para.~15|

Exp: |para.~15|

Passed: \@format@pageno {paragraphs 15}

Test: |para.~15|

Exp: |para.~15|

Passed: \@format@pageno {paragraph 15-20}

Test: |paras.~15--20|

Exp: |paras.~15--20|

Passed: \@format@pageno {paragraph 15, 20}

Test: |paras.~15, 20|

Exp: |paras.~15, 20|

Passed: \@format@pageno {paragraph 15, at 25-30}

Test: |para.~15, at 25--30|

Exp: |para.~15, at 25--30|

Passed: \@format@pageno {paragraph 15/a1}

Test: |para.~15(a)\penalty \hi@psize@penaltysize (1)|

Exp: |para.~15(a)\penalty \hi@psize@penaltysize (1)|

Passed: \@format@pageno {paragraph 15/a1, /a2}

Test: |para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Exp: |para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)|

Passed: \@format@pageno {paragraph 15/a1-/2}

Test: |para.~15(a)\penalty \hi@psize@penaltysize (1)--(2)|

Exp: |para.~15(a)\penalty \hi@psize@penaltysize (1)--(2)|

Passed: \@format@pageno {paragraph 15/a1, /a2-/3}

Test: |para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|

Exp: `|para.~15(a)\penalty \hi@psize@penaltysize (1), (a)\penalty \hi@psize@penaltysize (2)--(3)|`
Passed: \@format@pageno {paragraph 15, table 4-5, at 36}
Test: `|para.~15, tbls.4--5, at 36|`
Exp: `|para.~15, tbls.4--5, at 36|`
Passed: \@format@pageno {15 note 6}
Test: `|15 n.6|`
Exp: `|15 n.6|`
Passed: \@format@pageno {15 note 5, 6, 7}
Test: `|15 nn.5, 6 \& 7|`
Exp: `|15 nn.5, 6 \& 7|`
Passed: \@format@pageno {15 & note 5, 6, 7}
Test: `|15 \& nn.5, 6 \& 7|`
Exp: `|15 \& nn.5, 6 \& 7|`
Passed: \@format@pageno {S 5-6}
Test: `|\textsection \textsection ~5--6|`
Exp: `|\textsection \textsection ~5--6|`
Passed: \@format@pageno {P 5-6}
Test: `|\textparagraph \textparagraph ~5--6|`
Exp: `|\textparagraph \textparagraph ~5--6|`
Passed: \@format@pageno {-34/a}
Test: `|34(a)|`
Exp: `|34(a)|`
Passed: \@format@pageno {!A5}
Test: `|\hi@pgnum@raw A5|`
Exp: `|\hi@pgnum@raw A5|`
*Passed: \@format@pageno {*123-125}*
Test: `|*123--25|`
Exp: `|*123--25|`

9.2 Spacing

Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {15}\hi@page@space {Title 5}
Test: `|, at |`
Exp: `|, at |`
Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {\hi@pgnum@raw A1}\hi@page@space {Title 5}
Test: `|, at |`
Exp: `|, at |`
Probably passed: AssertBox: \def \@this@page {\textsection ~3}\hi@page@space {Title 5}
Test: `|`
Exp: `|`
Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title}
Test: `|`
Exp: `|`

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {Title 5}

Test: ,
Exp: ,

Probably passed: AssertBox: \def \@this@page {para.~3}\hi@page@space {R.}

Test: at
Exp: at

Probably passed: AssertBox: \def \@this@page {3}\hi@page@space {R.}

Test: at
Exp: at

9.3 Segments

Passed: \hi@fpg@segment {15}{foo}{\@iden }{missing}

Test: missing
Exp: missing

Passed: \hi@fpg@segment {15 ::bar: 7}{foo}{\@iden }{missing}

Test: missing
Exp: missing

Passed: \hi@fpg@segment {15 ::foo: 24}{foo}{\@iden }{fail}

Test: 24
Exp: 24

Passed: \hi@fpg@segment {15 ::foo: 24 ::bar: 7}{foo}{\@iden }{fail}

Test: 24
Exp: 24

Passed: \hi@fpg@segment {15 ::foo: 24 ::bar: 7}{bar}{\@iden }{fail}

Test: 7
Exp: 7

Passed: \hi@fpg@orig@page@segment {foo}{\@iden }{fail}

Test: 24
Exp: 24

Passed: \hi@fpg@orig@page@segment {foo}{\@iden }{missing}

Test: missing
Exp: missing

10 parens.dtx

10.1 Ordering

Passed: \hi@parens ->

Test: \@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}
Exp: \@paren {\z@ }{Zero}\@paren {\@ne }{One}\@paren {\tw@ }{Two}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}
Exp: \@paren {\hi@paren@cite }{generic}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in}
\clause {a}}
Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in}
\clause {a}}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \hi@parens ->

Test: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Exp: \@paren {\hi@paren@cite }{generic}\@paren {\hi@paren@cite }{quoting \clause {b}}\@paren {\hi@paren@comment }{\hi@fn@sig {discussed in} \clause {a}}|

Passed: \TestDefer ->

Test: |Deferred c|

Exp: |Deferred c|

10.2 Deferred Notes

Probably passed: AssertBox: abc\hi@defer@content {def}

Test: |abc⁶[def]|

Exp: |abc⁶[def]|

Probably passed: AssertBox: abc\footnote {def\hi@defer@content {ghi} jkl.}

Test: |abc⁷[def jkl. ghi]|

Exp: |abc⁷[def jkl. ghi]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |⁸[abc]|

Exp: |⁸[abc]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |⁹[def]|

Exp: |⁹[def]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |¹⁰[ghi]|

Exp: |¹⁰[ghi]|

Probably passed: AssertBox: \hi@deferred@note@enditem

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |

Exp: |

Probably passed: AssertBox: \hi@deferred@note@endstring

Test: |
Exp: |

Probably passed: AssertBox: \hi@deferred@note@endnote

Test: | jkl mno |
Exp: | jkl mno |

10.3 Trailing Dots

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc). |
Exp: | (abc). |

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@cite }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | (abc.). |
Exp: | (abc.). |

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc. |
Exp: | , abc. |

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{abc.}}\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc. |
Exp: | , abc. |

Probably passed: AssertBox: \def \hi@parens {\@paren {\hi@paren@comment }{\emph {abc.}}\hi@dottrue }{\hi@parens@show \if@hi@dot \else .\fi

Test: | , abc. |
Exp: | , abc. |

11 toa.dtx

11.1 Aux File Writing

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: | \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{\other:Other Source/s}}{}} |

Exp: | \@writefile{toa}{\contentsline {hi@toa}{ref}{\v}{5}{\csname @roman\endcsname \c@page }{\other:Other Source/s}}{}} |

Probably passed: AssertBox: \c@page =5 \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test: | \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{\other:Other Source/s}}{}} |

Exp: | \@writefile{toa}{\contentsline {hi@toa}{ref at 15}{\v}{5}{\csname @roman\endcsname \c@page }{\other:Other Source/s}}{}} |

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test: |
Exp: |

Passed: \WrittenText ->

Test:
Exp:

Probably passed: AssertBox: \hi@addtotoa {ref}{15}

Test:
Exp:

Passed: \WrittenText ->

Test:
Exp:

11.2 Aux File Reading

Passed: \PageTestResult ->

Test: {\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }
Exp: {\hi@pg@ref }{v}{5}{\csname @roman\endcsname \c@page }

Passed: \ListTestResult ->

Test: {ref}{other}{0ther Source/s}
Exp: {ref}{other}{0ther Source/s}

11.3 Canonicalization

Passed: \hi@toa@makesortable {ref}

Test: ABCDE...12FGHIJ
Exp: ABCDE...12FGHIJ

Passed: \hi@toa@makesortable {ref at 15/a2b}

Test: ABCDE...12FGHIJ...15A....2B
Exp: ABCDE...12FGHIJ...15A....2B

Passed: \hi@toa@makesortable {ref}

Test: KLMNO...25PQRST
Exp: KLMNO...25PQRST

11.4 Heading Lists

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulation
Exp: Regulation

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulations
Exp: Regulations

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulations and Treaty
Exp: Regulations and Treaty

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulations, Treaty and Statute
Exp: Regulations, Treaty and Statute

Probably passed: AssertBox: \hi@toa@headlist@show {stat}

Test: Regulations, Treaties and Statute
Exp: Regulations, Treaties and Statute

11.5 List Addition

Test passed: AssertFalse: \IfKnownList {hi@toa@list}

Test passed: AssertTrue: \IfKnownList {hi@toa@list}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refM, |

Exp: refM, |

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: item |

Exp: item |

Test passed: AssertTrue: \IfListContains {hi@toa@list}{refM}

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refM, |

Exp: refM, |

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: item |

Exp: item |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refM, |

Exp: refA, refM, |

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: items |

Exp: items |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |

Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: items and element |

Exp: items and element |

Probably passed: AssertBox: \ShowList {hi@toa@list}{##1, }

Test: refA, refI, refM, |

Exp: refA, refI, refM, |

Probably passed: AssertBox: \hi@toa@headlist@show {list}

Test: items and element |

Exp: items and element |

11.6 Page Numbers and Star Counting

Passed: \hi@toa@usepg {ref}

Test: ii |

Exp: ii |

Passed: \hi@toa@refcount {ref}

Test: 1 |

Exp: 1 |

Passed: \the \everypar

Test: |

Exp: |

Passed: \hi@toa@usepg {ref}

Test: ii--iii |

Exp: ii--iii |

Passed: \hi@toa@refcount {ref}
Test: 2
Exp: 2

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iii
Exp: ii--iii

Passed: \hi@toa@refcount {ref}
Test: 3
Exp: 3

Passed: \the \everypar
Test:
Exp:

Passed: \hi@toa@usepg {ref}
Test: ii--iv
Exp: ii--iv

Passed: \hi@toa@refcount {ref}
Test: 4
Exp: 4

Stars should now show up at the start of every first test paragraph.

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4
Exp: ii--iv, 4

Passed: \hi@toa@refcount {ref}
Test: 5
Exp: 5

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5
Exp: ii--iv, 4--5

Passed: \hi@toa@refcount {ref}
Test: 6
Exp: 6

* *Passed: \the \everypar*
Test: \StarMark \everypar {}
Exp: \StarMark \everypar {}

Passed: \hi@toa@usepg {ref}
Test: ii--iv, 4--5, 7
Exp: ii--iv, 4--5, 7

Passed: \hi@toa@refcount {ref}
Test: 7
Exp: 7

* *Passed: \the \everypar*

Test: `\StarMark \everypar {}`

Exp: `\StarMark \everypar {}`

Passed: \hi@toa@usepg {ref}

Test: `\PassimText`

Exp: `\PassimText`

Passed: \hi@toa@usepg {ref}

Test: `\PassimText`

Exp: `\PassimText`

Passed: \hi@toa@usepg {ref}

Test: `ii--iv, 4--5, 7`

Exp: `ii--iv, 4--5, 7`

11.7 Formatting

Probably passed: AssertBox: \hbox {\hi@toa@brkpg {1--2, 3--4, 5}}

Test: `1-2, 3-4, 5`

Exp: `1-2, 3-4, 5`

The following can only be tested visually. Make sure that these look acceptable.

A . . . 1-2, 3, 4, 5	AB . . . 1-2, 3, 4, 5	ABC . . 1-2, 3, 4, 5	ABCD . . 1-2, 3, 4, 5
ABCDE . . 1-2, 3, 4, 5	A B C D E F . . 1-2, 3, 4, 5	A B C D E F G . . 1-2, 3, 4, 5	A B C D E F G H . . 1-2, 3, 4, 5

11.8 TOA Categories

Passed: \hi@toacat@get {garcia}

Test: `case:Case/s`

Exp: `case:Case/s`

Passed: \hi@toacat@get {dc-comics}

Test: `other:Other Source/s`

Exp: `other:Other Source/s`

Passed: \hi@toacat@get {faceoff}

Test: `m:Motion Picture/s`

Exp: `m:Motion Picture/s`

Passed: \catlist ->

Test: `case, const, edict, m, other`

Exp: `case, const, edict, m, other`

12 draw.dtx

12.1 Which

Passed: \hi@draw@which {sc,fc}

Test: `fc`

Exp: `fc`

Passed: \hi@draw@which {sc,fc}

Test: `sc`

Exp: `sc`

Passed: \hi@draw@which {isc,sc,fc}

Test: `sc`

Exp: `sc`

13 abbrevs.dtx

Probably passed: AssertBox: \hi@abbrev@journal {American University Law Review}\@iden

Test: |Am. U. L. Rev.|

Exp: |Am. U. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@journal {Boston University Law Journal}\@iden

Test: |B.U. L.J.|

Exp: |B.U. L.J.|

Probably passed: AssertBox: \hi@abbrev@journal {American Law Weekly}\@iden

Test: |Am. L. Wkly.|

Exp: |Am. L. Wkly.|

Probably passed: AssertBox: \hi@abbrev@journal {American Lawyer}\@iden

Test: |Am. Law.|

Exp: |Am. Law.|

Probably passed: AssertBox: \hi@abbrev@journal {Law Weekly}\@iden

Test: |Law Wkly.|

Exp: |Law Wkly.|

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review}\@iden

Test: |Calif. L. Rev.|

Exp: |Calif. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@journal {California Law Review Online}\@iden

Test: |Calif. L. Rev. Online|

Exp: |Calif. L. Rev. Online|

Probably passed: AssertBox: \hi@abbrev@journal {Southern California Law Review}\@iden

Test: |S. Cal. L. Rev.|

Exp: |S. Cal. L. Rev.|

Probably passed: AssertBox: \hi@abbrev@pub {special revised edition}\@iden

Test: |spec. rev. ed.|

Exp: |spec. rev. ed.|

14 fonts.dtx

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |Book Title|

Exp: |Book Title|

Probably passed: AssertBox: \UseFontFor {booktitle}{Book Title}

Test: |BOOK TITLE|

Exp: |BOOK TITLE|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

Probably passed: AssertBox: \UseFontFor {casefc}{Case Title}

Test: |Case Title|

Exp: |Case Title|

15 format.dtx

15.1 Ordinal Numbers

Passed: \hi@numtotxt {1}

Test: |First|

Exp: First
Passed: \hi@numtotxt {2}
Test: Second
Exp: Second
Passed: \hi@numtotxt {10}
Test: Tenth
Exp: Tenth
Passed: \hi@numtotxt {12}
Test: Twelfth
Exp: Twelfth
Passed: \hi@numtotxt {45}
Test: Forty-Fifth
Exp: Forty-Fifth
Passed: \hi@numtotxt {82}
Test: Eighty-Second
Exp: Eighty-Second
Passed: \hi@numtotxt {90}
Test: Ninetieth
Exp: Ninetieth
Passed: \hi@numtotxt {123}
Test: 123d
Exp: 123d
Passed: \hi@numtotxt {20000}
Test: Twenty Thousandth
Exp: Twenty Thousandth
Passed: \hi@numtotxt {23456}
Test: 23,456th
Exp: 23,456th

15.2 Capitalization

Probably passed: AssertBox: \@capnext hello
Test: hello
Exp: hello
Probably passed: AssertBox: \@capnext hello
Test: Hello
Exp: Hello
Probably passed: AssertBox: \@capnext Hello
Test: Hello
Exp: Hello
Probably passed: AssertBox: \@capnext \emph {hello}
Test: Hello
Exp: Hello
Probably passed: AssertBox: \@capnext eBay
Test: eBay
Exp: eBay
Probably passed: AssertBox: \@capnext emBay
Test: EmBay
Exp: EmBay

Probably passed: AssertBox: \@capnext \emph {\textsection \textsection ~123--124}

Test: `Sections 123–124`
Exp: `Sections 123–124`

Probably passed: AssertBox: \@capnext \emph {\textparagraph ~15}

Test: `Paragraph 15`
Exp: `Paragraph 15`

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: `The Great Escape`
Exp: `The Great Escape`

Probably passed: AssertBox: \@capnext \hi@inline@the Great Escape

Test: `the Great Escape`
Exp: `the Great Escape`

15.3 Commas

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello World}

Test: `Hello World,`
Exp: `Hello World,`

Probably passed: AssertBox: \hi@font@with@comma \textbf {Hello ``World''}

Test: `Hello “World,”`
Exp: `Hello “World,”`

16 caseref.dtx

16.1 Short Name Utilities

Test passed: AssertTrue: \hi@iffirstwordcaps {HELLO}
 Test passed: AssertFalse: \hi@iffirstwordcaps {Hello}
Passed: \hi@case@shortfmt {Test}

Test: `Test`
Exp: `Test`

Passed: \hi@case@shortfmt {Test, Inc.}

Test: `Test`
Exp: `Test`

Passed: \hi@case@shortfmt {Test USA, Inc.}

Test: `Test`
Exp: `Test`

Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {}: -10000<0
 Test passed: \hi@case@scorename {Wheaton}: 4000>0
 Test passed: \hi@case@scorename {Bank of America}: 3000>0
 Test passed: \hi@case@scorename {FTC}: 2000>0

16.2 Name Formatting

16.2.1 Named Parties

Passed: \hi@kv@name ->

Test: `\hi@fn@casefc {Wheaton\hi@versus Peters}`
Exp: `\hi@fn@casefc {Wheaton\hi@versus Peters}`

Passed: \hi@kv@lname ->

Test: `\hi@fn@casefc {Wheaton\hi@versus Peters}`

Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Wheaton\hi@versus Peters}

Exp: \hi@fn@casefc {Wheaton\hi@versus Peters}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}

Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}

Exp: \hi@fn@casesc {Wheaton}

16.2.2 Ex Rel. Party

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Board of Trade}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Exp: \hi@fn@casefc {Commonwealth\hi@case@exrel Wheaton\hi@versus Bd. of Trade}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wheaton}

Exp: \hi@fn@casesc {Wheaton}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wheaton}

Exp: \hi@fn@casesc {Wheaton}

16.2.3 Parties Only

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Exp: \hi@fn@casefc {Federal Trade Commission\hi@versus Actavis, Inc.}\protect \@hi@dottrue

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Exp: \hi@fn@casefc {Fed. Trade Comm'n\hi@versus Actavis, Inc.}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Fed. Trade Comm'n}

Exp: \hi@fn@casesc {Fed. Trade Comm'n}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Federal Trade Commission}

Exp: \hi@fn@casesc {Federal Trade Commission}

16.2.4 Parties Only, Capitalized Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis}|
Exp: \hi@fn@casesc {Actavis}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis}|
Exp: \hi@fn@casesc {Actavis}|

16.2.5 Parties and User-Defined Inline

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (`\hi@fn@casesc {Actavis II}')} \protect \@hi@dotfalse }|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue \hi@short@maybeshow
{actavis}{ (`\hi@fn@casesc {Actavis II}')} \protect \@hi@dotfalse }|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.}\protect \@hi@dottrue |

Passed: \hi@kv@aname ->

Test: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|
Exp: \hi@case@choosefullorainline {\hi@fn@casefc {FTC\hi@versus Actavis, Inc.}}{\hi@fn@casesc
{Actavis II}}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Actavis II}|
Exp: \hi@fn@casesc {Actavis II}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Actavis II}|
Exp: \hi@fn@casesc {Actavis II}|

16.2.6 Parties and Name

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|
Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement
Litigation})|

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Exp: \hi@fn@casefc {FTC\hi@versus Actavis, Inc.} (\hi@fn@casefc {The Reverse Settlement Litig.})|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litigation}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

Exp: \hi@fn@casesc {\hi@inline@the Reverse Settlement Litig.}|

16.2.7 Name Only, with Prefix

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {Wands}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {Wands}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {Wands}|

Exp: \hi@fn@casesc {Wands}|

16.2.8 Name Only, with Prefix and The

Passed: \hi@kv@name ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The United States Ship}|

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Exp: \hi@fn@casefc {The United States Ship}, \hi@fn@caseproc {In re}|

Passed: \hi@kv@aname ->

Test: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Exp: \hi@fn@caseproc {In re} \hi@fn@casefc {The U.S. Ship}|

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {The United States Ship}|

Exp: \hi@fn@casesc {The United States Ship}|

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {The U.S. Ship}|

Exp: \hi@fn@casesc {The U.S. Ship}|

16.2.9 Name Only, with The

Passed: \hi@kv@name ->

Test: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casefc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@lname ->

Test: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}
Exp: \hi@fn@casefc {Slaughter-House Cases}, \hi@fn@casefc {The}

Passed: \hi@kv@aname ->

Test: \hi@fn@casefc {The Slaughter-House Cases}
Exp: \hi@fn@casefc {The Slaughter-House Cases}

Passed: \hi@kv@inline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

Passed: \hi@kv@ainline ->

Test: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}
Exp: \hi@fn@casesc {\hi@inline@the Slaughter-House Cases}

16.3 Nominative Reporters

Passed: \hi@kv@rep ->

Test: U.S. (8 Wheat.)
Exp: U.S. (8 Wheat.)

16.4 Date Parenthetical

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{1900}
Exp: \@paren {\hi@paren@date }{1900}

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date } \@paren {\hi@paren@casedocdocket }{\hi@casedoc@docket }

Passed: \hi@parens ->

Test: \@paren {\hi@paren@date }{\hi@casedoc@date }
Exp: \@paren {\hi@paren@date }{\hi@casedoc@date }

16.5 Reference Citation Tests

Probably passed: AssertBox: \note {fsu}

Test: ¹¹[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]
Exp: ¹¹[Bd. of Educ. *ex rel.* Bd. of Trs. v. Am. Bioscience, Inc., 333 F.3d 1330 (Fed. Cir. 2003).]

Probably passed: AssertBox: \inline {wheaton}

Test: *Wheaton v. Peters*
Exp: *Wheaton v. Peters*

Probably passed: AssertBox: \note {wheaton}

Test: ¹²[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]
Exp: ¹²[*Wheaton v. Peters*, 33 U.S. (8 Pet.) 591 (1834).]

Probably passed: AssertBox: \note {wheaton-brief at 5}

Test: ¹³[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]
Exp: ¹³[Brief for Appellant at 5, *Wheaton*, 33 U.S. (8 Pet.) 591 (Jan. 1, 1833) (No. 12-34).]

16.6 Procedural Phrases

Passed: \hi@abbrev@expl {certiorari denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {certiorari denied,}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied}

Test: cert. denied,
Exp: cert. denied,

Passed: \hi@abbrev@expl {cert. denied,}

Test: cert. denied,
Exp: cert. denied,

Probably passed: AssertBox: \note {unocal-dct}

Test: ¹⁴[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹⁴[Oil Co. v. Atlantic, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-dct}

Test: ¹⁵[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹⁵[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *aff'd sub nom.* Oil Co. v. Atlantic, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {unocal-rf-rd-dct}

Test: ¹⁶[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]
Exp: ¹⁶[Oil Co. v. Atl. Richfield, 34 F. Supp. 2d 1208 (C.D. Cal. 1998), *reh'g denied*, 208 F.3d 989 (Fed. Cir. 2000).]

Probably passed: AssertBox: \tiny \note {plessy}

Test: ¹⁷[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]
Exp: ¹⁷[Plessy v. Ferguson, 163 U.S. 537 (1896), *overruled by* Brown v. Bd. of Educ. of Topeka, 347 U.S. 483 (1954).]

Probably passed: AssertBox: \note {us-v-craft}

Test: ¹⁸[United States v. Craft, 535 U.S. 274 (2002).]
Exp: ¹⁸[United States v. Craft, 535 U.S. 274 (2002).]

Probably passed: AssertBox: \note {berge-v-board}

Test: ¹⁹[United States *ex rel.* Berge v. Bd. of Trs., 104 F.3d 1453 (4th Cir. 1997).]
Exp: ¹⁹[United States *ex rel.* Berge v. Bd. of Trs., 104 F.3d 1453 (4th Cir. 1997).]

17 statrefs.dtx

Probably passed: AssertBox: \inline {271}

Test: 35 U.S.C. § 271
Exp: 35 U.S.C. § 271

Probably passed: AssertBox: \note {271 at /b}

Test: ²⁰[35 U.S.C. § 271(b).]
Exp: ²⁰[35 U.S.C. § 271(b).]

Probably passed: AssertBox: \Inline {273}

Test: Section 273 of title 35 of the U.S. Code
Exp: Section 273 of title 35 of the U.S. Code

Probably passed: AssertBox: \note {dmca}

Test: ²¹[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204].
Exp: ²¹[Digital Millennium Copyright Act (DMCA), 17 U.S.C. §§ 1201–1204].

Probably passed: AssertBox: \inline {dmca}

Test: the Digital Millennium Copyright Act (“DMCA”)
Exp: the Digital Millennium Copyright Act (“DMCA”)

Probably passed: AssertBox: \note {dmca at S 1201}
Test: ²²[DMCA § 1201.]
Exp: ²²[DMCA § 1201.]

Probably passed: AssertBox: \inline {dmca}
Test: the DMCA
Exp: the DMCA

Probably passed: AssertBox: \Inline {dmca}
Test: The DMCA
Exp: The DMCA

Probably passed: AssertBox: \inline {dmca at S 1201}
Test: § 1201
Exp: § 1201

Probably passed: AssertBox: \note {337}
Test: ²³[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]
Exp: ²³[Tariff Act of 1930 § 337, 19 U.S.C. § 1337 (as amended).]

Probably passed: AssertBox: \inline {337}
Test: section 337 of the Tariff Act of 1930
Exp: section 337 of the Tariff Act of 1930

Probably passed: AssertBox: \note {337 at /a}
Test: ²⁴[Tariff Act § 337(a).]
Exp: ²⁴[Tariff Act § 337(a).]

Probably passed: AssertBox: \inline {337}
Test: section 337
Exp: section 337

Probably passed: AssertBox: \inline {337 at /a}
Test: section 337(a)
Exp: section 337(a)

Probably passed: AssertBox: \note {fdara}
Test: ²⁵[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005].
Exp: ²⁵[FDA Reauthorization Act of 2017 (FDARA), Pub. L. No. 115-52, 131 STAT. 1005.]

Probably passed: AssertBox: \inline {fdara}
Test: the FDA Reauthorization Act of 2017 (“FDARA”)
Exp: the FDA Reauthorization Act of 2017 (“FDARA”)

Probably passed: AssertBox: \inline {fdara}
Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \Inline {fdara}
Test: FDARA
Exp: FDARA

Probably passed: AssertBox: \inline {fdara at S 1}
Test: § 1 of FDARA
Exp: § 1 of FDARA

Probably passed: AssertBox: \footnote {\inline {caa}. \sentence {caa}.}
Test: ²⁶[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730].
Exp: ²⁶[the Clayton Antitrust Act of 1914. Ch. 323, 38 STAT. 730].

17.1 Model Code Parenthetical

Passed: \hi@modelcode@dateparen ->

Test: |2000|
Exp: |2000|

Passed: \hi@modelcode@dateparen ->

Test: |\hi@fn@bookauthor {Am. L. Inst.} 2000|
Exp: |\hi@fn@bookauthor {Am. L. Inst.} 2000|

Passed: \hi@modelcode@dateparen ->

Test: |\hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000|
Exp: |\hi@fn@bookauthor {Am. L. Inst.}, Proposed Official Draft 2000|

Passed: \hi@modelcode@dateparen ->

Test: |\hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000|
Exp: |\hi@fn@bookauthor {Am. L. Inst.}, Tentative Draft No. 17, 2000|

Probably passed: AssertBox: \note {ali at S 847A}

Test: |²⁷[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]|
Exp: |²⁷[RESTATEMENT (SECOND) OF TORTS § 847A (AM. L. INST., Tentative Draft No. 17, 2000).]|

Probably passed: AssertBox: \note {ali at S 847A}

Test: |²⁸[Id.]|
Exp: |²⁸[Id.]|

Probably passed: AssertBox: \note {ali at S 848}

Test: |²⁹[RESTATEMENT (SECOND) OF TORTS § 848.]|
Exp: |²⁹[RESTATEMENT (SECOND) OF TORTS § 848.]|

17.2 Contained Session Laws

Probably passed: AssertBox: \note {ocilla}

Test: |³⁰[Online Copyright Infringement Liability Limitation Act (OCILLA), *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2877 (1998).]|
Exp: |³⁰[Online Copyright Infringement Liability Limitation Act (OCILLA), *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2877 (1998).]|

Probably passed: AssertBox: \note {ocilla at S 203 ::stat: 2886}

Test: |³¹[Online Copyright Infringement Liability Limitation Act (OCILLA) § 203, *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2886 (1998).]|
Exp: |³¹[Online Copyright Infringement Liability Limitation Act (OCILLA) § 203, *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2886 (1998).]|

Probably passed: AssertBox: \note {ocilla}

Test: |³²[OCILLA, 112 STAT. at 2877.]|
Exp: |³²[OCILLA, 112 STAT. at 2877.]|

Probably passed: AssertBox: \note {ocilla at S 204 ::stat: 2887}

Test: |³³[OCILLA § 204, 112 STAT. at 2887.]|
Exp: |³³[OCILLA § 204, 112 STAT. at 2887.]|

Probably passed: AssertBox: \note {ocilla}

Test: |³⁴[Id., 112 STAT. at 2877.]|
Exp: |³⁴[Id., 112 STAT. at 2877.]|

Probably passed: AssertBox: \note {ocilla at S 204 ::stat: 2887}

Test: |³⁵[Id. § 204, 112 STAT. at 2887.]|
Exp: |³⁵[Id. § 204, 112 STAT. at 2887.]|

Probably passed: AssertBox: \note {ocilla at S 204 ::stat: 2887}

Test: |³⁶[Id.]|
Exp: |³⁶[Id.]|

Probably passed: AssertBox: \inline {ocilla}

Test: the Online Copyright Infringement Liability Limitation Act (“OCILLA”)|
Exp: the Online Copyright Infringement Liability Limitation Act (“OCILLA”)|

Probably passed: AssertBox: \inline {ocilla at S 203}

Test: § 203 of OCILLA|
Exp: § 203 of OCILLA|

Probably passed: AssertBox: \inline {dmca-sess}\note {ocilla at S 203 ::stat: 2886}

Test: the Digital Millennium Copyright Act³⁷[Online Copyright Infringement Liability Limitation Act (OCILLA) § 203, *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2886 (1998).]|
Exp: the Digital Millennium Copyright Act³⁷[Online Copyright Infringement Liability Limitation Act (OCILLA) § 203, *in* Digital Millennium Copyright Act, Pub. L. No. 105-304, tit. II, 112 STAT. 2860, 2886 (1998).]|

18 govrefs.dtx

Probably passed: AssertBox: \note {yoda-2015}

Test: ³⁸[You Own Devices Act, H.R. 862, 114th Cong. (Feb. 11, 2015).]|
Exp: ³⁸[You Own Devices Act, H.R. 862, 114th Cong. (Feb. 11, 2015).]|

Probably passed: AssertBox: \inline {mapia}

Test: the Medication Affordability and Patient Integrity Act (“MAPIA”)|
Exp: the Medication Affordability and Patient Integrity Act (“MAPIA”)|

Probably passed: AssertBox: \note {mapia}

Test: ³⁹[Medication Affordability and Patient Integrity Act (MAPIA), S. 2658, 119th Cong. (as reported by S. Health, Education, Labor & Pensions Comm., June 17, 2026).]|
Exp: ³⁹[Medication Affordability and Patient Integrity Act (MAPIA), S. 2658, 119th Cong. (as reported by S. Health, Education, Labor & Pensions Comm., June 17, 2026).]|

Probably passed: AssertBox: \inline {mapia}

Test: MAPIA|
Exp: MAPIA|

Probably passed: AssertBox: \note {mapia at S 1}

Test: ⁴⁰[S. 2658, § 1.]|
Exp: ⁴⁰[S. 2658, § 1.]|

Probably passed: AssertBox: \note {oda-report at 5}

Test: ⁴¹[ORPHAN DRUG ACT, H.R. REP. NO. 97-840, at 5 (1982).]|
Exp: ⁴¹[ORPHAN DRUG ACT, H.R. REP. NO. 97-840, at 5 (1982).]|

Probably passed: AssertBox: \note {azar-hearing}

Test: ⁴²[*Nomination of Alex Azar to Serve as Secretary of Health and Human Services: Hearing Before the S. Comm. Health, Education, Labor & Pensions*, 115th Cong. (Nov. 29, 2017).]|
Exp: ⁴²[*Nomination of Alex Azar to Serve as Secretary of Health and Human Services: Hearing Before the S. Comm. Health, Education, Labor & Pensions*, 115th Cong. (Nov. 29, 2017).]|

19 bookrefs.dtx

19.1 Publication Parenthetical

Passed: \hi@book@paren ->

Test: |
Exp: |

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}|
Exp: \hi@parens@add \hi@paren@date {\hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F eds., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed. \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {E E\hi@namelist@and F F trans., Doubleday, 3d ed., forthcoming \hi@pstruct@use {year}}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345}|

Passed: \hi@book@paren ->

Test: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

Exp: \hi@parens@add \hi@paren@date {Cong. Rsch. Serv., Report No. A12345, \hi@pstruct@use {year}}|

19.2 Cite Containers

Probably passed: AssertBox: \note {pantzer at 100}

Test: ⁴³[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Exp: ⁴³[Katharine F. Pantzer, *Printing the English Statutes, 1484–1640: Some Historical Implications*, in BOOKS AND SOCIETY IN HISTORY 69, 100 (Kenneth E. Carpenter ed., 1983).]

Probably passed: AssertBox: \note {adams-lee at 174}

Test: ⁴⁴[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

Exp: ⁴⁴[Letter from Samuel Adams to Arthur Lee (July 31, 1771), in 2 RICHARD HENRY LEE, LIFE OF ARTHUR LEE, LL. D. 173, 174 (Bos., Wells & Lilly 1829).]

Probably passed: AssertBox: \note {johnston at 12; see smith-object at 76}

Test: ⁴⁵[NAMING THE WORLD 12 (Bret Anthony Johnston ed., 2007); see R.T. Smith, *Object of Affection*, in NAMING THE WORLD, *supra*, at 75, 76.]]

Exp: ⁴⁵[NAMING THE WORLD 12 (Bret Anthony Johnston ed., 2007); see R.T. Smith, *Object of Affection*, in NAMING THE WORLD, *supra*, at 75, 76.]]

20 artrefs.dtx

Probably passed: AssertBox: \note {tu-kesselheim}

Test: ⁴⁶[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on*

Exp: ⁴⁶[S. Sean Tu & Aaron S. Kesselheim, *Preserving Timely Generic Drug Competition with Legislation on “Skinny Labeling,”* 115 CLINICAL PHARMACOLOGY & THERAPEUTICS 22 (2024).]

20.1 Article Dates

Probably passed: AssertBox: \note {jrnartyearonly}

Test: ⁴⁷[A B, *Year Only Article*, 2014 J.L. 123.]
Exp: ⁴⁷[A B, *Year Only Article*, 2014 J.L. 123.]

Probably passed: AssertBox: \note {jrnartyearvol}

Test: ⁴⁸[C D, *Same Year and Volume Article*, 2014 J.L. 123.]
Exp: ⁴⁸[C D, *Same Year and Volume Article*, 2014 J.L. 123.]

Probably passed: AssertBox: \note {procartyearonly}

Test: ⁴⁹[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]
Exp: ⁴⁹[A B, *Year Only Article, in* 2014 PROC. L. no. 15.]

Probably passed: AssertBox: \note {procartyearvol}

Test: ⁵⁰[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]
Exp: ⁵⁰[C D, *Same Year and Volume Article*, 2014 PROC. L. no. 15.]

20.2 Manuscript

Probably passed: AssertBox: \inline {testmanuscript}

Test: |John Doe|
Exp: |John Doe|

Probably passed: AssertBox: \note {testmanuscript}

Test: ⁵¹[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]
Exp: ⁵¹[John Doe, My Diary (Jan. 1, 2021) (unpublished manuscript).]

Probably passed: AssertBox: \inline {testmanuscript}

Test: |Doe|
Exp: |Doe|

20.3 Website

Probably passed: AssertBox: \note {romano}

Test: ⁵²[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]
Exp: ⁵²[Nick Romano, *Julie Andrews Recalls Wiping out While Filming “The Sound of Music,”* ENT. WKLY. (July 1, 2017).]

21 specrefs.dtx

Probably passed: AssertBox: \note {rfc1945 at 10}

Test: ⁵³[T. BERNERS-LEE ET AL., HYPERTEXT TRANSFER PROTOCOL—HTTP/1.0, at 10 (Internet Eng’g Task Force, RFC 1945, May 1996), <https://datatracker.ietf.org/doc/html/rfc1945>.]
Exp: ⁵³[T. BERNERS-LEE ET AL., HYPERTEXT TRANSFER PROTOCOL—HTTP/1.0, at 10 (Internet Eng’g Task Force, RFC 1945, May 1996), <https://datatracker.ietf.org/doc/html/rfc1945>.]

22 otherrefs.dtx

Probably passed: AssertBox: \inline {freedom-statue}

Test: |Crawford’s *Statue of Freedom*|
Exp: |Crawford’s *Statue of Freedom*|

Probably passed: AssertBox: \note {see also freedom-statue at 10 (front view)}

Test: ⁵⁴[See also Thomas Crawford, *Statue of Freedom*, atop the U.S. Capitol, at 10 (installed 1863) (front view).]

Exp: ⁵⁴[See also Thomas Crawford, *Statue of Freedom*, atop the U.S. Capitol, at 10 (installed 1963) (front view).]

Probably passed: AssertBox: \inline {freedom-statue}

Test: *Statue of Freedom*

Exp: *Statue of Freedom*

Probably passed: AssertBox: \note {freedom-statue}

Test: ⁵⁵[Crawford.]

Exp: ⁵⁵[Crawford.]

Probably passed: AssertBox: \note {freedom-statue at 15}

Test: ⁵⁶[Crawford at 15.]

Exp: ⁵⁶[Crawford at 15.]

Probably passed: AssertBox: \note {see comedian}

Test: ⁵⁷[See Maurizio Cattelan, *Comedian* (2019) (banana taped to wall).]

Exp: ⁵⁷[See Maurizio Cattelan, *Comedian* (2019) (banana taped to wall).]

Probably passed: AssertBox: \footnote {\inline {comedian}}

Test: ⁵⁸[Cattelan]

Exp: ⁵⁸[Cattelan]

Probably passed: AssertBox: \note {see also comedian at 15}

Test: ⁵⁹[See also Cattelan, *supra* note 57, at 15.]

Exp: ⁵⁹[See also Cattelan, *supra* note 57, at 15.]

23 genparams.dtx

23.1 Parallel Cites

Probably passed: AssertBox: \note {semayne}

Test: ⁶⁰[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]

Exp: ⁶⁰[Semayne’s Case, 77 Eng. Rep. 194, 5 Coke 91a (K.B. 1604).]

Probably passed: AssertBox: \note {semayne at 195 ::coke: 91b}

Test: ⁶¹[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]

Exp: ⁶¹[Semayne’s Case, 77 Eng. Rep. 194, 195, 5 Coke 91a, 91b (K.B. 1604).]

24 bookparams.dtx

Probably passed: AssertBox: \note {a}

Test: ⁶²[A A, TITLE (3d ed. 2020).]

Exp: ⁶²[A A, TITLE (3d ed. 2020).]

Probably passed: AssertBox: \note {b}

Test: ⁶³[B B, TITLE (rev. 3, spec. ed. 2020).]

Exp: ⁶³[B B, TITLE (rev. 3, spec. ed. 2020).]

Probably passed: AssertBox: \note {c-d}

Test: ⁶⁴[COMPILATION (C C & D D eds., 2020).]

Exp: ⁶⁴[COMPILATION (C C & D D eds., 2020).]

Passed: \hi@kv@number ->

Test: 11

Exp: 11

Passed: \hi@kv@publisher ->

Test:

Exp:

Passed: \hi@kv@number ->
Test: |No. 12345|
Exp: |No. 12345|

Passed: \hi@kv@publisher ->
Test: |Cong. Rsch. Serv.|
Exp: |Cong. Rsch. Serv.|

Passed: \hi@kv@number ->
Test: |No. 12345|
Exp: |No. 12345|

Passed: \hi@kv@publisher ->
Test: |Cong. Rsch. Serv.|
Exp: |Cong. Rsch. Serv.|

Passed: \hi@kv@edtype ->
Test: |eds. \& trans.|
Exp: |eds. \& trans.|

25 histrings.dtx

Passed: \test ->
Test: |\yes {This is a }{test}|
Exp: |\yes {This is a }{test}|

Passed: \test ->
Test: |\no |
Exp: |\no |

Passed: \test ->
Test: |yes{ you are wonderful}|
Exp: |yes{ you are wonderful}|

Passed: \test ->
Test: |no|
Exp: |no|

Probably passed: AssertBox:
Test: |
Exp: |

Probably passed: AssertBox:
Test: |
Exp: |

Probably passed: AssertBox:
Test: |
Exp: |

Probably passed: AssertBox:
Test: |
Exp: |

Probably passed: AssertBox: !{a}
Test: |!a|
Exp: |!a|

Probably passed: AssertBox: !{a}
Test: |!a|
Exp: |!a|

Probably passed: AssertBox: !{a}

Test: !a
Exp: !a

Probably passed: AssertBox: !{a}

Test: !a
Exp: !a

Probably passed: AssertBox: !{a} and !{b}

Test: !a and !b
Exp: !a and !b

Probably passed: AssertBox: !{a} and !{b}

Test: !a and !b
Exp: !a and !b

Probably passed: AssertBox: !{a} and !{b}

Test: !a and !b
Exp: !a and !b

Probably passed: AssertBox: !{a} and !{b}

Test: !a and !b
Exp: !a and !b

Probably passed: AssertBox: !{a}, !{b}, and !{c}

Test: !a, !b, and !c
Exp: !a, !b, and !c

Probably passed: AssertBox: !{a}, !{b}, and !{c}

Test: !a, !b, and !c
Exp: !a, !b, and !c

Probably passed: AssertBox: !{a}, !{b}, and !{c}

Test: !a, !b, and !c
Exp: !a, !b, and !c

Probably passed: AssertBox: !{a}, !{b}, and !{c}

Test: !a, !b, and !c
Exp: !a, !b, and !c

Probably passed: AssertBox: !{a}, !{b}, !{c}, and !{d}

Test: !a, !b, !c, and !d
Exp: !a, !b, !c, and !d

Probably passed: AssertBox: !{a}, !{b}, !{c}, and !{d}

Test: !a, !b, !c, and !d
Exp: !a, !b, !c, and !d

Probably passed: AssertBox: !{a}, !{b}, !{c}, and !{d}

Test: !a, !b, !c, and !d
Exp: !a, !b, !c, and !d

Probably passed: AssertBox: !{a}, !{b}, !{c}, and !{d}

Test: !a, !b, !c, and !d
Exp: !a, !b, !c, and !d

26 hiabbrev.dtx

Passed: \abb@abbrev {test}{Company}

Test: Co.
Exp: Co.

Passed: \abb@abbrev {test}{The Company}
Test: The Co.
Exp: The Co.

Passed: \abb@abbrev {test}{Company Treasure}
Test: Co. Treasure
Exp: Co. Treasure

Passed: \abb@abbrev {test}{The Company Treasure}
Test: The Co. Treasure
Exp: The Co. Treasure

Passed: \abb@abbrev {test}{The Companying Art}
Test: The Companying Art
Exp: The Companying Art

Passed: \abb@abbrev {test}{Companying Art}
Test: Companying Art
Exp: Companying Art

Passed: \abb@abbrev {test}{AcCompany Art}
Test: AcCompany Art
Exp: AcCompany Art

Passed: \abb@abbrev {test}{An AcCompany Art}
Test: An AcCompany Art
Exp: An AcCompany Art

Passed: \abb@abbrev {test}{An Ac{}Company Art}
Test: An Ac{}Co. Art
Exp: An Ac{}Co. Art

Passed: \abb@abbrev {test}{Big Company}
Test: BigCo.
Exp: BigCo.

Passed: \abb@abbrev {test}{The Big Company}
Test: The BigCo.
Exp: The BigCo.

Passed: \abb@abbrev {test}{The Big Company Treasure}
Test: The BigCo. Treasure
Exp: The BigCo. Treasure

Passed: \abb@abbrev {test}{The Big Company's Treasure}
Test: The BigCo.'s Treasure
Exp: The BigCo.'s Treasure

Passed: \abb@abbrev {test}{The Big Company-Treasure}
Test: The BigCo.-Treasure
Exp: The BigCo.-Treasure

Passed: \abb@abbrev {test}{Really Big Company}
Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{The Really Big Company Treasure}
Test: The R.B. Co. Treasure
Exp: The R.B. Co. Treasure

Passed: \abb@abbrev {test}{Big Company Machines}
Test: B.C.M.
Exp: B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines}

Test: The B.C.M.
Exp: The B.C.M.

Passed: \abb@abbrev {test}{The Big Company Machines Works}

Test: The B.C.M. Works
Exp: The B.C.M. Works

Passed: \abb@abbrev {test}{The Big Company Machinesys}

Test: The BigCo. Machinesys
Exp: The BigCo. Machinesys

Passed: \abb@abbrev {test}{Enormous Example}

Test: Really Big Ex.
Exp: Really Big Ex.

macro:->{First Company}{FiComp.}

Passed: \abb@abbrev {test}{First Company}

Test: FiComp.
Exp: FiComp.

Passed: \abb@abbrev {test}{First Company Treasure}

Test: FiComp. Treasure
Exp: FiComp. Treasure

Passed: \abb@abbrev {test}{The First Company}

Test: The First Co.
Exp: The First Co.

Passed: \abb@abbrev {test}{The First Company Treasure}

Test: The First Co. Treasure
Exp: The First Co. Treasure

Passed: \abb@abbrev {test}{abc delete def}

Test: abc def
Exp: abc def

Passed: \abb@abbrev {test}{abc delete}

Test: abc
Exp: abc

Passed: \abb@abbrev {test}{delete def}

Test: def
Exp: def

Passed: \abb@abbrev {test}{delete}

Test:
Exp:

Passed: \abb@abbrev {test}{a delete-fail}

Test: a delete-fail
Exp: a delete-fail

Passed: \abb@abbrev {test}{a-delete fail}

Test: a-delete fail
Exp: a-delete fail

Passed: \abb@abbrev {test}{Really Big delete Company}

Test: R.B. Co.
Exp: R.B. Co.

Passed: \abb@abbrev {test}{Really Big delete-Company}

Test: R.B. delete-Co.
Exp: R.B. delete-Co.

532 tests performed. All tests passed.