Deployment	Public IPv4 address	Connection method	Screenshot	Instance terminated?	Short paragraph
1	100.54.131.209	SSH Client — VS Code/Git Bash with .pem key	Deployment 1	Yes	I launched an Amazon EC2 t3.micro instance using my saved SEIR Foundations launch template in the us-east-1 Region. AWS assigned the public IPv4 address 100.54.131.209. I connected to the instance using SSH from the Git Bash terminal in Visual Studio Code, authenticating with my .pem private key as ec2-user. After connecting, the SEIR Foundations Chewbacca Operations Center dashboard displayed automatically. I also executed seir-dashboard manually to verify that the installation worked. The dashboard showed 2 vCPUs, approximately 913 MiB of memory, an 8 GiB root disk, and system uptime. I used whoami and pwd to verify my Linux username and working directory. During troubleshooting, I verified the SSH host-key fingerprint using the EC2 system log and used verbose SSH diagnostics to confirm successful public-key authentication.
2	50.16.43.120	EC2 Instance Connect — AWS Console (browser-based SSH)	Deployment 2	Yes	I deployed a second Amazon EC2 instance and connected using EC2 Instance Connect through the AWS Management Console. The instance was assigned public IPv4 address 50.16.43.120. After connecting, I confirmed that the SEIR Foundations Chewbacca Operations Center dashboard appeared successfully. I recorded the connection information and terminated the instance after completing the deployment.
3	100.63.174.255	EC2 Instance Connect — AWS Console (browser-based SSH)	Deployment 3	Yes	For my third deployment, I launched another Amazon EC2 instance and used the EC2 Instance Connect through the AWS Management Console. The instance received public IPv4 address 100.63.174.255. This deployment provided additional practice with the EC2 launch and connection process. I documented the connection method, recorded the required screenshot reference, and terminated the instance after completing the exercise.
4	3.93.193.104	SSH Client — Git Bash with .pem key	Deployment 4	Yes	I completed an additional fourth deployment to reinforce my ability to connect to Amazon EC2 instances using SSH. The instance was assigned public IPv4 address 3.93.193.104. I used Git Bash and my existing .pem private key to establish the SSH connection. This deployment reinforced my understanding of key-based authentication and remote Linux access. After documenting the deployment, I terminated the instance.