FLIGHT RECORD

Date	Crew - Équipage Pilot / Copilot / Pilote / Copilote	Journey - Route From / De	To / À	Record of time - Fiche de temps Up / Décollage	Down / Atterissage	Air time / Temps-air	TTSN**	Other - Autre Cycles	Landings
	Totals brought forward / Totaux reportés						21.9	15	18
05 SEP 2017									
12 SEP 2017									
17/09/13	VANDENBRINK	CYYJ	CYYJ	1735	1936	2.0	23.9	16	19
17/09/14	VANDENBRINK	CYYJ	CYYJ	1611	1808	2.0	25.9	17	20
MAY 24 2018							25.9	17/17	20

(Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Defects Défectuosités	Maintenance Rectification	Signature

VIKING

Date: 5 Sep. 2017 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 21.9 hrs, Cycles: 15, Landings: 18 — Reference work order: MRO-10955

The following is a summary of the work carried out at Viking Air Limited.

- EMMA Special Insp SP2-N4 (CVR 12-month Intelligibility test) completed.
- Removed and re-installed CVR P/N 980-6023-002 S/N ARCVR-11640 for the above test. Unit function checked serviceable.

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 5 SEPT 17 Signature: ..... VIKING AMO 22-80 AMO 22-80

VIKING

Date: 12 Sep 2017 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 21.9 hrs, TCSN: 15, Landings: 18 — Reference work order: MRO-11027

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E Insp completed IAW PSM 1-6-7(IC).

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 12 SEP 2017 Signature: ..... VIKING AMO 22-80 AMO 22-80

Paul VANDENBRINK 256893

Paul VANDENBRINK 256893

VIKING

Date: 05/24/18 — Model: DHC-6 SERIES 400 — A/C: C-GVZQ — S/N: 938
TAT: 25.9 Hrs — TCSN: 17/17 Landings: 20 — Ref W/O: MRO-11065/1

The following is a summary of the work carried out at Viking Air Limited.

- CUSTOMER SPECIFIED PAINT SCHEME APPLIED BY VICTORIA AIR MAINTENANCE UNDER PO PMRO-11065-1.
- ELEVATOR, RUDDER, AND AILERONS BALANCED AND RE-INSTALLED.
- ALL FLAPS RE-INSTALLED.
- AIRCRAFT WEIGHED. NEW WEIGHT AND BALANCE CALCULATED:
  NEW EMPTY WEIGHT: 7827.7 lbs C of G: 215.31 in Moment: 1685336

END

Maintenance Release

I have conducted an independent inspection of the Flight Control Systems affected for correct assembly, the presence of all safety and locking devices and sense of movement through the full range of travel.

Date: 24 MAY 2018 Signature/Stamp: ..... VIKING AMO 22-80 (W27) AMO 22-80

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 24 MAY 2018 Signature/Stamp: ..... VIKING AMO 22-80 (429) AMO 22-80

Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (h / cycles / date)*

(Carry forward) (Reporter)

FLIGHT RECORD

DOSSIER DE VOL

Date	Crew - Équipage: Pilot / Copilot, Pilote / Copilote	Journey - Route: From De	To À	Record of time - Fiche de temps: Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre: CYCLES	LANDINGS	Maintenance: Defects Défectuosités	Rectification	Signature
	Totals brought forward / Totaux reportés						8.9	5	5			
20 JUN 2016	TIMES BROUGHT FORWARD FROM PREVIOUS LOGS											VIKING AMO 22-80, M1705

Production Activities

Final Production Statement

The **Magnetic Heading Reference Systems** have been calibrated in accordance with the applicable ground test procedures with the following results:

Calibration Date	12-Mar-2016											
Component	360	030	060	090	120	150	180	210	240	270	300	330
ADAHRS 1	000	030	060	090	120	150	180	210	240	270	301	330
ADAHRS 2	001	030	060	090	120	150	179	210	240	270	301	331
ESIS	001	030	060	090	120	150	179	210	240	271	300	331
Standby	000	030	060	090	120	150	177	205	235	270	300	330

The **Pitot Static System and Altimeter Systems** have been calibrated in accordance with the applicable ground test procedures with the following results:

Component	Serial Number	Calibration Date	Max Altitude Tested
ADAHRS	KSG7200-B2708	12-Mar-2016	25,000 ft
ESIS	5508	12-Mar-2016	25,000 ft

The **Transponder Systems** have been calibrated in accordance with the applicable ground test procedures with the following results:

Component	Serial Number	Calibration Date	Max Altitude Tested
Transponder 1	2349	12-Mar-2016	25,000 ft
Transponder 2	2347	12-Mar-2016	25,000 ft

The **Basic Weight** and **Centre of Gravity** given below is based on weight and balance report AEROC V6.3.G.1 and has been performed in accordance with Viking Air Limited work instruction WI-017-14.

Date Weighed	11-Apr-2016
Basic Aircraft Weight (lbs):	7,772.3
Center of Gravity (inches):	214.57

A Pre-Flight Inspection Checklist has been completed in accordance with FORM-017-27 on the following date: — Date: 12-Apr-2016

Production Release

A list of applicable Airworthiness Directives can be found in Section 3 of the Airframe Technical Record.

The activities described above have been performed in accordance with the applicable Viking Air Limited Engineering Data and inspected as per Viking Air Limited Quality System.

Signature: — Date: APR 13 2016 — Stamp: SQC 532 DELEGATE

Certification Activities

STATEMENT OF CONFORMITY (For a newly Manufactured Aircraft)

Aircraft

Manufacturer:	Model:	Serial Number:	Type Certificate:
Viking Air Limited	DHC-6 Series 400	938	A-82

Engines

	Manufacturer:	Model:	Serial Number:	Type Certificate:
1.	Pratt & Whitney Canada Corp.	PT6A-34	PCE-RB0954	E-6
2.	Pratt & Whitney Canada Corp.	PT6A-34	PCE-RB0955	E-6

Propellers

	Manufacturer:	Model:	Serial Number:	Type Certificate:
1.	Hartzell Propeller Inc.	HC-B3TN-3DY/T10282NB	BUA33534	P-49
2.	Hartzell Propeller Inc.	HC-B3TN-3DY/T10282NB	BUA33489	P-49

Certification Statement

This aircraft was satisfactorily test flown in accordance with the FTP-6-400 Production Flight Test Procedure:

Document Title:	Number:	Dated:
Production Flight Test Certificate	FTP-6-CERT	13-Apr-2016

I hereby certify that the aircraft described above, produced in accordance with the policies and procedures of the Viking Air Quality Manual (QM-001) under Transport Canada Certificate of Approval Number 22-80, conforms to its approved type design and is in a condition for safe operation.

Date: 18 APR 2016 — Signature: SCOTT VIGER S. VIGER (On Behalf of Viking Air Limited) — SQC 808 DELEGATE

15 (Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

16 Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)* (Carry forward) (Reporter)

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

FLIGHT RECORD

Date	Crew - Équipage: Pilot / Copilot / Pilote / Copilote	Journey - Route: From De	To À	Record of time - Fiche de temps: Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre: CYCLES	LANDINGS
1 / 2 / 3									
16/06/20	Totals brought forward / Totaux reportés						8.9	5	5
16/06/20	LAST 2 ENTRIES BROUGHT FORWARD FROM PREVIOUS LOGS.								

19 (Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Maintenance

12 Defects Défectuosités	13 Rectification	14 Signature

Reserved for Transport Canada

Certificate of Airworthiness

This aircraft has been issued a Normal Category Certificate of Airworthiness as per Transport Canada Aviation Regulations CAR Part V subpart 507.02.

Minister Delegate – Production: J. COCKSEDGE — Date: APR 19 2016

Stamp: DEPARTMENT OF TRANSPORT - MINISTÈRE DES TRANSPORTS — Délégué de Ministre Civile — Canada — 0546 — Civil Aviation Delegate

Reserved for Transport Canada

Export Airworthiness Certificate

This aircraft has been issued a Canadian Export Airworthiness Certificate as per Transport Canada Aviation Regulations CAR Part V subpart 509.03.

Minister Delegate – Production: J. COCKSEDGE — Date: APR 19 2016

Stamp: DEPARTMENT OF TRANSPORT - MINISTÈRE DES TRANSPORTS — Délégué de Ministre Civile — Canada — 0546 — Civil Aviation Delegate

VIKING AMO 22-01 \ M1706

18 Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)* (Carry forward) (Reporter)

FLIGHT RECORD | **DOSSIER DE VOL**

Date	Crew - Équipage	Journey - Route		Record of time - Fiche de temps				Other - Autre	
	Pilot / Copilot Pilote / Copilote	From De	To À	Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	CYCLES	LANDINGS
	Totals brought forward Totaux reportés						8.9	5	5

VIKING

Date: 21 June 2016 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 8.9 hrs, Cycles: 5, Landings: 5 — Reference work order: MRO-SN0938

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E insp completed IAW PSM 1-6-7(IC).
- Nav database updated as required IAW PSM 1-64-2 Ch. 45-00-00.
- Technical Bulletin V6/00016 -Cold Weather Operations Kit has been incorporated.
- S.O.O. 6276 installed IAW C6MK2624-1, Rev. A.
- MOD 6/2303 has been incorporated per Technical Bulletin V6/00071, Revision A, Jan. 29, 2016.
  - S.O.O. 6222 (Smartview Synthetic Vision System) has been enabled per Technical Bulletin V6/00071.
  - S.O.O. 6280 (FAA Engine Display Colors) has been enabled per Technical Bulletin V6/00071.
  - S.O.O. 6312 (Vertical Situation Display) has been enabled per Technical Bulletin V6/00071.
  - S.O.O. 6313 (Dual Flight Management System) has been enabled per Technical Bulletin V6/00071.
- TB V6/00071 Appendix "A"- Ground Test Procedures completed.
- S.O.O. 6221 (Autopilot) has been incorporated per Technical Bulletin V6/00078, Revision A, Jan. 29, 2016.
- Installed the following autopilot components:
  - Aileron Servo P/N: 2R5310A, S/N: C3272
  - Aileron Capstan P/N: 291302A, S/N: A3993
  - Elevator Servo P/N: 2R5310A, S/N: C2909
  - Elevator Capstan P/N: 291302A, S/N: A3981
  - Rudder Servo P/N: 2R5310A, S/N: C3027
  - Rudder Capstan P/N: 291302A, S/N: A3991
  - Pitch Trim Servo P/N: 065-0061-50, S/N: KS272A-49698
  - Pitch Trim Capstan P/N: 065-0030-02, S/N: KM275-70269
- Pitch trim clutch torque set to 22 in/lb IAW PSM 1-64-2.
- TB V6/00078 Appendix "A" – Ground Test Procedures completed.
- MOD 6/2304 has been incorporated in accordance with Technical Bulletin No. V6/00076, Revision A, Jan. 29, 2016.
- S.O.O. 6225 (SBAS Navigation and Approach Capability) has been enabled in accordance with Technical Bulletin No. V6/00076.

Ybarra/Beaudet/Paquin	CYYJ	CYYJ	YYR	2237	0.8	9.7	6	6

(Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

Maintenance		
Defects Défectuosités	Rectification	Signature

- Removed GPS receiver's P/N: 066-01201-0101, #1- S/N: KSG200-2565, #2- S/N: KSG200-2566.
- Installed GPS receiver's P/N: 066-01201-0105, #1 S/N: KSG200-2764, #2- S/N: KSG200-2765.
- MOD 6/2354 has been incorporated in accordance with Technical Bulletin No. V6/00077, Revision A, Jan. 29, 2016.
- S.O.O. 6347 (ADS-B out functionality) has been enabled in accordance with Technical Bulletin No. V6/00077.
- Removed Transponders P/N: 066-01198-0101, #1- S/N: 2347, #2- S/N: 2349.
- Installed Transponders P/N: 066-01198-0102, #1- S/N: KXP2290A-2311, #2- S/N: KXP2290A-2313.
- Installed Primus APEX APM Options File P/N: TT60002657-00135.
- Flight Manual Supplement 50 placed in aircraft flight manual.
- Honeywell Primus APEX Pilots Guide Revision 1, and DHC-6-400 Supplement Revision 2 placed in aircraft.
- TB V6/00071 & V6/00078 Appendix "B"- Flight Test Procedures placed in aircraft journey log.
- Weight and Balance Amendment #1 competed, and Basic Aircraft Weight Change Record amended.

New Basic Empty Weight: 7808.20 **Arm: 214.85** **Moment:** 1677608

It has been established that the interrelationship between these and other repairs and modifications will not adversely affect the airworthiness of this aircraft.

Maintenance Release

I have conducted an independent inspection of the Flight Control Systems affected for correct assembly, the presence of all safety and locking devices and sense of movement through the full range of travel.

Date: 21 JUN 2016 Signature: VIKING AMO 22-80 \ 429 AMO 22-80

The maintenance described above has been performed in accordance with the applicable airworthiness requirements and is subject to a satisfactory test flight.

Date: 21 JUN 2016 Signature: AMO 22-80 VIKING AMO 22-80 \ 448

I certify that I have flown this aircraft and that Appendix "B" of TB V6/00071 & V6/00078 have been complied with.

Date: 21 JUN 2016 Signature: AA7x3814 AMO 22-80

Auto Fx tested AA7x1814

VIKING

Date: 28 June 2016 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 9.7 hrs, Cycles: 6, Landings: 6 — Reference work order: MRO-SN0938-1

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E insp completed IAW PSM 1-6-7(IC).

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements and is subject to a satisfactory test flight.

Date: 28 JUN 2016 Signature: VIKING AMO 22-80 \ M721 AMO 22-80

FLIGHT RECORD 938 C-GVZQ

Date	Crew - Équipage Pilot / Copilot / Pilote / Copilote	Journey - Route From De	To À	Record of time - Fiche de temps Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre C/C	Other - Autre GDG
	Totals brought forward / Totaux reportés						9.5	5	5
16/06/28									
16/06/28	Dunlo/Armbrost	CYYJ	CYYJ	1808	1937	1.5	11.2	6	9
16/06/29	Dunlo/Armbrost	CYYJ	CYYJ	1715	1929	2.3	13.5	7	10
16/06/29	Dunlo/Armbrost	CYYJ	CYYJ	2151	2308	1.3	14.8	8	11
16/06/29	Dunlo/Armbrost	CYYJ	CYYJ	1549	1710	1.4	16.2	9	12
16/06/30	Dunlo/Armbrost	CYYJ	CYYJ						

05 August 2016 C-GVZQ TTAF 16.2 hrs
TSN Engs 16.2 hrs/TSN Props 16.2 hrs

EMMA routine A and E inspections completed iaw PSM 1-6-7 (IC).

16/08/04	Smith/Williams	CYYJ	CYLW	2043	2150	1.1	17.3	10	13
16/08/04	Smith/Williams	CYLW	CYXC	2220	2317	1.0	18.3	11	14
16/08/19	Smith/Dunlo	CYXC	CYYJ	1830	2025	1.9	20.2	12	15

(Brought forward) (Reporté) Next scheduled maintenance: Prochaine maintenance planifiée: Due: Échéance: (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Defects Défectuosités	Rectification	Signature
		AA295329
		AA295329
		AA295329
		AA295329
	THE DESCRIBED MAINTENANCE HAS BEEN PERFORMED IN ACCORDANCE WITH THE APPLICABLE AIRWORTHINESS REQUIREMENTS. AMO 84-07 SIGNATURE LIC# M325804 5 Aug 2016	
	Auto Feathe test Complete	AA500848
		AA500840

VIKING

Date: 19 Aug 2016 Model: DHC-6-400 A/C: C-GVZQ S/N: 938
TAT: 18.3 hrs, Cycles: 11, Landings: 14 Reference work order: MRO-SN0938 & MRO-10876

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E Insp completed IAW PSM 1-6-7(IC).
- Nav database updated as required.
- Removed Transponders P/N: KXP2290A, #1 S/N: 2313 & #2 S/N: 2311.
- Installed Transponders P/N: KXP2290, #1 S/N: 2347 & #2 S/N:-2349 IAW PSM 1-64-2.
- Removed GPS receiver's P/N: KGS200, #1 S/N: 2764 & #2 S/N: 2765.
- Installed GPS receiver's P/N: KGS200, #1 S/N: 2565 & #2 S/N: 2566 IAW PSM 1-64-2.
- Installed APM Options file P/N: TT60002657-00146 IAW PSM 1-64-2.

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 19 AUG 2016 Signature: VIKING AMO 22-80 AMO 22-80

FMS 2 Fail/Annl: 2 DB Expired AA295329

Next scheduled maintenance: Prochaine maintenance planifiée: Due: Échéance: (hr / cycles / date)* (h / cycles / date)* (Carry forward) (Reporter)

FLIGHT RECORD

Date	Crew - Équipage: Pilot / Copilot / Pilote / Copilote	Journey - Route: From De	To À	Record of time - Fiche de temps: Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre: CYCLES	LANDINGS
	Totals brought forward / Totaux reportés						20.2	12	15
12 OCT 2016									
16/10/12	Pasquali / Denko	CYYS	CYYS	2149	2226	0.6	20.8	13	16
13 DEC 2016									

(Brought forward) (Reporté)

Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Maintenance		
Defects / Défectuosités	Rectification	Signature

VIKING

Date: 12 Oct 2016
TAT: 20.2 hrs, Cycles: 12, Landings: 15

Model: DHC-6-400

A/C: C-GVZQ S/N: 938
Reference work order: MRO-SN0938

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E Insp completed IAW PSM 1-6-7(IC).
- Nav database updated as required.
- Installed APM Options file P/N: TT60002657-00151 IAW PSM 1-64-2.
- SOO 6271 (IAC AR Certification requirements) installed IAW Drawing No. C6-2040.
- SOO 6150 (Exterior Break-in markings) installed IAW Drawing No. C6FF2294.
- SOO 6270 (Portable ELT Provisions) installed IAW Drawing No. C6G1498.
- SOO 6269 (Russian Operating Instructions) supplied as loose equipment. De-ice placard P/N: C6S1051-27 affixed to Operating Instructions Placard.
- SOO 6236 (Russian Interior Placards) installed IAW Drawing No. C6G1486.
- SOO 6241 (Russian Exterior Placards) installed IAW Drawing No. C6G1487.
- Mod 6/2394 has been incorporated IAW Technical Bulletin No. V6/00083- Modified shock cord, MLG blind installation.
- Eye height reference indicator repositioned IAW Drawing No. C6JF1426.
- Weight and Balance Amendment #2 completed and Basic Aircraft Weight Change Record Amended.

New Empty Weight : 7808.53 lbs, CofG: 214.85 in, Moment: 1677636.00

It has been established that the interrelationship between these and other repairs and modifications will not adversely affect the airworthiness of this aircraft.

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 12 OCT 2016 Signature: VIKING AMO 22-80 \ 429 AMO 22-80

EL 471603

VIKING

Date: 13 Dec 2016
TAT: 20.8 hrs, Cycles: 13, Landings: 16

Model: DHC-6-400

A/C: C- GVZQ S/N: 938
Reference work order: MRO-10928

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E Insp completed IAW PSM 1-6-7(IC).
- Removed ESIS power supply S/N: 80311.
- Installed ESIS power supply PS-850B, S/N: 80203 and function checked serviceable.

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 13 DEC 2016 Signature: VIKING AMO 22-80 \ M721 AMO 22-80

Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)* (Carry forward) (Reporter)

FLIGHT RECORD

Date	Crew - Equipage: Pilot / Copilot / Pilote / Copilote	Journey - Route: From De	To À	Record of time - Fiche de temps: Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre: 9	10	11
1	2	3	4	5	6	7	8	9	10	11
	Totals brought forward / Totaux reportés						20.8	13	16	
6/12/13	Rowland / Dalko	CYYS	CYYS	2003	2027	0.4	21.2	14	17	

(Brought forward) (Reporté)

Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Maintenance		
12 Defects / Défectuosités	13 Rectification	14 Signature
		4/11/503

VIKING

Date: 30 Aug. 2017 Model: DHC-6-400 A/C: C-GVZQ S/N: 938
TAT: 21.2 hrs, Cycles: 14, Landings: 17 Reference work order: MRO-10955

The following is a summary of the work carried out at Viking Air Limited.

- Routine A&E, 7 day inspection carried out.
- Nav. database updated.
- EMMA Inspection #1 completed IAW PSM 1-6-7(IC).
- Completed EMMA Inspection Cards #'s 8, 39, 41, 42, and 43 to comply with Annual Inspection requirements of CAR 625 App. "B".
- Engine ground runs performed IAW PSM 1-64-2, Ch. 71-00-00 and checked serviceable.
- EMMA Calendar Card 12 month inspection items completed.
- EMMA Special Insp SP2-F2 (239.88 fuselage side frame 12-month insp) completed IAW SB6/521.
- AD CF95-12 C/W by completion of EMMA Special Insp SP2-F2.
- EMMA Special Insp SP1-E5 (Replacement of Primary Elevator and Rudder control cables) completed.
- EMMA Special Insp SP2-J2 (Cabin & cockpit fire ext insp) completed.
- EMMA Special Insp SP2-J3 (Engine fire ext check) completed.
- EMMA Special Insp SP2-N1 (ESIS periodic battery check) completed.
- EMMA Special Insp SP2-N2 (ESIS battery capacity test) completed.
- EMMA Special Insp SP2-N3 (CVR ULB 12 month insp) completed.
- EMMA Special Insp SP2-N5 (FDR ULB 12 month insp) completed.
- EMMA Special Insp SP2-N6 (FDR 12-month correlation check) completed.
- EMMA Special Insp SP2-N7 (ESIS 12-month calibration check) completed.
- Emergency lighting power supply P/N: RG-121-1, S/N: 40785170, 12-month capacity check carried out.
- HF antenna coupler pressure tested and checked serviceable.
- Compass swing completed and checked serviceable. Correction card affixed to compass.
- Main battery P/N: RG-380E/60L, S/N: 40750765, annual capacity check carried out.
- ELT S/N: 252-00185 removed and recertified by Victoria Avionics on WO#17-148. Same S/N reinstalled and function checked serviceable. Battery due July 2021.
- Installed new First Aid kit P/N N-1265.
- Re-tensioned aileron in wing circuits due to low tensions.
- Back flushed static system lines due to altitude split between channel A and B.
- Removed corrosion and treated roof access steps.
- Adjusted Beta indicator lights, found out of tolerance.
- Replaced IB main wheel bearings with new P/N 39250, and cups P/N 39412.
- Replaced all brake dust seals with new P/N 139-20000.

Maintenance Release

I have conducted an independent inspection of the Engine and Flight Control Systems affected for correct assembly, the presence of all safety and locking devices and sense of movement through the full range of travel.

Date: 30 AUG 2017 Signature: VIKING AMO 22-80 \ 174 AMO 22-80

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 30 AUG 2017 Signature: VIKING AMO 22-80 \ 429 AMO 22-80

- SP2-N4 (CVR 12-month Intelligibility test) Due by: 30 Sep 2017.

Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)* (Carry forward) (Reporter)

FLIGHT RECORD

DOSSIER DE VOL

Date	Crew - Equipage: Pilot / Copilot / Pilote / Copilote	Journey - Route: From De	To À	Record of time - Fiche de temps: Up Décollage	Down Atterissage	Air time Temps-air	TTSN**	Other - Autre: Cycles	Landings
	Totals brought forward / Totaux reportés						21.9	15	18
05 SEP 2017									
~~12 SEP 2017~~									
12 SEP 2017									
17/09/13	VANDENBRINK	CYYJ	CYYJ	1735	1936	2.0	23.9	16	19
17/09/14	VANDENBRINK	CYYJ	CYYJ	1611	1808	2.0	25.9	17	20
MAY 24 2018							25.9	17/17	20

(Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)* — (Carry forward) (Reporter)

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

Maintenance		
Defects / Défectuosités	Rectification	Signature

VIKING

Date: 5 Sep. 2017 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 21.9 hrs, Cycles: 15, Landings: 18 — Reference work order: MRO-10955

The following is a summary of the work carried out at Viking Air Limited.

- EMMA Special Insp SP2-N4 (CVR 12-month Intelligibility test) completed.
- Removed and re-installed CVR P/N 980-6023-002 S/N ARCVR-11640 for the above test. Unit function checked serviceable.

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 5 SEPT 17 Signature: [signature] VIKING AMO 22-80\M0748 AMO 22-80

VIKING

Date: 12 Sep 2017 — Model: DHC-6-400 — A/C: C-GVZQ S/N: 938
TAT: 21.9 hrs, TCSN: 15, Landings: 18 — Reference work order: MRO-11027

The following is a summary of the work carried out at Viking Air Limited.

- Routine 7 day A&E Insp completed IAW PSM 1-6-7(IC).

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 12 SEP 2017 Signature: [signature] VIKING AMO 22-80\M11785 AMO 22-80

Paul VANDENBRINK 256893

Paul VANDENBRINK 256893

VIKING

Date: 05/24/18 — Model: DHC-6 SERIES 400 — A/C: C-GVZQ — S/N: 938
TAT: 25.9 Hrs — TCSN: 17/17 — Landings: 20 — Ref W/O: MRO-11065/1

The following is a summary of the work carried out at Viking Air Limited.

- CUSTOMER SPECIFIED PAINT SCHEME APPLIED BY VICTORIA AIR MAINTENANCE UNDER PO PMRO-11065-1.
- ELEVATOR, RUDDER, AND AILERONS BALANCED AND RE-INSTALLED.
- ALL FLAPS RE-INSTALLED.
- AIRCRAFT WEIGHED. NEW WEIGHT AND BALANCE CALCULATED:
  NEW EMPTY WEIGHT: 7827.7 lbs C of G: 215.31 in Moment: 1685336

END

Maintenance Release

I have conducted an independent inspection of the Flight Control Systems affected for correct assembly, the presence of all safety and locking devices and sense of movement through the full range of travel.

Date: 24 MAY 2018 Signature/Stamp: [signature] VIKING AMO 22-80\M121 AMO 22-80

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: 24 MAY 2018 Signature/Stamp: [signature] VIKING AMO 22-80\1479 AMO 22-80

Next schedul... Prochaine maintenance planifiée: ..... Échéance: ..... (h / cycles / date)*

FLIGHT RECORD

Date	Crew - Équipage Pilot / Copilot / Pilote / Copilote	Journey - Route From / De	To / À	Record of time - Fiche de temps Up / Décollage	Down / Atterissage	Air time / Temps-air	TTSN**	Other - Autre Cycles	Landing
	Totals brought forward / Totaux reportés						25.9	17 / 17	20
MAY 24 2018									
29 May	Derrick / Montgomery	CYYJ	KBLI	1533	1555	01.4	26.3	18 / 18	21
29 May 2018	Montgomery / Drew	KBLI	KBLG	1620	1738	1.3	27.6	19 / 19	22

(Brought forward) (Reporté) — Next scheduled maintenance: Prochaine maintenance planifiée: ..... Due: Échéance: ..... (hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Maintenance: Defects / Défectuosités	13 Rectification	14 Signature

VIKING

Date: 05/24/18 Model: DHC-6 SERIES 400 A/C: C-GVZQ S/N: 938
TAT: 25.9 Hrs TCSN: 17/17 Landings: 20 Ref W/O: MRO-11091/1

The following is a summary of the work carried out at Viking Air Limited.

- ROUTINE 7 DAY A&E INSP COMPLETED
- NAV DATA UPDATED AS REQUIRED
- SP1-E4 - THE ENTIRE ACCESSIBLE LENGTH OF THE ELEVATOR AND RUDDER PRIMARY FLIGHT CONTROL CABLE SYSTEMS INSPECTED FOR CONDITION, CORROSION, FRAYING, FLATTENING, PROPER ATTACHMENT AND SECURITY. NO FAULT FOUND
- SP2-J2 - REMOVED AND WEIGHED MODEL 2-10 HALON 1211 (BCF) OR H3R AVIATION 1211 MODEL A1600 HAND FIRE EXTINGUISHER. NO FAULT
- SP2-I3 - CHECKED CONTINUITY OF ENGINE FIRE EXTINGUISHER SYSTEM AND CHECK CONTINUITY OF SQUIB ASSEMBLY. NO FAULT FOUND
- SP2-N1- PERIODIC BATTERY CHECK COMPLETED ON ESIS BATTERY (MOD 6/2049, PRE MOD 6/2170) (POST MOD 6/2170) & (MOD SOO 6209). NO FAULT FOUND.

END

Maintenance Release

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Date: MAY 24 2018 Signature/Stamp: [redacted] AMO 22-80

799807
AA295329

VIKING

DHC-6-400 C-GVZQ S/N: 938

VIKING AIR LIMITED
9959 DE HAVILLAND WAY
SIDNEY, BC V8L 5V5

Work Order #: MRO-11227

Date	A/C HRS	A/C AFL	ENG 1 HRS	ENG 1 ENC	ENG 2 HRS	ENG 2 ENC	PROP 1 HRS	PROP 2 HRS
13-Dec-2018	27.6	22	27.6	19	27.6	19	27.6	27.6

No.	Task No./Position	Description
1	CAMP TASK 261020	SP2-J2 COCKPIT PORTABLE FIRE EXTINGUISHER WEIGHT CHECK (MODEL 2-10 HALON 1211 (BCF) OR H3R AVIATION 1211 MODEL A1600) COMPLETED.
2	CAMP TASK 261025	SP2-J2 CABIN PORTABLE FIRE EXTINGUISHER WEIGHT CHECK (MODEL 2-10 HALON 1211 (BCF) OR H3R AVIATION 1211 MODEL A1600) COMPLETED.
3	CAMP TASK 310005	SP2-N1 ESIS BATTERY - PERIODIC BATTERY CHECK (MOD 6/2049, PRE-MOD 6/2170 (POST MOD 6/2170) (MOD SOO-6209) COMPLETED.
4	CAMP TASK 050052 & 050053	ROUTINE A & E INSPECTION COMPLETED.
5	CAMP TASK TCCA CF-2017-20	FLIGHT CONTROLS - AILERON CABLE WEAR AT WING ROOT RIB AND AT FUSELAGE SKIN. AIRCRAFT NOT WITHIN THRESHOLD OF DEFINED TIME/HOURLY REQUIREMENTS.
6	CAMP TASK TCCA CF-2018-28	FLIGHT CONTROLS - WORN ELEVATOR CABLE INSPECTION. NOT REQUIRED; AIRCRAFT IS NOT CONFIGURED ON FLOATS.
7	CAMP TASK TCCA CF-2018-07	FUEL SYSTEM - CORROSION OF FUEL SYSTEM COMPONENTS. AIRCRAFT NOT WITHIN THRESHOLD OF DEFINED TIME/HOURLY REQUIREMENTS.

this aircraft has been inspected to the degree necessary to ensure it is fit and safe for the intended flight(s) in accordance with flight permit # ~~AD1MC~~ 691-M1012/2001

The maintenance described above has been performed in accordance with the applicable airworthiness requirements.

Signature/Stamp: [redacted] VIKING AMO 22-80 \ 834 AMO 22-80

Next scheduled maintenance: Due: (hr / cycles / date)* (Carry forward)
Prochaine maintenance planifiée: ..... Échéance: ..... (h / cycles / date)* (Reporter)

FLIGHT RECORD

Date	Crew - Équipage	Journey - Route		Record of time - Fiche de temps				Other - Autre	
1	2 Pilot / Copilot Pilote / Copilote	3 From De	4 To À	5 Up Décollage	6 Down Atterissage	7 Air time Temps-air	8 TTSN**	9 CYCLES	10 LDGS. 11
	Totals brought forward Totaux reportés						27.6	19	19
13 DEC 18	Montgomery / Reinhart	KGKG	KRDD	2032	2357	3.4	31.0	20	20
14 DEC 18	Montgomery / Reinhart	KRDD	F70	0045	0345	3.3	34.3	21	21

16 → (Brought forward) (Reporté)

Next scheduled maintenance: Prochaine maintenance planifiée: .....

Due: Échéance: .....

(hr / cycles / date)* (h / cycles / date)*

*Delete where inapplicable — Supprimer si ce n'est pas applicable

**Total time since new — Temps total depuis neuf

DOSSIER DE VOL

Maintenance		
12 Defects Défectuosités	13 Rectification	14 Signature
		CYA505022 A9587.

Next scheduled maintenance: Prochaine maintenance planifiée: .....

Due: Échéance: .....

(hr / cycles / date)* (h / cycles / date)*

(Carry forward) (Reporter) →

AIRCRAFT JOURNEY LOG — CARNET DE ROUTE D'AÉRONEF

INSTRUCTIONS

General

(i) Some of the information requested in this log is optional. The regulatory requirements for journey logs are contained in CAR 605.94, 605.95 and 605 Schedule I.

Aircraft information (blocks A through K)

(i) Upon bringing this log into use, add the appropriate volume number and enter the applicable information in the spaces provided. Blocks J & K have been provided for additional information at the operators discretion. Where the aircraft weight and balance report includes the empty weight and cg. for multiple configurations, enter the information for each configuration in block L.
(ii) Each time the weight and balance report is amended, strike out the superseded entry, enter the new information for each configuration affected, and sign and date the entry. If necessary, continuation sheets may be attached.

Flight record (cells 1 through 14)

(i) Upon bringing this log into use, enter details of the total air time (and any other total data being tracked), the next scheduled maintenance action and any outstanding defects, in the appropriate cells. On commencing a new page, bring this information forward from the preceding page. Columns 9 through 11 have been provided for additional information applicable to the particular operation (e.g. flight hours, nature of flight).
(ii) For each flight or series of flights, complete cells 1 through 12 as applicable. For each maintenance activity or elementary work task recorded, complete cells 13 and 14 as applicable. Where the task described in cell 13 is a maintenance task, a signature in cell 14 constitutes the maintenance release required by CAR 605.85. Include the signatories AME licence number, or the ACA and AMO numbers. Where the entry in cell 13 relates to satisfactory completion of a test flight for a conditional maintenance release, the pilot's signature in cell 14 completes the release. Enter any temporary deviations from the stated empty weight and cg in the defects column.
(iii) When recording maintenance tasks other than the rectification of defects, the entry may extend over both cells 12 and 13.
(iv) When an entry in any cell takes up more than one row, strike out the unused adjacent cells of the affected rows so that all cells are available for the next flight entry.

Scheduled maintenance (cells 15 and 16)

(i) After recording a scheduled maintenance action, strike out the reference to that action in block 15 and make a new entry containing details of the next scheduled maintenance requirement in block 16.

Généralités

(i) Certains des renseignements sollicités dans ce carnet sont facultatifs. Les exigences réglementaires relatives aux carnets de route se trouvent aux articles 605.94, 605.95 et à l'annexe I de la sous-partie 605 du Règlement de l'aviation canadien (RAC).

Renseignements relatifs à l'aéronef (articles A à K)

(i) À la première utilisation du carnet de route, ajouter le numéro du volume approprié et inscrire les renseignements pertinents dans les espaces prévus à cet effet. Les articles J et K servent à consigner des renseignements supplémentaires au choix de l'exploitant. Lorsque le rapport de la masse et du centrage de l'aéronef comprend la masse à vide et le centre de gravité pour des configurations multiples, inscrire les renseignements pour chaque configuration à l'article L.
(ii) Chaque fois que le rapport de la masse et du centrage est modifié, rayer l'inscription précédente, inscrire les nouveaux renseignements pour chaque configuration visée, signer et dater l'inscription. Vous pouvez, au besoin, ajouter des feuilles supplémentaires.

Dossier de vol (cellules 1 à 14)

(i) À la première utilisation du carnet de route, inscrire dans les cellules visées les détails relatifs au temps total dans les airs, (et tout les autre données qui sont suivies de près), aux prochains travaux de maintenance, et aux défectuosités en suspens. Avant de commencer une nouvelle page, reporter les renseignements de la page précédente. Les colonnes 9 à 11 servent à consigner des renseignements supplémentaires propres à une exploitation en particulier (p. ex. heures de vol, nature du vol).
(ii) Pour chaque vol ou série de vols, remplir les cellules 1 à 12, selon le cas. Pour chacune des activités de maintenance ou pour les travaux élémentaires, remplir les cellules 13 et 14, selon le cas. Lorsque la tâche décrite à la cellule 13 est une tâche de maintenance, une signature à la cellule 14 tient lieu de la certification après maintenance exigée en application de l'article 605.85 du RAC. Inclure le numéro de licence des techniciens d'entretien d'aéronefs (TEA) signataires ou les numéros de l'autorité de certification de la navigabilité aérienne (ACNA) et de l'organisme de maintenance agréé (OMA). Lorsque l'inscription à la cellule 13 concerne l'exécution satisfaisante d'un test en vol aux fins d'obtention d'une certification après maintenance conditionnelle, la signature du pilote à la cellule 14 complète la certification après maintenance. Inscrire tout écart temporaire concernant la masse à vide et le centre de gravité énoncés dans la colonne des défectuosités.
(iii) Au moment de consigner des tâches de maintenance autres que la rectification de défectuosités, l'inscription peut être indiquée dans les cellules 12 et 13.
(iv) Lorsqu'une inscription dans une cellule quelconque prend plus d'une rangée, rayer les cellules inutilisées adjacentes des rangées visées de sorte que les cellules soient libres pour l'inscription du prochain vol.

Travaux de maintenance prévue (cellules 15 et 16)

(i) Après avoir consigné des travaux de maintenance prévus, rayer la référence à ces travaux dans la cellule 15 et faire une nouvelle inscription dans la cellule 16 en indiquant les détails des prochains travaux de maintenance prévus.

A. NATIONALITY AND REGISTRATION / *NATIONALITÉ ET IMMATRICULATION*: Canadian C-GVZQ

B. MANUFACTURER / *CONSTRUCTEUR*: Viking Air Limited

C. MODEL / *MODÈLE*: DHC-6 Series 400

D. SERIAL NUMBER / *NUMÉRO DE SÉRIE*: 938

E. FUEL / *CARBURANT*: CAPACITY / *CAPACITÉ* 1768L GRADE / *TYPE* JET A/B

F. OIL GRADE / *TYPE D'HUILE*: SUMMER / *ÉTÉ* BP2380 WINTER / *HIVER* BP2380

G. HYDRAULIC FLUID / *FLUIDE HYDRAULIQUE*: MIL-H-5606

H. MAINTENANCE SCHEDULE / *CALENDRIER DE MAINTENANCE*: CAR 625 App B+C

I. MAXIMUM GROSS WEIGHT / *MASSE MAXIMALE BRUTE*: 12,500 lbs

J.

K.

L. EMPTY MASS AND CENTRE OF GRAVITY / *MASSE À VIDE ET CENTRE DE GRAVITÉ*

CONFIGURATION	MASS / MASSE	CG	SIGNATURE	DATE
Basic Empty	7772.3	214.57		20 JUN 2016
Basic Empty	7808.2	214.85		21 JUN 2016
Basic Empty	7808.5	214.85		12 OCT 2016
Basic Empty	7827.7	215.31	VIKING AMO 22-88\479	24 MAY 2018