# ELEC-313 Lab 5: CMOS Circuits

October 19, 2013

Date Performed: October 16, 2013 Partners: Charles Pittman

Stephen Wilson

## Contents

1	Objective	3
2	Equipment	3
3	Schematics	3
4	Procedure    4.1 CMOS Inverter     4.2 CMOS NAND	<b>4</b> 4
5	Results	4
6	Conclusion	4
L	ist of Figures	
	1 Circuits used in this lab	3
	2 Output of CMOS inverter	4
	3 Data 2	5
	4 Data 3	6
	5 Output of CMOS NAND gate	7

## List of Tables

### 1 Objective

The objective is to construct and observe the operation of a CMOS inverter and NAND gate.

#### 2 Equipment

• ALD1105 Dual N-channel and P-channel matched pair MOSFET

• Power supply: HP E3631A

• Oscilloscope: Agilent 54622D

 $\bullet$  Function generator: HP 33120A

#### 3 Schematics




Figure 1: Circuits used in this lab.

### 4 Procedure

- 4.1 CMOS Inverter
- 4.2 CMOS NAND

#### 5 Results




Figure 2: Output of CMOS inverter

#### 6 Conclusion




Figure 3: Data 2




Figure 4: Data 3




Figure 5: Output of CMOS NAND gate