

PFAS Data

10/17/2023

ND = Non-detect, result was below the level that can be confidently reported by the analytic laboratory.

Interim drinking water standard is the 5 PFAS compounds currently regulated in Vermont. These compounds are identified in red and with an asterisk below.

Results are sorted with samples with the highest PFAS concentration at the top.

| WSID | System | Town | Lab Number | Date | Type | Sample Point | Facility ID | Compound | Concentration (ppt) |
|-----------|--------------------|-------------|----------------|-----------|------|--------------|-------------|---|---------------------|
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2109-28743-001 | 9/21/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 440.52 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.72 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 134 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 262 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 40.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.83 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 20.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2208-23077-001 | 8/16/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 408.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.18 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 106 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 255 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 44 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.48 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | |
|-----------|--------------------|----------------------------|-----------|----|-------|-------|--|---------------|
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 20.2 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 2111-33901-001 | 11/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 400.86 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.36 |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 130 |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 232 |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 35.5 |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.25 |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 18 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 1911-28582-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 323.14 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.04 |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 134 |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 161 |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 26.1 |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|--------------------|----------------------------|-----------|----|-------|-------|--|--------|
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 11.9 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 2204-10105-001 | 4/25/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 309.23 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.53 |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 68 |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 205 |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 33.7 |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.05 |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 14.9 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 2104-10701-001 | 4/22/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 216.4 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 89 |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 107 |

| | | | | | | | | |
|-----------|--------------------|----------------------------|------------|----|-------|-------|--|-------|
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 20.4 |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 7.4 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 2101-01190-001 | 1/13/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 207.3 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 74.4 |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 112 |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 20.9 |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 7.82 |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY 2210-31495-001 | 10/27/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 120.6 |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 35.3 |

| | | | | | | | | | |
|--|--------------------|-------------|----------------|-----------|----|-------|-------|--|-----------------------------|
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2202-04309-001 | 2/17/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 82.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 27.3 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 47.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.52 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.53 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006098 | LEICESTER CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 8.56 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 10.5 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 4.79 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 30.6 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 21.5 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.82 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 18.5 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------------------|-----------|----------------|----------|----|-------|-------|---|--------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2101-00490-001 | 1/6/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 62.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 6.73 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 10.5 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.67 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 25.3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 17.5 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.88 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 12.2 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006098 | LEICESTER CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.74 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 7.23 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 5.11 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 28.4 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 16.7 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.61 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 16.3 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2002-04004-001 | 2/19/2020 | RT | RW003 | WL003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 59.4 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 23.2 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 36.2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 12.6 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 91.3 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2003-06258-001 | 3/17/2020 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 57.83 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 15.4 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 9.31 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.82 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 23.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 9.96 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 28 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 1910-28208-001 | 10/30/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 55.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 18.9 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 36.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 12.6 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 82.8 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2112-37533-001 | 12/21/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 53.37 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.56 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 22.1 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 22.2 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.51 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.88 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.56 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2004-08419-001 | 4/14/2020 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 49.93 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 13.6 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.92 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 4 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.51 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 20.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 7.43 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 27 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2112-35560-001 | 12/2/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 48.99 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 36.2 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.94 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.85 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.01 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|----------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 10.8 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | L2105702-06 | 2/4/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 48.49 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.69 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 13.4 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 18 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 12.4 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 12.5 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.24 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2104-08439-014 | 4/1/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 47.06 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.72 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 17.4 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 20.3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.64 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.8 |

| | | | | | | | | | |
|-----------|--------------------|-------------|-------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.76 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 20I0862-02 | 9/8/2020 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 47 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 11 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 36 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | L2006766-01 | 2/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 45.92 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 17.5 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 23.4 |

| | | | | | | | | | |
|-----------|---------------------|-------|----------------|----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.07 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2108-22514-001 | 8/1/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 44.06 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.22 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 6.24 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 16.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 16.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.03 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.69 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2105-11778-001 | 5/3/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 43.52 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 6.01 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------|-------|----------------|------------|----|-------|-------|--|-------------------|
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2111-34184-001 | 11/15/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 42.17 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.18 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 5.59 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 16.6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 14.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.44 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.29 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000402 | CHALET KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 14.6 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.21 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.5 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 18.2 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.24 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 27 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------------|------------|----------------|-----------|----|-------|-------|--|-------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2206-15638-001 | 6/14/2022 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 41.02 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 13.8 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 20.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.72 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.12 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.82 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000402 | CHALET KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 13.7 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 4.09 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.56 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 17.4 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.16 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 22.6 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2203-07773-001 | 3/30/2022 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 39.6 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.32 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 11.5 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 19.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.28 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.41 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2006-12585-001 | 6/1/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 39.35 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.17 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 6.38 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 15.9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 12.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.03 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.58 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |

| | | | | | | | | | |
|-----------|---------------------|-------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2205-12726-001 | 5/18/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 38.08 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.6 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 5.38 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 15.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 13.6 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.09 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2309-30209-001 | 9/26/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 37.79 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 11.7 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 21.9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.19 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.35 |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|------------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2010-31098-001 | 10/26/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 37.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.99 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 5 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 17 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 12.6 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.45 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000918 | FOUNDRY | KILLINGTON | L2122241-01 | 4/28/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 36.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.5 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 9.29 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 11 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.24 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.76 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2304-08499-001 | 3/31/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 36.57 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.2 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 4.97 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 13.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 14 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.79 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2301-02474-001 | 1/26/2023 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 35.27 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 11.2 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.72 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.45 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 15.9 |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|--------------|
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.86 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 24.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2101-01859-001 | 1/20/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 35.1 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 4.08 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 28 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2102-04178-001 | 2/15/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 34.38 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.42 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 4.46 |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 14 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.5 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.32 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.04 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002707 | MOGULS SPORTS PUB | KILLINGTON | 2205-11711-001 | 5/10/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 34.26 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 8.95 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 4.09 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 19.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.77 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 17.3 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2002-02773-001 | 2/4/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 33.94 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------|------------|----------------|----------|----|-------|-------|--|---------------------|
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2308-22537-001 | 8/1/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 33.25 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.1 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 20.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.75 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.54 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 8.56 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020361 | KIDS IN THE COUNTRY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.72 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 4.71 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 12.9 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 11.8 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 5.29 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------|-------|----------------|----------|----|-------|-------|--|--------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2306-15254-001 | 6/5/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 32.79 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.21 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 4.48 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 13.2 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.02 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006075 | MOUNT HOLLY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 9.3 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 19.8 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 3.21 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000918 | FOUNDRY | KILLINGTON | 2106-18196-001 | 6/29/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.01 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 7.66 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 11.8 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.53 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.67 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.94 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2206-16757-001 | 6/22/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 30.46 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 21.9 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.66 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 7.99 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------|--------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2012-37282-001 | 12/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 29.98 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 20.7 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.54 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.74 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.51 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 12.4 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2109-28714-001 | 9/23/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 28.45 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 19.3 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.36 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.56 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|--------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2209-26608-001 | 9/14/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 27.65 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 19.7 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.92 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.03 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 8.11 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2009-27661-001 | 9/28/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 27.44 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.17 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.77 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 11 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.5 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.17 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 1909-25084-001 | 9/26/2019 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 27.2 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 7.57 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.78 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.25 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.6 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.84 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 15.6 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2112-37393-001 | 12/20/2021 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 26.62 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 7.39 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.76 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.07 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.4 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.42 |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 14.3 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2203-06013-001 | 3/10/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 26.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 19 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.97 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.62 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 8.43 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 1909-24302-001 | 9/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 26.25 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.89 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 21.2 |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.16 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2004-08418-001 | 4/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 25.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.75 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 20.7 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.25 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2002-03497-001 | 2/12/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 25.68 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.48 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.8 |

| | | | | | | | | | |
|---------------------------------------|-------------------|------------|----------------|------------|----|-------|-------|--|-------------------|
| VT0002707 | MOGULS SPORTS PUB | KILLINGTON | 2110-30543-001 | 10/12/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 25.07 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 7.33 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.84 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 13.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.42 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 13.1 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000402 | CHALET KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 6.1 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.6 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.27 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 9.78 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.2 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 10.7 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|--|-------------------|------------|----------------|-----------|----|-------|-------|--|-----------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2109-28916-001 | 9/28/2021 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 24.28 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 6.02 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.53 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.92 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.81 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.15 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 10.2 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006690 | E TAYLOR HATTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 16.5 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.51 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 4.24 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 9.97 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2105-13847-001 | 5/20/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 24.24 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 17.2 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.69 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.35 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 8.98 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2160231-01 | 10/28/2021 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.97 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.14 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.46 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9.43 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.94 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.53 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2111-35054-001 | 11/29/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.74 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.19 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.6 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 10.6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.35 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.42 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2206-16756-001 | 6/23/2022 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.24 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.35 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.1 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.81 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 15.6 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2260558-01 | 10/26/2022 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.48 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.21 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.25 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9.67 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.35 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.75 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2012-37028-001 | 12/22/2020 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.96 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.18 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.66 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.36 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.18 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 12.5 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2009-26844-001 | 9/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 23.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.57 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 18.2 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.39 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2209-27508-001 | 9/23/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.86 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 12.2 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.41 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.25 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.64 |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.26 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2009-26441-001 | 9/17/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.77 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.83 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.22 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.6 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 9.39 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.07 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2228449-01 | 5/31/2022 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.64 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.82 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 10.8 |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.6 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2107-20877-001 | 7/20/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.47 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.16 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 18.3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.01 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2315561-01 | 3/21/2023 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.33 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.64 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.2 |

| | | | | | | | | | |
|---------------------------------------|---------------------------|------------|-------------|-----------|----|-------|-------|--|-------------------------|
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2208920-04 | 2/16/2022 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 22.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.03 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.31 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.66 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.12 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.84 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005504 | FIDDLEHEAD CONDOMINIUMS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.75 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 18.3 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2009-26438-001 | 9/17/2020 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 21.78 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.31 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.14 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.43 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.44 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 12.1 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2211-31753-001 | 10/31/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 21.72 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.2 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.59 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.75 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.18 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.06 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 1911-30584-001 | 11/25/2019 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 21.27 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.07 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.35 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.06 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 9.2 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.68 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2210-30776-001 | 10/18/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.75 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 10.9 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.81 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.08 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | L1950355-01 | 10/22/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.68 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.36 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.59 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.73 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.38 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2101-01187-001 | 1/13/2021 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.63 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.99 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.77 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.56 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.31 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.37 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 9.1 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2204-10101-001 | 4/25/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.47 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.07 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 17.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2112-36084-001 | 12/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.05 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9.34 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 7.11 |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2306-17477-001 | 6/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.32 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 10.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.36 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.02 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2206-14516-001 | 6/6/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.35 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.76 |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.01 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.91 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | L2248038-02 | 8/9/2022 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.07 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.16 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9.69 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.22 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.65 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2006-15524-001 | 6/25/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 20.03 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.21 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.32 |

| | | | | | | | | | |
|---------------------------------------|----------|------------|-------------|-----------|----|-------|-------|--|--------------|
| VT0000756 | KVI 2500 | KILLINGTON | L2102437-04 | 1/14/2021 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 19.66 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.17 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.41 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.84 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.24 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 8.24 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.98 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005594 | WINDY HOLLOW |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.14 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.5 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.45 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 8.21 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.74 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 5.09 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | | | | | | | | |
|---------------------------------------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----------------|------------|----------------|-----------|----|-------|-------|---|-------|
| | | | | | | | | | NETFOSAA | ND | | | | | | | |
| | | | | | | | | | NMEFOSAA | ND | | | | | | | |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2111-32743-001 | 11/2/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 19.25 | | | | | | | | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 11.9 | | | | | | | | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.2 | | | | | | | | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.15 | | | | | | | | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.2 | | | | | | | | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.06 | | | | | | | | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| | | | | | | | | 11CL-PF3OUDS | ND | | | | | | | | |
| | | | | | | | | 9CL-PF3ONS | ND | | | | | | | | |
| | | | | | | | | ADONA | ND | | | | | | | | |
| | | | | | | | | HFPO-DA | ND | | | | | | | | |
| | | | | | | | | NETFOSAA | ND | | | | | | | | |
| | | | | | | | | NMEFOSAA | ND | | | | | | | | |
| | | | | | | | | VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2308-25400-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 19.02 |
| | | | | | | | | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 14 | | | | | | | | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 5.02 | | | | | | | | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 5.1 | | | | | | | | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2104-09591-001 | 4/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.91 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.95 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.96 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.92 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.4 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 1909-25075-001 | 9/26/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.75 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.06 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 2.3 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.17 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.22 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.11 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.16 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2304-08496-001 | 4/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.64 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.72 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.92 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.36 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.22 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2004-08679-001 | 4/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.55 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.22 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.53 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.1 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.7 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.72 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.44 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2104-10545-001 | 4/21/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.43 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.83 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 15.6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020361 | KIDS IN THE COUNTRY | DOVER | 2003-05012-004 | 3/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.37 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.49 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.86 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.54 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2108-25382-001 | 8/26/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.36 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 11 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.46 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.17 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2012-35561-001 | 12/8/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 6.32 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.37 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.47 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 10.2 |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002707 | MOGULS SPORTS PUB | KILLINGTON | 2203-07228-001 | 3/23/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.09 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 5.28 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.71 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.12 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 9.1 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2109-28084-001 | 9/20/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 18.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.83 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9.15 |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.06 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.02 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.53 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006690 | E TAYLOR HATTON | MORGAN | 2008-23223-001 | 8/24/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 17.77 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 11.6 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.48 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.69 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.97 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2110-31794-001 | 10/25/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 17.77 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|---------------------|-------|----------------|-----------|----|-------|-------|--|-------------------------------|
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2308-26714-001 | 8/29/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 17.46 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.41 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.82 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.23 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.19 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005194 | CRAFTSBURY FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 2.42 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.61 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 6.37 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.01 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 4.28 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|----------------------|-------|----------------|----------|----|-------|-------|--|---------------------|-------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2301-00971-001 | 1/9/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 17.38 | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.24 | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.54 | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.6 | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.23 | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.46 | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005165 | MOUNTAINSIDE RESORT | STOWE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.42 | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.99 | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 7.96 | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.13 | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | L1952165-01 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 17.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.1 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.97 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.23 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2202-03503-001 | 2/10/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.88 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 9.84 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.1 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.94 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.3 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2008-23193-001 | 8/25/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.87 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.37 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 11.5 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.43 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.17 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2010-29171-001 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.78 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 14.6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.18 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2211-33428-001 | 11/16/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.76 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.67 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.83 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.26 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.39 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2103-06747-001 | 3/16/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.74 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 9.98 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.76 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.59 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------|-----------|----------------|-----------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2202-04310-001 | 2/17/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.62 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.72 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.27 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.63 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.23 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.15 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2103-06845-001 | 3/16/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.6 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.05 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.59 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.96 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.66 |

| | | | | | | | | | |
|-----------|----------------------|-------|----------------|-----------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2207-18812-001 | 7/12/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.43 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.89 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.14 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.4 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.64 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.51 |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2201-01268-001 | 1/13/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.42 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.1 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.38 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.94 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2009-26991-001 | 9/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 16.41 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.45 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.83 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.13 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 3.22 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2102-04555-001 | 2/18/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.66 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.68 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.96 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 3.78 |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2009-26974-001 | 9/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.36 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 8.39 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.85 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.03 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.29 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2010-30001-001 | 10/15/2020 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.66 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.4 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.19 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.05 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.7 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 7.92 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2110-31218-001 | 10/18/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.28 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 11.3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.98 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2111-33356-001 | 11/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.23 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.23 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 13 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|-----------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2101-01191-001 | 1/13/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.15 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.46 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.16 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.53 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.8 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.8 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2006-12319-001 | 6/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 15.07 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|-------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.05 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.18 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2204-09586-001 | 4/18/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.98 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.19 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.45 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.34 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.83 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.5 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2004-08680-001 | 4/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.85 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.81 |

| | | | | | | | | | |
|--|---------------------|-------|----------------|-----------|----|-------|-------|--|-------------------------------|
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2203-06488-001 | 3/15/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 8.02 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.68 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.24 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005194 | CRAFTSBURY FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | 2.4 | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.67 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 4.61 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 3.32 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------|-------|----------------|-----------|----|-------|-------|--|---------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2209-26122-001 | 9/13/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.56 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.58 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.98 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.54 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005165 | MOUNTAINSIDE RESORT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.56 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 6.78 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.66 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------|-------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2212-34702-001 | 12/5/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.73 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.59 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.59 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2109-27277-001 | 9/14/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.26 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.84 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2006-14013-001 | 6/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.25 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.09 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.36 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.64 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | L2307586 | 2/8/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.22 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 7.9 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.73 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.59 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021144 | WILLIAM E DAILEY PRECAST LLC | SHAFTSBURY | 2209-26003-001 | 9/13/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.2 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 14.2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 7.48 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2309-29119-001 | 9/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 7.15 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.97 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.06 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|-----------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2106-16426-001 | 6/14/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 14.03 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.63 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.5 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2305-14484-001 | 5/30/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 13.88 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 7.53 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.84 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.51 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------------|----------------|------------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006087 | STOCKBRIDGE CENTRAL SCHOOL | STOCKBRIDGE | 2209-24829-001 | 9/1/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 13.73 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.61 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.41 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2010-31102-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 13.72 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.72 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.5 |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.5 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.81 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.59 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2012-36402-001 | 12/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 13.56 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.46 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.92 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2212-36592-001 | 12/22/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 13.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|-------------------------------|------------|----------------|----------|----|-------|-------|--|----------------------|
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2106-15518-001 | 6/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 12.78 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 2.05 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.64 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.09 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.43 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005542 | SNOWTREE CONDOMINIUM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 4.18 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 8.46 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.91 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 5.53 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|------------------------------|------------|----------------|-----------|----|-------|-------|---|--------------|-----------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021144 | WILLIAM E DAILEY PRECAST LLC | SHAFTSBURY | 1911-28759-001 | 11/4/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 12.5 | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 12.5 | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.46 | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005594 | WINDY HOLLOW | CASTLETON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.13 | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.3 | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 5.88 | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.14 | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 2.99 | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|------------|----|-------|-------|---|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005325 | OKEMO TRAILSIDE CONDOMINIUM | LUDLOW | 2212-36844-004 | 12/28/2022 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 12.15 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.28 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.99 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.88 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.22 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.26 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2110-30620-001 | 10/12/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 12.01 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 9.61 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.32 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.44 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|----------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2106-15983-001 | 6/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.93 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 6.49 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.51 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.93 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005325 | OKEMO TRAILSIDE CONDOMINIUM | LUDLOW | 2212-36844-001 | 12/28/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.9 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.4 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.92 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.58 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.29 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.55 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-----------------------------|----------------|------------|-------|-------|-------|---|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006676 | WEST FAIRLEE COMMUNITY CENTER | WEST FAIRLEE 2209-25644-001 | 9/8/2022 | RT | EP001 | WL001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.82 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.41 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.41 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.65 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005180 | ARMSTRONGS MHP | RANDOLPH | 2110-31815-001 | 10/25/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.73 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.61 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.44 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.68 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|-------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.13 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2011-34171-001 | 11/24/2020 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.57 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.73 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.5 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.34 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.2 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 6.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005165 | MOUNTAINSIDE RESORT | STOWE | 2009-25720-001 | 9/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.48 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.48 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.86 |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|------------|----|-------|-------|--|--------------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005325 | OKEMO TRAILSIDE CONDOMINIUM | LUDLOW | 1911-30284-001 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.44 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.35 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.85 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.24 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.55 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.93 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2009-24470-001 | 9/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.35 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.12 |

| | | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|--|-------|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.23 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.67 |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.9 |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2107-18908-001 | 7/5/2021 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.31 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.12 |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 8.19 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.76 |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.72 |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2010-28423-001 | 10/2/2020 | RT | EP004 | TP003 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.21 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.94 |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|----------------|------------|----------------|------------|----|-------|-------|--|----------------------|
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2010-30979-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 11.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005540 | PINNACLE CONDOMINIUM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.2 | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.56 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 5.22 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.24 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | 3.05 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

[illegible]

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|-------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021144 | WILLIAM E DAILEY PRECAST LLC | SHAFTSBURY | 2109-28232-001 | 9/20/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.8 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.19 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2110-30071-001 | 10/6/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.72 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 2.18 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.54 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.18 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005653 | DEER CREEK CONDOMINIUMS | DOVER | 2011-32687-001 | 11/10/2020 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.69 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.25 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.44 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.26 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.93 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006087 | STOCKBRIDGE CENTRAL SCHOOL | STOCKBRIDGE | 2009-27088-001 | 9/22/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.61 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.51 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.49 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005342 | MOUNT ASCUTNEY MHP | WINDSOR | 2111-34355-001 | 11/17/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.6 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.26 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.34 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005653 | DEER CREEK CONDOMINIUMS | DOVER | L1952162-01 | 10/29/2019 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.52 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.1 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.42 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.28 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|--|--|--------------|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 5.13 |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021144 | WILLIAM E DAILEY PRECAST LLC | SHAFTSBURY | 2008-22241-001 | 8/17/2020 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.5 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 10.5 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.12 |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005540 | PINNACLE CONDOMINIUM | KILLINGTON | 2111-34482-001 | 11/17/2021 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.35 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2 |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.39 |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.96 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|------------|----------------|------------|----|-------|-------|--|-------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.35 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005180 | ARMSTRONGS MHP | RANDOLPH | 2210-30960-001 | 10/24/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.05 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.27 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.49 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0009010 | NORTH STAR LODGE | KILLINGTON | L2168796-01 | 12/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3.06 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.94 |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|--|-------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.18 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006681 | BERKSHIRE ELEMENTARY SCHOOL | BERKSHIRE | 2007-18557-001 | 7/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.11 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.39 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.72 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.15 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005650 | BIRCH HILL WATER SYSTEM | STOWE | 22K0270-02 | 11/1/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 10.1 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|--------------------------------|--------|----------------|----------|----|-------|-------|--|---------------------|
| VT0005325 | OKEMO TRAILSIDE CONDOMINIUM | LUDLOW | 2203-05919-001 | 3/8/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.91 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.03 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.8 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.08 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.56 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.79 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006765 | EDEN CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.05 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 7.84 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 4.1 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005653 | DEER CREEK CONDOMINIUMS | DOVER | 2110-30622-001 | 10/11/2021 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.77 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.88 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.89 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.43 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.09 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 1910-26085-001 | 10/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.76 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.97 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005342 | MOUNT ASCUTNEY MHP | WINDSOR | 2211-32795-001 | 11/9/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.57 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.05 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.52 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006080 | SUNDERLAND ELEMENTARY SCHOOL | SUNDERLAND | 2308-25540-001 | 8/22/2023 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.5 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 6.86 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.64 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.62 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005180 | ARMSTRONGS MHP | RANDOLPH | 1910-27431-001 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.5 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.74 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.76 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021035 | BOULDER RIDGE AT MT SNOW | DOVER | 2210-28789-001 | 10/4/2022 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.15 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.57 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.58 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------|------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.52 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0009010 | NORTH STAR LODGE | KILLINGTON | L2208918-01 | 2/16/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.13 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.46 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.32 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.35 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2109-27910-001 | 9/16/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.09 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.18 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.91 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.53 |

| | | | | | | | | | |
|-----------|----------------------------------|--------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.03 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005529 | BERLIN HEALTH REHABILITATION CTR | BERLIN | 1909-22759-001 | 9/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 9.01 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.97 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005529 | BERLIN HEALTH REHABILITATION CTR | BERLIN | 2010-29326-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.9 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.6 |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.3 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.19 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006765 | EDEN CENTRAL SCHOOL | EDEN | 1910-25729-001 | 10/2/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.18 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.62 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.64 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005650 | BIRCH HILL WATER SYSTEM | STOWE | 20J0668-02 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------------------|-----------|----------------|-----------|----|-------|-------|--|----------------|
| VT0006681 | BERKSHIRE ELEMENTARY SCHOOL | BERKSHIRE | 2109-29270-001 | 9/28/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.61 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.82 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 9.81 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005304 | NORTHSHORE MHP |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 6.37 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 2.18 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.63 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------------------|-------|----------------|------------|----|-------|-------|---|-------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021035 | BOULDER RIDGE AT MT SNOW | DOVER | 2110-30624-001 | 10/11/2021 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.52 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.58 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.94 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.26 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006676 | WEST FAIRLEE COMMUNITY CENTER |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.2 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 3.16 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.35 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005650 | BIRCH HILL WATER SYSTEM | STOWE | 21K0749-02 | 11/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.7 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.6 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.5 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.8 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006681 | BERKSHIRE ELEMENTARY SCHOOL | BERKSHIRE | 1909-24904-001 | 9/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 3.03 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.27 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 9.64 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2111-33898-001 | 11/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.25 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.53 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.72 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.68 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021035 | BOULDER RIDGE AT MT SNOW | DOVER | L1952163-01 | 10/29/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 8.23 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.18 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.05 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.08 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-----------------------------|-------------|-----------|-------|-------|-------|---|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006676 | WEST FAIRLEE COMMUNITY CENTER | WEST FAIRLEE 2109-27010-001 | 9/9/2021 | RT | EP001 | WL001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.99 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.28 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.71 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.96 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005540 | PINNACLE CONDOMINIUM | KILLINGTON | L1951122-01 | 9/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.96 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.03 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.93 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-------|------------|------------|----|-------|-------|--|------------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.99 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005650 | BIRCH HILL WATER SYSTEM | STOWE | 19L0529-01 | 12/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.9 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.2 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005650 | BIRCH HILL WATER SYSTEM | STOWE | 19J1402-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.8 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.4 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021035 | BOULDER RIDGE AT MT SNOW | DOVER | 2011-32689-001 | 11/10/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.76 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.56 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.01 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 2204-08567-001 | 4/6/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.68 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.38 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|--------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.3 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005540 | PINNACLE CONDOMINIUM | KILLINGTON | 2011-32254-001 | 11/4/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.63 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.04 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.59 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006676 | WEST FAIRLEE COMMUNITY CENTER | WEST FAIRLEE | 2309-29047-001 | 9/19/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.61 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------------|--------|----------------|-----------|----|-------|-------|---|----------------------------|
| VT0005529 | BERLIN HEALTH REHABILITATION CTR | BERLIN | 2211-32257-001 | 11/3/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.9 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.69 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.53 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006087 | STOCKBRIDGE CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.5 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 5 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 3.14 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------|-------|----------------|-----------|----|-------|-------|--|-------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020003 | MOUNTAINDALE | DOVER | 2210-28787-001 | 10/4/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.46 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.14 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.32 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.73 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006676 | WEST FAIRLEE COMMUNITY CENTER |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.72 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 2.65 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.47 | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2211-31644-001 | 11/1/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.33 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.61 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.72 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005539 | MOUNTAIN GREEN CONDOMINIUM | KILLINGTON | 1910-28400-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.29 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.68 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.61 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 2.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005475 | NORWICH MEADOWS | NORWICH | 2210-29425-001 | 10/11/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.25 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.79 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.46 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.64 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2104-09071-001 | 4/7/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.21 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.6 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.61 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2010-28452-001 | 10/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.2 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.47 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.73 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.61 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005304 | NORTHSHORE MHP | ROCKINGHAM | 2209-25795-001 | 9/12/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 7.18 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005429 | RUTLAND TOWN FIRE DISTRICT 5 | RUTLAND TOWN | 2110-31544-001 | 10/20/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.51 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.61 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.66 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006080 | SUNDERLAND ELEMENTARY SCHOOL | SUNDERLAND | 2209-27788-001 | 9/27/2022 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.08 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 5.02 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.06 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.88 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005653 | DEER CREEK CONDOMINIUMS | DOVER | 2210-29514-001 | 10/7/2022 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 7.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 7.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.61 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.43 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006765 | EDEN CENTRAL SCHOOL | EDEN | 2209-25617-001 | 9/8/2022 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.83 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 6.83 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.91 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005531 | MAPLE LANE COMMUNITY CARE HOME | BARTON | 2209-27981-001 | 9/28/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.83 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.76 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.07 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.52 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005539 | MOUNTAIN GREEN CONDOMINIUM | KILLINGTON | 2011-33020-001 | 11/12/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.82 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------|------------|----------------|------------|----|-------|-------|---|----------------------|
| VT0005539 | MOUNTAIN GREEN CONDOMINIUM | KILLINGTON | 2210-31389-001 | 10/27/2022 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.71 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.84 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.87 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.36 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.25 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005026 | LAMPMAN WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.02 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 4.66 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|------------------------------|--------------|----------------|------------|----|-------|-------|---|-----------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005429 | RUTLAND TOWN FIRE DISTRICT 5 | RUTLAND TOWN | 1910-27133-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.64 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.08 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.56 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.43 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006681 | BERKSHIRE ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.24 | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 4.37 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 8.97 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2009-27735-001 | 9/30/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.58 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.02 |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.56 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 12.8 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 2204-08296-001 | 4/5/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.54 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.72 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.82 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006607 | SHREWSBURY MOUNTAIN SCHOOL | SHREWSBURY | 1910-28172-001 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.46 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.35 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.11 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005529 | BERLIN HEALTH REHABILITATION CTR | BERLIN | 2203-05410-001 | 3/3/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.34 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.11 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.23 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005429 | RUTLAND TOWN FIRE DISTRICT 5 | RUTLAND TOWN | 2211-33540-001 | 11/17/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.27 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.15 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.31 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.98 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005539 | MOUNTAIN GREEN CONDOMINIUM | KILLINGTON | 2111-33510-001 | 11/9/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.26 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.54 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.72 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.21 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005342 | MOUNT ASCUTNEY MHP | WINDSOR | 19K1651-02 | 11/26/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.1 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 3 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.1 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2204-08824-001 | 4/10/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.05 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.32 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.73 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006080 | SUNDERLAND ELEMENTARY SCHOOL | SUNDERLAND | 2009-26835-001 | 9/22/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 6.01 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 6.01 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.46 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 2112-35858-001 | 12/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.97 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.59 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.38 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.14 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005180 | ARMSTRONGS MHP | RANDOLPH | 2010-29861-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.89 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.79 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.1 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 2211-34129-001 | 11/29/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.8 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | 2.38 |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|---------|----------------|-----------|----|-------|-------|--|------|
| VT0005026 | LAMPMAN WATER SYSTEM | POWNAL | 2211-32933-001 | 11/9/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.75 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.75 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005475 | NORWICH MEADOWS | NORWICH | 2010-28268-001 | 10/4/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.54 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.86 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.68 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------|------|----------------|-----------|----|-------|-------|--|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006765 | EDEN CENTRAL SCHOOL | EDEN | 2109-29268-001 | 9/28/2021 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.51 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.51 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006627 | BARSTOW MEMORIAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.23 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020891 | STOWE PROFESSIONAL CENTER | STOWE | 2307-20228-001 | 7/18/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.15 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 5.15 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.37 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006627 | BARSTOW MEMORIAL SCHOOL | CHITTENDEN | 2309-28089-001 | 9/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.07 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.07 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 1909-22546-001 | 9/4/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 5.04 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 19L0783-01 | 12/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 5 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.7 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------------------------|------------|----|-------|-------|--|--|-------------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005306 | WESTMINSTER AQUEDUCT SOCIETY | WESTMINSTER 19I1368-03 | 9/25/2019 | RT | EP002 | ST001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 5 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006080 | SUNDERLAND ELEMENTARY SCHOOL | SUNDERLAND 1910-28139-001 | 10/29/2019 | RT | EP003 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.86 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 4.86 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.06 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005475 | NORWICH MEADOWS | NORWICH | 2111-32918-001 | 11/3/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.84 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.44 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006627 | BARSTOW MEMORIAL SCHOOL | CHITTENDEN | 2207-19918-001 | 7/20/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.63 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.63 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020842 | HILAND HALL SCHOOL | BENNINGTON | 2108-23456-001 | 8/9/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.59 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.59 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 2011-34090-001 | 11/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.57 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2 |

| | | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|-----------|----|-------|-------|--|--|------|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.57 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020842 | HILAND HALL SCHOOL | BENNINGTON | 2008-23192-001 | 8/24/2020 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.44 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.44 |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005531 | MAPLE LANE COMMUNITY CARE HOME | BARTON | 2009-27206-001 | 9/24/2020 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.44 |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|--------------|-------|----------------|------------|----|-------|-------|--|----------------------------|
| VT0020003 | MOUNTAINDALE | DOVER | 2110-30623-001 | 10/12/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.19 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.19 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.52 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006627 | BARSTOW MEMORIAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.19 | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

[illegible]

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006627 | BARSTOW MEMORIAL SCHOOL | CHITTENDEN | 2107-20202-001 | 7/14/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.08 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 4.08 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020003 | MOUNTAINDALE | DOVER | 2010-31105-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 4.02 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 4.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.41 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005609 | BULL RUN | LUDLOW | 1910-27132-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.89 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.89 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.1 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005628 | POWNAL ESTATES MHP, LLC. | POWNAL | 2010-30099-001 | 10/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.84 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.84 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|--|-------------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2208-22511-001 | 8/11/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.81 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.81 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006681 | BERKSHIRE ELEMENTARY SCHOOL | BERKSHIRE | 2309-28020-001 | 9/11/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.67 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.67 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-------------|----------------|-----------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 7.68 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021167 | HILLTOP MONTESSORI SCHOOL | BRATTLEBORO | 2108-24123-001 | 8/17/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.56 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.56 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.02 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006624 | PUTNEY SCHOOL | PUTNEY | 1909-23949-001 | 9/17/2019 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.51 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.51 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.55 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005429 | RUTLAND TOWN FIRE DISTRICT 5 | RUTLAND TOWN | 2011-33564-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.45 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.45 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.02 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006087 | STOCKBRIDGE CENTRAL SCHOOL | STOCKBRIDGE | 1911-29223-001 | 11/6/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.4 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.4 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021057 | OUTLOOK AT MOUNT SNOW | DOVER | L1952164-01 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.39 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.39 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005029 | BARNET FIRE DISTRICT #2 | BARNET | 2211-32601-001 | 11/8/2022 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.38 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

[illegible]

| | | | | | | | | | |
|-----------|-----------------------------------|---------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021396 | DANIELS CONSTRUCTION WATER SYSTEM | WEATHERSFIELD | 2205-11000-001 | 5/2/2022 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3.16 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANEOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020842 | HILAND HALL SCHOOL | BENNINGTON | 1910-27619-001 | 10/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.16 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANEOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005026 | LAMPMAN WATER SYSTEM | POWNAL | 1911-30264-001 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.13 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.13 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005029 | BARNET FIRE DISTRICT #2 | BARNET | 2011-31887-001 | 11/3/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.08 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.08 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.55 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006667 | WATERFORD ELEMENTARY SCHOOL | WATERFORD | L2328228-01 | 5/18/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.06 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 3.06 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 4.77 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005378 | RUTLAND TOWN FIRE DISTRICT 6 | RUTLAND TOWN | 2110-31542-001 | 10/20/2021 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.06 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.06 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.5 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005378 | RUTLAND TOWN FIRE DISTRICT 6 | RUTLAND TOWN | 2211-33574-001 | 11/17/2022 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.05 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.05 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.27 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.34 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005378 | RUTLAND TOWN FIRE DISTRICT 6 | RUTLAND TOWN | L1951120-01 | 9/25/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.03 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.03 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.7 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005324 | OKEMO VILLAGE CONDOMINIUMS | LUDLOW | 1911-28581-001 | 11/4/2019 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.03 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.03 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.28 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005026 | LAMPMAN WATER SYSTEM | POWNAL | 2110-31364-001 | 10/18/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3.02 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------------|---------------|----------------|----------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 3.02 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006741 | BROOKFIELD ELEMENTARY | BROOKFIELD | 1909-22535-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | 3 |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.78 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021396 | DANIELS CONSTRUCTION WATER SYSTEM | WEATHERSFIELD | 2306-15677-001 | 6/7/2023 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 3 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | | |
|---------------------------------------|---------------------------|-------------|----------------|-----------|----|-------|-------|---|-------------------------|---------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021167 | HILLTOP MONTESSORI SCHOOL | BRATTLEBORO | 2207-18813-001 | 7/12/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.88 | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.88 | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.63 | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005476 | JERICHO FIRE DISTRICT 1 | JERICHO |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.86 | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0004608 | SNOWED INN | KILLINGTON | 2010-31422-001 | 10/29/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.83 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.83 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 2212-34928-001 | 12/5/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.79 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.79 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005476 | JERICO FIRE DISTRICT 1 | JERICO | 1908-20029-001 | 8/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.78 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.78 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 3.39 |
| | | | | | | | | NMEFOSAA | 2.8 |
| VT0005029 | BARNET FIRE DISTRICT #2 | BARNET | 2111-32744-001 | 11/2/2021 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.76 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.76 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.8 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|-----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006669 | WOODBURY ELEMENTARY SCHOOL | WOODBURY | 19L0785-03 | 12/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.7 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005247 | WEBSTERVILLE WATER SYSTEM | BARRE TOWN | 2211-32789-001 | 11/8/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.7 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.7 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|--------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006624 | PUTNEY SCHOOL | PUTNEY | 2208-23078-001 | 8/16/2022 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.57 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.57 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.5 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005531 | MAPLE LANE COMMUNITY CARE HOME | BARTON | 2109-29254-001 | 9/28/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.56 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.56 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020990 | DORSET COMMUNITY HOUSING | DORSET | 2010-30101-001 | 10/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.54 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.54 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 6.72 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005604 | NORTHSIDE CONDOMINIUM | KILLINGTON | 2010-30967-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.53 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.53 |

| | | | | | | | | | |
|-----------|---------------------|--------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006765 | EDEN CENTRAL SCHOOL | EDEN | 2007-18559-001 | 7/21/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.48 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.48 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.12 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006624 | PUTNEY SCHOOL | PUTNEY | 2009-24476-001 | 8/31/2020 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.46 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|---------|------------|----------------|-----------|----|-------|-------|--|-----------------|
| VT0000918 | FOUNDRY | KILLINGTON | 2308-26511-001 | 8/29/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.42 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.42 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006733 | NEWBROOK SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 2.4 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------|-------|----------------|-----------|----|-------|-------|--|-----------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005545 | TARA TOWNHOUSES | DOVER | 2212-34914-001 | 12/5/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.4 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.4 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021057 | OUTLOOK AT MOUNT SNOW |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | 2.35 | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021218 | DERBY BORDER PATROL | DERBY | 2008-22778-001 | 8/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.34 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.34 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | 3.17 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005029 | BARNET FIRE DISTRICT #2 | BARNET | 1910-28030-001 | 10/28/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.32 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2010-30552-001 | 10/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.32 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.32 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020761 | CHARLOTTE CHILDRENS CENTER | CHARLOTTE | 1911-29302-001 | 11/11/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.29 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.29 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.01 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|---------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005325 | OKEMO TRAILSIDE CONDOMINIUM | LUDLOW | 2203-05919-003 | 3/8/2022 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.28 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.28 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.78 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006089 | READING ELEMENTARY SCHOOL | READING | 2009-25988-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.28 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.28 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|--------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005531 | MAPLE LANE COMMUNITY CARE HOME | BARTON | L1953428-01 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.24 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.24 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005378 | RUTLAND TOWN FIRE DISTRICT 6 | RUTLAND TOWN | 2011-33567-001 | 11/18/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.23 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.23 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.63 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005604 | NORTHSIDE CONDOMINIUM | KILLINGTON | 2110-31816-001 | 10/25/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.23 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.23 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006089 | READING ELEMENTARY SCHOOL | READING | 2109-26842-001 | 9/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.23 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.23 |

| | | | | | | | | | |
|-----------|------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020031 | VERNON HALL | VERNON | 19K1602-01 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.2 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 18 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 2011-32003-001 | 11/4/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.19 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|----------|----------------|------------|----|-------|-------|--|------|
| VT0005476 | JERICO FIRE DISTRICT 1 | JERICO | 2211-33754-001 | 11/21/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.18 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.18 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005084 | RICHMOND WATER DEPT | RICHMOND | 2010-29347-001 | 10/13/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.16 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | 2.16 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|--------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005545 | TARA TOWNHOUSES | DOVER | 2010-31104-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.15 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.15 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020901 | HP HOOD LLC - PLANT WELL | BARRE TOWN | 1909-22756-001 | 9/5/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.14 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.14 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 4.23 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005476 | JERICO FIRE DISTRICT 1 | JERICO | 2010-29323-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | 2.12 |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 1910-25579-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.12 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.12 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005213 | FORT WARREN MHP | CASTLETON | 1911-30371-004 | 11/21/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.11 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.11 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005545 | TARA TOWNHOUSES | DOVER | 2111-34185-001 | 11/15/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.11 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.11 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|-------------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020632 | LONG TRAIL BREWING CO | BRIDGEWATER | 2010963-02 | 9/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.1 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | 2.1 |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005475 | NORWICH MEADOWS | NORWICH | 1911-28819-001 | 11/5/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|----------------|------------|----|-------|-------|--|--|-------------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021057 | OUTLOOK AT MOUNT SNOW DOVER | 2104-08777-001 | 4/6/2021 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 2.04 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2.04 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020872 | NEWMONT SLATE COMPANY PAWLET | 1911-29729-001 | 11/14/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | 2 |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | 2 |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020743 | MARLBORO COLLEGE | MARLBORO | 2009-24481-001 | 8/30/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 19.2 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020031 | VERNON HALL | VERNON | 2011-33629-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---|----------|----------------|----------|----|-------|-------|---|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 15.5 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021480 | LAWRENCE SCHOOL FOR YOUNG CHILDREN, THE | DORSET | 2305-11357-001 | 5/1/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 10.7 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020743 | MARLBORO COLLEGE | MARLBORO | 2306-15842-001 | 6/8/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------|----------|----------------|----------|----|-------|-------|--|---------------------------|
| VT0020841 | MOUNTAIN SCHOOL | VERSHIRE | 2305-11658-001 | 5/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 7.75 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006089 | READING ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------------|---------|----------------|-----------|----|-------|-------|--|----------------------|
| | | | | | | | | NETFOSAA | 4.07 |
| | | | | | | | | NMEFOSAA | 3.08 |
| VT0005638 | CHELSEA WATER SYSTEM | CHELSEA | 1908-20899-004 | 8/20/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 4.29 |
| | | | | | | | | NMEFOSAA | 2.54 |
| | | | | | | | | VT0008322 | HEB MANUFACTURING CO |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 3.86 |
| | | | | | | | | NMEFOSAA | 2.61 |
| VT0020877 | 340 MAD RIVER PARK LLC | WAITSFIELD | 1911-29023-001 | 11/5/2019 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 3.27 |
| | | | | | | | | NMEFOSAA | 2.69 |
| VT0020990 | DORSET COMMUNITY HOUSING | DORSET | 1910-27603-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.9 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--|----------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020743 | MARLBORO COLLEGE | MARLBORO | 1909-23952-001 | 9/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 5.46 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021480 | LAWRENCE SCHOOL FOR YOUNG CHILDREN, THE | DORSET | 2008-22243-001 | 8/17/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.98 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005566 | BARRE TOWN WATER SYSTEM | BARRE TOWN | 2012-37535-001 | 12/29/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 3.52 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005136 | ALBURGH VILLAGE WATER SYSTEM | ALBURGH | 2012-37251-001 | 12/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|------------|-----------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 3.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005253 | BIRCHWOOD PARK | BARRE TOWN | 19I0878-03 | 9/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | 3.1 |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020891 | STOWE PROFESSIONAL CENTER | STOWE | 19I1303-01 | 9/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|--|--|-----|
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | 3.1 |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020901 | HP HOOD LLC - PLANT WELL | BARRE TOWN | 2009-27112-001 | 9/23/2020 | RT | EP001 | ST001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.9 |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005268 | SUGAR RUN ASSOCIATION INC | FAYSTON | 1909-24298-001 | 9/19/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------|----------------|-----------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.86 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006624 | PUTNEY SCHOOL | PUTNEY | 2308-25826-001 | 8/23/2023 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.85 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006660 | PEACHAM ELEMENTARY SCHOOL | PEACHAM | L2039242-01 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| VT0020986 | HUCKLE HILL HOUSING | VERNON | 19K1283-01 | 11/20/2019 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | ND |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | | | | | | | | ND |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | | | | | | | | ND |
| (*PFNA) PERFLUORONONANOIC ACID | | | | | | | | | ND |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | | | | | | | | ND |
| (*PFOA) PERFLUOROOCTANOIC ACID | | | | | | | | | ND |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | | | | | | | | 2.6 |
| PERFLUORODECANOIC ACID (PFDA) | | | | | | | | | ND |
| PERFLUORODODECANOIC ACID (PFDOA) | | | | | | | | | ND |
| PERFLUOROHEXANOIC ACID (PFHXA) | | | | | | | | | ND |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | | | | | | | | ND |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | | | | | | | | ND |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | | | | | | | | ND |
| 11CL-PF3OU DS | | | | | | | | | ND |
| 9CL-PF3ONS | | | | | | | | | ND |
| ADONA | | | | | | | | | ND |
| HFPO-DA | | | | | | | | | ND |
| NETFOSAA | | | | | | | | | ND |
| NMEFOSAA | | | | | | | | | ND |
| VT0020761 | CHARLOTTE CHILDRENS CENTER | CHARLOTTE | 2009-24460-001 | 9/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | ND |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | | | | | | | | ND |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | | | | | | | | ND |
| (*PFNA) PERFLUORONONANOIC ACID | | | | | | | | | ND |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | | | | | | | | ND |
| (*PFOA) PERFLUOROOCTANOIC ACID | | | | | | | | | ND |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | | | | | | | | ND |
| PERFLUORODECANOIC ACID (PFDA) | | | | | | | | | ND |
| PERFLUORODODECANOIC ACID (PFDOA) | | | | | | | | | ND |
| PERFLUOROHEXANOIC ACID (PFHXA) | | | | | | | | | 2.59 |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | | | | | | | | ND |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | | | | | | | | ND |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | | | | | | | | ND |
| 11CL-PF3OU DS | | | | | | | | | ND |
| 9CL-PF3ONS | | | | | | | | | ND |
| ADONA | | | | | | | | | ND |
| HFPO-DA | | | | | | | | | ND |

| | | | | | | | | | |
|-----------|--|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005218 | FAIR HAVEN WATER DEPT | FAIR HAVEN | 1908-20894-001 | 8/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.56 |
| | | | | | | | | NMEFOSAA | ND |
| VT0021480 | LAWRENCE SCHOOL FOR YOUNG CHILDREN, THE | DORSET | 1911-29631-001 | 11/12/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.54 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 19H1387-03 | 8/23/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | 2.5 |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005287 | EAST WIND MHP | WATERBURY | 1910-28377-001 | 10/30/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.47 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------|-------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020986 | HUCKLE HILL HOUSING | VERNON | L2049242-01 | 11/4/2020 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.47 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006660 | PEACHAM ELEMENTARY SCHOOL | PEACHAM | L1950056-01 | 10/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.47 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|-----------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006686 | FAYSTON ELEMENTARY SCHOOL | FAYSTON | 2308-25576-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.46 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005151 | SMUGGLERS NOTCH WATER SYSTEM | CAMBRIDGE | 1911-30108-007 | 11/19/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.44 |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|---|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020711 | BRAINTREE ELEMENTARY SCHOOL | BRAINTREE | 2007-18999-001 | 7/23/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.36 |
| | | | | | | | | NMEFOSAA | ND |
| VT0020917 | JACKSON GORE OKEMO | LUDLOW | 1910-27136-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|------------------------------|----------|----------------|-----------|----|-------|-------|--|---|------|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | 2.36 |
| | | | | | | | | | NMEFOSAA | ND |
| VT0006679 | LINCOLN COMMUNITY SCHOOL | LINCOLN | 2308-25286-001 | 8/21/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.33 |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005177 | RANDOLPH CENTER WATER SYSTEM | RANDOLPH | 2304-09364-001 | 4/11/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|----------|----------------|------------|----|-------|-------|--|------|
| VT0020721 | METTAWEE COMMUNITY SCHOOL | PAWLET | 1910-26954-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.31 |
| | | | | | | | | NMEFOSAA | ND |
| VT0005330 | ROYALTON FIRE DISTRICT 1 | ROYALTON | 1911-28817-001 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.31 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------------|-----------|----------------|------------|----|-------|-------|---|-------------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005151 | SMUGGLERS NOTCH WATER SYSTEM | CAMBRIDGE | 2010-29469-001 | 10/13/2020 | RT | EP004 | TM002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.31 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020866 | MIDDLEBURY COLLEGE BREADLOAF CAMPUS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | 2.3 | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008322 | HEB MANUFACTURING CO | CHELSEA | 2308-22540-001 | 8/1/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.29 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005384 | WHIFFLETREE CONDOMINIUM | KILLINGTON | 1910-28401-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|--------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.29 |
| | | | | | | | | NMEFOSAA | ND |
| VT0005244 | WEST RUTLAND TOWN | WEST RUTLAND | 1910-27130-004 | 10/16/2019 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.27 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005597 | TRAIL CREEK CONDOMINIUM KILLINGTON | | 1910-25891-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|--------------------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.25 |
| | | | | | | | | NMEFOSAA | ND |
| VT0021218 | DERBY BORDER PATROL | DERBY | 1910-27001-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.2 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005267 | SANDY PINES MHP | EAST MONTPELIER | 1910-27076-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------|-------------|----------------|-----------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.17 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005333 | SPRINGFIELD WATER DEPT | SPRINGFIELD | L2047997-02 | 11/2/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.14 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006724 | ORWELL VILLAGE SCHOOL | ORWELL | 2009-25772-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.12 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020841 | MOUNTAIN SCHOOL | VERSHIRE | 1910-28212-004 | 10/30/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | 2.08 |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005020 | DORSET FIRE DISTRICT 1 | DORSET | 1909-24532-001 | 9/23/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|-----------|----------------|------------|----|-------|-------|--|------|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | 2.07 |
| | | | | | | | | NMEFOSAA | ND |
| VT0005171 | MOBILE ACRES MHP | BRAINTREE | 1910-28431-004 | 10/31/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | 2.02 |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021139 | 143-145 WINDRIDGE DRIVE | WILLISTON | 2309-28018-001 | 9/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| VT0021139 | 143-145 WINDRIDGE DRIVE | WILLISTON | 1908-21709-001 | 8/27/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020877 | 340 MAD RIVER PARK LLC | WAITSFIELD | 2304-09052-001 | 4/6/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------|------------|----------------|-----------|----|-------|-------|---|------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020877 | 340 MAD RIVER PARK LLC | WAITSFIELD | 2009-26437-001 | 9/16/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021349 | 802 TOYOTA |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021349 | 802 TOYOTA | BERLIN | 1911-30385-001 | 11/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020908 | ADDISON COUNTY HOME HEALTH AND HOSPICE | NEW HAVEN | 2304-08326-001 | 4/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020908 | ADDISON COUNTY HOME HEALTH AND HOSPICE | NEW HAVEN | 2009-25774-001 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020908 | ADDISON COUNTY HOME HEALTH AND HOSPICE | NEW HAVEN | 19K1129-01 | 11/18/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021345 | ADVANCED ILLUMINATION INC | ROCHESTER | 2304-10686-001 | 4/25/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021345 | ADVANCED ILLUMINATION INC | ROCHESTER | 2009-26581-001 | 9/21/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021345 | ADVANCED ILLUMINATION INC | ROCHESTER | 1911-30135-001 | 11/20/2019 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020874 | AGRI-MARK WAITSFIELD | WAITSFIELD | 2304-09053-001 | 4/6/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020874 | AGRI-MARK WAITSFIELD | WAITSFIELD | 2009-24907-001 | 9/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020874 | AGRI-MARK WAITSFIELD | WAITSFIELD | 1911-29300-001 | 11/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020563 | ALBANY COMMUNITY SCHOOL | ALBANY | 2009-25928-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020563 | ALBANY COMMUNITY SCHOOL | ALBANY | 1910-25726-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------|--------|----------------|-----------|----|-------|-------|--|---------------------|
| VT0005188 | ALBANY WATER SYSTEM | ALBANY | 2305-13928-001 | 5/23/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005188 | ALBANY WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|-----------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005188 | ALBANY WATER SYSTEM | ALBANY | 1910-25727-001 | 10/2/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006077 | ALBERT BRIDGE SCHOOL | WEST WINDSOR | 2307-20802-001 | 7/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|--------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006077 | ALBERT BRIDGE SCHOOL | WEST WINDSOR | 2107-21280-001 | 7/22/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006077 | ALBERT BRIDGE SCHOOL | WEST WINDSOR | 2008-22701-001 | 8/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006077 | ALBERT BRIDGE SCHOOL | WEST WINDSOR | 1910-27412-001 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005137 | ALBURGH FIRE DISTRICT 1 | ALBURGH | L2048640-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005137 | ALBURGH FIRE DISTRICT 1 | ALBURGH | L1943120-04 | 9/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005136 | ALBURGH VILLAGE WATER SYSTEM | ALBURGH | 1911-30585-001 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021736 | ALLEGIANCE TRUCKS - JERICO | JERICO | 2212-35375-001 | 12/8/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005359 | ALPEN MEADOWS | LUDLOW | 2010-29995-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005359 | ALPEN MEADOWS | LUDLOW | 1909-24662-001 | 9/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005208 | ALPINE HAVEN | WESTFIELD | 2010-30992-001 | 10/26/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----------------------------|
| VT0021182 | APPLEJACK ART PARTNERS INC | MANCHESTER | 2305-13133-001 | 5/16/2023 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021182 | APPLEJACK ART PARTNERS INC |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|----------------------------|------------|------------|------------|----|-------|-------|---|------------|------------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021182 | APPLEJACK ART PARTNERS INC | MANCHESTER | 19J1542-01 | 10/21/2019 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005110 | AQUA HAVEN | EAST HAVEN |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005110 | AQUA HAVEN | EAST HAVEN | 1909-23165-001 | 9/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 2306-17866-003 | 6/25/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 2306-17866-001 | 6/25/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 2012-37030-004 | 12/22/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 2012-37030-001 | 12/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 1911-30035-004 | 11/18/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005013 | ARLINGTON WATER DEPT | ARLINGTON | 1911-30035-001 | 11/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 2308-24846-005 | 8/16/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 2308-24846-003 | 8/16/2023 | RT | EP005 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 2308-24846-001 | 8/16/2023 | RT | EP004 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 2008-23134-005 | 8/25/2020 | RT | EP003 | TP003 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 2008-23134-003 | 8/25/2020 | RT | EP005 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|---------------------------|---------|----------------|-----------|----|-------|-------|---|---------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020405 | ARROWHEAD INDUSTRIAL PARK | GEORGIA | 1908-21995-001 | 8/29/2019 | RT | EP004 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005339 | ASCUTNEY FIRE DISTRICT #2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------------|---------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005339 | ASCUTNEY FIRE DISTRICT #2 | WEATHERSFIELD | 1909-22846-001 | 9/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020350 | BAKER DISTRIBUTING CORP | CLARENDON | L2354445-01 | 9/12/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020350 | BAKER DISTRIBUTING CORP | CLARENDON | L2035664-01 | 8/26/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020350 | BAKER DISTRIBUTING CORP | CLARENDON | L1950062-01 | 10/16/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005114 | BAKERSFIELD FIRE DISTRICT 1 | BAKERSFIELD | 2306-17163-001 | 6/21/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005114 | BAKERSFIELD FIRE DISTRICT 1 | BAKERSFIELD | 2012-36556-001 | 12/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005114 | BAKERSFIELD FIRE DISTRICT 1 | BAKERSFIELD | 1911-30407-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006689 | BARNARD ACADEMY | BARNARD | 2309-28569-001 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006689 | BARNARD ACADEMY | BARNARD | 2109-26845-001 | 9/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006689 | BARNARD ACADEMY | BARNARD | 2009-26021-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006689 | BARNARD ACADEMY | BARNARD | 1910-26901-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020029 | BARNET SCHOOL DISTRICT | BARNET | L2354457-01 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| VT0020029 | BARNET SCHOOL DISTRICT | BARNET | L1950057-01 | 10/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005254 | BARRE CITY WATER SYSTEM | BARRE CITY | 2306-16139-001 | 6/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005254 | BARRE CITY WATER SYSTEM | BARRE CITY | 2012-35252-001 | 12/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005254 | BARRE CITY WATER SYSTEM | BARRE CITY | 1910-26797-001 | 10/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020752 | BARRE MONTPELIER SDA CHURCH | BERLIN | 2305-13299-001 | 5/17/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020752 | BARRE MONTPELIER SDA CHURCH | BERLIN | 2009-24308-001 | 9/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020752 | BARRE MONTPELIER SDA CHURCH | BERLIN | 1910-26553-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005189 | BARTON WATER SYSTEM | BARTON | 2010-29695-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005189 | BARTON WATER SYSTEM | BARTON | 1910-27712-001 | 10/23/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005397 | BATTLEGROUND CONDOMINIUM | FAYSTON | 2010-30113-001 | 10/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005397 | BATTLEGROUND CONDOMINIUM | FAYSTON | 1910-27998-001 | 10/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005563 | BEAR CREEK CONDOMINIUM | JAMAICA | 2011-33512-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|----------------|----------------|------------|-------|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005563 | BEAR CREEK CONDOMINIUM JAMAICA | 1911-29351-001 | 11/11/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005578 | BEARS CROSSING WATER SYSTEM | DOVER | 2110-31363-001 | 10/19/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005578 | BEARS CROSSING WATER SYSTEM | DOVER | 2010-31099-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005578 | BEARS CROSSING WATER SYSTEM | DOVER | L1952167-01 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------------------|-----------|-------------|----------|----|-------|-------|--|--------------------------|
| VT0006078 | BEEMAN ELEMENTARY SCHOOL | NEW HAVEN | L2037580-01 | 9/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006078 | BEEMAN ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020715 | BENNINGTON EARLY CHILDHOOD CENTER | BENNINGTON | 1910-27616-001 | 10/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005016 | BENNINGTON WATER DEPT | BENNINGTON | L2043200-02 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005016 | BENNINGTON WATER DEPT | BENNINGTON | L2043200-01 | 10/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005016 | BENNINGTON WATER DEPT | BENNINGTON | L1950065-04 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005016 | BENNINGTON WATER DEPT | BENNINGTON | L1950065-01 | 10/16/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005570 | BENSON HEIGHTS | BENSON | 2010-28360-001 | 10/5/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005570 | BENSON HEIGHTS | BENSON | 1911-29627-001 | 11/13/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006730 | BENSON VILLAGE SCHOOL | BENSON | 2009-25773-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006730 | BENSON VILLAGE SCHOOL | BENSON | 1910-26696-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021202 | BERLIN MUNICIPAL WATER SYSTEM | BERLIN | 2305-12122-001 | 5/9/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|-------------------------------|--------|----------------|------------|----|-------|-------|---|-------------------------------------|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021202 | BERLIN MUNICIPAL WATER SYSTEM | BERLIN | 2010-30626-001 | 10/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0021202 | BERLIN MUNICIPAL WATER SYSTEM | BERLIN | 1909-22758-001 | 9/5/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------|--------|----------------|----------|----|-------|-------|--|------------------------------|
| VT0005255 | BERLIN WATER CO INC | BERLIN | 2109-26159-001 | 9/1/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005560 | BEST WESTERN HOGGE PENNY INN |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------|--------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005315 | BETHEL WATER DEPT | BETHEL | L2044666-03 | 10/14/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005315 | BETHEL WATER DEPT | BETHEL | L2044666-01 | 10/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005315 | BETHEL WATER DEPT | BETHEL | L1951128-04 | 10/2/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005315 | BETHEL WATER DEPT | BETHEL | L1951128-01 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021446 | BINDING SITE VT | BENSON | 2307-21840-001 | 7/26/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021446 | BINDING SITE VT | BENSON | 2009-26000-001 | 9/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021446 | BINDING SITE VT | BENSON | 1910-26536-001 | 10/8/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006680 | BINGHAM MEMORIAL SCHOOL | CORNWALL | 2309-27940-001 | 9/11/2023 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006680 | BINGHAM MEMORIAL SCHOOL | CORNWALL | 2007-16652-001 | 7/7/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006680 | BINGHAM MEMORIAL SCHOOL | CORNWALL | 1909-24598-001 | 9/24/2019 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020790 | BIRCH LANDING CONDOMINIUM | PLYMOUTH | 2304-09950-001 | 4/17/2023 | RT | EP005 | TP005 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020790 | BIRCH LANDING CONDOMINIUM | PLYMOUTH | 2010-29700-001 | 10/14/2020 | RT | EP005 | TP005 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------------------------|----------|----------------|------------|----|-------|-------|---|-----------------------------------|
| VT0005374 | BIRCHWOOD CONDOMINIUM ASSOCIATION | HARTFORD | 2010-29862-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005374 | BIRCHWOOD CONDOMINIUM ASSOCIATION |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------|------------|------------|------------|----|-------|-------|--|----------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005253 | BIRCHWOOD PARK | BARRE TOWN | 20J0671-02 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020618 | BLACK RIVER OVERLOOK |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020618 | BLACK RIVER OVERLOOK | LUDLOW | 1910-27135-001 | 10/16/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005586 | BLAKE HILL | WOODSTOCK | 2010-29860-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005586 | BLAKE HILL | WOODSTOCK | 1910-26528-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005104 | BLOOMFIELD WATER SYSTEM | BLOOMFIELD | 2002616-01 | 11/23/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0005104 | BLOOMFIELD WATER SYSTEM | BLOOMFIELD | 1911-29544-001 | 11/12/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|-------------------------------|--------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005051 | BOLTON COMMUNITY WATER SYSTEM | BOLTON | L1944943-04 | 9/24/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005051 | BOLTON COMMUNITY WATER SYSTEM | BOLTON | L1944943-01 | 9/24/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021340 | BORDER PATROL STATION SWANTON | HIGHGATE | 2306-17999-001 | 6/27/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021340 | BORDER PATROL STATION SWANTON | HIGHGATE | 2009-25718-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021340 | BORDER PATROL STATION SWANTON | HIGHGATE | 1911-28500-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005170 | BRADFORD VILLAGE WATER SYSTEM | BRADFORD | L2045755-01 | 10/20/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005170 | BRADFORD VILLAGE WATER SYSTEM | BRADFORD | L2001390-01 | 1/9/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020711 | BRAINTREE ELEMENTARY SCHOOL | BRAINTREE | 2309-28911-001 | 9/15/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020711 | BRAINTREE ELEMENTARY SCHOOL | BRAINTREE | 1909-22540-001 | 9/4/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005211 | BRANDON FIRE DISTRICT 1 | BRANDON | 2307-20801-003 | 7/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005211 | BRANDON FIRE DISTRICT 1 | BRANDON | 2307-20801-001 | 7/19/2023 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005211 | BRANDON FIRE DISTRICT 1 | BRANDON | 2012-36596-003 | 12/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|--|----|
| VT0005211 | BRANDON FIRE DISTRICT 1 | BRANDON | 1911-30242-004 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005211 | BRANDON FIRE DISTRICT 1 | BRANDON | 1911-30242-001 | 11/20/2019 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|------------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021295 | BRATTLEBORO PROFESSIONAL CENTER | BRATTLEBORO | 2307026-01 | 6/29/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0021295 | BRATTLEBORO PROFESSIONAL CENTER | BRATTLEBORO | 2009-27663-001 | 9/29/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021295 | BRATTLEBORO PROFESSIONAL CENTER | BRATTLEBORO | 1904170-01 | 11/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|-------------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005290 | BRATTLEBORO WATER DEPT | BRATTLEBORO | L2043202-02 | 10/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005290 | BRATTLEBORO WATER DEPT | BRATTLEBORO | L2043202-01 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--------------------------------------|------------------------|-------------|-------------|------------|----|-------|-------|--|------------------------|
| VT0005290 | BRATTLEBORO WATER DEPT | BRATTLEBORO | L1950350-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006065 | BREWSTER PIERCE SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------------------------|----------------|----------|----|-------|-------|---|-----------------------------------|----------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006065 | BREWSTER PIERCE SCHOOL HUNTINGTON | 2009-24467-001 | 9/2/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | ADONA | ND | |
| | | | | | | | HFPO-DA | ND | |
| | | | | | | | NETFOSAA | ND | |
| | | | | | | | NMEFOSAA | ND | |
| | | | | | | | VT0006065 | BREWSTER PIERCE SCHOOL HUNTINGTON | 1911-29307-001 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005283 | BRIDGES RESORT | WARREN | 2011-31720-001 | 11/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005283 | BRIDGES RESORT | WARREN | 1909-24297-001 | 9/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005419 | BRIDGEWATER MILL | BRIDGEWATER | 2008-21913-001 | 8/17/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005419 | BRIDGEWATER MILL | BRIDGEWATER | 1910-26527-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 2305-13021-003 | 5/16/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 2305-13021-001 | 5/16/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 2011-33524-004 | 11/18/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 2011-33524-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 1910-26194-004 | 10/8/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005105 | BRIGHTON WATER SYSTEM | BRIGHTON | 1910-26194-001 | 10/8/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021111 | BRISTOL FAMILY CENTER | BRISTOL | 2305-13547-001 | 5/18/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021111 | BRISTOL FAMILY CENTER | BRISTOL | 2009-24462-001 | 9/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | |
|---------------------------------------|----------------------------|----------------|----------|----|-------|-------|---|----------------------------|
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005024 | BROMLEY WATER COMPANY PERU | 2301-00464-003 | 1/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| | | | | | | | VT0005024 | BROMLEY WATER COMPANY PERU |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | |

| | | | | | | | | |
|-----------|----------------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005024 | BROMLEY WATER COMPANY PERU | 2010-28662-003 | 10/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005024 | BROMLEY WATER COMPANY PERU | 2010-28662-001 | 10/3/2020 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | |
|-----------|----------------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005024 | BROMLEY WATER COMPANY PERU | 1909-24716-004 | 9/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005024 | BROMLEY WATER COMPANY PERU | 1909-24716-001 | 9/24/2019 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|-----------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006741 | BROOKFIELD ELEMENTARY | BROOKFIELD | 2309-28910-001 | 9/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006741 | BROOKFIELD ELEMENTARY | BROOKFIELD | 2007-19000-001 | 7/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006069 | BROOKLINE SCHOOL BUILDING | BROOKLINE | 2308-25568-001 | 8/22/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006069 | BROOKLINE SCHOOL BUILDING | BROOKLINE | 2008-22030-001 | 8/18/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006069 | BROOKLINE SCHOOL BUILDING | BROOKLINE | 1909-23830-001 | 9/16/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005006 | BROOKSIDE MHP | STARKSBORO | 2010-30567-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005006 | BROOKSIDE MHP | STARKSBORO | 1910-28430-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006091 | BROWNINGTON CENTRAL SCHOOL | BROWNINGTON | L2039234-01 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|----------|--------|----------------|------------|----|-------|-------|--|-----------------------|
| VT0005609 | BULL RUN | LUDLOW | 2012-37338-001 | 12/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005033 | BURKE FIRE DISTRICT 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------------|-------|----------------|------------|----|-------|-------|--|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005033 | BURKE FIRE DISTRICT 1 | BURKE | 1910-27713-001 | 10/22/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005503 | BURKE MOUNTAIN WATER CO |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005503 | BURKE MOUNTAIN WATER CO | BURKE | 1909-23427-001 | 9/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006658 | BURKE TOWN SCHOOL | BURKE | 2009-26072-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006658 | BURKE TOWN SCHOOL | BURKE | 1910-27079-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005053 | BURLINGTON DEPT PUBLIC WORKS WATER DIV | BURLINGTON | 2010-30958-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005053 | BURLINGTON DEPT PUBLIC WORKS WATER DIV | BURLINGTON | 1910-25803-001 | 10/3/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021368 | BURR AND BURTON ACADEMY MOUNTAIN CAMPUS | PERU | 2308-23449-001 | 8/7/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---|------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021368 | BURR AND BURTON ACADEMY MOUNTAIN CAMPUS | PERU | 2008-20168-001 | 8/4/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021368 | BURR AND BURTON ACADEMY MOUNTAIN CAMPUS | PERU | 1911-30630-001 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|-------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020962 | BUTTERFIELD COMMON SENIOR HOUSING | DOVER | L2318195-01 | 4/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020962 | BUTTERFIELD COMMON SENIOR HOUSING | DOVER | L2049247-01 | 11/4/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|-------|------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020962 | BUTTERFIELD COMMON SENIOR HOUSING | DOVER | 19K1282-01 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020962 | BUTTERFIELD COMMON SENIOR HOUSING | DOVER | 19J1111-01 | 10/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------------------|---------|----------------|------------|----|-------|-------|---|----------------|
| VT0002490 | BUTTERFLY KISSES CHILD CARE CENTER | NEWBURY | 1911-30772-001 | 11/26/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005280 | BUTTERNUT HILL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------|------------|----------------|-----------|----|-------|-------|---|----------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005280 | BUTTERNUT HILL | WAITSFIELD | 1911-29032-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0002603 | BUTTERNUT PROPERTIES |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2303-05907-001 | 3/7/2023 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2211-33134-001 | 11/14/2022 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002603 | BUTTERNUT PROPERTIES | KILLINGTON | 2209-27818-001 | 9/27/2022 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 2112-36964-003 | 12/14/2021 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 2112-36964-001 | 12/14/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 2010-31240-003 | 10/27/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 2010-31240-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005261 | CABOT TOWN WATER SYSTEM | CABOT | 19H1387-05 | 8/23/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006671 | CALAIS ELEMENTARY SCHOOL | CALAIS | 2309-29158-001 | 9/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006671 | CALAIS ELEMENTARY SCHOOL | CALAIS | 2009-26175-001 | 9/16/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006671 | CALAIS ELEMENTARY SCHOOL | CALAIS | 1910-27320-001 | 10/17/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005149 | CAMBRIDGE VILLAGE WATER | CAMBRIDGE | 2306-17818-003 | 6/27/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-------------------------|-----------|----------------|------------|----|-------|-------|--|-------------------------|
| VT0005149 | CAMBRIDGE VILLAGE WATER | CAMBRIDGE | 2012-37255-004 | 12/27/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005149 | CAMBRIDGE VILLAGE WATER |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | |
|-----------|------------------|----------------------------|-----------|----|-------|-------|--|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020873 | CAMERON PROPERTY | FERRISBURGH 2308-25893-001 | 8/23/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020873 | CAMERON PROPERTY | FERRISBURGH 20I0864-02 | 9/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020873 | CAMERON PROPERTY | FERRISBURGH | 19J1574-03 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 2208-23662-001 | 8/23/2022 | RT | EP003 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 2108-25124-001 | 8/25/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 2106-17999-001 | 6/28/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 2101-02134-001 | 1/25/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 2012-37042-001 | 12/22/2020 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------|--------|------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021520 | CAMP PRECAST | MILTON | 19J1538-03 | 10/22/2019 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005107 | CANAAN FD #2 | CANAAN | 2002569-01 | 11/17/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0005107 | CANAAN FD #2 | CANAAN | 1910-25902-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005106 | CANAAN FIRE DISTRICT 1 | CANAAN | 2002568-01 | 11/17/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0005106 | CANAAN FIRE DISTRICT 1 | CANAAN | 1910-25901-001 | 10/2/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008343 | CARLOS OTIS HEALTH CARE CENTER | TOWNSHEND | 2309-29354-001 | 9/20/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008343 | CARLOS OTIS HEALTH CARE CENTER | TOWNSHEND | 2009-24900-001 | 9/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008343 | CARLOS OTIS HEALTH CARE CENTER | TOWNSHEND | 1909-22336-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005212 | CASTLETON FIRE DISTRICT 1 | CASTLETON | 2306-17910-003 | 6/27/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |

| | | | | | | | | |
|-----------|-------------------------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005212 | CASTLETON FIRE DISTRICT 1 CASTLETON | 2306-17910-001 | 6/27/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005212 | CASTLETON FIRE DISTRICT 1 CASTLETON | 2011-33964-003 | 11/23/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| VT0005212 | CASTLETON FIRE DISTRICT 1 | CASTLETON | 1910-28448-004 | 10/31/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLURONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| VT0005212 | CASTLETON FIRE DISTRICT 1 | CASTLETON | 1910-28448-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLURONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------|-----------|-------------|-----------|----|-------|-------|---|---------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020397 | CATAMOUNT CHARLOTTE | CHARLOTTE | L2039228-01 | 9/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020397 | CATAMOUNT CHARLOTTE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------|----------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020928 | CATAMOUNT-MALONE | RANDOLPH | L2345251 | 8/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020928 | CATAMOUNT-MALONE | RANDOLPH | L2035617-01 | 8/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020928 | CATAMOUNT-MALONE | RANDOLPH | L1951127-01 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005317 | CAVENDISH TOWN WATER SYSTEM | CAVENDISH | 2010-28892-001 | 10/7/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005317 | CAVENDISH TOWN WATER SYSTEM | CAVENDISH | 1908-21174-001 | 8/21/2019 | RT | RW002 | WL002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2308-25116-001 | 8/16/2023 | RT | EP003 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2306-16683-001 | 6/14/2023 | RT | EP003 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000402 | CHALET KILLINGTON | KILLINGTON | 2304-09914-001 | 4/17/2023 | RT | EP003 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|----------------|------------------------------|------------|----|-------|-------|--|----|
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005335 | CHALET VILLAGE | STOCKBRIDGE 380-37385-1 | 2/8/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005335 | CHALET VILLAGE | STOCKBRIDGE L2050061-03-5335 | 11/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------------------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005335 | CHALET VILLAGE | STOCKBRIDGE | L1948818-05 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005092 | CHAMPLAIN WATER DISTRICT | SOUTH BURLINGTON | 502385 | 10/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------------|------------|----------------|-----------|----|-------|-------|--|-----------------------|
| VT0005621 | CHARETTE WATER SYSTEM | DUMMERSTON | 2010-28915-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005621 | CHARETTE WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006672 | CHARLESTON ELEMENTARY SCHOOL | CHARLESTON | 1910-27000-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006721 | CHARLOTTE CENTRAL SCHOOL | CHARLOTTE | 2308-23102-001 | 8/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006721 | CHARLOTTE CENTRAL SCHOOL | CHARLOTTE | 2009-27804-001 | 9/30/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006721 | CHARLOTTE CENTRAL SCHOOL | CHARLOTTE | 1909-23747-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020761 | CHARLOTTE CHILDRENS CENTER | CHARLOTTE | 2306-15835-001 | 6/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005581 | CHELSEA ELDERLY HOUSING | CHELSEA | 2011-33110-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005581 | CHELSEA ELDERLY HOUSING | CHELSEA | 1911-29220-001 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005582 | CHELSEA FAMILY HOUSING | CHELSEA | 2011-33109-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005582 | CHELSEA FAMILY HOUSING | CHELSEA | 1911-29224-001 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005638 | CHELSEA WATER SYSTEM | CHELSEA | 2309-27993-005 | 9/11/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005638 | CHELSEA WATER SYSTEM | CHELSEA | 2309-27993-003 | 9/11/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005638 | CHELSEA WATER SYSTEM | CHELSEA | 2309-27993-001 | 9/11/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------|---------|----------------|------------|----|-------|-------|--|----------------------|
| VT0005638 | CHELSEA WATER SYSTEM | CHELSEA | 2010-31400-001 | 10/29/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005638 | CHELSEA WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005318 | CHESTER WATER DEPT | CHESTER | 2010-28359-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005318 | CHESTER WATER DEPT | CHESTER | 1909-23475-001 | 9/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006212 | CHILD CARE CENTER IN NORWICH | NORWICH | 2309-27493-001 | 9/5/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006212 | CHILD CARE CENTER IN NORWICH | NORWICH | 2007-19579-001 | 7/30/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006212 | CHILD CARE CENTER IN NORWICH | NORWICH | 1908-20769-001 | 8/19/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 2012-34536-009 | 12/1/2020 | RT | EP011 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 2012-34536-007 | 12/1/2020 | RT | EP012 | ST007 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 2012-34536-005 | 12/1/2020 | RT | EP013 | ST009 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 2012-34536-003 | 12/1/2020 | RT | EP009 | ST004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 2012-34536-001 | 12/1/2020 | RT | EP010 | ST005 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 1911-29932-001 | 11/18/2019 | RT | EP009 | ST004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005312 | CHIMNEY HILL | WILMINGTON | 1911-29934-001 | 11/18/2019 | RT | EP012 | ST007 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------|------------|----------------|------------|----|-------|-------|--|--------------|
| VT0005312 | CHIMNEY HILL | WILMINGTON | 1911-29926-001 | 11/18/2019 | RT | EP011 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005312 | CHIMNEY HILL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|-----------|--------------|------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005654 | CHIMNEY HILL | COLCHESTER | COLCHESTER | 2305-13903-001 | 5/23/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005654 | CHIMNEY HILL | COLCHESTER | COLCHESTER | 2012-35688-001 | 12/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005654 | CHIMNEY HILL COLCHESTER | COLCHESTER | 1911-30107-001 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005589 | CHRISTMAS TREE - SUNDOWN CONDOMINIUM | WARREN | 2304-10292-001 | 4/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005589 | CHRISTMAS TREE - SUNDOWN CONDOMINIUM | WARREN | 2011-32933-001 | 11/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005589 | CHRISTMAS TREE - SUNDOWN CONDOMINIUM | WARREN | 1911-29030-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020821 | CLARA MARTIN CENTER | RANDOLPH | 2308-25907-001 | 8/23/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020821 | CLARA MARTIN CENTER | RANDOLPH | 2012-35256-001 | 12/7/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020821 | CLARA MARTIN CENTER | RANDOLPH | 1910-26552-001 | 10/9/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006617 | CLARENDON ELEMENTARY SCHOOL | CLARENDON | 2308-24486-001 | 8/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006617 | CLARENDON ELEMENTARY SCHOOL | CLARENDON | 2010-30357-001 | 10/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006617 | CLARENDON ELEMENTARY SCHOOL | CLARENDON | 1911-28578-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005657 | CLUB SUGARBUSH WATER SYSTEM | WARREN | 2306-15822-001 | 6/8/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005657 | CLUB SUGARBUSH WATER SYSTEM | WARREN | 2012-35514-001 | 12/8/2020 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| VT0020847 | COBB HILL COHOUSING INC | HARTLAND | 2304-09564-001 | 4/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020847 | COBB HILL COHOUSING INC | HARTLAND | 2010-28675-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | | |
|---------------------------------------|-------------------------|----------|----------------|------------|----|-------|-------|--|------------|-----------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020847 | COBB HILL COHOUSING INC | HARTLAND | 1910-27406-001 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005347 | COBURN MHP | CLARENDON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005347 | COBURN MHP | CLARENDON | 1911-28576-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | 2308-25569-003 | 8/22/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | 2308-25569-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | 2011-33355-003 | 11/16/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | 2011-33355-001 | 11/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | L1950352-04 | 10/22/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005649 | COLD BROOK FD BASE AREA | WILMINGTON | L1950352-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | 2305-13123-005 | 5/15/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | 2305-13123-003 | 5/15/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | 2305-13123-001 | 5/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | 2011-33353-005 | 11/16/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | 2011-33353-003 | 11/16/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|-------------------------------|------------|-------------|------------|----|-------|-------|--|-------------------------------|
| VT0005313 | COLD BROOK FIRE DISTRICT 1 | WILMINGTON | L1950351-07 | 10/22/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005313 | COLD BROOK FIRE DISTRICT 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020855 | COLONIAL ESTATES HOMEOWNERS ASSN | FAIRFAX | 2002-04583-001 | 2/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020855 | COLONIAL ESTATES HOMEOWNERS ASSN | FAIRFAX | 1911-30504-001 | 11/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005499 | COLONIAL ESTATES WATER CORP | RUTLAND TOWN | 2305-11640-001 | 5/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005499 | COLONIAL ESTATES WATER CORP | RUTLAND TOWN | 1912-30822-001 | 11/30/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021015 | COMMON PASTURES HOA | CHARLOTTE | 2306-17662-001 | 6/26/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021015 | COMMON PASTURES HOA | CHARLOTTE | 2010-31142-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021015 | COMMON PASTURES HOA | CHARLOTTE | 1908-20027-001 | 8/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005435 | COMMONS | MORETOWN | 2011-31719-001 | 11/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005435 | COMMONS | MORETOWN | 1911-29025-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021384 | CONCORD ESTATES MHP, LLC. | CONCORD | L2053142-01 | 11/25/2020 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021384 | CONCORD ESTATES MHP, LLC. | CONCORD | 19K1049-01 | 11/15/2019 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006729 | CONCORD SCHOOL | CONCORD | L2356280-01 | 9/5/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | | |
|---------------------------------------|--------------------------|--------|----------------|-----------|----|-------|-------|---|--------------------------|----------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005640 | COUNTRY CLUB CONDOMINIUM | BOLTON | 1908-20028-001 | 8/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005191 | COVENTRY FIRE DISTRICT 1 | COVENTRY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005191 | COVENTRY FIRE DISTRICT 1 | COVENTRY | L2001387-01 | 1/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020439 | COVERED BRIDGE HIGHLAND | STOWE | 2309-28202-001 | 9/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020439 | COVERED BRIDGE HIGHLAND | STOWE | 2010-29462-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020439 | COVERED BRIDGE HIGHLAND | STOWE | 1908-20194-001 | 8/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021131 | CRAFTSBURY COMMUNITY CARE CENTER | CRAFTSBURY | 2305-12752-001 | 5/10/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021131 | CRAFTSBURY COMMUNITY CARE CENTER | CRAFTSBURY | 2009-23928-001 | 8/31/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021131 | CRAFTSBURY COMMUNITY CARE CENTER | CRAFTSBURY | 19K1299-01 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006068 | CRAFTSBURY ELEMENTARY SCHOOL | CRAFTSBURY | 2309-29118-001 | 9/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006068 | CRAFTSBURY ELEMENTARY SCHOOL | CRAFTSBURY | 20I0820-01 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006068 | CRAFTSBURY ELEMENTARY SCHOOL | CRAFTSBURY | 19K1521-01 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2208-24094-001 | 8/25/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005194 | CRAFTSBURY FIRE DISTRICT 2 | CRAFTSBURY | 2203-05933-001 | 3/9/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------------|-----------------|----------------|------------|----|-------|-------|---|------------------------------|
| VT0005264 | CRYSTAL SPRINGS WATER SYSTEM | EAST MONTPELIER | 2211-33558-001 | 11/17/2022 | RT | EP002 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005264 | CRYSTAL SPRINGS WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|------------------------------|-----------------|----------------|-----------|----|-------|-------|---|-----------------------------|------------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0005264 | CRYSTAL SPRINGS WATER SYSTEM | EAST MONTPELIER | 1909-24994-001 | 9/25/2019 | RT | EP002 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0005241 | CUTTINGSVILLE FIRE DISTRICT | SHREWSBURY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005241 | CUTTINGSVILLE FIRE DISTRICT | SHREWSBURY | 1909-24659-001 | 9/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005617 | DAIRY CENTER | ENOSBURGH | 2010-30566-001 | 10/21/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005617 | DAIRY CENTER | ENOSBURGH | 1911-28690-001 | 11/5/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005217 | DANBY MOUNT TABOR F D 1 | DANBY | 2306-15627-001 | 6/7/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|------------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005217 | DANBY MOUNT TABOR F D 1 | DANBY | 2012-36595-001 | 12/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005217 | DANBY MOUNT TABOR F D 1 | DANBY | 1911-30364-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|----------|-------------|------------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005037 | DANVILLE FIRE DISTRICT 1 | DANVILLE | L2045747-01 | 10/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005037 | DANVILLE FIRE DISTRICT 1 | DANVILLE | L1948791-01 | 10/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000512 | DC LANG LLC | GEORGIA | 2108-24182-001 | 8/17/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000512 | DC LANG LLC | GEORGIA | 1908-21705-001 | 8/27/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020838 | DEERFIELD VALLEY HEALTH CENTER | WILMINGTON | 2306-15843-001 | 6/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020838 | DEERFIELD VALLEY HEALTH CENTER | WILMINGTON | 2009-26023-001 | 9/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

[illegible]

| | | | | | | | | | |
|-----------|---------------------------|-------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005195 | DERBY CENTER WATER SYSTEM | DERBY | 2010-29978-001 | 10/15/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005195 | DERBY CENTER WATER SYSTEM | DERBY | 1908-21235-001 | 8/21/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020568 | DERBY LINE VILLAGE WATER DISTRICT | DERBY | 2112-35561-001 | 12/2/2021 | RT | EP002 | SS002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020568 | DERBY LINE VILLAGE WATER DISTRICT | DERBY | 2010-30827-001 | 10/21/2020 | RT | EP002 | SS002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005357 | DIVIDED SKY FOUNDATION | LUDLOW | 2306-16478-001 | 6/14/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005357 | DIVIDED SKY FOUNDATION | LUDLOW | 2011-32252-001 | 11/5/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005357 | DIVIDED SKY FOUNDATION | LUDLOW | 1909-22203-001 | 9/3/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020990 | DORSET COMMUNITY HOUSING | DORSET | 2211-32072-001 | 11/2/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020990 | DORSET COMMUNITY HOUSING | DORSET | 2110-31219-001 | 10/18/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006709 | DORSET ELEMENTARY SCHOOL | DORSET | 2009-26833-001 | 9/22/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006709 | DORSET ELEMENTARY SCHOOL | DORSET | 1910-28140-001 | 10/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005020 | DORSET FIRE DISTRICT 1 | DORSET | 2010-29996-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-------------------------|-------|----------------|-----------|----|-------|-------|--|-------------------------|
| VT0006685 | DOVER ELEMENTARY SCHOOL | DOVER | 2007-18776-001 | 7/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006685 | DOVER ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005282 | DRUMLEYS CONDOMINIUMS | WARREN | 2011-31718-001 | 11/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005282 | DRUMLEYS CONDOMINIUMS | WARREN | 1912-31575-001 | 12/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006693 | DUMMERSTON EAST SCHOOL | DUMMERSTON | 2308-26165-001 | 8/24/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006693 | DUMMERSTON EAST SCHOOL | DUMMERSTON | 2009-24478-001 | 8/31/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | |
|-----------|--------------------------|----------------------------|-----------|----|-------|-------|---|----|
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006693 | DUMMERSTON EAST SCHOOL | DUMMERSTON 1909-23956-001 | 9/17/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020751 | EARLY EDUCATION SERVICES | WESTMINSTER 2306-15844-001 | 6/8/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | |
|-----------|--------------------------|----------------------------|-----------|----|-------|-------|---|----|
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020751 | EARLY EDUCATION SERVICES | WESTMINSTER 2009-24482-001 | 8/31/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020751 | EARLY EDUCATION SERVICES | WESTMINSTER 1909-23957-001 | 9/17/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005115 | EAST BERKSHIRE FIRE DISTRICT 1 | BERKSHIRE | 2010-30990-001 | 10/26/2020 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005115 | EAST BERKSHIRE FIRE DISTRICT 1 | BERKSHIRE | 1909-24899-001 | 9/25/2019 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|--------------------------------|--------|----------------|------------|----|-------|-------|--|--|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005262 | EAST CALAIS FIRE DISTRICT 1 | CALAIS | 2306-18247-001 | 6/28/2023 | RT | EP002 | ST001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005262 | EAST CALAIS FIRE DISTRICT 1 | CALAIS | 2012-37565-001 | 12/29/2020 | RT | EP002 | ST001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|--------------------------------|--------|----------------|-----------|----|-------|-------|--|--------------------------------|
| VT0005021 | EAST DORSET FIRE DISTRICT 1 | DORSET | 2010-28905-001 | 10/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005021 | EAST DORSET FIRE DISTRICT 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|--------------------------------|-----------|----------------|-----------|----|-------|-------|---|--------------------------------|-----------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0005119 | EAST FAIRFIELD FIRE DISTRICT 1 | FAIRFIELD | 2305-13007-001 | 5/16/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0005119 | EAST FAIRFIELD FIRE DISTRICT 1 | FAIRFIELD |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005119 | EAST FAIRFIELD FIRE DISTRICT 1 | FAIRFIELD | 1910-26024-001 | 10/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005038 | EAST HARDWICK FIRE DISTRICT 1 | HARDWICK | L2047326-01 | 10/26/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005038 | EAST HARDWICK FIRE DISTRICT 1 | HARDWICK | L2001383-01 | 1/9/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 2306-18192-003 | 6/28/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 2306-18192-001 | 6/28/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 2011-34012-003 | 11/24/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 2011-34012-001 | 11/24/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 1910-27255-004 | 10/17/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|--------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005003 | EAST MIDDLEBURY FD 1 | MIDDLEBURY | 1910-27255-001 | 10/17/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006670 | EAST MONTPELIER ELEMENTARY SCHOOL NEW | EAST MONTPELIER | 2309-29825-001 | 9/21/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|--------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006670 | EAST MONTPELIER ELEMENTARY SCHOOL NEW | EAST MONTPELIER | 2009-25931-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006670 | EAST MONTPELIER ELEMENTARY SCHOOL NEW | EAST MONTPELIER | 1909-23285-001 | 9/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------------|--------|----------------|-----------|----|-------|-------|--|------------------------|
| VT0005221 | EAST MOUNTAIN WATER CORP | MENDON | 1910-25731-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005184 | EAST THETFORD WATER CO |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005184 | EAST THETFORD WATER CO | THETFORD | 1911-29920-001 | 11/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005287 | EAST WIND MHP | WATERBURY | 2010-29302-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|--------------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021020 | EASTFIELD CONDOMINIUM ASSN INC | FAIRFAX | 2306-15420-001 | 6/7/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021020 | EASTFIELD CONDOMINIUM ASSN INC | FAIRFAX | 2110-30362-001 | 10/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021020 | EASTFIELD CONDOMINIUM ASSN INC | FAIRFAX | 2010-28365-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021020 | EASTFIELD CONDOMINIUM ASSN INC | FAIRFAX | 1909-22325-001 | 9/3/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005220 | EASTRIDGE ACRES ASSOCIATION | MENDON | 2010-30365-001 | 10/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005220 | EASTRIDGE ACRES ASSOCIATION | MENDON | 1909-25077-001 | 9/26/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005382 | EDGEMONT CONDOMINIUMS | KILLINGTON | 2306-18268-001 | 6/29/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005382 | EDGEMONT CONDOMINIUMS | KILLINGTON | 2010-28168-009 | 9/30/2020 | RT | RW002 | WL002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005382 | EDGEMONT CONDOMINIUMS | KILLINGTON | 1910-27886-001 | 10/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005284 | EDWARD FARRAR UTILITY DISTRICT | WATERBURY | 2305-12891-003 | 5/15/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005284 | EDWARD FARRAR UTILITY DISTRICT | WATERBURY | 2305-12891-001 | 5/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005284 | EDWARD FARRAR UTILITY DISTRICT | WATERBURY | 2012-36459-001 | 12/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------------------|-----------|----------------|------------|----|-------|-------|---|--------------------------------|
| VT0005284 | EDWARD FARRAR UTILITY DISTRICT | WATERBURY | 1911-30406-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005284 | EDWARD FARRAR UTILITY DISTRICT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------------|--------|------------|------------|----|-------|-------|--|-----------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005152 | ELMORE WATER DISTRICT | ELMORE | 20J0665-02 | 10/13/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005152 | ELMORE WATER DISTRICT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|-----------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020391 | EMERSON FALLS BUSINESS PARK | SAINT JOHNSBURY | 2309-29821-001 | 9/21/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020391 | EMERSON FALLS BUSINESS PARK | SAINT JOHNSBURY | 2008-22495-001 | 8/19/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020391 | EMERSON FALLS BUSINESS PARK | SAINT JOHNSBURY | 1909-23073-001 | 9/10/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005116 | ENOSBURG FALLS WATER SYSTEM | ENOSBURGH | 2010-29360-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005116 | ENOSBURG FALLS WATER SYSTEM | ENOSBURGH | 1909-22538-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005645 | EVERGREEN MHP | POWNAL | 2012-35484-001 | 12/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005645 | EVERGREEN MHP | POWNAL | 1911-28756-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005218 | FAIR HAVEN WATER DEPT | FAIR HAVEN | 2305-11639-001 | 5/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005218 | FAIR HAVEN WATER DEPT | FAIR HAVEN | 2012-34637-001 | 12/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005403 | FAIRFAX FIRE DISTRICT 1 | FAIRFAX | 2010-29324-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005403 | FAIRFAX FIRE DISTRICT 1 | FAIRFAX | L1953197-01 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005118 | FAIRFAX HEIGHTS WATER CO | FAIRFAX | 2103-05712-001 | 3/4/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|--------------------|---------|----------------|------------|----|-------|-------|--|---------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005117 | FAIRFAX WATER DEPT | FAIRFAX | 1911-30501-001 | 11/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020415 | FAIRFIELD FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020415 | FAIRFIELD FIRE DISTRICT 2 | FAIRFIELD | 1911-30278-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005174 | FAIRLEE TOWN WATER | FAIRLEE | 2010-28914-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005174 | FAIRLEE TOWN WATER | FAIRLEE | L1953194-01 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005647 | FALL LINE TOWN HOUSES | KILLINGTON | 2010-29863-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005647 | FALL LINE TOWN HOUSES | KILLINGTON | 1910-27245-001 | 10/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020776 | FARMHOUSE POTTERY | WOODSTOCK | 2008-21917-001 | 8/17/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020776 | FARMHOUSE POTTERY | WOODSTOCK | 1910-26523-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020135 | FARMS AT CLUB SUGARBUSH | WARREN | 2012-35243-001 | 12/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020135 | FARMS AT CLUB SUGARBUSH | WARREN | 1911-29797-001 | 11/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006686 | FAYSTON ELEMENTARY SCHOOL | FAYSTON | 2008-22813-001 | 8/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006686 | FAYSTON ELEMENTARY SCHOOL | FAYSTON | 1909-23790-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005052 | FERNWOOD MANOR MHP | BOLTON | 2010-30570-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|----------------------------|---------|----------------|-----------|----|-------|-------|--|----------------------------|
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2308-25580-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005504 | FIDDLEHEAD CONDOMINIUMS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-------------------------|---------|----------------|----------|----|-------|-------|---|----------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005504 | FIDDLEHEAD CONDOMINIUMS | FAYSTON | 2209-24919-001 | 9/2/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006736 | FLETCHER ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|----------|-------------|----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006736 | FLETCHER ELEMENTARY SCHOOL | FLETCHER | L2037572-01 | 9/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006736 | FLETCHER ELEMENTARY SCHOOL | FLETCHER | L2001373-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006654 | FLOOD BROOK USD 20 | LONDONDERRY | 2009-26006-001 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006654 | FLOOD BROOK USD 20 | LONDONDERRY | 1910-28141-001 | 10/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005596 | FLY IN WATER SYSTEM | WAITSFIELD | 2011-32931-001 | 11/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005596 | FLY IN WATER SYSTEM | WAITSFIELD | 1911-29033-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020385 | FORMULA FORD | RUTLAND TOWN | 2308-24492-001 | 8/15/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020385 | FORMULA FORD | RUTLAND TOWN | 2010-30360-001 | 10/19/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020385 | FORMULA FORD | RUTLAND TOWN | 1912-32654-001 | 12/18/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005213 | FORT WARREN MHP | CASTLETON | 2306-15967-003 | 6/12/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005213 | FORT WARREN MHP | CASTLETON | 2306-15967-001 | 6/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005213 | FORT WARREN MHP | CASTLETON | 2012-35487-003 | 12/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------|-----------|----------------|------------|----|-------|-------|--|---------|
| VT0005213 | FORT WARREN MHP | CASTLETON | 1911-30371-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000918 | FOUNDRY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------|------------|----------------|-----------|----|-------|-------|--|---------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000918 | FOUNDRY | KILLINGTON | 2302-04363-001 | 2/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000918 | FOUNDRY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000918 | FOUNDRY | KILLINGTON | 2208-22874-001 | 8/15/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005120 | FRANKLIN WATER SYSTEM | FRANKLIN | 2306-18167-001 | 6/28/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005120 | FRANKLIN WATER SYSTEM | FRANKLIN | 2011-34252-001 | 11/30/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005120 | FRANKLIN WATER SYSTEM | FRANKLIN | 1911-30384-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------------|-----------|-------------|----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020567 | GENERAL SERVICES COMPLEX MIDDLESEX | MIDDLESEX | L2345253 | 8/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020567 | GENERAL SERVICES COMPLEX MIDDLESEX | MIDDLESEX | L2037575-01 | 9/9/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------------|-----------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020567 | GENERAL SERVICES COMPLEX MIDDLESEX | MIDDLESEX | L1946160-01 | 10/2/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008345 | GEORGIA DAIRY INDUSTRIAL PARK | GEORGIA | L2039223-01 | 9/14/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006694 | GEORGIA ELEMENTARY SCHOOL | GEORGIA | L2354452-01 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006694 | GEORGIA ELEMENTARY SCHOOL | GEORGIA | L2037570-01 | 9/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006694 | GEORGIA ELEMENTARY SCHOOL | GEORGIA | L2001372-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005556 | GEORGIA STATION | GEORGIA | L2048651-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|--------------------------------------|----------|----------------|-----------|----|-------|-------|--|--------------------------------------|
| VT0021405 | GIFFORD MEDICAL KINGWOOD BUILDING | RANDOLPH | 2309-28912-001 | 9/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021405 | GIFFORD MEDICAL KINGWOOD BUILDING |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|--|--------------------------------------|----------|----------------|----------|----|-------|-------|--|-------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021405 | GIFFORD MEDICAL KINGWOOD BUILDING | RANDOLPH | 1909-22547-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005619 | GLAZE BROOK |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005619 | GLAZE BROOK | KILLINGTON | 1910-26957-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005600 | GLEN RUN CONDOMINIUM | DOVER | 2011-34087-001 | 11/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005600 | GLEN RUN CONDOMINIUM | DOVER | 19K1138-01 | 11/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006092 | GLOVER COMMUNITY SCHOOL | GLOVER | 2010-28020-001 | 9/30/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006092 | GLOVER COMMUNITY SCHOOL | GLOVER | 1911-30475-001 | 11/22/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020356 | GMP - RUTLAND DISTRICT | RUTLAND TOWN | 2308-26655-001 | 8/30/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|------------------------|--------------|----------------|-----------|----|-------|-------|--|--|-----------|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020356 | GMP - RUTLAND DISTRICT | RUTLAND TOWN | 2109-28445-001 | 9/22/2021 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020356 | GMP - RUTLAND DISTRICT | RUTLAND TOWN | 2009-26267-001 | 9/16/2020 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|---------------------------|--------------|----------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020356 | GMP - RUTLAND DISTRICT | RUTLAND TOWN | 1908-21268-001 | 8/22/2019 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 23F1143-03 | 6/1/2023 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 23C0873-03 | 3/7/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 63863-005 | 12/7/2022 | RT | SP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|---------------------------|---------|-----------|----------|----|-------|-------|---|---------------------------|
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 62603-004 | 9/6/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006076 | GRAFTON ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------------|---------|-----------|-----------|----|-------|-------|---|---------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 60491-003 | 3/24/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006076 | GRAFTON ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------------|---------|-----------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 58741-004 | 9/21/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | 57424-004 | 6/14/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L2115921-03 | 3/29/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L2055208-03 | 12/7/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L2034329-03 | 8/20/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L2018892-01 | 5/5/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L2003458-01 | 1/23/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006076 | GRAFTON ELEMENTARY SCHOOL | GRAFTON | L1951135-01 | 10/2/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020454 | GRAMMAR SCHOOL ANNEX | PUTNEY | 2308-25829-001 | 8/23/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020454 | GRAMMAR SCHOOL ANNEX | PUTNEY | L2035658-01 | 8/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020454 | GRAMMAR SCHOOL ANNEX | PUTNEY | L1951134-01 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006623 | GRAMMAR SCHOOL INC | PUTNEY | 2308-25831-001 | 8/23/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------|--------|-------------|-----------|----|-------|-------|--|---|
| VT0006623 | GRAMMAR SCHOOL INC | PUTNEY | L1951133-01 | 10/2/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020614 | GRAND ISLE CONSOLIDATED WATER DISTRICT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|--|------------|----------------|------------|----|-------|-------|---|--|------------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020614 | GRAND ISLE CONSOLIDATED WATER DISTRICT | GRAND ISLE | 2010-30531-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0020614 | GRAND ISLE CONSOLIDATED WATER DISTRICT | GRAND ISLE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | |
|-----------|---------------------------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005139 | GRAND ISLE FIRE DISTRICT 4 GRAND ISLE | 2104-08496-001 | 4/5/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005139 | GRAND ISLE FIRE DISTRICT 4 GRAND ISLE | 1908-21711-001 | 8/27/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------|-------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020637 | GRAND SUMMIT HOTEL | DOVER | 2007-18775-003 | 7/20/2020 | RT | EP004 | ST003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020637 | GRAND SUMMIT HOTEL | DOVER | 2007-18775-001 | 7/20/2020 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------|-------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020637 | GRAND SUMMIT HOTEL | DOVER | 1908-20707-004 | 8/15/2019 | RT | EP004 | ST003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020637 | GRAND SUMMIT HOTEL | DOVER | 1908-20707-001 | 8/15/2019 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|--------------|-------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005237 | GRANDVIEW ACRES WATER COOP | RUTLAND TOWN | L2044662-01 | 10/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005237 | GRANDVIEW ACRES WATER COOP | RUTLAND TOWN | L1952157-01 | 10/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005248 | GRANITEVILLE FIRE DISTRICT 4 | BARRE TOWN | 2306-16695-001 | 6/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005248 | GRANITEVILLE FIRE DISTRICT 4 | BARRE TOWN | 2012-37307-001 | 12/29/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005248 | GRANITEVILLE FIRE DISTRICT 4 | BARRE TOWN | 1912-00009-001 | 11/30/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006621 | GREEN MOUNTAIN VALLEY SCHOOL | FAYSTON | 2307-18865-001 | 7/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------------|---------|----------------|-----------|----|-------|-------|--|-------------|
| VT0006621 | GREEN MOUNTAIN VALLEY SCHOOL | FAYSTON | 1910-25743-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005490 | GREENES MHP |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | |
|-----------|----------------------------------|------------------------|------------|----|-------|-------|---|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005199 | GREENSBORO BEND FIRE DISTRICT #2 | GREENSBORO L2047327-01 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005199 | GREENSBORO BEND FIRE DISTRICT #2 | GREENSBORO L2001384-01 | 1/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005198 | GREENSBORO FIRE DISTRICT 1 | GREENSBORO | 2011-33397-003 | 11/16/2020 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005198 | GREENSBORO FIRE DISTRICT 1 | GREENSBORO | 2011-33397-001 | 11/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005198 | GREENSBORO FIRE DISTRICT 1 | GREENSBORO | 1911-29428-004 | 11/11/2019 | RT | EP002 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005198 | GREENSBORO FIRE DISTRICT 1 | GREENSBORO | 1911-29428-001 | 11/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 2011-34090-003 | 11/23/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005630 | GREENSPRINGS | DOVER | 19K1140-01 | 11/17/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006622 | GREENWOOD SCHOOL | PUTNEY | 2309-29671-001 | 9/21/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006622 | GREENWOOD SCHOOL | PUTNEY | 2009-26830-001 | 9/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006622 | GREENWOOD SCHOOL | PUTNEY | 1911-30318-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021003 | GROTON VILLAGE REVITALIZATION | GROTON | 2309-29822-001 | 9/21/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|----------------------------------|--------|----------------|-----------|----|-------|-------|--|----------------------------|
| VT0021003 | GROTON VILLAGE REVITALIZATION | GROTON | 1909-23080-001 | 9/10/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006634 | GUILFORD CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-------------------------|----------|----------------|-----------|----|-------|-------|---|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006634 | GUILFORD CENTRAL SCHOOL | GUILFORD | 2009-24479-001 | 8/31/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006634 | GUILFORD CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020638 | GW PLASTICS INC | ROYALTON | 2304-09365-001 | 4/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020638 | GW PLASTICS INC | ROYALTON | 2009-24458-001 | 9/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020638 | GW PLASTICS INC | ROYALTON | 1910-28427-001 | 10/31/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006750 | HALIFAX WEST SCHOOL | HALIFAX | 2309-30207-001 | 9/25/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006750 | HALIFAX WEST SCHOOL | HALIFAX | 2009-26823-001 | 9/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006750 | HALIFAX WEST SCHOOL | HALIFAX | 1911-30322-001 | 11/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005039 | HARDWICK TOWN WATER SYSTEM | HARDWICK | 2010-30774-001 | 10/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005039 | HARDWICK TOWN WATER SYSTEM | HARDWICK | 1909-24329-001 | 9/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005319 | HARTFORD WATER DEPT | HARTFORD | 2010-31056-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005319 | HARTFORD WATER DEPT | HARTFORD | 2010-29491-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005319 | HARTFORD WATER DEPT | HARTFORD | 1909-22607-001 | 9/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005319 | HARTFORD WATER DEPT | HARTFORD | 1908-19170-001 | 8/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------|----------|----------------|----------|----|-------|-------|--|----------------------------|
| VT0006639 | HARTLAND ELEMENTARY SCHOOL | HARTLAND | 2109-26080-001 | 9/2/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006639 | HARTLAND ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------------------|----------|----------------|------------|----|-------|-------|---|----------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006639 | HARTLAND ELEMENTARY SCHOOL | HARTLAND | 1910-27486-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020742 | HARTLAND RECREATION CENTER |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020742 | HARTLAND RECREATION CENTER | HARTLAND | 2107-21279-001 | 7/22/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020742 | HARTLAND RECREATION CENTER | HARTLAND | 2007-19212-001 | 7/28/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020742 | HARTLAND RECREATION CENTER | HARTLAND | 1910-27413-001 | 10/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020774 | HARTLAND TOWN ACTIVITY CENTER | HARTLAND | 2307-20799-001 | 7/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020774 | HARTLAND TOWN ACTIVITY CENTER | HARTLAND | 2107-21297-001 | 7/22/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020774 | HARTLAND TOWN ACTIVITY CENTER | HARTLAND | 2007-19215-001 | 7/28/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020774 | HARTLAND TOWN ACTIVITY CENTER | HARTLAND | 1910-27415-001 | 10/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006707 | HARWOOD UNION HIGH SCHOOL | DUXBURY | 2308-25582-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006707 | HARWOOD UNION HIGH SCHOOL | DUXBURY | 2008-23719-001 | 8/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006707 | HARWOOD UNION HIGH SCHOOL | DUXBURY | 1909-23759-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021454 | HEARTBEET COMMUNITY CENTER | HARDWICK | 2304-10842-001 | 4/26/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021454 | HEARTBEET COMMUNITY CENTER | HARDWICK | 2009-26385-001 | 9/17/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| VT0008322 | HEB MANUFACTURING CO | CHELSEA | 2007-16228-001 | 7/1/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005240 | HEMLOCK RIDGE CONDOMINIUM | KILLINGTON | 2002205-01 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0005240 | HEMLOCK RIDGE CONDOMINIUM | KILLINGTON | 1904182-01 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006731 | HIGHGATE ELEMENTARY SCHOOL | HIGHGATE | 2309-28022-001 | 9/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006731 | HIGHGATE ELEMENTARY SCHOOL | HIGHGATE | 2007-18701-001 | 7/22/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006731 | HIGHGATE ELEMENTARY SCHOOL | HIGHGATE | 1910-25725-001 | 10/2/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021167 | HILLTOP MONTESSORI SCHOOL | BRATTLEBORO | 2307-20448-001 | 7/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005070 | HINESBURG WATER DEPT | HINESBURG | 2207-19667-001 | 7/19/2022 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005070 | HINESBURG WATER DEPT | HINESBURG | 2011-33065-001 | 11/12/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--|------------|----------------|----------|----|-------|-------|--|--|
| VT0021072 | HISTORIC WAITSFIELD VILLAGE CONDOMINIUM* | WAITSFIELD | 2305-11455-001 | 5/2/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021072 | HISTORIC WAITSFIELD VILLAGE CONDOMINIUM* |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | | |
|---------------------------------------|--|------------|----------------|------------|----|-------|-------|---|----------------------|--------------|----------------|
| | | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | | NMEFOSAA | | ND |
| VT0021072 | HISTORIC WAITSFIELD VILLAGE CONDOMINIUM* | WAITSFIELD | 1911-29301-001 | 11/11/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | |
| | | | | | | | | 11CL-PF3OUDS | | ND | |
| | | | | | | | | 9CL-PF3ONS | | ND | |
| | | | | | | | | ADONA | | ND | |
| | | | | | | | | HFPO-DA | | ND | |
| | | | | | | | | NETFOSAA | | ND | |
| | | | | | | | | NMEFOSAA | | ND | |
| | | | | | | | | VT0005655 | HOLBROOK BAY COMMONS | NEWPORT TOWN | 2306-18288-001 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|--------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005655 | HOLBROOK BAY COMMONS | NEWPORT TOWN | 2012-36222-001 | 12/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005655 | HOLBROOK BAY COMMONS | NEWPORT TOWN | 1912-00007-001 | 11/30/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006710 | HOLLAND ELEMENTARY SCHOOL | HOLLAND | 2008-23214-001 | 8/24/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006710 | HOLLAND ELEMENTARY SCHOOL | HOLLAND | 1910-26999-001 | 10/15/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005134 | HOMESTEAD ACRES MHP | SWANTON | 2110-29581-001 | 10/4/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005134 | HOMESTEAD ACRES MHP | SWANTON | 2010-28370-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005134 | HOMESTEAD ACRES MHP | SWANTON | 1908-20042-001 | 8/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020901 | HP HOOD LLC - PLANT WELL | BARRE TOWN | 2304-09984-001 | 4/17/2023 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005076 | HUNTINGTON FIRE DISTRICT 1 | HUNTINGTON | L2048657-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005076 | HUNTINGTON FIRE DISTRICT 1 | HUNTINGTON | L2001377-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005153 | HYDE PARK FIRE DISTRICT 1 | HYDE PARK | 2010-31028-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005153 | HYDE PARK FIRE DISTRICT 1 | HYDE PARK | 1909-22549-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------|-----------|------------|------------|----|-------|-------|--|--------------------------|
| VT0005154 | HYDE PARK WATER SYSTEM | HYDE PARK | 19J1594-01 | 10/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020392 | IDLETYME BREWING COMPANY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005633 | INTERVALE AT STRATTON | WINHALL | 2011-32879-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005633 | INTERVALE AT STRATTON | WINHALL | 1909-22382-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005200 | IRASBURG FD #1 | IRASBURG | 2010-31151-001 | 10/26/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005200 | IRASBURG FD #1 | IRASBURG | L2001386-01 | 1/9/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020629 | ISLE LA MOTTE ELEMENTARY SCHOOL | ISLE LA MOTTE | 2009-26231-001 | 9/16/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020629 | ISLE LA MOTTE ELEMENTARY SCHOOL | ISLE LA MOTTE | 1909-24276-001 | 9/19/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020399 | ISOVOLTA INC | RUTLAND TOWN | 2307-21096-001 | 7/20/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020399 | ISOVOLTA INC | RUTLAND TOWN | 2107-21952-001 | 7/29/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020399 | ISOVOLTA INC | RUTLAND TOWN | 2009-25450-001 | 9/10/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020399 | ISOVOLTA INC | RUTLAND TOWN | 1911-30649-001 | 11/26/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|------------------------|---------|----------------|------------|----|-------|-------|--|--|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020917 | JACKSON GORE OKEMO | LUDLOW | 2012-37333-001 | 12/28/2020 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0006070 | JAMAICA VILLAGE SCHOOL | JAMAICA | 2308-26443-001 | 8/28/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|-------------------------|-----|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005201 | JAY PEAK SUBDIVISION II | JAY | 1908-20679-001 | 8/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005565 | JAY PEAK WATER SYSTEM | JAY | 2011-31664-004 | 11/2/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|-----------------------|-----|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005565 | JAY PEAK WATER SYSTEM | JAY | 2011-31664-001 | 11/2/2020 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005565 | JAY PEAK WATER SYSTEM | JAY | 1908-20677-004 | 8/15/2019 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|-----|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005565 | JAY PEAK WATER SYSTEM | JAY | 1908-20677-001 | 8/15/2019 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006655 | JAY WESTFIELD ELEMENTARY SCHOOL | JAY | 2309-28023-001 | 9/11/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|-----|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006655 | JAY WESTFIELD ELEMENTARY SCHOOL | JAY | 2007-18558-001 | 7/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006655 | JAY WESTFIELD ELEMENTARY SCHOOL | JAY | 1909-24903-001 | 9/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005150 | JEFFERSONVILLE WATER SYSTEM | CAMBRIDGE | 2010-28617-001 | 10/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005150 | JEFFERSONVILLE WATER SYSTEM | CAMBRIDGE | 1909-22320-001 | 9/3/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005078 | JERICO HEIGHTS WATER COOP | JERICO | L2048656-01 | 11/3/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005078 | JERICO HEIGHTS WATER COOP | JERICO | L2001374-01 | 1/8/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|----------------------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005096 | JERICO UNDERHILL WATER UNDERHILL | 2305-13905-001 | 5/23/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005096 | JERICO UNDERHILL WATER UNDERHILL | 2011-33192-001 | 11/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| VT0021769 | JIFFY MART - WALLINGFORD | WALLINGFORD | 2301-01866-001 | 1/18/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008318 | JK ADAMS COMPANY | DORSET | 2309-29303-001 | 9/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|------------------|--------|----------------|-----------|----|-------|-------|--|------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008318 | JK ADAMS COMPANY | DORSET | 2009-26209-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0008318 | JK ADAMS COMPANY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005156 | JOHNSON VILLAGE WATER DEPT | JOHNSON | 2010-29083-004 | 10/7/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005156 | JOHNSON VILLAGE WATER DEPT | JOHNSON | 2010-29083-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005156 | JOHNSON VILLAGE WATER DEPT | JOHNSON | 1909-25026-007 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005156 | JOHNSON VILLAGE WATER DEPT | JOHNSON | 1909-25026-004 | 9/26/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005537 | KARME CHOLING | BARNET | 2010-31141-001 | 10/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005537 | KARME CHOLING | BARNET | 1909-23075-001 | 9/10/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-----------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021585 | KIDS OF THE KINGDOM ON THE HILL | SAINT JOHNSBURY | L2039235-01 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021585 | KIDS OF THE KINGDOM ON THE HILL | SAINT JOHNSBURY | 1911-30773-001 | 11/27/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006723 | KILLINGTON ELEMENTARY SCHOOL | KILLINGTON | 2309-28566-001 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006723 | KILLINGTON ELEMENTARY SCHOOL | KILLINGTON | 2009-25934-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006723 | KILLINGTON ELEMENTARY SCHOOL | KILLINGTON | 1910-26900-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021207 | KILLINGTON GATEWAY I CONDO ASSOCIATION | MENDON | 2011-33709-001 | 11/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|--|------------|----------------|----------|----|-------|-------|--|--|
| VT0021208 | KILLINGTON GATEWAY II CONDO ASSOC INC | KILLINGTON | 2305-11887-001 | 5/4/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021208 | KILLINGTON GATEWAY II CONDO ASSOC INC |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------------------------|------------|----------------|------------|----|-------|-------|---|-----------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021208 | KILLINGTON GATEWAY II CONDO ASSOC INC | KILLINGTON | 1910-26953-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005590 | KILLINGTON HIGH RIDGE CONDOMINIUM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005590 | KILLINGTON HIGH RIDGE CONDOMINIUM | KILLINGTON | 1910-26962-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020478 | KILLINGTON MALL | KILLINGTON | 2210-29516-001 | 10/11/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0003263 | KILLINGTON MOUNTAIN LODGE | KILLINGTON | 2306-18322-001 | 6/29/2023 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2308-24883-001 | 8/15/2023 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2306-15257-001 | 6/6/2023 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2302-03444-001 | 2/7/2023 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2211-32259-001 | 11/3/2022 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2208-23075-001 | 8/16/2022 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2204-10103-001 | 4/25/2022 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2202-04306-001 | 2/17/2022 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2111-33900-001 | 11/9/2021 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002396 | KILLINGTON MOUNTAIN SCHOOL | KILLINGTON | 2109-27914-001 | 9/16/2021 | RT | EP004 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------------|------------|----------------|----------|----|-------|-------|--|-----------------------|
| VT0020818 | KILLINGTON OUTFITTERS | KILLINGTON | 2304-09040-001 | 4/5/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020818 | KILLINGTON OUTFITTERS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------------|------------|------------|------------|----|-------|-------|--|-----------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020818 | KILLINGTON OUTFITTERS | KILLINGTON | 19K0820-01 | 11/13/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005632 | KILLINGTON UPLAND WATER CO INC |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005632 | KILLINGTON UPLAND WATER CO INC | KILLINGTON | 19K0815-01 | 11/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020376 | KILLINGTON UPPER ADMINISTRATION BLDG | KILLINGTON | 2308-26801-001 | 8/31/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020376 | KILLINGTON UPPER ADMINISTRATION BLDG | KILLINGTON | 2009-26404-001 | 9/16/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020376 | KILLINGTON UPPER ADMINISTRATION BLDG | KILLINGTON | 19K0818-01 | 11/13/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020860 | KINDLE FARM SCHOOL | NEWFANE | 2306-15841-001 | 6/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020860 | KINDLE FARM SCHOOL | NEWFANE | 2009-24477-001 | 8/31/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020860 | KINDLE FARM SCHOOL | NEWFANE | 1909-24531-001 | 9/23/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021303 | KING ARTHUR BAKING COMPANY | NORWICH | 2308-26191-001 | 8/24/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021303 | KING ARTHUR BAKING COMPANY | NORWICH | 2007-17979-001 | 7/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021303 | KING ARTHUR BAKING COMPANY | NORWICH | 1911-30451-001 | 11/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020456 | KINGSWOOD AT MOUNT SNOW | DOVER | 2011-34089-001 | 11/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020456 | KINGSWOOD AT MOUNT SNOW | DOVER | 19K1135-01 | 11/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------|------------|----------------|-----------|----|-------|-------|--|----------|
| VT0000756 | KVI 2500 | KILLINGTON | 2305-12980-001 | 5/15/2023 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000756 | KVI 2500 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------|------------|----------------|-----------|----|-------|-------|--|----------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2212-34508-001 | 12/1/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0000756 | KVI 2500 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------|------------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2206-15258-001 | 6/9/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | 2202-02957-001 | 2/3/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|------------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000756 | KVI 2500 | KILLINGTON | L2053413-02 | 12/1/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006093 | LAKE REGION UNION USD 24 | BARTON | L2354455-01 | 9/13/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-------------|-----------|----|-------|-------|--|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006093 | LAKE REGION UNION USD 24 BARTON | L2039230-01 | 9/15/2020 | RT | EP002 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006093 | LAKE REGION UNION USD 24 BARTON | L2001385-01 | 1/9/2020 | RT | EP002 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021394 | LAMOILLE FAMILY CENTER | MORRISTOWN | 2306-16080-001 | 6/12/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021394 | LAMOILLE FAMILY CENTER | MORRISTOWN | 2009-25086-001 | 9/9/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021394 | LAMOILLE FAMILY CENTER | MORRISTOWN | 1909-25024-001 | 9/26/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006687 | LAMOILLE UNION USD 18 | HYDE PARK | 2309-28934-001 | 9/18/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006687 | LAMOILLE UNION USD 18 | HYDE PARK | 54711-001 | 9/23/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006687 | LAMOILLE UNION USD 18 | HYDE PARK | 1911-29851-001 | 11/15/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|----------------|------------|----------------|------------|----|-------|-------|--|-----------------|
| VT0005007 | LAZY BROOK MHP | STARKSBORO | 1910-28429-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005598 | LEDGES SYSTEM 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005598 | LEDGES SYSTEM 1 | PLYMOUTH | 2108-25259-001 | 8/25/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005598 | LEDGES SYSTEM 1 | PLYMOUTH | 1911-30136-001 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2210-31500-001 | 10/27/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2207-18080-001 | 7/6/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2204-08553-001 | 4/6/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 22D0355-01 | 4/4/2022 | RT | RW001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006098 | LEICESTER CENTRAL SCHOOL | LEICESTER | 2201-01576-001 | 1/19/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006643 | LELAND GRAY USD 34 | TOWNSHEND | 2009-26821-001 | 9/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|--------------------|-----------|----------------|------------|----|-------|-------|--|--|-----------|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0006643 | LELAND GRAY USD 34 | TOWNSHEND | 1911-30296-001 | 11/20/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020366 | LIGHT LOGIC INC | HYDE PARK | 2309-28152-001 | 9/12/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020366 | LIGHT LOGIC INC | HYDE PARK | 2009-24179-001 | 9/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020366 | LIGHT LOGIC INC | HYDE PARK | L1950348-01 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|--------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005518 | LIMEHURST MHP | WILLIAMSTOWN | 2011-33111-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005518 | LIMEHURST MHP | WILLIAMSTOWN | 1911-29221-001 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------------------|---------|-------------|------------|----|-------|-------|--|----------------|
| VT0006679 | LINCOLN COMMUNITY SCHOOL | LINCOLN | L1960895-01 | 12/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021083 | LINCOLN CORNER |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021318 | LIQUID ART | KILLINGTON | 2008-23717-001 | 8/27/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020390 | LITTLE SCHOOL | WESTON | 2308-26343-001 | 8/29/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020390 | LITTLE SCHOOL | WESTON | 2001500-01 | 7/16/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| VT0020390 | LITTLE SCHOOL | WESTON | 1902842-01 | 8/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020632 | LONG TRAIL BREWING CO | BRIDGEWATER | 2208-23076-001 | 8/16/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|-----------------------|-------------|----------------|------------|----|-------|-------|--|----|
| VT0020632 | LONG TRAIL BREWING CO | BRIDGEWATER | 19J1403-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006760 | LONG TRAIL SCHOOL | DORSET | 2309-29298-001 | 9/18/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|-------------------|--------|----------------|-----------|----|-------|-------|--|-------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006760 | LONG TRAIL SCHOOL | DORSET | 2009-26210-001 | 9/15/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006760 | LONG TRAIL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001625 | LOOKOUT TAVERN | KILLINGTON | 2209-27422-001 | 9/22/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001625 | LOOKOUT TAVERN | KILLINGTON | 2009-26405-001 | 9/17/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006650 | LOWELL GRADED SCHOOL | LOWELL | 2307-20611-001 | 7/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006650 | LOWELL GRADED SCHOOL | LOWELL | 2010-28188-001 | 9/28/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006650 | LOWELL GRADED SCHOOL | LOWELL | 19L0122-01 | 11/30/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005323 | LUDLOW VILLAGE WATER DEPT | LUDLOW | 2304-09563-001 | 4/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005323 | LUDLOW VILLAGE WATER DEPT | LUDLOW | 2011-33565-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005323 | LUDLOW VILLAGE WATER DEPT | LUDLOW | 1911-29207-001 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|-----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005112 | LUNENBURG FIRE DISTRICT 1 | LUNENBURG | L2045749-01 | 10/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005112 | LUNENBURG FIRE DISTRICT 1 | LUNENBURG | L1952155-01 | 10/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|-----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005113 | LUNENBURG FIRE DISTRICT 2 | LUNENBURG | L2045751-01 | 10/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005113 | LUNENBURG FIRE DISTRICT 2 | LUNENBURG | L1952156-01 | 10/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|---------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005041 | LYN HAVEN FIRE DISTRICT 1 | LYNDON | L2047346-01 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005041 | LYN HAVEN FIRE DISTRICT 1 | LYNDON | 1909-22552-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|-------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005040 | LYNDONVILLE WATER SYSTEM | LYNDON | L2047349-01 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005040 | LYNDONVILLE WATER SYSTEM | LYNDON | L1953196-01 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020878 | MACK MOLDING COMPANY | ARLINGTON | 2309-29296-001 | 9/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020878 | MACK MOLDING COMPANY | ARLINGTON | 2008-21235-001 | 8/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020878 | MACK MOLDING COMPANY | ARLINGTON | 1911-28761-001 | 11/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005294 | MAGIC VILLAGE WATER COOP | LONDONDERRY | 2306-15063-001 | 6/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|--------------------------|-------------|----------------|------------|----|-------|-------|---|------------------------------------|----|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005294 | MAGIC VILLAGE WATER COOP | LONDONDERRY | 2011-33514-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| VT0005294 | MAGIC VILLAGE WATER COOP | LONDONDERRY | 1911-29348-001 | 11/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |

| | | | | | | | | | |
|-----------|--------------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020960 | MAGRIS TALC VERMONT OPERATIONS | LUDLOW | 2306-15802-001 | 6/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020960 | MAGRIS TALC VERMONT OPERATIONS | LUDLOW | 2009-24483-001 | 8/31/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|--------------------------------|------------|----------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020960 | MAGRIS TALC VERMONT OPERATIONS | LUDLOW | 1910-25484-001 | 10/1/2019 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005023 | MANCHESTER MHP | MANCHESTER | 2010-28588-001 | 10/5/2020 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005385 | MANSFIELD VIEW WATER CORP | STOWE | 2305-13541-001 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005385 | MANSFIELD VIEW WATER CORP | STOWE | 2011-33186-001 | 11/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005385 | MANSFIELD VIEW WATER CORP | STOWE | 1908-20189-001 | 8/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005607 | MAPLE LANE NURSING HOME | BARTON | 2012-36083-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005607 | MAPLE LANE NURSING HOME | BARTON | L1953429-01 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020875 | MARLBORO COLLEGE CORP | MARLBORO | 2306-15839-001 | 6/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020875 | MARLBORO COLLEGE CORP | MARLBORO | 2009-24480-001 | 8/31/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020875 | MARLBORO COLLEGE CORP | MARLBORO | 1909-23959-001 | 9/17/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006719 | MARLBORO ELEMENTARY SCHOOL | MARLBORO | 2009-26825-001 | 9/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006719 | MARLBORO ELEMENTARY SCHOOL | MARLBORO | 2001-02172-001 | 1/27/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|-------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005269 | MARSHFIELD WATER SYSTEM | MARSHFIELD | L2045741-01 | 10/20/2020 | RT | EP004 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005269 | MARSHFIELD WATER SYSTEM | MARSHFIELD | L1956937-01 | 11/22/2019 | RT | EP004 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------|-----------|----------------|-----------|----|-------|-------|--|-----------------|
| VT0020408 | MARY MEYER CORP | TOWNSHEND | 2009-26009-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020408 | MARY MEYER CORP |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|-------------------------------|--------|-------------|------------|----|-------|-------|---|-------------------------------|--------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0005441 | MCINDOE FALLS FIRE DISTRICT 3 | BARNET | L2045753-01 | 10/20/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0005441 | MCINDOE FALLS FIRE DISTRICT 3 | BARNET |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021104 | MCNEIL ROAD COMMERCIAL COMPLEX | WATERBURY | 2308-25371-001 | 8/21/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021104 | MCNEIL ROAD COMMERCIAL COMPLEX | WATERBURY | 2007-18354-001 | 7/20/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021104 | MCNEIL ROAD COMMERCIAL COMPLEX | WATERBURY | 1909-23761-001 | 9/16/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005424 | MERRIMAC MANOR MHP | HARTFORD | 2010-29866-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005424 | MERRIMAC MANOR MHP | HARTFORD | 1910-27434-001 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020721 | METTAWEE COMMUNITY SCHOOL | PAWLET | 2306-17019-001 | 6/20/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020721 | METTAWEE COMMUNITY SCHOOL | PAWLET | 2109-27009-001 | 9/9/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020721 | METTAWEE COMMUNITY SCHOOL | PAWLET | 2009-25453-001 | 9/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005004 | MIDDLEBURY WATER DEPT | MIDDLEBURY | G1492-FS | 10/8/2020 | RT | EP004 | SS004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005004 | MIDDLEBURY WATER DEPT | MIDDLEBURY | G1490-FS | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005004 | MIDDLEBURY WATER DEPT | MIDDLEBURY | G1488-FS | 10/8/2020 | RT | EP003 | SS003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005004 | MIDDLEBURY WATER DEPT | MIDDLEBURY | 16006-FS | 8/6/2019 | RT | EP003 | SS003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|---------------------------|--------------------|-------------|-----------|----|-------|-------|---|-------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006727 | MIDDLETOWN SPRINGS SCHOOL | MIDDLETOWN SPRINGS | L1951119-01 | 9/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006618 | MILL RIVER USD 40 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006618 | MILL RIVER USD 40 | CLARENDON | 2008-23197-001 | 8/25/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006618 | MILL RIVER USD 40 | CLARENDON | 1910-28170-001 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------|-----------|-------------|----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006697 | MILLERS RUN SCHOOL | SHEFFIELD | L2352451-01 | 9/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006697 | MILLERS RUN SCHOOL | SHEFFIELD | L2111032-01 | 3/5/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006697 | MILLERS RUN SCHOOL | SHEFFIELD | 1910-27128-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005171 | MOBILE ACRES MHP | BRAINTREE | 2010-29212-003 | 10/9/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005171 | MOBILE ACRES MHP | BRAINTREE | 2010-29212-001 | 10/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005171 | MOBILE ACRES MHP | BRAINTREE | 1910-28431-001 | 10/31/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002707 | MOGULS SPORTS PUB | KILLINGTON | 2305-12707-001 | 5/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002707 | MOGULS SPORTS PUB | KILLINGTON | 2303-06328-001 | 3/10/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006708 | MONKTON CENTRAL SCHOOL | MONKTON | 2308-25297-001 | 8/21/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006708 | MONKTON CENTRAL SCHOOL | MONKTON | L2037582-01 | 9/9/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | |
|---------------------------------------|-------------------------|---------------------------|------------|----|-------|-------|---|-------------------------|
| VT0005125 | MONTGOMERY WATER SYSTEM | MONTGOMERY 2010-30991-001 | 10/26/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| | | | | | | | VT0005125 | MONTGOMERY WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | |
| ADONA | ND | | | | | | | |
| HFPO-DA | ND | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-------------------------|------------|----------------|-----------|----|-------|-------|---|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005272 | MONTPELIER WATER SYSTEM | MONTPELIER | 2110-30204-001 | 10/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005272 | MONTPELIER WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005272 | MONTPELIER WATER SYSTEM | MONTPELIER | 1909-24052-001 | 9/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005575 | MOON RIDGE CONDOMINIUM | KILLINGTON | 2012-35936-001 | 12/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005575 | MOON RIDGE CONDOMINIUM | KILLINGTON | 1911-29628-001 | 11/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006677 | MORETOWN ELEMENTARY SCHOOL | MORETOWN | 2309-29823-001 | 9/21/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006677 | MORETOWN ELEMENTARY SCHOOL | MORETOWN | 2008-22815-001 | 8/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006677 | MORETOWN ELEMENTARY SCHOOL | MORETOWN | 1909-23792-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005158 | MORRISTOWN CORNER WATER CORP | MORRISTOWN | 2304-08691-001 | 4/5/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005158 | MORRISTOWN CORNER WATER CORP | MORRISTOWN | 2010-30637-001 | 10/21/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005158 | MORRISTOWN CORNER WATER CORP | MORRISTOWN | 1907-18398-001 | 7/28/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005160 | MORRISVILLE WATER AND LIGHT | MORRISTOWN | 2304-10950-003 | 4/27/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005160 | MORRISVILLE WATER AND LIGHT | MORRISTOWN | 2304-10950-001 | 4/27/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005160 | MORRISVILLE WATER AND LIGHT | MORRISTOWN | 2012-35942-004 | 12/10/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------------------|------------|----------------|-----------|----|-------|-------|--|-----------------------------|
| VT0005160 | MORRISVILLE WATER AND LIGHT | MORRISTOWN | 1909-24330-004 | 9/19/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005160 | MORRISVILLE WATER AND LIGHT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------------|-------------|----------------|------------|----|-------|----------|--|--------------------|
| | | | | | | | NETFOSAA | ND | |
| | | | | | | | NMEFOSAA | ND | |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2010-30000-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006075 | MOUNT HOLLY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------------|-------------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006075 | MOUNT HOLLY SCHOOL | MOUNT HOLLY | 2009-24474-001 | 9/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005291 | MOUNT SNOW VILLAGE ASSOCIATION | DOVER | 2306-15845-001 | 6/8/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005291 | MOUNT SNOW VILLAGE ASSOCIATION | DOVER | 2012-36350-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005291 | MOUNT SNOW VILLAGE ASSOCIATION | DOVER | 1911-30294-001 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | | |
|-----------|----------------------|-------------|----------------|----------|----|-------|-------|--|--|----|
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 2308-22538-003 | 8/1/2023 | RT | EP002 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 2308-22538-001 | 8/1/2023 | RT | EP003 | PF001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|----------------------|-------------|----------------|-----------|----|-------|-------|--|------------------------------------|----|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 2009-25280-001 | 9/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 2008-21230-001 | 8/10/2020 | RT | EP003 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |

| | | | | | | | | | | |
|-----------|----------------------|-------------|----------------|------------|----|-------|-------|--|--|----|
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 1910-28143-004 | 10/28/2019 | RT | EP002 | TP002 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0008341 | MOUNTAIN MARKETPLACE | LONDONDERRY | 1910-28143-001 | 10/28/2019 | RT | EP003 | PF001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|-------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020731 | MOUNTAIN PARK | DOVER | 2304-08497-001 | 4/3/2023 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020731 | MOUNTAIN PARK | DOVER | 2009-24910-001 | 9/8/2020 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------|----------|----------------|----------|----|-------|-------|--|-----------------|
| VT0020841 | MOUNTAIN SCHOOL | VERSHIRE | 2304-08833-003 | 4/5/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020841 | MOUNTAIN SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-----------------|----------|----------------|----------|----|-------|-------|--|-----------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020841 | MOUNTAIN SCHOOL | VERSHIRE | 2009-24463-001 | 9/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020841 | MOUNTAIN SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|-----------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005577 | MOUNTAIN SIDE CONDOMINIUM | LONDONDERR Y | 2011-33513-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005577 | MOUNTAIN SIDE CONDOMINIUM | LONDONDERR Y | 1911-29349-001 | 11/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001771 | MOUNTAIN TOP INN AND RESORT | CHITTENDEN | 2307-20807-001 | 7/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001771 | MOUNTAIN TOP INN AND RESORT | CHITTENDEN | 2211-33419-001 | 11/16/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001771 | MOUNTAIN TOP INN AND RESORT | CHITTENDEN | 2009-25452-001 | 9/10/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001771 | MOUNTAIN TOP INN AND RESORT | CHITTENDEN | 1908-21967-001 | 8/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005155 | MOUNTAIN VIEW MHP | JOHNSON | 2010-28285-001 | 10/4/2020 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005155 | MOUNTAIN VIEW MHP | JOHNSON | 1909-23995-001 | 9/18/2019 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005329 | MOUNTAIN VIEW WATER ASSOC | ROCHESTER | L1953198-01 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 2012-37015-001 | 12/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 2012-35515-011 | 12/8/2020 | RT | EP009 | TP006 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 2012-35515-009 | 12/8/2020 | RT | EP008 | TP005 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------|--------|----------------|-----------|----|-------|-------|--|------------------------|
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 2012-35515-005 | 12/8/2020 | RT | EP006 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005281 | MOUNTAIN WATER COMPANY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 1911-29833-010 | 11/14/2019 | RT | EP008 | TP005 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 1911-29833-007 | 11/14/2019 | RT | EP006 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 1911-29833-004 | 11/14/2019 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005281 | MOUNTAIN WATER COMPANY | WARREN | 1911-29833-001 | 11/14/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021062 | MSCVT WATER SYSTEM | BARRE TOWN | 2308-25906-001 | 8/23/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021062 | MSCVT WATER SYSTEM | BARRE TOWN | L2039245-01 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021062 | MSCVT WATER SYSTEM | BARRE TOWN | L1954435-01 | 11/13/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005601 | MURRAY HILL | MONTPELIER | 2012-35883-001 | 12/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005601 | MURRAY HILL | MONTPELIER | 1909-24246-001 | 9/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021079 | NE WASTE SERVICES | HARTFORD | 2307-20806-001 | 7/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021079 | NE WASTE SERVICES | HARTFORD | 2007-16621-001 | 7/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021079 | NE WASTE SERVICES | HARTFORD | 1910-25359-001 | 10/1/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|------------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021033 | NEW HORIZONS CHILDREN CENTER | FAIRFAX | 2306-17819-001 | 6/27/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021033 | NEW HORIZONS CHILDREN CENTER | FAIRFAX | 2009-27756-001 | 9/29/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021033 | NEW HORIZONS CHILDREN CENTER | FAIRFAX | 1911-30502-001 | 11/24/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006630 | NEWARK SCHOOL | NEWARK | 2009-26071-001 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |

| | | | | | | | | | |
|-----------|-----------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006630 | NEWARK SCHOOL | NEWARK | 1910-27073-001 | 10/15/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006733 | NEWBROOK SCHOOL | NEWFANE | 2009-26005-001 | 9/14/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |

| | | | | | | | | | |
|-----------|---------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005175 | NEWBURY VILLAGE INC | NEWBURY | 2010-28664-001 | 10/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005175 | NEWBURY VILLAGE INC | NEWBURY | 1908-21249-001 | 8/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005204 | NEWPORT CENTER WATER SYSTEM | NEWPORT TOWN | 2306-17982-003 | 6/28/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005204 | NEWPORT CENTER WATER SYSTEM | NEWPORT TOWN | 2306-17982-001 | 6/28/2023 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |

| | | | | | | | | | | |
|-----------|-----------------------------|--------------|----------------|------------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005204 | NEWPORT CENTER WATER SYSTEM | NEWPORT TOWN | 2012-36217-004 | 12/15/2020 | RT | EP003 | TP003 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005204 | NEWPORT CENTER WATER SYSTEM | NEWPORT TOWN | 2012-36217-001 | 12/15/2020 | RT | EP004 | TM001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------------------|--------------|----------------|-----------|----|-------|-------|--|---------------------------|
| VT0005204 | NEWPORT CENTER WATER SYSTEM | NEWPORT TOWN | 1909-24813-001 | 9/25/2019 | RT | EP004 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005202 | NEWPORT CITY WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------------|--------------|-------------|-----------|----|-------|-------|---|--------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005202 | NEWPORT CITY WATER SYSTEM | NEWPORT CITY | L1950391-01 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006702 | NEWTON ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006702 | NEWTON ELEMENTARY SCHOOL | STRAFFORD | 2308-24390-001 | 8/14/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006702 | NEWTON ELEMENTARY SCHOOL | STRAFFORD | 2009-24454-004 | 9/2/2020 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006702 | NEWTON ELEMENTARY SCHOOL | STRAFFORD | 2009-24454-001 | 9/2/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006702 | NEWTON ELEMENTARY SCHOOL | STRAFFORD | 1910-27764-004 | 10/23/2019 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006702 | NEWTON ELEMENTARY SCHOOL | STRAFFORD | 1910-27764-001 | 10/23/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005017 | NORTH BENNINGTON WATER DEPT | BENNINGTON | L2043196-01 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005017 | NORTH BENNINGTON WATER DEPT | BENNINGTON | L1950063-01 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021722 | NORTH BRANCH CONDOMINIUM ASSOCIATION | WAITSFIELD | 2301-01224-001 | 1/11/2023 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021722 | NORTH BRANCH CONDOMINIUM ASSOCIATION | WAITSFIELD | 2203-05923-001 | 3/9/2022 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020913 | NORTH BRANCH SCHOOL | RIPTON | 2305-13560-001 | 5/18/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020913 | NORTH BRANCH SCHOOL | RIPTON | 2009-24464-001 | 9/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020913 | NORTH BRANCH SCHOOL | RIPTON | 1911-29303-001 | 11/11/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|---|-------|-------------|-----------|----|-------|-------|--|---|
| VT0021085 | NORTH COUNTRY CAREER CENTER LAND LAB | DERBY | L2039233-01 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0021085 | NORTH COUNTRY CAREER CENTER LAND LAB |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|--|------------------------------|-------|----------------|-----------|----|-------|-------|--|------------------------------|-------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0021473 | NORTH COUNTRY ENGINEERING | DERBY | 2109-27932-001 | 9/15/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0021473 | NORTH COUNTRY ENGINEERING | DERBY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021473 | NORTH COUNTRY ENGINEERING | DERBY | 1910-26998-001 | 10/15/2019 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020002 | NORTH HARBOR | COLCHESTER | 2011-33196-001 | 11/16/2020 | RT | EP001 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|------------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020002 | NORTH HARBOR | COLCHESTER | 1909-22327-001 | 9/3/2019 | RT | EP001 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005322 | NORTH HARTLAND WATER COOP | HARTLAND | 2103-05921-001 | 3/8/2021 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005322 | NORTH HARTLAND WATER COOP | HARTLAND | 2004-08252-001 | 4/13/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020562 | NORTH HERO WATER SYSTEM | NORTH HERO | 2010-30532-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020562 | NORTH HERO WATER SYSTEM | NORTH HERO | 1908-21708-001 | 8/27/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005205 | NORTH TROY WATER SYSTEM | TROY | 2304-10603-001 | 4/25/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005205 | NORTH TROY WATER SYSTEM | TROY | 2010-29779-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005205 | NORTH TROY WATER SYSTEM | TROY | 1910-27241-001 | 10/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|-----------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008333 | NORTHERNSHIRE | UNDERHILL | 2308-22445-001 | 8/1/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008333 | NORTHERNSHIRE | UNDERHILL | 2008-20157-001 | 8/4/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|-----------------------|------------|-------------|------------|----|-------|-------|--|----|
| VT0005275 | NORTHFIELD WATER DEPT | NORTHFIELD | L2052449-01 | 11/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005275 | NORTHFIELD WATER DEPT | NORTHFIELD | 19K1136-01 | 11/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | | | |
|---------------------------------------|-----------------------|------------|----------------|------------|----|-------|-------|--|-----------------------|------------|-------------|
| | | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | | NMEFOSAA | | ND |
| VT0005604 | NORTHSIDE CONDOMINIUM | KILLINGTON | 2210-30959-001 | 10/24/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | |
| | | | | | | | | 11CL-PF3OUDS | | ND | |
| | | | | | | | | 9CL-PF3ONS | | ND | |
| | | | | | | | | ADONA | | ND | |
| | | | | | | | | HFPO-DA | | ND | |
| | | | | | | | | NETFOSAA | | ND | |
| | | | | | | | | NMEFOSAA | | ND | |
| | | | | | | | | VT0005604 | NORTHSIDE CONDOMINIUM | KILLINGTON | L1955677-01 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005326 | NORWICH FIRE DISTRICT 1 | NORWICH | 2011-31733-001 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005326 | NORWICH FIRE DISTRICT 1 | NORWICH | 1908-20865-001 | 8/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005611 | NOTCHBROOK CONDOMINIUM | STOWE | 2011-33291-001 | 11/17/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005611 | NOTCHBROOK CONDOMINIUM | STOWE | 1908-20602-001 | 8/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021199 | NOTCHBROOK III | STOWE | 2305-13539-001 | 5/18/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021199 | NOTCHBROOK III | STOWE | 2010-29463-001 | 10/13/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------|--------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021199 | NOTCHBROOK III | STOWE | 1908-20196-001 | 8/13/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021311 | NVRH WATER SYSTEM | SAINT JOHNSBURY | 2308-26828-001 | 8/31/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|--------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021311 | NVRH WATER SYSTEM | SAINT JOHNSBURY | 2308-23463-001 | 8/8/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021311 | NVRH WATER SYSTEM | SAINT JOHNSBURY | 2009-27106-001 | 9/23/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|--------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021311 | NVRH WATER SYSTEM | SAINT JOHNSBURY | 1909-23415-001 | 9/11/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020904 | OAK HILL CHILDRENS CTR POWNAL PRESCHOOL | POWNAL | 2309-29542-001 | 9/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|--|--|--------|----------------|-----------|----|-------|-------|--|-------------------------------|
| VT0020904 | OAK HILL CHILDRENS CTR POWNAL PRESCHOOL | POWNAL | 1910-26282-001 | 10/8/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005324 | OKEMO VILLAGE CONDOMINIUMS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------------------|--------|----------------|-----------|----|-------|-------|---|----------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005324 | OKEMO VILLAGE CONDOMINIUMS | LUDLOW | 2111-33899-001 | 11/9/2021 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006674 | ORANGE CENTER SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006674 | ORANGE CENTER SCHOOL | ORANGE | 2008-22496-001 | 8/19/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006674 | ORANGE CENTER SCHOOL | ORANGE | 1909-23083-001 | 9/10/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------------|-----------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021269 | ORANGE COUNTY PARENT CHILD CENTER | TUNBRIDGE | 2304-08838-001 | 4/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021269 | ORANGE COUNTY PARENT CHILD CENTER | TUNBRIDGE | 2009-24466-001 | 9/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021269 | ORANGE COUNTY PARENT CHILD CENTER | TUNBRIDGE | 1910-26692-001 | 10/10/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020098 | ORCHARD COMMONS | HINESBURG | 2011-32475-001 | 11/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|--------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020098 | ORCHARD COMMONS | HINESBURG | 1908-20317-001 | 8/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020919 | ORCHARD VALLEY WALDORF SCHOOL | EAST MONTPELIER | 2304-08387-001 | 4/4/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|--------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020919 | ORCHARD VALLEY WALDORF SCHOOL | EAST MONTPELIER | 2009-26394-001 | 9/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020919 | ORCHARD VALLEY WALDORF SCHOOL | EAST MONTPELIER | 1911-30614-001 | 11/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005190 | ORLEANS WATER SYSTEM | BARTON | 2305-13535-001 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005190 | ORLEANS WATER SYSTEM | BARTON | 2012-36161-001 | 12/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006061 | OTTER VALLEY UNION SCHOOL | BRANDON | 2308-24494-001 | 8/15/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006061 | OTTER VALLEY UNION SCHOOL | BRANDON | 2009-24484-001 | 9/1/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006061 | OTTER VALLEY UNION SCHOOL | BRANDON | 1910-25477-001 | 10/1/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021057 | OUTLOOK AT MOUNT SNOW DOVER | | 2110-31365-001 | 10/19/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020382 | P&H TRUCKSTOP INC | NEWBURY | 2308-26716-001 | 8/30/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020382 | P&H TRUCKSTOP INC | NEWBURY | 2008-20928-001 | 8/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020382 | P&H TRUCKSTOP INC | NEWBURY | 1910-26988-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021493 | PAD PRINT MACHINERY OF VT INC | DORSET | 2309-29302-001 | 9/18/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021493 | PAD PRINT MACHINERY OF VT INC | DORSET | 2009-25281-001 | 9/8/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021493 | PAD PRINT MACHINERY OF VT INC | DORSET | 1910-26537-001 | 10/8/2019 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005042 | PEACHAM FIRE DISTRICT 1 | PEACHAM | L2045744-01 | 10/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005042 | PEACHAM FIRE DISTRICT 1 | PEACHAM | L1952154-01 | 10/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| VT0021689 | PEAK BUILDING | STOWE | 20L0836-01 | 12/15/2020 | RT | EP001 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005238 | PICO VILLAGE WATER CORP | KILLINGTON | 2306-16678-001 | 6/15/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|-------------------------|------------|----------------|------------|----|-------|-------|--|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005238 | PICO VILLAGE WATER CORP | KILLINGTON | 2011-33023-001 | 11/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005238 | PICO VILLAGE WATER CORP |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005056 | PINE RIDGE WATER SYSTEM | CHARLOTTE | 2011-32765-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005056 | PINE RIDGE WATER SYSTEM | CHARLOTTE | 1910-26053-001 | 10/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005162 | PINECREST MOBILE HOME PARK | MORRISTOWN | 2010-29464-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005162 | PINECREST MOBILE HOME PARK | MORRISTOWN | 1908-20192-001 | 8/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005592 | PIPER RIDGE CONDOMINIUM | WINHALL | 2012-37380-003 | 12/28/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005592 | PIPER RIDGE CONDOMINIUM | WINHALL | 2012-37380-001 | 12/28/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005592 | PIPER RIDGE CONDOMINIUM | WINHALL | 1911-30677-001 | 11/25/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005592 | PIPER RIDGE CONDOMINIUM | WINHALL | 1911-30331-004 | 11/20/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021725 | PITTSFORD ASSOCIATES PROPERTY | PITTSFORD | 2203-05914-001 | 3/9/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021725 | PITTSFORD ASSOCIATES PROPERTY | PITTSFORD | 2101-01329-011 | 1/13/2021 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005225 | PITTSFORD FLORENCE WATER DEPT | PITTSFORD | 2010-29706-003 | 10/14/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005225 | PITTSFORD FLORENCE WATER DEPT | PITTSFORD | 2010-29706-001 | 10/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|-----------|----|-------|-------|--|--|----|
| VT0005225 | PITTSFORD FLORENCE WATER DEPT | PITTSFORD | L1951118-01 | 9/25/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005277 | PLAINFIELD WATER SYSTEM | PLAINFIELD | 2104-09061-003 | 4/7/2021 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OU DS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|-------------------------|------------|----------------|----------|----|-------|-------|---|-------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005277 | PLAINFIELD WATER SYSTEM | PLAINFIELD | 2104-09061-001 | 4/7/2021 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005277 | PLAINFIELD WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005277 | PLAINFIELD WATER SYSTEM | PLAINFIELD | 1911-29541-001 | 11/12/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006202 | POKER HILL SCHOOL | UNDERHILL | L2349240-02 | 8/24/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------|-----------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006202 | POKER HILL SCHOOL | UNDERHILL | L2038837-01 | 9/16/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006202 | POKER HILL SCHOOL | UNDERHILL | L1943114-01 | 9/19/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020951 | POMPANOOSUC MILLS | THETFORD | 2209-27038-001 | 9/20/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020951 | POMPANOOSUC MILLS | THETFORD | 2109-28757-001 | 9/24/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020951 | POMPANOOSUC MILLS | THETFORD | 1911-30581-001 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005227 | POULTNEY WATER DEPT | POULTNEY | L2043118-02 | 10/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005227 | POULTNEY WATER DEPT | POULTNEY | L2043118-01 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005227 | POULTNEY WATER DEPT | POULTNEY | L1952158-04 | 10/29/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005227 | POULTNEY WATER DEPT | POULTNEY | L1952158-01 | 10/29/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006665 | POWNAL ELEMENTARY SCHOOL | POWNAL | L2035660-01 | 8/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|------------------------|--------|--------------|----------|----|-------|-------|--|------------------------|
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-117826-3 | 3/6/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020734 | POWNAL FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|------------------------|--------|--------------|------------|----|-------|-------|--|------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-105418-3 | 11/10/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020734 | POWNAL FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-95109-6 | 8/18/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-95109-5 | 8/18/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-81952-3 | 4/27/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-81952-2 | 4/27/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|-----------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-69620-3 | 1/12/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-69620-2 | 1/12/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-58883-3 | 10/12/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-58883-2 | 10/12/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-50946-2 | 8/11/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-50946-1 | 8/11/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|-------------|----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-42803-4 | 6/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-42803-3 | 6/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------|--------|-------------|-----------|----|-------|-------|--|------------------------|
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 410-26907-2 | 1/19/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020734 | POWNAL FIRE DISTRICT 2 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 2004-08760-001 | 4/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 2003-05550-003 | 3/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------|--------|------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | PW 1240152 | 1/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | PW 1240151 | 1/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020734 | POWNAL FIRE DISTRICT 2 | POWNAL | 1910-27601-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020427 | PRISTINE SPRINGS OF VERMONT | STOCKBRIDGE | 380-37385-1A | 2/8/2023 | RT | RW001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | |
|-----------|-----------------------------|-------------------------|------------|----|-------|-------|---|----|
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020427 | PRISTINE SPRINGS OF VERMONT | STOCKBRIDGE L2050061-04 | 11/10/2020 | RT | RW001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020427 | PRISTINE SPRINGS OF VERMONT | STOCKBRIDGE L2050061-03 | 11/10/2020 | RT | RW001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020427 | PRISTINE SPRINGS OF VERMONT | STOCKBRIDGE | L1948818-03 | 10/15/2019 | RT | RW001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005228 | PROCTOR WATER DEPT | PROCTOR | 2010-30364-001 | 10/19/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005228 | PROCTOR WATER DEPT | PROCTOR | 1909-25082-001 | 9/26/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006714 | PROSPER VALLEY SCHOOL | POMFRET | 2309-28568-001 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|---------|----------------|------------|----|-------|-------|--|----|
| VT0006714 | PROSPER VALLEY SCHOOL | POMFRET | 2009-26012-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006714 | PROSPER VALLEY SCHOOL | POMFRET | 1910-26899-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | | | |
|---------------------------------------|------------------------------|--------|----------------|-----------|----|-------|-------|---|-----------------------|--------|----------------|
| | | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | | NMEFOSAA | | ND |
| VT0020786 | PROVIDENCE ADVENTURE ACADEMY | SUTTON | 2308-24895-001 | 8/16/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | |
| | | | | | | | | 11CL-PF3OUDS | | ND | |
| | | | | | | | | 9CL-PF3ONS | | ND | |
| | | | | | | | | ADONA | | ND | |
| | | | | | | | | HFPO-DA | | ND | |
| | | | | | | | | NETFOSAA | | ND | |
| | | | | | | | | NMEFOSAA | | ND | |
| | | | | | | | | VT0006641 | PUTNEY CENTRAL SCHOOL | PUTNEY | 2308-26149-001 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006641 | PUTNEY CENTRAL SCHOOL | PUTNEY | 2009-24475-001 | 8/31/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006641 | PUTNEY CENTRAL SCHOOL | PUTNEY | 1909-23960-001 | 9/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006624 | PUTNEY SCHOOL | PUTNEY | 2109-28744-001 | 9/24/2021 | RT | EP007 | TP004 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020934 | PUTNEY WATER SYSTEM | PUTNEY | 2305-13918-001 | 5/23/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020934 | PUTNEY WATER SYSTEM | PUTNEY | 2010-29998-001 | 10/15/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020934 | PUTNEY WATER SYSTEM | PUTNEY | 1909-23958-001 | 9/17/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020348 | QUADRA TEK | ARLINGTON | 2309-27500-001 | 9/5/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020348 | QUADRA TEK | ARLINGTON | 2008-23189-001 | 8/24/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020348 | QUADRA TEK | ARLINGTON | 1910-27608-001 | 10/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020423 | QUARRY HILL SCHOOL | MIDDLEBURY | 2309-29556-001 | 9/20/2023 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020423 | QUARRY HILL SCHOOL | MIDDLEBURY | 2009-27696-001 | 9/29/2020 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005320 | QUECHEE CENTRAL | HARTFORD | 2010-29490-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------------------|----------|----------------|-----------|----|-------|-------|---|------------------------------|
| VT0005177 | RANDOLPH CENTER WATER SYSTEM | RANDOLPH | 2304-10866-001 | 4/11/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005177 | RANDOLPH CENTER WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005177 | RANDOLPH CENTER WATER SYSTEM | RANDOLPH | 1910-28025-001 | 10/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005179 | RANDOLPH VILLAGE | RANDOLPH | 2010-30069-003 | 10/19/2020 | RT | EP007 | TP007 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005179 | RANDOLPH VILLAGE | RANDOLPH | 2010-30069-001 | 10/19/2020 | RT | EP006 | TP006 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005179 | RANDOLPH VILLAGE | RANDOLPH | 1910-25724-004 | 10/2/2019 | RT | EP007 | TP007 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005179 | RANDOLPH VILLAGE | RANDOLPH | 1910-25724-001 | 10/2/2019 | RT | EP006 | TP006 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006089 | READING ELEMENTARY SCHOOL | READING | 2207-19971-001 | 7/20/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005028 | READSBORO TOWN OF | READSBORO | 2010-29489-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005028 | READSBORO TOWN OF | READSBORO | 1909-23178-001 | 9/10/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020923 | RED CEDAR SCHOOL | BRISTOL | 2305-13559-001 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020923 | RED CEDAR SCHOOL | BRISTOL | 2009-24465-001 | 9/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020923 | RED CEDAR SCHOOL | BRISTOL | 1911-29305-001 | 11/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005379 | RHODESIDE ACRES | GEORGIA | 2103-05934-001 | 3/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------------|----------|----------------|------------|----|-------|-------|--|-----------------------|
| VT0005126 | RICHFORD WATER SYSTEM | RICHFORD | 2010-29979-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005126 | RICHFORD WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------------------|----------|-------------|-----------|----|-------|-------|--|--------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005426 | RICHMOND FIRE DISTRICT 1 | RICHMOND | L2048633-01 | 11/2/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005426 | RICHMOND FIRE DISTRICT 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005084 | RICHMOND WATER DEPT | RICHMOND | 2210-29086-001 | 10/6/2022 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005084 | RICHMOND WATER DEPT | RICHMOND | 2110-31304-001 | 10/19/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005084 | RICHMOND WATER DEPT | RICHMOND | 1909-25208-001 | 9/30/2019 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006740 | RIPTON ELEMENTARY SCHOOL | RIPTON | 2309-27937-001 | 9/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006740 | RIPTON ELEMENTARY SCHOOL | RIPTON | 2007-16653-001 | 7/7/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006740 | RIPTON ELEMENTARY SCHOOL | RIPTON | 1909-24615-001 | 9/24/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|-----------------------|-------|----------------|------------|----|-------|-------|--|--|-----------|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005538 | RIVER ROAD APARTMENTS | STOWE | 2012-37278-001 | 12/28/2020 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005538 | RIVER ROAD APARTMENTS | STOWE | 1911-30405-001 | 11/21/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005493 | RIVERSIDE MHP | MORETOWN | 2305-13540-001 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005493 | RIVERSIDE MHP | MORETOWN | 2012-37049-001 | 12/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|----------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005493 | RIVERSIDE MHP | MORETOWN | 19J1548-02 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005086 | RIVERVIEW COMMONS | RICHMOND | L2048655-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------|--------|----------------|-----------|----|-------|-------|--|----------------------|
| VT0005344 | RMC MOBILE HOME PARK | BERLIN | 2010-28966-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005344 | RMC MOBILE HOME PARK |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005328 | ROCHESTER WATER SYSTEM | ROCHESTER | 1908-20864-001 | 8/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005462 | ROUND TOP | PLYMOUTH | 2010-30002-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005462 | ROUND TOP | PLYMOUTH | 1910-25487-001 | 10/1/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021477 | ROVERS NORTH | WESTFORD | 2208-22302-001 | 8/10/2022 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021477 | ROVERS NORTH | WESTFORD | 2202-03057-001 | 2/8/2022 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021477 | ROVERS NORTH | WESTFORD | 2008-23811-001 | 8/31/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|------------|-----------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006646 | ROXBURY VILLAGE SCHOOL | ROXBURY | 20I1617-02 | 9/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006646 | ROXBURY VILLAGE SCHOOL | ROXBURY | 19L0247-01 | 12/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005027 | ROYAL PINE VILLA | POWNAL | L2043197-02 | 10/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005027 | ROYAL PINE VILLA | POWNAL | L2043197-01 | 10/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|--------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005027 | ROYAL PINE VILLA | POWNAL | L1950064-04 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005027 | ROYAL PINE VILLA | POWNAL | L1950064-01 | 10/16/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------------------|----------|----------------|-----------|----|-------|-------|--|------------------|
| VT0005330 | ROYALTON FIRE DISTRICT 1 | ROYALTON | 2011-32431-001 | 11/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005331 | ROYALTON TERRACE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|------------------|----------|----------------|----------|----|-------|-------|---|---------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005331 | ROYALTON TERRACE | ROYALTON | 1909-22543-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006725 | RUMNEY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006725 | RUMNEY SCHOOL | MIDDLESEX | 2009-25930-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006725 | RUMNEY SCHOOL | MIDDLESEX | 1909-23287-001 | 9/11/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020381 | RUNAMOK MAPLE FACILITY | FAIRFAX | 2309-28019-001 | 9/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020381 | RUNAMOK MAPLE FACILITY | FAIRFAX | 2009-27560-001 | 9/29/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--|-----------|----------------|------------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020381 | RUNAMOK MAPLE FACILITY | FAIRFAX | 1911-29426-001 | 11/12/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 410-119266-2 | 3/10/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--|-----------|--------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 410-110561-1 | 12/28/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 410-100038-1 | 9/28/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|-----------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 410-89218-1 | 6/27/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 22C1505-01 | 3/22/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--|-----------|------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 21L1722-10 | 12/22/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 21J0020-01 | 9/30/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|--|-----------|------------|-----------|----|-------|-------|--|--|
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 21D0900-01 | 4/15/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|--|--|-----------|------------|-----------|----|-------|-------|--|--|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 20H1059-01 | 8/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--|-----------|------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 20B1258-01 | 2/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020639 | RUTLAND AIRPORT BUSINESS PARK ASSO. | CLARENDON | 19H1523-03 | 8/27/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|--------------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020899 | RUTLAND AOT DMV WELL | RUTLAND TOWN | L2345235 | 8/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020899 | RUTLAND AOT DMV WELL | RUTLAND TOWN | L2035665-01 | 8/26/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020899 | RUTLAND AOT DMV WELL | RUTLAND TOWN | L1951121-01 | 9/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005229 | RUTLAND CITY WATER DEPT | RUTLAND CITY | 2010-28907-001 | 10/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-----------------|----------------|------------|----|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005229 | RUTLAND CITY WATER DEPT | RUTLAND CITY | 1908-21171-001 | 8/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005534 | RUTLAND TOWN FIRE DISTRICT 1 | RUTLAND TOWN | 2011-34039-001 | 11/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005534 | RUTLAND TOWN FIRE DISTRICT 1 | RUTLAND TOWN | 1910-26693-001 | 10/10/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005043 | RYEGATE FIRE DISTRICT 2 | RYEGATE | 2211-34259-001 | 11/29/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005043 | RYEGATE FIRE DISTRICT 2 | RYEGATE | 2112-35309-001 | 11/29/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005043 | RYEGATE FIRE DISTRICT 2 | RYEGATE | 1911-30781-001 | 11/27/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------|-----------|----------------|----------|----|-------|-------|--|------------------|
| VT0020610 | SALISBURY SCHOOL | SALISBURY | 2007-16649-001 | 7/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020610 | SALISBURY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | | |
|---------------------------------------|-----------------|-----------------|----------------|------------|----|-------|-------|---|-------------------------------------|------------|----------------|
| | | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | | NMEFOSAA | | ND |
| VT0005267 | SANDY PINES MHP | EAST MONTPELIER | 2010-30569-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | |
| | | | | | | | | 11CL-PF3OUDS | | ND | |
| | | | | | | | | 9CL-PF3ONS | | ND | |
| | | | | | | | | ADONA | | ND | |
| | | | | | | | | HFPO-DA | | ND | |
| | | | | | | | | NETFOSAA | | ND | |
| | | | | | | | | NMEFOSAA | | ND | |
| | | | | | | | | VT0020463 | SAXTONS RIVER MONTESSORI SCHOOL INC | ROCKINGHAM | 2309-28263-001 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|--|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020463 | SAXTONS RIVER MONTESSORI SCHOOL INC | ROCKINGHAM | 2006-12440-001 | 6/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020463 | SAXTONS RIVER MONTESSORI SCHOOL INC | ROCKINGHAM | 1909-23832-001 | 9/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006629 | SAXTONS RIVER SCHOOL | ROCKINGHAM | 2308-25645-001 | 8/22/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006629 | SAXTONS RIVER SCHOOL | ROCKINGHAM | 2009-27325-001 | 9/24/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006629 | SAXTONS RIVER SCHOOL | ROCKINGHAM | 1910-27641-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005636 | SEASONS ON MOUNT SNOW | DOVER | 2011-34088-001 | 11/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005636 | SEASONS ON MOUNT SNOW | DOVER | 19K1139-01 | 11/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005309 | SHADY PINES MHP | WESTMINSTER | 2010-30975-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005309 | SHADY PINES MHP | WESTMINSTER | 1910-26082-001 | 10/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020893 | SHARON ACADEMY | SHARON | 2308-25905-001 | 8/23/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020893 | SHARON ACADEMY | SHARON | 2007-18182-001 | 7/16/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020893 | SHARON ACADEMY | SHARON | L1951129-01 | 10/2/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------------|--------|----------------|-----------|----|-------|-------|--|--------------------------|
| VT0006645 | SHARON ELEMENTARY SCHOOL | SHARON | 2008-23714-001 | 8/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006645 | SHARON ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|----------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020675 | SHAWS BERLIN CORNERS | BERLIN | 2306-15032-001 | 6/1/2023 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| NMEFOSAA | ND | | | | | | | | |
| VT0020675 | SHAWS BERLIN CORNERS | BERLIN | 2009-24312-001 | 9/2/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020675 | SHAWS BERLIN CORNERS | BERLIN | 1909-24409-001 | 9/20/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005381 | SHEFFIELD FIRE DISTRICT 1 | SHEFFIELD | L2047339-01 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005381 | SHEFFIELD FIRE DISTRICT 1 | SHEFFIELD | L2001388-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005127 | SHELDON WATER SYSTEM | SHELDON | 2010-30431-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005127 | SHELDON WATER SYSTEM | SHELDON | L1943120-01 | 9/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006607 | SHREWSBURY MOUNTAIN SCHOOL | SHREWSBURY | 2207-19075-001 | 7/13/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006607 | SHREWSBURY MOUNTAIN SCHOOL | SHREWSBURY | 2202-02789-001 | 2/2/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006703 | SMILIE MEMORIAL ELEMENTARY SCHOOL | BOLTON | 2308-23433-001 | 8/8/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------------|--------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006703 | SMILIE MEMORIAL ELEMENTARY SCHOOL | BOLTON | L2037574-01 | 9/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006703 | SMILIE MEMORIAL ELEMENTARY SCHOOL | BOLTON | L1960894-01 | 12/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005583 | SMITH HAVEN CENTER | LONDONDERRY | 2010-28592-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005583 | SMITH HAVEN CENTER | LONDONDERRY | 1910-25707-001 | 10/1/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|------------------------------|-----------|----------------|------------|----|-------|-------|--|------------------------------|
| VT0005151 | SMUGGLERS NOTCH WATER SYSTEM | CAMBRIDGE | 2010-29469-004 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005151 | SMUGGLERS NOTCH WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|------------------------------|-----------|----------------|------------|----|-------|-------|---|-----------------------------|-----------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0005151 | SMUGGLERS NOTCH WATER SYSTEM | CAMBRIDGE | 1911-30108-001 | 11/19/2019 | RT | EP004 | TM002 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0021339 | SMUGGLERS OPERATIONS CENTER | CAMBRIDGE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021339 | SMUGGLERS OPERATIONS CENTER | CAMBRIDGE | 2007-18556-001 | 7/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021339 | SMUGGLERS OPERATIONS CENTER | CAMBRIDGE | 1911-30106-001 | 11/19/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005623 | SNOW MOUNTAIN VILLAGE | DOVER | 2012-36347-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005623 | SNOW MOUNTAIN VILLAGE | DOVER | 1911-30303-001 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005524 | SNOWSIDE CONDOMINIUM | FAYSTON | 2011-31717-001 | 11/2/2020 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005524 | SNOWSIDE CONDOMINIUM | FAYSTON | 1912-31577-001 | 12/9/2019 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------|----------------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005542 | SNOWTREE CONDOMINIUM | DOVER | 2307-20447-001 | 7/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006722 | SOAR LEARNING CENTER | SAINT ALBANS TOWN | 2308-24992-001 | 8/17/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------|-------------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006722 | SOAR LEARNING CENTER | SAINT ALBANS TOWN | 2105-11447-001 | 5/3/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006722 | SOAR LEARNING CENTER | SAINT ALBANS TOWN | 1911-30196-001 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020508 | SOLITUDE WATER SYSTEM | LUDLOW | 2012-37336-001 | 12/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020508 | SOLITUDE WATER SYSTEM | LUDLOW | 1910-27125-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-------------------------|---------|----------------|------------|----|-------|-------|---|-------------------------|
| VT0005314 | SONNENBERG WATER SYSTEM | BARNARD | 2010-29999-001 | 10/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005314 | SONNENBERG WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|-------------------------|---------|----------------|----------|----|-------|-------|---|--------------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005314 | SONNENBERG WATER SYSTEM | BARNARD | 1909-22544-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005090 | SOUTH BURLINGTON FIRE DISTRICT |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------------|------------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005090 | SOUTH BURLINGTON FIRE DISTRICT | SOUTH BURLINGTON | L2001380-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021272 | SOUTH FACE VILLAGE AT OKEMO | LUDLOW | 2011-34170-001 | 11/24/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021272 | SOUTH FACE VILLAGE AT OKEMO | LUDLOW | 1910-27137-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005121 | SOUTH GEORGIA FIRE DISTRICT | GEORGIA | 2110-30361-001 | 10/7/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005121 | SOUTH GEORGIA FIRE DISTRICT | GEORGIA | 2010-28369-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005121 | SOUTH GEORGIA FIRE DISTRICT | GEORGIA | 1909-22326-001 | 9/3/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020080 | SOUTH HERO FIRE DISTRICT 4 | SOUTH HERO | 2010-30529-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020080 | SOUTH HERO FIRE DISTRICT 4 | SOUTH HERO | 1908-21710-001 | 8/27/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|--------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005593 | SOUTH VILLAGE | WARREN | 2011-34291-001 | 11/30/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005593 | SOUTH VILLAGE | WARREN | 1911-30410-001 | 11/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|-------------------------------|----------------------------|------------|----|-------|-------|--|----|
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005243 | SOUTH WALLINGFORD WATER CO | WALLINGFORD 2306-16480-001 | 6/14/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005243 | SOUTH WALLINGFORD WATER CO | WALLINGFORD 2011-33562-001 | 11/18/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|--|--|---------|-------------|----------|----|-------|-------|--|--|
| VT0020570 | SOUTHEAST STATE CORRECTIONAL FACILITY | WINDSOR | L2345248-01 | 8/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020570 | SOUTHEAST STATE CORRECTIONAL FACILITY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

[illegible]

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005608 | SOUTHFACE | WARREN | 1909-23849-001 | 9/17/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020453 | SOUTHWORTH MILTON INC | RICHMOND | 2309-28199-001 | 9/12/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020453 | SOUTHWORTH MILTON INC | RICHMOND | 2007-18801-001 | 7/22/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020453 | SOUTHWORTH MILTON INC | RICHMOND | 1908-20031-001 | 8/12/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020922 | SPRING HILL SCHOOL | WAITSFIELD | 2304-09211-001 | 4/10/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020922 | SPRING HILL SCHOOL | WAITSFIELD | 2009-24455-001 | 9/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020922 | SPRING HILL SCHOOL | WAITSFIELD | 1911-29219-001 | 11/6/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005573 | SPRING LAKE RANCH INC | SHREWSBURY | 2010-29992-004 | 10/15/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005573 | SPRING LAKE RANCH INC | SHREWSBURY | 2010-29992-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005573 | SPRING LAKE RANCH INC | SHREWSBURY | 1909-25074-001 | 9/26/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|-------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005573 | SPRING LAKE RANCH INC | SHREWSBURY | 1909-24661-001 | 9/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005333 | SPRINGFIELD WATER DEPT | SPRINGFIELD | L2047997-03 | 11/2/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|-------------|------------|------------|----|-------|-------|--|----|
| VT0005333 | SPRINGFIELD WATER DEPT | SPRINGFIELD | 19J0755-03 | 10/10/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005333 | SPRINGFIELD WATER DEPT | SPRINGFIELD | 19J0755-02 | 10/10/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|------------------------|-------------------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005333 | SPRINGFIELD WATER DEPT | SPRINGFIELD | 19J0755-01 | 10/10/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005130 | ST ALBANS WATER DEPT | SAINT ALBANS CITY | L2048646-03 | 11/3/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|----------------------|-------------------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005130 | ST ALBANS WATER DEPT | SAINT ALBANS CITY | L2048646-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005130 | ST ALBANS WATER DEPT | SAINT ALBANS CITY | L1943120-13 | 9/18/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005130 | ST ALBANS WATER DEPT | SAINT ALBANS CITY | L1943120-10 | 9/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005095 | ST GEORGE COMMUNITY COOPERATIVE | SAINT GEORGE | 2010-29322-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005095 | ST GEORGE COMMUNITY COOPERATIVE | SAINT GEORGE | 1911-29167-001 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005094 | ST GEORGE FIRE DISTRICT #2 | SAINT GEORGE | L2048635-01 | 11/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005094 | ST GEORGE FIRE DISTRICT #2 | SAINT GEORGE | L2001378-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005093 | ST GEORGE FIRE DISTRICT 1 | SAINT GEORGE | 2306-18001-001 | 6/27/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005093 | ST GEORGE FIRE DISTRICT 1 | SAINT GEORGE | 2011-32926-001 | 11/11/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005093 | ST GEORGE FIRE DISTRICT 1 | SAINT GEORGE | 1911-29163-001 | 11/7/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020763 | ST GEORGE TOWN CENTER ASSOC | SAINT GEORGE | 2007-18351-001 | 7/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020763 | ST GEORGE TOWN CENTER ASSOC | SAINT GEORGE | 1911-29165-001 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|---------------------------|-----------------|----------------|------------|----|-------|-------|---|---------------------------|
| VT0005045 | ST JOHNSBURY WATER SYSTEM | SAINT JOHNSBURY | 2011-34282-001 | 11/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005045 | ST JOHNSBURY WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|----------------------------|----------|----------------|----------|----|-------|-------|---|----------------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006770 | STAMFORD ELEMENTARY SCHOOL | STAMFORD | 2308-23642-001 | 8/8/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006770 | STAMFORD ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006770 | STAMFORD ELEMENTARY SCHOOL | STAMFORD | 1910-26952-001 | 10/15/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005005 | STARKSBORO VILLAGE WATER COOP | STARKSBORO | 2111-32531-001 | 11/1/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005005 | STARKSBORO VILLAGE WATER COOP | STARKSBORO | 2010-28098-001 | 10/1/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005005 | STARKSBORO VILLAGE WATER COOP | STARKSBORO | 1909-23744-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|--|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020308 | STARLAKE VILLAGE LEASEHOLDERS ASSOC | NORWICH | 2011-33758-001 | 11/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020308 | STARLAKE VILLAGE LEASEHOLDERS ASSOC | NORWICH | 1908-19961-001 | 8/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------|--------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005525 | STERLING RIDGE WATER | WARREN | 2010-28456-001 | 10/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005525 | STERLING RIDGE WATER | WARREN | 1909-25014-001 | 9/26/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020092 | STERLING VIEW COOPERATIVE COMMUNITY INC | HYDE PARK | 2012-36137-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020092 | STERLING VIEW COOPERATIVE COMMUNITY INC | HYDE PARK | 1911-28910-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006087 | STOCKBRIDGE CENTRAL SCHOOL | STOCKBRIDGE | 2107-20859-001 | 7/20/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020344 | STONEHOUSE PROPERTIES LLC | BERLIN | 2309-28238-001 | 9/12/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------------|--------|----------------|----------|----|-------|-------|---|-------------------------------|
| VT0020344 | STONEHOUSE PROPERTIES LLC | BERLIN | 1909-22757-001 | 9/5/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005168 | STOWE F D 2 GOLD BROOK CIRCLE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|-------------------------------|-------|----------------|-----------|----|-------|-------|---|-----------------------|-------|
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005168 | STOWE F D 2 GOLD BROOK CIRCLE | STOWE | 1909-23757-001 | 9/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND | |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND | |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND | |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND | |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND | |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND | |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND | |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND | |
| | | | | | | | | 11CL-PF3OUDS | ND | |
| | | | | | | | | 9CL-PF3ONS | ND | |
| | | | | | | | | ADONA | ND | |
| | | | | | | | | HFPO-DA | ND | |
| | | | | | | | | NETFOSAA | ND | |
| | | | | | | | | NMEFOSAA | ND | |
| | | | | | | | | VT0005523 | STOWE FIRE DISTRICT 4 | STOWE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------------------|-------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005523 | STOWE FIRE DISTRICT 4 | STOWE | 1908-20187-001 | 8/13/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020891 | STOWE PROFESSIONAL CENTER | STOWE | 20I0818-01 | 9/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------|-------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 2011-32003-004 | 11/4/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005163 | STOWE WATER DEPT | STOWE | 1910-25579-004 | 10/2/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021254 | STRATTON WEST LEISURE LODGE CORPORATION | WINHALL | 2012-35491-001 | 12/8/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021254 | STRATTON WEST LEISURE LODGE CORPORATION | WINHALL | 1909-22987-001 | 9/10/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020152 | SUDBURY COUNTRY SCHOOL | SUDBURY | 2308-26294-001 | 8/28/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020152 | SUDBURY COUNTRY SCHOOL | SUDBURY | 2007-19502-001 | 7/29/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020152 | SUDBURY COUNTRY SCHOOL | SUDBURY | 1909-22533-001 | 9/4/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005268 | SUGAR RUN ASSOCIATION INC | FAYSTON | 2010-29608-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020345 | SUGARBUSH RESORT ADMIN COMPLEX | WARREN | 2309-27466-001 | 9/6/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020345 | SUGARBUSH RESORT ADMIN COMPLEX | WARREN | 2009-25476-001 | 9/10/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----------------------------|
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2308-25651-001 | 8/22/2023 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0001436 | SUMMIT LODGE AT KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2210-30138-001 | 10/17/2022 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2208-23596-001 | 8/22/2022 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2206-15462-001 | 6/13/2022 | RT | EP003 | PF002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2204-08770-001 | 4/7/2022 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2203-07076-001 | 3/22/2022 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2112-36743-001 | 12/13/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2109-28704-001 | 9/23/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0001436 | SUMMIT LODGE AT KILLINGTON | KILLINGTON | 2106-16693-001 | 6/15/2021 | RT | EP002 | PF001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005535 | SUNNY ACRES DEVELOPMENT WATER ASSOC INC | MILTON | L2048652-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005535 | SUNNY ACRES DEVELOPMENT WATER ASSOC INC | MILTON | L2001370-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005618 | SUNRISE COMMUNITY WATER SYSTEM | KILLINGTON | 2012-35938-001 | 12/9/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005618 | SUNRISE COMMUNITY WATER SYSTEM | KILLINGTON | 1911-30358-001 | 11/20/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

[illegible]

| | | | | | | | | | |
|-----------|-----------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005048 | SUTTON WATER SYSTEM | SUTTON | 1909-23072-001 | 9/10/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005132 | SWANTON VILLAGE WATER | SWANTON | L2048641-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005132 | SWANTON VILLAGE WATER | SWANTON | L1943120-07 | 9/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005375 | TALL TIMBERS MHP | HARTFORD | 2306-18265-001 | 6/29/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005375 | TALL TIMBERS MHP | HARTFORD | 2012-37036-001 | 12/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005375 | TALL TIMBERS MHP | HARTFORD | 1910-27633-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005545 | TARA TOWNHOUSES | DOVER | L1950353-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005571 | TELEMARK VILLAGE | KILLINGTON | 2010-28911-001 | 10/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005571 | TELEMARK VILLAGE | KILLINGTON | 1910-26541-001 | 10/9/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006605 | THE MOUNTAIN SCHOOL AT WINHALL | WINHALL | 2308-26445-001 | 8/29/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006605 | THE MOUNTAIN SCHOOL AT WINHALL | WINHALL | 2009-25993-001 | 9/15/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006605 | THE MOUNTAIN SCHOOL AT WINHALL | WINHALL | 1909-23431-001 | 9/11/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------|----------|----------------|-----------|----|-------|-------|--|------------------|
| VT0006764 | THETFORD ACADEMY | THETFORD | 2304-09649-001 | 4/13/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006764 | THETFORD ACADEMY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2205-11518-001 | 5/9/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2202-04503-001 | 2/23/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2110-31919-001 | 10/26/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2108-23455-001 | 8/10/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------|----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2105-13466-001 | 5/19/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2102-03884-001 | 2/11/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006764 | THETFORD ACADEMY | THETFORD | 2010-31100-001 | 10/27/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006675 | THETFORD ELEMENTARY SCHOOL | THETFORD | 2308-24162-001 | 8/10/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006675 | THETFORD ELEMENTARY SCHOOL | THETFORD | 2009-24461-001 | 9/2/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006675 | THETFORD ELEMENTARY SCHOOL | THETFORD | 1910-26288-001 | 10/8/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005181 | THETFORD WATER COOP INC | THETFORD | 2104-09302-001 | 4/8/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005181 | THETFORD WATER COOP INC | THETFORD | 1911-29916-001 | 11/18/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------|----------|----------------|-----------|----|-------|-------|--|----|
| VT0002327 | THREE CORNERS PLAZA | HARTLAND | 2009-27110-001 | 9/23/2020 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0002327 | THREE CORNERS PLAZA | HARTLAND | 1911-28824-001 | 11/5/2019 | RT | EP002 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|----------------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005615 | TIMBERCREEK CONDOMINIUM | DOVER | 1911-30036-004 | 11/19/2019 | RT | EP002 | WL002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005615 | TIMBERCREEK CONDOMINIUM | DOVER | 1911-30036-001 | 11/19/2019 | RT | EP003 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005442 | TIMBERLINE CONDOMINIUM ASSOCIATION | WARREN | 2010-29607-001 | 10/13/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005442 | TIMBERLINE CONDOMINIUM ASSOCIATION | WARREN | 1909-24305-001 | 9/19/2019 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006619 | TINMOUTH CENTER SCHOOL | TINMOUTH | 2008-23199-001 | 8/25/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006619 | TINMOUTH CENTER SCHOOL | TINMOUTH | 1910-28173-001 | 10/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006071 | TOWNSHEND ELEMENTARY SCHOOL | TOWNSHEND | 2009-25983-001 | 9/14/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006071 | TOWNSHEND ELEMENTARY SCHOOL | TOWNSHEND | 1910-26167-001 | 10/8/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005597 | TRAIL CREEK CONDOMINIUM KILLINGTON | | 2010-29879-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020151 | TRAILSIDE AT MAGIC MOUNTAIN | LONDONDERRY | 2011-33511-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|-----------------------------|-------------|----------------|------------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020151 | TRAILSIDE AT MAGIC MOUNTAIN | LONDONDERRY | 1911-29350-001 | 11/11/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005001 | TRI TOWN WATER DISTRICT | BRIDPORT | 2306-15698-001 | 6/8/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------|----------|----------------|------------|----|-------|-------|--|----|
| VT0005001 | TRI TOWN WATER DISTRICT | BRIDPORT | 1910-28307-001 | 10/30/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005206 | TROY WATER SYSTEM | TROY | 2011-32761-001 | 11/11/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|---------------------------------------|-------------------|------|----------------|------------|----|-------|-------|--|-----------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005206 | TROY WATER SYSTEM | TROY | 1911-29955-001 | 11/18/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005637 | TUCKERVILLE MHP |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005637 | TUCKERVILLE MHP | LUDLOW | 1910-27613-001 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006628 | TUNBRIDGE CENTRAL SCHOOL | TUNBRIDGE | 2308-25106-001 | 8/17/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006628 | TUNBRIDGE CENTRAL SCHOOL | TUNBRIDGE | 2010-30389-001 | 10/21/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006628 | TUNBRIDGE CENTRAL SCHOOL | TUNBRIDGE | 1910-26700-001 | 10/10/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020575 | TWIN FARMS | BARNARD | 2307-20142-001 | 7/17/2023 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020575 | TWIN FARMS | BARNARD | 2008-21533-001 | 8/12/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|----------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020575 | TWIN FARMS | BARNARD | 1910-26959-001 | 10/15/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006568 | TWIN VALLEY ELEMENTARY SCHOOL | WILMINGTON | 2309-28261-001 | 9/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006568 | TWIN VALLEY ELEMENTARY SCHOOL | WILMINGTON | 2009-26840-001 | 9/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006568 | TWIN VALLEY ELEMENTARY SCHOOL | WILMINGTON | 1911-30039-001 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006711 | TWINFIELD USD 33 | MARSHFIELD | 2309-29824-001 | 9/21/2023 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006711 | TWINFIELD USD 33 | MARSHFIELD | 2009-25932-001 | 9/15/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------------|-----------|----------------|----------|----|-------|-------|--|--------------------------|
| VT0006067 | UNDERHILL CENTRAL SCHOOL | UNDERHILL | 2309-27168-001 | 9/5/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006067 | UNDERHILL CENTRAL SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

[illegible]

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005530 | UNION HOUSE NURSING HOME | GLOVER | 2110-32266-001 | 10/27/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005530 | UNION HOUSE NURSING HOME | GLOVER | 2107-18517-001 | 7/1/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005182 | UNION WATER CO | THETFORD | 2308-24623-001 | 8/15/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005182 | UNION WATER CO | THETFORD | 2011-33408-001 | 11/17/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005182 | UNION WATER CO | THETFORD | 1911-29918-001 | 11/18/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020831 | VALLEY CENTER COMPLEX | DOVER | 2304-08493-001 | 4/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|-----------------------|-------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020831 | VALLEY CENTER COMPLEX | DOVER | 2009-26838-001 | 9/22/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020831 | VALLEY CENTER COMPLEX | DOVER | L1952160-01 | 10/29/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|----------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005626 | VALLEY PARK CONDOMINIUM | KILLINGTON | 2010-30972-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005626 | VALLEY PARK CONDOMINIUM | KILLINGTON | 1910-26956-001 | 10/15/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005010 | VERGENNES PANTON WATER DISTRICT | VERGENNES | 2010-30989-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005010 | VERGENNES PANTON WATER DISTRICT | VERGENNES | 1908-21767-001 | 8/28/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|-----------------|------------|----------------|------------|----|-------|-------|--|-----------------|
| VT0005303 | VERMONT ACADEMY | ROCKINGHAM | 2012-36102-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005303 | VERMONT ACADEMY |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020898 | VERMONT CASTINGS FOUNDRY WATER SYSTEM | RANDOLPH | 1911-30411-001 | 11/21/2019 | RT | EP003 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021129 | VERMONT COUNTRY STORE - ROCKINGHAM | ROCKINGHAM | 2308-22536-001 | 8/1/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021129 | VERMONT COUNTRY STORE - ROCKINGHAM | ROCKINGHAM | 2008-22240-001 | 8/18/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021129 | VERMONT COUNTRY STORE - ROCKINGHAM | ROCKINGHAM | 1912-30903-001 | 11/30/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------------------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY 2308-26651-003 | 8/30/2023 | RT | EP003 | TP003 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY 2308-26651-001 | 8/30/2023 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|---------------------------|--------------|----------------|-----------|----|-------|-------|---|------------------------------------|----|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY | 2008-23402-003 | 8/26/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY | 2008-23402-001 | 8/26/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |

| | | | | | | | | | |
|-----------|---------------------------|-----------------------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY 1908-21898-004 | 8/27/2019 | RT | EP003 | TP003 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020402 | VERMONT ELECTRIC POWER CO | RUTLAND CITY 1908-21898-001 | 8/27/2019 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------|-------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020110 | VERMONT HERITAGE | DERBY | L2322725-01 | 4/24/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020110 | VERMONT HERITAGE | DERBY | L2044605-01 | 10/13/2020 | RT | BW002 | SS002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|------------------|-------|-------------|-----------|----|-------|-------|--|------------------|
| VT0020110 | VERMONT HERITAGE | DERBY | L2002099-01 | 1/13/2020 | RT | RW003 | WL003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020110 | VERMONT HERITAGE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020738 | VERMONT YANKEE NEOB | VERNON | L2352100-01 | 9/6/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020738 | VERMONT YANKEE NEOB | VERNON | L2039246-01 | 9/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020738 | VERMONT YANKEE NEOB | VERNON | 08291916:33 | 8/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008332 | VERMONT YANKEE PLANT MAIN | VERNON | L2039257-01 | 9/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0008332 | VERMONT YANKEE PLANT MAIN | VERNON | 08291916:34 | 8/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006642 | VERNON ELEMENTARY SCHOOL | VERNON | L2109699-01 | 2/24/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006642 | VERNON ELEMENTARY SCHOOL | VERNON | 19K1589-01 | 11/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005532 | VERNON GREEN NURSING HOME | VERNON | 2011-33630-001 | 11/18/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005532 | VERNON GREEN NURSING HOME | VERNON | 19K1604-01 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005646 | VILLAGE AT EAGLE RISE | MANCHESTER | 2010-28590-001 | 10/5/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005646 | VILLAGE AT EAGLE RISE | MANCHESTER | 1910-25711-001 | 10/1/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020091 | VILLAGE AT ORMSBY HILL HOA | MANCHESTER | 2010-29997-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|--------------------------|-------|----------------|------------|----|-------|-------|--|--------------------------|
| VT0020100 | VILLAGE AT SAWMILL FARMS | DOVER | 2110-30621-001 | 10/11/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020100 | VILLAGE AT SAWMILL FARMS |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

[illegible]

| | | | | | | | | | |
|-----------|-----------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020398 | VISHAY TANSITOR | BENNINGTON | 2009-24905-001 | 9/8/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020398 | VISHAY TANSITOR | BENNINGTON | 19K1137-03 | 11/18/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|---------------------|--------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000196 | VISTA SENIOR LIVING | MENDON | L2320242-01 | 4/11/2023 | RT | EP005 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000196 | VISTA SENIOR LIVING | MENDON | L2044665-01 | 10/14/2020 | RT | EP005 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|------------------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0000196 | VISTA SENIOR LIVING | MENDON | 2010-28141-001 | 10/1/2020 | RT | EP005 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006696 | WAITS RIVER VALLEY SCHOOL | TOPSHAM | 2009-24686-001 | 9/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006696 | WAITS RIVER VALLEY SCHOOL | TOPSHAM | 1910-27072-001 | 10/16/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021101 | WAITSFIELD AND CHAMPLAIN VALLEY TELECOM | WAITSFIELD | 2309-28000-001 | 9/11/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021101 | WAITSFIELD AND CHAMPLAIN VALLEY TELECOM | WAITSFIELD | 2007-18401-001 | 7/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021101 | WAITSFIELD AND CHAMPLAIN VALLEY TELECOM | WAITSFIELD | 1911-29515-001 | 11/13/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|------------------------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020997 | WAITSFIELD WATER SUPPLY WAITSFIELD | 2304-09983-001 | 4/17/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020997 | WAITSFIELD WATER SUPPLY WAITSFIELD | 2010-29612-001 | 10/13/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|---------------|--------|-------------|-----------|----|-------|-------|--|---------------|
| VT0020472 | WALDEN SCHOOL | WALDEN | L2354461-01 | 9/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020472 | WALDEN SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | |
|-----------|-----------------------------|----------------------------|-----------|----|-------|-------|---|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005242 | WALLINGFORD FIRE DISTRICT 1 | WALLINGFORD 1909-24533-001 | 9/23/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006072 | WARDSBORO ELEMENTARY SCHOOL | WARDSBORO 2308-26444-001 | 8/28/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006072 | WARDSBORO ELEMENTARY SCHOOL | WARDSBORO | 2009-25936-001 | 9/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006072 | WARDSBORO ELEMENTARY SCHOOL | WARDSBORO | L1943936-01 | 9/24/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005427 | WARNER PLACE WATER SYSTEM | ROCKINGHAM | 2204-08298-001 | 4/5/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005427 | WARNER PLACE WATER SYSTEM | ROCKINGHAM | 2103-07005-001 | 3/17/2021 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2309-28239-001 | 9/12/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2304-09982-001 | 4/17/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2302-04061-001 | 2/13/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2211-32014-001 | 11/2/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2209-24918-001 | 9/2/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 2204-10102-001 | 4/25/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------------------|--------|-----------|------------|----|-------|-------|--|--------------------------|
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 59732-001 | 12/21/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006664 | WARREN ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------|--------|-------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | L2055211-02 | 12/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | L2034330-02 | 8/19/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | L2018904-01 | 5/6/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | L2003457-02 | 1/22/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|------------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006664 | WARREN ELEMENTARY SCHOOL | WARREN | 1909-24304-001 | 9/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020956 | WASHINGTON COUNTY MENTAL HEALTH | BARRE TOWN | 2305-11677-001 | 5/3/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020956 | WASHINGTON COUNTY MENTAL HEALTH | BARRE TOWN | 2009-24453-001 | 9/1/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020956 | WASHINGTON COUNTY MENTAL HEALTH | BARRE TOWN | 1911-29222-001 | 11/6/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|-------------------------------------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005185 | WASHINGTON FIRE DISTRICT WASHINGTON | L2044669-01 | 10/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005185 | WASHINGTON FIRE DISTRICT WASHINGTON | L2001381-01 | 1/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|----------------------|------------|----------------|------------|----|-------|-------|--|--|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005502 | WASHINGTON NORTH MHP | WASHINGTON | 2011-33916-001 | 11/23/2020 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005502 | WASHINGTON NORTH MHP | WASHINGTON | 1911-30538-001 | 11/25/2019 | RT | EP002 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|-----------------------------|-----------|-------------|------------|----|-------|-------|--|------------------------------|
| VT0006667 | WATERFORD ELEMENTARY SCHOOL | WATERFORD | L1950058-01 | 10/14/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0020506 | WATERVILLE ELEMENTARY SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|------------------------------|------------|-----------|-----------|----|-------|-------|---|------------------------------|------------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0020506 | WATERVILLE ELEMENTARY SCHOOL | WATERVILLE | 54712-001 | 9/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0020506 | WATERVILLE ELEMENTARY SCHOOL | WATERVILLE |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005169 | WATERVILLE FIRE DISTRICT 1 | WATERVILLE | 2306-18000-001 | 6/27/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005169 | WATERVILLE FIRE DISTRICT 1 | WATERVILLE | 2010-30994-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005169 | WATERVILLE FIRE DISTRICT 1 | WATERVILLE | 1910-25730-001 | 10/2/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005247 | WEBSTERVILLE WATER SYSTEM | BARRE TOWN | 2111-32979-001 | 11/3/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005247 | WEBSTERVILLE WATER SYSTEM | BARRE TOWN | 2108-24662-001 | 8/19/2021 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005247 | WEBSTERVILLE WATER SYSTEM | BARRE TOWN | 1911-29773-001 | 11/14/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021110 | WELCH PARK ASSOCIATION (FAIR POINT COMM) | MIDDLESEX | 2308-25372-001 | 8/21/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021110 | WELCH PARK ASSOCIATION (FAIR POINT COMM) | MIDDLESEX | 2007-18352-001 | 7/20/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021110 | WELCH PARK ASSOCIATION (FAIR POINT COMM) | MIDDLESEX | 1909-23758-001 | 9/16/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005176 | WELLS RIVER WATER SYSTEM | NEWBURY | 2210-29000-001 | 10/5/2022 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005176 | WELLS RIVER WATER SYSTEM | NEWBURY | 2110-31407-001 | 10/19/2021 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005176 | WELLS RIVER WATER SYSTEM | NEWBURY | 1911-30239-001 | 11/20/2019 | RT | EP002 | ST002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|----------------------|-------|----------------|-----------|----|-------|-------|--|----------------------|
| VT0006735 | WELLS VILLAGE SCHOOL | WELLS | 2103-07134-001 | 3/18/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0006735 | WELLS VILLAGE SCHOOL |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|--------------------|-------|-------------|------------|----|-------|-------|--|--------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005555 | WEST BURKE HOUSING | BURKE | L2047341-01 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005555 | WEST BURKE HOUSING |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | |
|-----------|------------------|-----------------------------|------------|----|-------|-------|--|----|
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005353 | WEST FAIRLEE MHP | WEST FAIRLEE 2010-30391-001 | 10/21/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005353 | WEST FAIRLEE MHP | WEST FAIRLEE 1910-26289-001 | 10/8/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006620 | WEST HAVEN SCHOOL | WEST HAVEN | 2205-13180-001 | 5/24/2022 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006620 | WEST HAVEN SCHOOL | WEST HAVEN | 2106-15104-001 | 6/2/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006620 | WEST HAVEN SCHOOL | WEST HAVEN | 1910-27134-001 | 10/16/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020387 | WEST RIVER MONTESSORI SCHOOL | LONDONDERRY | 2308-26447-001 | 8/29/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | | |
|-----------|------------------------------|-------------|----------------|-----------|----|-------|-------|---|------------------------------------|----|
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0020387 | WEST RIVER MONTESSORI SCHOOL | LONDONDERRY | 2009-26004-001 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0020387 | WEST RIVER MONTESSORI SCHOOL | LONDONDERRY | 1911-28647-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |

| | | | | | | | | | |
|-----------|----------------------------------|-----------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021029 | WEST RIVER VALLEY SENIOR HOUSING | TOWNSHEND | 2011-32544-001 | 11/9/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021029 | WEST RIVER VALLEY SENIOR HOUSING | TOWNSHEND | L1950349-01 | 10/22/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|-------------------|--------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005244 | WEST RUTLAND TOWN | WEST RUTLAND | 2103-08223-003 | 3/31/2021 | RT | EP004 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005244 | WEST RUTLAND TOWN | WEST RUTLAND | 2103-08223-001 | 3/31/2021 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|------------------------|-----------|----------------|------------|----|-------|-------|--|------------------------|
| VT0005557 | WEST WIND WATER SYSTEM | CHARLOTTE | 2011-32764-001 | 11/11/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005557 | WEST WIND WATER SYSTEM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | | |
|---------------------------------------|------------------------------------|--------------|----------------|------------|----|-------|-------|---|------------------------------------|--------------|
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| VT0005599 | WEST WINDSOR MOUNTAIN WATER SYSTEM | WEST WINDSOR | 2010-30977-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | | ND |
| | | | | | | | | 11CL-PF3OUDS | | ND |
| | | | | | | | | 9CL-PF3ONS | | ND |
| | | | | | | | | ADONA | | ND |
| | | | | | | | | HFPO-DA | | ND |
| | | | | | | | | NETFOSAA | | ND |
| | | | | | | | | NMEFOSAA | | ND |
| | | | | | | | | VT0005599 | WEST WINDSOR MOUNTAIN WATER SYSTEM | WEST WINDSOR |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | | ND | | | | | | | | |
| 11CL-PF3OUDS | | ND | | | | | | | | |
| 9CL-PF3ONS | | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005207 | WESTFIELD FIRE DISTRICT 1 | WESTFIELD | 2305-12761-001 | 5/11/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005207 | WESTFIELD FIRE DISTRICT 1 | WESTFIELD | 2010-30631-001 | 10/21/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005207 | WESTFIELD FIRE DISTRICT 1 | WESTFIELD | 1911-28811-001 | 11/5/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006745 | WESTFORD ELEMENTARY SCHOOL | WESTFORD | 2108-22553-001 | 8/4/2021 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------------|----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006745 | WESTFORD ELEMENTARY SCHOOL | WESTFORD | 2008-23055-001 | 8/25/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006745 | WESTFORD ELEMENTARY SCHOOL | WESTFORD | 1908-20878-001 | 8/20/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005450 | WESTFORD FIRE DISTRICT 1 | WESTFORD | 2306-17817-001 | 6/27/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005450 | WESTFORD FIRE DISTRICT 1 | WESTFORD | 2012-37257-001 | 12/27/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005450 | WESTFORD FIRE DISTRICT 1 | WESTFORD | 1911-30608-001 | 11/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005306 | WESTMINSTER AQUEDUCT SOCIETY | WESTMINSTER | 2308-24624-001 | 8/15/2023 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | |
|-----------|------------------------------|----------------------------|-----------|----|-------|-------|---|----|
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0005306 | WESTMINSTER AQUEDUCT SOCIETY | WESTMINSTER 2101-01636-001 | 1/19/2021 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0006747 | WESTMINSTER CENTER SCHOOL | WESTMINSTER 2010-28055-001 | 9/30/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | |
|---------------------------------------|--------------------------------|----------------------|----------|----|-------|-------|---|--------------------------------|
| VT0021448 | WESTMINSTER PUBLIC SAFETY BLDG | WESTMINSTER L2345238 | 8/3/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| | | | | | | | VT0021448 | WESTMINSTER PUBLIC SAFETY BLDG |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | |
| ADONA | ND | | | | | | | |
| HFPO-DA | ND | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020406 | WESTMINSTER WEST SCHOOL | WESTMINSTER | 1911-30592-001 | 11/25/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005258 | WESTONS MOBILE HOME PARK | BERLIN | 2010-29325-001 | 10/12/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|--------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005258 | WESTONS MOBILE HOME PARK | BERLIN | 1909-22761-001 | 9/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020833 | WESTSHIRE ELEMENTARY SCHOOL | WEST FAIRLEE | 2304-10145-001 | 4/19/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |

| | | | | | | | | |
|-----------|-----------------------------|-----------------------------|-----------|----|-------|-------|---|----|
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020833 | WESTSHIRE ELEMENTARY SCHOOL | WEST FAIRLEE 2009-24457-001 | 9/2/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | ADONA | ND |
| | | | | | | | HFPO-DA | ND |
| | | | | | | | NETFOSAA | ND |
| | | | | | | | NMEFOSAA | ND |
| VT0020833 | WESTSHIRE ELEMENTARY SCHOOL | WEST FAIRLEE 1910-26285-001 | 10/8/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006085 | WEYBRIDGE ELEMENTARY SCHOOL | WEYBRIDGE | 2309-27939-001 | 9/11/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006085 | WEYBRIDGE ELEMENTARY SCHOOL | WEYBRIDGE | 2007-16620-001 | 7/7/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|-----------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006085 | WEYBRIDGE ELEMENTARY SCHOOL | WEYBRIDGE | 1909-24611-001 | 9/24/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021121 | WHEELER BROOK HOUSING DEVELOPMENT | WARREN | 2305-11454-001 | 5/2/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |

| | | | | | | | | | |
|-----------|-----------------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021121 | WHEELER BROOK HOUSING DEVELOPMENT | WARREN | 2011-32930-001 | 11/10/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021121 | WHEELER BROOK HOUSING DEVELOPMENT | WARREN | 1911-29029-001 | 11/5/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005049 | WHEELOCK FIRE DISTRICT 1 | WHEELOCK | L2328225-01 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005049 | WHEELOCK FIRE DISTRICT 1 | WHEELOCK | 2012-37175-001 | 12/23/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |

| | | | | | | | | | |
|--|----------------------------|------------|----------------|-----------|----|-------|-------|--|----------------------------|
| VT0005384 | WHIFFLETREE CONDOMINIUM | KILLINGTON | 2305-13427-001 | 5/18/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005384 | WHIFFLETREE CONDOMINIUM |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|--------------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021738 | WHISTLEPIG LLC | SHOREHAM | 2211-31849-001 | 11/2/2022 | RT | EP001 | WL001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005012 | WHITING WATER CORP | WHITING | 2012-35881-001 | 12/10/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|--------------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005012 | WHITING WATER CORP | WHITING | 2010-31221-001 | 10/27/2020 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005012 | WHITING WATER CORP | WHITING | 1911-29765-001 | 11/14/2019 | RT | EP003 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|-------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006640 | WHITINGHAM SCHOOL | WHITINGHAM | 2009-26826-001 | 9/21/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006640 | WHITINGHAM SCHOOL | WHITINGHAM | 1911-30297-001 | 11/21/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------|-----------|-------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005513 | WILDWOOD WEST | CHARLOTTE | L2048658-01 | 11/3/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005513 | WILDWOOD WEST | CHARLOTTE | L2001379-01 | 1/8/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|------------------------------------|--------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020271 | WILLIAMSTOWN HEALTHCARE COMPANY | WILLIAMSTOWN | 2307-21255-001 | 7/24/2023 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020271 | WILLIAMSTOWN HEALTHCARE COMPANY | WILLIAMSTOWN | 2008-22126-001 | 8/18/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------------|------------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0020271 | WILLIAMSTOWN HEALTHCARE COMPANY | WILLIAMSTOW N | 1910-27239-001 | 10/17/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005186 | WILLIAMSTOWN WATER DEPT | WILLIAMSTOW N | 2010-30348-001 | 10/20/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | | |
|-----------|---------------------------|--------------|----------------|-----------|----|-------|-------|--|---|----|
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005186 | WILLIAMSTOWN WATER DEPT | WILLIAMSTOWN | 1909-23282-001 | 9/11/2019 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | | ADONA | ND |
| | | | | | | | | | HFPO-DA | ND |
| | | | | | | | | | NETFOSAA | ND |
| | | | | | | | | | NMEFOSAA | ND |
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2301-00807-001 | 1/10/2023 | RT | EP001 | TP001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|---------------------------------------|---------------------------|-----------|----------------|-----------|----|-------|-------|--|---------------------------|
| VT0005100 | WILLISTON FIRE DISTRICT 1 | WILLISTON | 2201-00760-001 | 1/10/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005100 | WILLISTON FIRE DISTRICT 1 |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|-----------------------|------------|-------------|------------|----|-------|-------|--|----|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005310 | WILMINGTON WATER DIST | WILMINGTON | L2045194-01 | 10/16/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005310 | WILMINGTON WATER DIST | WILMINGTON | 19K1284-01 | 11/20/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006073 | WINDHAM ELEMENTARY SCHOOL | WINDHAM | 2009-25933-001 | 9/14/2020 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006073 | WINDHAM ELEMENTARY SCHOOL | WINDHAM | 1909-24529-001 | 9/23/2019 | RT | EP002 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------|---------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005341 | WINDSOR WATER DEPT | WINDSOR | 2010-28434-001 | 10/6/2020 | RT | EP002 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005341 | WINDSOR WATER DEPT | WINDSOR | 1908-19916-001 | 8/9/2019 | RT | EP002 | TM001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|----------------------|-------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005399 | WINDY HILL ACRES MHP | SPRINGFIELD | 2010-30973-001 | 10/26/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005399 | WINDY HILL ACRES MHP | SPRINGFIELD | 1910-26084-001 | 10/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2304-09336-001 | 4/10/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2302-03446-001 | 2/7/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|--------------|-----------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2211-32260-001 | 11/3/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005594 | WINDY HOLLOW | CASTLETON | 2208-23079-001 | 8/16/2022 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------|---------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005629 | WINHALL ACRES | WINHALL | 2012-36589-001 | 12/16/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005629 | WINHALL ACRES | WINHALL | 1909-22983-001 | 9/10/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------|----------|----------------|------------|----|-------|-------|--|----|
| VT0005305 | WINHALL STRATTON F D 1 | STRATTON | 2010-31037-003 | 10/27/2020 | RT | EP003 | TP003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005305 | WINHALL STRATTON F D 1 | STRATTON | 2010-31037-001 | 10/27/2020 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |

| | | | | | | | | | |
|-----------|------------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005305 | WINHALL STRATTON F D 1 | STRATTON | 1911-29353-001 | 11/12/2019 | RT | EP002 | TP002 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021023 | WINTERBERRY CONDOS | KILLINGTON | 2305-11405-001 | 5/2/2023 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|--------------------|------------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021023 | WINTERBERRY CONDOS | KILLINGTON | 2010-29702-001 | 10/14/2020 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021023 | WINTERBERRY CONDOS | KILLINGTON | 1910-26961-001 | 10/15/2019 | RT | EP001 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------|------------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005603 | WINTERGREEN AT KILLINGTON | PITTSFIELD | 2012-36591-001 | 12/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005603 | WINTERGREEN AT KILLINGTON | PITTSFIELD | L1955678-01 | 11/19/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|--------------------------|--------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005635 | WINTERPLACE WATER SYSTEM | LUDLOW | 2010-31270-001 | 10/28/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005635 | WINTERPLACE WATER SYSTEM | LUDLOW | 1909-23529-001 | 9/12/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|-----------|----|-------|-------|---|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006720 | WOLCOTT ELEMENTARY SCHOOL | WOLCOTT | 2309-29117-001 | 9/19/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006720 | WOLCOTT ELEMENTARY SCHOOL | WOLCOTT | 20I0823-01 | 9/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|---------------------------|---------|----------------|------------|----|-------|-------|---|----|
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0006720 | WOLCOTT ELEMENTARY SCHOOL | WOLCOTT | 19K1522-01 | 11/25/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0021486 | WOLCOTT MENNONITE CHURCH | WOLCOTT | 2308-26247-001 | 8/28/2023 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |

[illegible]

| | | | | | | | | | |
|---------------------------------------|--------------------------|---------|------------|------------|----|-------|-------|--|---------------------|
| VT0021486 | WOLCOTT MENNONITE CHURCH | WOLCOTT | 19J1545-03 | 10/21/2019 | RT | EP002 | ST001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005631 | WOODS AT KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |
| ADONA | ND | | | | | | | | |
| HFPO-DA | ND | | | | | | | | |

| | | | | | | | | | |
|---------------------------------------|---------------------|------------|----------------|------------|----|-------|-------|--|---------------------|
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005631 | WOODS AT KILLINGTON | KILLINGTON | 2010-29693-001 | 10/14/2020 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| | | | | | | | | VT0005631 | WOODS AT KILLINGTON |
| (*PFHPA) PERFLUOROHEPTANOIC ACID | ND | | | | | | | | |
| (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND | | | | | | | | |
| (*PFNA) PERFLUORONONANOIC ACID | ND | | | | | | | | |
| (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND | | | | | | | | |
| (*PFOA) PERFLUOROOCTANOIC ACID | ND | | | | | | | | |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND | | | | | | | | |
| PERFLUORODECANOIC ACID (PFDA) | ND | | | | | | | | |
| PERFLUORODODECANOIC ACID (PFDOA) | ND | | | | | | | | |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND | | | | | | | | |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND | | | | | | | | |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND | | | | | | | | |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND | | | | | | | | |
| 11CL-PF3OUDS | ND | | | | | | | | |
| 9CL-PF3ONS | ND | | | | | | | | |

| | | | | | | | | | |
|-----------|---------------------|------------|----------------|-----------|----|-------|-------|--|----|
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005631 | WOODS AT KILLINGTON | KILLINGTON | 1910-26540-001 | 10/9/2019 | RT | EP003 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005404 | WOODSIDE MANOR | HARTFORD | 2304-09946-001 | 4/17/2023 | RT | EP003 | PF003 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |

| | | | | | | | | | |
|-----------|----------------|----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005404 | WOODSIDE MANOR | HARTFORD | 2010-29865-001 | 10/15/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005404 | WOODSIDE MANOR | HARTFORD | 1910-27436-001 | 10/21/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|----------------|------------|----|-------|-------|--|--|-----------|
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005343 | WOODSTOCK AQUEDUCT CO WOODSTOCK | 2304-10013-001 | 4/18/2023 | RT | EP002 | TM001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005343 | WOODSTOCK AQUEDUCT CO WOODSTOCK | 2012-36844-001 | 12/21/2020 | RT | EP002 | TM001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |

| | | | | | | | | | |
|-----------|---------------------------------|----------------|----------------|-----------|-------|-------|-------|--|-----------|
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005343 | WOODSTOCK AQUEDUCT CO WOODSTOCK | 1910-27884-001 | 10/24/2019 | RT | EP002 | TM001 | | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005289 | WORCESTER FIRE DISTRICT 1 | WORCESTER | 2306-16692-001 | 6/14/2023 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |

| | | | | | | | | | |
|-----------|------------------------------|-----------|----------------|------------|----|-------|-------|--|----|
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005289 | WORCESTER FIRE DISTRICT 1 | WORCESTER | 2012-36162-001 | 12/14/2020 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |
| | | | | | | | | (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| | | | | | | | | (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| | | | | | | | | PERFLUORODECANOIC ACID (PFDA) | ND |
| | | | | | | | | PERFLUORODODECANOIC ACID (PFDOA) | ND |
| | | | | | | | | PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| | | | | | | | | PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| | | | | | | | | PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| | | | | | | | | PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| | | | | | | | | 11CL-PF3OUDS | ND |
| | | | | | | | | 9CL-PF3ONS | ND |
| | | | | | | | | ADONA | ND |
| | | | | | | | | HFPO-DA | ND |
| | | | | | | | | NETFOSAA | ND |
| | | | | | | | | NMEFOSAA | ND |
| VT0005289 | WORCESTER FIRE DISTRICT 1 | WORCESTER | 1911-29212-001 | 11/7/2019 | RT | EP001 | TP001 | Interim Drinking Water Standard sum of 5 PFAS compounds | ND |
| | | | | | | | | (*PFHPA) PERFLUOROHEPTANOIC ACID | ND |
| | | | | | | | | (*PFHXS) PERFLUOROHEXANESULFONIC ACID | ND |
| | | | | | | | | (*PFNA) PERFLUORONONANOIC ACID | ND |
| | | | | | | | | (*PFOS) PERFLUOROOCTANESULFONIC ACID | ND |

| | |
|-------------------------------------|----|
| (*PFOA) PERFLUOROOCTANOIC ACID | ND |
| (PFBS) PERFLUOROBUTANESULFONIC ACID | ND |
| PERFLUORODECANOIC ACID (PFDA) | ND |
| PERFLUORODODECANOIC ACID (PFDOA) | ND |
| PERFLUOROHEXANOIC ACID (PFHXA) | ND |
| PERFLUOROTETRADECANOIC ACID (PFTA) | ND |
| PERFLUOROTRIDECANOIC ACID (PFTRDA) | ND |
| PERFLUOROUNDECANOIC ACID (PFUNA) | ND |
| 11CL-PF3OUDS | ND |
| 9CL-PF3ONS | ND |
| ADONA | ND |
| HFPO-DA | ND |
| NETFOSAA | ND |
| NMEFOSAA | ND |