PLATFORMS

TRAINING ACADEMY

INSTRUCTOR

CHARLES YOUNG

ADMINISTRATIVE ITEMS

- POLICY REGARDING AMMUNITION IN THE CLASSROOM
- SECURITY OF FIREARMS
- RESTROOMS AND DRINKING FOUNTAINS
- TELEPHONES AND SMOKING
- EMERGENCY EXITS
- POLICY REGARDING REFRESHMENTS/SNACKS
- SCHEDULE FOR BREAKS AND LUNCH
- AIR CONDITIONING AND HEATING ADJUSTMENTS

LESSON 1

4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

CAUSES OF FIREARM ACCIDENTS

IGNORANCE (Lack of Knowledge)

- IGNORANCE OF RULES FOR SAFE GUN HANDLING
- IGNORANCE OF THE PROPER WAY TO OPERATE A PISTOL

CARELESSNESS (Poor or Improper Attitude)

- FAILURE TO APPLY THE RULES FOR SAFE GUN HANDLING
- FAILURE TO SAFELY OPERATE A PISTOL

SAFE TRIGGER FINGER POSITION



WITH THE PISTOL POINTED IN A SAFE DIRECTION, THE INDEX FINGER SHOULD BE PLACED ALONGSIDE THE FRAME OF THE PISTOL, ABOVE AND AWAY FROM THE TRIGGER GUARD.

ASSUMING A TWO-HANDED GRIP



"V" BETWEEN THUMB AND FOREFINGER OF SHOOTING HAND IS PLACED HIGH ON PISTOL BACK STRAP, PISTOL IS GRIPPED WITH BASE OF THUMB AND LOWER THREE FINGERS. GRIP PRESSURE IS STRAIGHT TO THE REAR, TRIGGER FINGER IS ALONG FRAME

ASSUMING A TWO-HANDED GRIP



BRING SUPPORT HAND TO SHOOTING HAND, WRAP SUPPORT-HAND FINGERS AROUND SHOOTING-HAND FINGERS, BRING HEEL OF SUPPORT HAND FIRMLY AGAINST HEEL OF SHOOTING HAND

THUMB POSITION-THE TWO-HANDED GRIP



REVOLVER:
SUPPORT-HAND THUMB LIES ATOP SHOOTING HAND THUMB



SEMI-AUTOMATIC:
SUPPORT-HAND THUMB IS UNDER SHOOTING- HAND THUMB

PISTOL STORAGE

-STORE FIREARMS IN A COOL, DRY PLACE

-STORE FIREARMS IN A LOCATION WHERE CHILDREN OR UNAUTHORIZED PERSONS CANNOT ACCESS THEM

PISTOL TYPES

- **SEMI-AUTOMATIC PISTOL**
- **REVOLVER**

PLATFORMS TRAINING ACADEMY

PISTOL ACTION TYPES

- SINGLE-ACTION
- DOUBLE-ACTION
- DOUBLE-ACTION ONLY

SINGLE-ACTION

EACH PULL OF THE TRIGGER PERFORMS A SINGLE ACTION: RELEASING THE HAMMER. THE HAMMER MUST BE MANUALLY COCKED FOR THE FIRST SHOT.

DOUBLE-ACTION

THE INITIAL LONG HEAVY TRIGGER PULL BOTH COCKS AND RELEASES THE HAMMER. EACH SUBSEQUENT SHOT IS FIRED IN SINGLE-ACTION MODE FOR A SEMIAUTOMATIC.

DOUBLE-ACTION-ONLY

EACH PULL OF THE TRIGGER BOTH COCKS AND RELEASES THE HAMMER, AND CAN NOT BE FIRED IN SINGLE-ACTION MODE

REVOLVER COMPONENTS



REVOLVER COMPONENTS



FRONT SIGHT

REAR SIGHT


BACK STRAP

TRIGGER GUARD


GRIP PANELS

FRONT STRAP


REVOLVER COMPONENTS




PARTS OF A REVOLVER BARREL



RIFLING



RIFLING IS SPIRALING LANDS AND GROOVES THAT ENGRAVE THE BULLET AND GIVE IT SPIN AS IT TRAVELS THROUGH THE BORE



4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

SEMI-AUTOMATIC PISTOL COMPONENTS



BARREL (INSIDE OF SLIDE)

ACTION (SLIDE & PARTS WITHIN FRAME)

FRAME

BEAVERTAIL


SEMI-AUTOMATIC PISTOL COMPONENTS




SEMI-AUTOMATIC PISTOL COMPONENTS




PARTS OF A SEMI-AUTOMATIC PISTOL BARREL



RIFLING



RIFLING IS SPIRALING LANDS AND GROOVES THAT ENGRAVE THE BULLET AND GIVE IT SPIN AS IT TRAVELS THROUGH THE BORE



FUNCTIONS OF A SEMI-AUTOMATIC SLIDE


- EXTRACTING THE FIRED CASE FROM THE CHAMBER AND EJECTING IT FROM THE PISTOL
- COCKING THE HAMMER OR FIRING PIN
- FEEDING THE TOP CARTRIDGE IN THE MAGAZINE INTO THE CHAMBER

CLEARING A PISTOL

REMOVE MAGAZINE



EXTRACT ROUND FROM CHAMBER



VISUALLY ENSURE CHAMBER IS CLEAR



STANCE



STANCE SHOULD BE A STABLE YET MOBILE PLATFORM. THE UPPER AND LOWER BODY SHOULD BE BALANCED. THE UPPER BODY SHOULD FACE THE TARGET AND AGGRESSIVELY LEAN FORWARD AT THE WAIST. FEET SHOULD BE SHOULDER WIDTH APART, KNEES SLIGHTLY BENT, WITH THE SHOOTER'S BODY WEIGHT RESTING ON THE BALLS OF THE FEET.

LOADING & RELOADING

LOADING AND RELOADING SHOULD BE DONE FROM YOUR WORKSPACE



LOADING & RELOADING

EMERGENCY RELOAD	TACTICAL RELOAD
AN EMERGENCY RELOAD INVOLVES DROPPING AN EMPTY OR PARTIALLY EMPTY MAGAZINE WITHOUT RETAINING IT AND REPLACING IT WITH A FULL MAGAZINE.	A TACTICAL RELOAD IS THE ACTION OF RELOADING A PLATFORM THAT HAS A PARTIALLY EMPTY MAGAZINE AND RETAINING THAT MAGAZINE

PISTOL DISASSEMBLY & CLEANING

- ENSURE PISTOL IS CLEAR BEFORE DISASSEMBLY
- FOLLOW DISASSEMBLY PROCEDURE FOR YOUR FIREARM



4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

SUMMARY

- NRA RULES FOR SAFE GUN HANDLING
- CAUSES OF FIREARM ACCIDENTS
- SAFE TRIGGER FINGER POSITION
- CLEARING A PISTOL
- PISTOL TYPES
- PISTOL ACTION TYPES
- REVOLVER COMPONENTS
- SEMI-AUTOMATIC PISTOL COMPONENTS
- FUNCTIONS OF A SEMI-AUTOMATIC PISTOL SLIDE
- PISTOL DISASSEMBLY & CLEANING

REVIEW

KAHOOT.IT

QUESTIONS?



PLATFORMS
TRAINING ACADEMY

LESSON 2


4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION
- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT
- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE
- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

CARTRIDGE COMPONENTS




RIMFIRE AND CENTER-FIRE CARTRIDGES



RIMFIRE CARTRIDGE

PRIMING COMPOUND IS CONTAINED IN THE INSIDE OF THE RIM OF THE CASE HEAD



CENTERFIRE CARTRIDGE

PRIMING COMPOUND IS CONTAINED IN A METAL CUP, CALLED A PRIMER, IN THE CENTER OF THE CASE HEAD

CARTRIDGE FIRING SEQUENCE

CARTRIDGE IN CHAMBER




FIRING PIN STRIKES PRIMER OR CASE RIM AND IGNITES THE PRIMING COMPOUND




FLAME GENERATED BY PRIMING COMPOUND IGNITES POWDER CHARGE




POWDER BURNS RAPIDLY, GENERATING HIGH-PRESSURE GAS



GAS PUSHES BULLET THROUGH BORE AT HIGH SPEED



BULLET EXITS MUZZLE, HOT GAS MAKES “BANG”



CARTRIDGE DESIGNATION AND IDENTIFICATION

THE CARTRIDGE DESIGNATION IS LOCATED ON THE:

PISTOL



CASEHEAD



AMMUNITON



SOME CARTRIDGES HAVE MORE THAN ONE DESIGNATION, SUCH AS 9 MM PARA/9 MM LUGER/ 9X19 MM, AND 45 AUTO/45 ACP.

+P AND +P+ CARTRIDGES



SOME AMMUNITION HAS A "+P" OR "+P+" DESIGNATION, INDICATING IT IS LOADED TO HIGHER-THAN-STANDARD PRESSURE

THESE CARTRIDES HAVE THE SAME DIMENSIONS AS STANDARD CARTRIDGES, AND CAN BE CHAMBERED IN GUNS NOT CERTIFIED FOR HIGHER-PRESSURE

THIS HIGHER-PRESSURE AMMUNITION MUST BE USED ONLY IN THOSE GUNS CERTIFIED FOR IT

AMMUNITION STORAGE

- STORE AMMUNITION IN A COOL, DRY PLACE
- AMMUNITION SHOULD BE KEPT IN THE ORIGINAL FACTORY BOX
- STORE AMMUNITION WHERE CHILDREN OR UNAUTHORIZED PERSONS CANNOT ACCESS IT
- DO NOT EXPOSE AMMUNITION TO WATER, SOLVENTS, PETROLEUM PRODUCTS OR MATERIALS THAT CAN CAUSE CARTRIDGE DETERIORATION AND MALFUNCTIONS

4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

CARTRIDGE MALFUNCTIONS

- MISFIRE
- HANGFIRE
- SQUIB LOAD

MISFIRE

A MISFIRE IS THE FAILURE OF A CARTRIDGE TO IGNITE WHEN THE PRIMER OR CASE RIM IS STRUCK BY THE FIRING PIN.

CAUSES:

- DEFECT IN THE CARTRIDGE
- DEFECT IN THE PISTOL

HANGFIRE

A HANGFIRE IS A PERCEPTIBLE DELAY IN THE IGNITION OF A CARTRIDGE AFTER THE PRIMER OR CASE RIM HAS BEEN STRUCK BY THE FIRING PIN. THIS DELAY MAY LAST SEVERAL SECONDS.

WHEN A CARTRIDGE FAILS TO FIRE IMMEDIATELY, IT WILL NOT BE KNOWN IF THE PROBLEM IS A MISFIRE OR HANGFIRE. BECAUSE A HANGFIRE CONDITION CAN CAUSE THE PISTOL TO FIRE AFTER A SUBSTANTIAL DELAY, THE PISTOL SHOULD BE KEPT POINTED IN A SAFE DIRECTION FOR AT LEAST 30 SECONDS BEFORE THE ACTION IS OPENED TO REMOVE THE CARTRIDGE.

HANGFIRE



SQUIB LOAD

A SQUIB LOAD IS A CARTRIDGE DEVELOPING LESS THAN NORMAL PRESSURE UPON IGNITION CAUSING A BULLET TO FAIL TO EXIT THE MUZZLE AND LODGE IN THE BORE.

SIGNS OF A SQUIB LOAD ARE:

- REDUCED NOISE
- REDUCED MUZZLE FLASH
- REDUCED RECOIL

STOP FIRING IMMEDIATELY, CLEAR THE GUN AND CHECK THE BORE FOR OBSTRUCTIONS!

SQUIB LOAD



SQUIB LOAD



PISTOL MALFUNCTIONS

- FAILURE TO FEED
- FAILURE TO EXTRACT
- DOUBLE FEED

FAILURE TO FEED/EXTRACT

- A FAILURE TO FEED OCCURS WHEN A LIVE ROUND FAILS TO ENTER THE CHAMBER AFTER THE SLIDE HAS CYCLED ON A LOADED MAGAZINE

- A FAILURE TO EXTRACT OCCURS WHEN A SPENT CASE FAILS TO EXIT THE CHAMBER AND COMPLETELY EJECT FROM THE PISTOL

CLEARING PISTOL MALFUNCTIONS

THE METHOD USED TO CLEAR FAILURES TO FEED OR EXTRACT IS

"TAP,RACK"

1- TAP THE BOTTOM OF THE MAGAZINE
2-RACK THE SLIDE

CLEARING PISTOL MALFUNCTIONS

IF “TAP, RACK” DOES NOT WORK AFTER MULTIPLE ATTEMPTS, CLEAR THE PISTOL AND INSERT A NEW MAGAZINE

DOUBLE FEED

A DOUBLE FEED OCCURS WHEN A CARTRIDGE IS LOADED INTO AN ALREADY OCCUPIED CHAMBER



CLEARING PISTOL MALFUNCTIONS

IF A DOUBLE FEED IS ENCOUNTERED, CLEAR THE PISTOL AND INSERT A NEW MAGAZINE, MAGAZINE MAY NEED TO BE REMOVED WITH FORCE OR HAVE SLIDE LOCKED OPEN BEFORE REMOVING MAGAZINE

4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

STANCE



STANCE SHOULD BE A STABLE YET MOBILE PLATFORM. THE UPPER AND LOWER BODY SHOULD BE BALANCED. THE UPPER BODY SHOULD FACE THE TARGET AND AGGRESSIVELY LEAN FORWARD AT THE WAIST. FEET SHOULD BE SHOULDER WIDTH APART, KNEES SLIGHTLY BENT, WITH THE SHOOTER'S BODY WEIGHT RESTING ON THE BALLS OF THE FEET.

FUNDAMENTALS OF PISTOL SHOOTING

- AIMING
- HOLD CONTROL
- BREATH CONTROL
- TRIGGER CONTROL
- FOLLOW-THROUGH

THESE FIVE FUNDAMENTALS SHOULD BE PERFORMED WITH EVERY SHOT.

AIMING


AIMING IS THE PROCESS OF ACHIEVING THE PROPER RELATIONSHIP BETWEEN THE TARGET, THE FRONT SIGHT AND THE REAR SIGHT.

AIMING CONSISTS OF TWO COMPONENTS:

- SIGHT ALIGNMENT
- SIGHT PICTURE

SIGHT ALIGNMENT


SIGHT ALIGNMENT REFERS TO THE PROPER RELATIONSHIP OF THE PISTOL'S FRONT AND REAR SIGHTS.




"EQUAL HEIGHT EQUAL LIGHT"

SIGHT PICTURE

PROPER SIGHT PICTURE IS OBTAINED WHEN THE ALIGNED SIGHTS ARE PUT INTO THEIR PROPER RELATIONSHIP WITH THE TARGET.




SIX O'CLOCK HOLD



CENTER HOLD

ERRORS IN SIGHT ALIGNMENT AND SIGHT PICTURE



A	B	C
SIGHT PICTURE ERROR	PROPER SIGHT ALIGNMENT & PICTURE	SIGHT ALIGNMENT ERROR

SIGHT ALIGNMENT IS MORE CRITICAL THAN SIGHT PICTURE

FRONT SIGHT FOCUS



WHEN SHOOTING A PISTOL WITH IRON SIGHTS, VISUAL FOCUS SHOULD BE ON THE FRONT SIGHT. THIS WILL LEAVE THE TARGET AND REAR SIGHT SLIGHTLY FUZZY BUT CLEAR ENOUGH TO ESTABLISH PROPER SIGHT PICTURE.

HOLD CONTROL

HOLD CONTROL ALLOWS THE SHOOTER TO MAINTAIN PROPER SIGHT ALIGNMENT AND SIGHT PICTURE WHILE FIRING THE SHOT.

- A PROPER GRIP IS CRITICAL TO HOLD CONTROL
- ONE GOAL OF HOLD CONTROL IS TO MINIMIZE THE ARC OF MOVEMENT

ARCH OF MOVEMENT




ARCH OF MOVEMENT REFERS TO THE UNAVOIDABLE MOTION OF A PISTOL HELD IN A SHOOTING POSITION.

PRACTICE DECREASES THE ARC OF MOVEMENT.

BREATH CONTROL

BREATH CONTROL MINIMIZES THE BODY MOVEMENT PRODUCED BY BREATHING, WHICH CAN IMPAIR GOOD SHOOTING.

·TAKE A BREATH BEFORE EACH SHOT, ONCE AT THE NATURAL RESPIRATORY PAUSE, FIRE THE SHOT



TRIGGER CONTROL

TRIGGER CONTROL IS THE PROPER METHOD OF ACTIVATING THE TRIGGER TO MINIMIZE MOVEMENT THAT CAN MISALIGN THE SIGHTS.

TRIGGER IS BETWEEN FINGERTIP AND FIRST JOINT OF INDEX FINGER

TRIGGER IS SQUEEZED STRAIGHT REARWARD IN A SMOOTH, CONTINUOUS MOVEMENT

FOLLOW-THROUGH

FOLLOW-THROUGH IS THE CONTINUATION OF THE APPLICATION OF THE FUNDAMENTALS OF SHOOTING THROUGH AND IMMEDIATELY AFTER THE FIRING OF THE SHOT.

FOLLOW-THROUGH ENABLES THE SHOOTER TO INTEGRATE, MAINTAIN AND CONTINUE THE SHOOTING FUNDAMENTALS BEFORE, DURING AND AFTER THE SHOT.

MOST IMPORTANT SHOOTING FUNDAMENTALS

THE TWO MOST IMPORTANT SHOOTING FUNDAMENTALS ARE:

AIMING (SIGHT ALIGNMENT AND SIGHT PICTURE)

TRIGGER CONTROL

SUMMARY

CARTRIDGE COMPONENTS
-RIMFIRE AND CENTERFIRE CARTRIDGES
-CARTRIDGE FIRING SEQUENCE
-CARTRIDGE DESIGNATION AND IDENTIFICATION
-+P AND +P+ CARTRIDGES
-AMMUNITION STORAGE
-PISTOL STORAGE
-CARTRIDGE MALFUNCTIONS
-STANCE
-ASSUMING A TWO-HANDED GRIP
-FUNDAMENTALS OF PISTOL SHOOTING
-AIMING (SIGHT PICTURE & SIGHT ALIGNMENT)
-HOLD CONTROL (ARC OF MOVEMENT)
-BREATH CONTROL
-TRIGGER CONTROL
-FOLLOW-THROUGH
-MOST IMPORTANT SHOOTING FUNDAMENTALS

RANGE QUALIFICATION

RANGE SAFETY

- WEAR EYE & EAR PROTECTION AT ALL TIMES
- NEVER USE ALCOHOL OR DRUGS BEFORE OR WHILE SHOOTING
- NO OPEN-TOE SHOES
- WEAR SHIRTS THAT COVER CLEAVAGE
- WEAR BELT FOR CLASSROOM
- DO NOT ATTEMPT TO CLEAR MALFUNCTIONS WITHOUT PERMISSION AND SUPERVISION

RANGE SAFETY

IF YOU THINK THAT YOU HAVE EXPERIENCED A MALFUNCTION OR SIMPLY HAVE A QUESTION;

- **STOP SHOOTING**
- **KEEP GUN POINTED IN SAFE DIRECTION (RULE #1)**
- **TAKE FINGER OFF TRIGGER (RULE #2)**
- **RAISE NON-SHOOTING HAND**
- **WAIT FOR ASSISTANCE**

RANGE COMMANDS

LOAD:

LOAD 10 ROUND MAGAZINE INTO PISTOL AND CHARGE PISTOL

BEGIN FIRING:

FIRE WHEN READY

CEASE FIRE / PHYSICAL CONTACT:

IF ANYONE CALLS CEASE FIRE OR MAKES PHYSICAL CONTACT WITH YOU, TAKE FINGER OFF TRIGGER, KEEP GUN POINTED IN SAFE DIRECTION AND FOLLOW INSTRUCTIONS

QUALIFICATION STANDARDS

SCORE 21/30 ROUNDS INSIDE OF SILOHUETTE

5 YARDS – 10 ROUNDS
7 YARDS – 10 ROUNDS
10 YARDS – 10 ROUNDS



4 RULES FOR SAFE GUN HANDLING

- **ALWAYS** KEEP THE GUN POINTED IN A SAFE DIRECTION

- **ALWAYS** KEEP YOUR FINGER OFF THE TRIGGER UNTIL READY TO SHOOT

- **ALWAYS** KEEP THE GUN UNLOADED UNTIL READY TO USE

- **ALWAYS** KNOW WHAT IS IN FRONT OF & BEHIND YOUR TARGET

QUESTIONS?


PLATFORMS
TRAINING ACADEMY