a title new!

November 2015


Contents a title new!

Contents

amily	y Curculionidae	5
-------	-----------------	---


Agabus bipustulatus

Agabus bipustulatus



Records (most recent first): Cross drain on Martin fen (VC54) TF1461 13.08.1938 (FB).


Agabus sturmii Agabus sturmii



Records (most recent first): Bardney on SW side of River Witham (VC54) TF1169 12.08.1938 (FB).

Anacaena globulus


Screech Beetle, Squeak Beetle



Records (most recent first): South Kyme Fen (VC54) TF1749 14.08.1938 (FB).

Anacaena limbata agg.


Anacaena limbata agg.



Records (most recent first): Bardney on SW side of River Witham (VC54) TF1169 12.08.1938 (FB); Mumby (VC54) TF5174 12.08.1938 (FB).

Colymbetes fuscus


Colymbetes fuscus



Records (most recent first): Timberland Dales (VC54) TF1760 14.08.1938 (FB).

Dytiscus marginalis


Great Diving Beetle



Records (most recent first): Timberland Dales (VC54) TF1760 14.08.1938 (FB).

Haliplus immaculatus


Haliplus immaculatus



Records (most recent first): Head Dike, South Kyme Fen (VC54) TF1846 14.08.1938 (FB).

Helophorus brevipalpis


Helophorus brevipalpis



Records (most recent first): Holland Fen (VC54) TF24 14.08.1938 (FB).

Hydraena riparia


Hydraena riparia



Records (most recent first): E end of Martin Fen (VC54) TF1661 13.08.1938 (FB); Mumby (VC54) TF5174 12.08.1938 (FB).

Hydrobius fuscipes


Hydrobius fuscipes



Records (most recent first): Holland Fen (VC54) TF24 14.08.1938 (FB).


Hygrotus inaequalis

Hygrotus inaequalis



Records (most recent first): Holland Fen (VC54) TF24 14.08.1938 (FB).


Ilybius ater



Records (most recent first): E end of Martin Fen (VC54) TF1661 13.08.1938 (FB).

Laccophilus hyalinus


Laccophilus hyalinus



Records (most recent first): Head Dike, South Kyme Fen (VC54) TF1846 14.08.1938 (FB).

Laccophilus minutus

Laccophilus minutus



Records (most recent first): Timberland Dales (VC54) TF1760 14.08.1938 (FB).

14 taxa mapped from 16 records.

Α AGABUS 5 Agabus bipustulatus 5 Agabus sturmii 5 ANACAENA 6 Anacaena limbata agg. 6 ater, llybius 10 В bipustulatus, Agabus 5 brevipalpis, Helophorus 8 COLYMBETES 7 Colymbetes fuscus 7 D

DYTISCUS 7

fuscipes, Hydrobius 9 fuscus, Colymbetes 7

G globulus, Anacaena 6 Great Diving Beetle 7

Н HALIPLUS 8 Haliplus immaculatus 8 **HELOPHORUS 8** Helophorus brevipalpis 8 hyalinus, Laccophilus 11 HYDRAENA 9 Hydraena riparia 9 **HYDROBIUS** 9 Hydrobius fuscipes 9 **HYGROTUS 10** Hygrotus inaequalis 10

ILYBIUS 10 Ilybius ater 10 immaculatus, Haliplus 8 inaequalis, Hygrotus 10

L LACCOPHILUS 11 Laccophilus hyalinus 11 Laccophilus minutus 11 limbata agg., Anacaena 6

M marginalis, Dytiscus 7

minutus, Laccophilus 11

riparia, Hydraena 9

Screech Beetle, Squeak Beetle 6 sturmii, Agabus 5

Contributors a title new!

Contributors

A. Roebuck (AR), Colin Welch (CW), E.C. Riggall (ER), Frank Balfour-Browne (FB).

 $Generated \ in \ seconds \ using \ dipper-stda. \ For \ more \ information, see \ https://github.com/charlie-barnes/dipper-stda.$

Vice-county boundaries provided by the National Biodiversity Network. Contains Ordnance Survey data (C) Crown copyright and database right 2015.