

Enhanced API response codes

When you make a request to our API, you receive an HTTP status code indicating whether or not the HTTP request was successful.

If you receive a successful 2xx HTTP response, the response body contains a `response_code` field that specifies the status of the request. The response may also contain additional information in the `response_summary` and `status` fields.

If you receive an unsuccessful 4xx HTTP response, the response body may contain an `error_codes` field. The error code specifies the reason why the request failed.

The response code message text may vary across different endpoint responses.

Response code ranges

The five-digit response codes are grouped in the following code ranges, depending on the code type:

10xxx

Code type: Approved

Description: The 10xxx response code range indicates that the payment request was successful.

20xxx

Code type: Soft declines

Description: The 20xxx response code range indicates that the payment request was declined, though subsequent attempts may succeed.

30xxx

Code type: Hard declines

Description: The 30xxx response code range indicates that the request was declined. Most hard declines require the issuer or cardholder to fix any outstanding issues before you can retry.

4xxxx

Code type: Risk responses

Description: The 4xxxx response code range indicates that the request raised a risk response. The `response_code` and `status` depend on the action specified in your Fraud Detection risk strategies.

50xxx

Code type: Payout and Refund declines

Description: The 50xxx response code range indicates that Checkout.com declined the payout or refund request.

10xxx Approved

The 10xxx response code range indicates that the payment request was successful.

10000

Response text: Approved

10008

Response text: Approved - Honor with ID (Debit Cards)

10010

Response text: Partial Value Approved

Additional information: This is returned for partial authorizations.

10011

Response text: Approved – VIP (not used)

10076

Response text: Approved (Country Club)

10077

Response text: Approved (Local Banks)

10081

Response text: Approved (Approved Commercial)

10100

Response text: Flagged as a potentially risky transaction

10200

Response text: Deferred capture

20xxx Soft declines

The 20xxx response code range indicates that the payment request was declined, though subsequent attempts may succeed.

20001

Possible responses:

1. **Response text:** Refer to card issuer

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

2. **Response text:** Contact card issuer

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

20002

Response text: Refer to card issuer - Special conditions

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

20003

Response text: Invalid merchant or service provider

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

Recovery action:

- Check your merchant ID, merchant category code (MCC), and acquirer configuration.
- If the problem continues, contact Checkout.com Support or your account manager to investigate possible restrictions.
- Open a Support request if you suspect a configuration mismatch, so we can coordinate with the scheme or issuer.

20004

Response text: Card should be captured

20005

Response text: Declined - Do not honour

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See Recommendation codes for more information.

For payouts, this indicates that the issuer declined the transaction. If you encounter systemic issues or a high percentage of declines for a specific recipient card's bank identification number (BIN), contact your account manager or request support.

Recovery action:

- Check your fraud rates. Rates above 35 basis points (bps) are high and can prompt issuers to return a 'Do not honour' decline.
- Review the recommendation codes for more context.
- Improve the amount and quality of data in the authorization message to build issuer trust.
- If the problem continues, contact Checkout.com Support or your account manager to investigate possible restrictions.

20006

Response text: Error / Invalid request parameters

Recovery action:

- Ask the customer to check their card details (number, expiry date, CVV, and address) and try again, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to use a different card or an alternative payment method (APM).

20009

Response text: Request in progress

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20012

Response text: Invalid transaction

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer will not approve this transaction.

- Do not retry with the same card, because retries can incur Visa Integrity and gateway fees.
- Ask the customer to try a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.

20013

Response text: Invalid value/amount

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

Recovery action: The issuer restricts the customer's card, for example with a daily spending limit.

- Ask the customer to use a different card or an alternative payment method (APM).
- Ask the customer to review their daily spending limit in their banking app, or contact their bank to reset it.

20014

Response text: Invalid account number (no such number)

Additional information: The payment failed. Check the card details and try again with the same or another card.

Recovery action: This decline usually comes from incorrect card details, or from an issuer-side issue where the card links to the wrong account.

- Ask the customer to try a different card or an alternative payment method (APM).
- If you see repeated declines with this code from the same issuer, contact Checkout.com Support or your account manager.

20015

Response text: Transaction cannot be processed through debit network

Additional information: Route your transaction to the card's signature network.

20016

Response text: Card not initialised

20017

Response text: Customer cancellation

Recovery action: This code is common on subscription renewals.

- Use Real-Time Account Updater to refresh expired or updated card details automatically.
- If the transaction still fails, contact the customer for a new card or an alternative payment method (APM).

20018

Response text: Customer dispute

20019

Possible responses:

1. **Response text:** Re-enter transaction
2. **Response text:** Transaction has expired

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20020

Response text: Invalid response

Recovery action: This decline usually comes from configuration issues on third-party acquirer (TPA) merchant IDs (MIDs).

- Confirm with your TPA whether 3D Secure (3DS) is mandatory on the MID, and make sure you request 3DS correctly.
- Check whether the acquiring bank blocks the bank identification number (BIN), and confirm the reason with your TPA.
- Confirm whether the MID supports credit cards only. Some processors, such as Credimax, NBK MPGS, and Doha MPGS, process credit cards only.
- Route debit card transactions through local payment methods such as BenefitPay (Bahrain), KNET (Kuwait), or QPAY (Qatar) to increase acceptance.

20021

Response text: No action taken (unable to back out prior transaction)

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20022

Response text: Suspected malfunction

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20023

Response text: Unacceptable transaction fee

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20024

Response text: File update not supported by the receiver

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20025

Possible responses:

1. **Response text:** Unable to locate record on file
2. **Response text:** Account number is missing from the inquiry

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20026

Response text: Duplicate file update record

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20027

Response text: File update field edit error

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20028

Response text: File is temporarily unavailable

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20029

Response text: File update not successful

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20030

Response text: Format error

Additional information: The payment failed due to a technical issue. Either try again with the same card, or use a different card.

MADA transactions may raise this error code under specific circumstances. See Format error in MADA transactions for more information.

Recovery action: This decline usually comes from incorrectly formatted data in the API request.

- Ask the customer to review and correct any special characters or symbols in the form fields.
- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.

20031

Response text: Bank not supported by Switch

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20032

Response text: Completed partially

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20033

Response text: Previous scheme transaction ID invalid

20038

Response text: Allowable PIN tries exceeded

Recovery action: This decline usually comes from customer input errors or possible fraud, often after the customer enters an incorrect PIN more times than the issuer allows.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20039

Response text: No credit account

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20040

Response text: Requested function not supported

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20042

Response text: No universal value/amount

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20044

Response text: No investment account

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20045

Response text: The Issuer does not support fallback transactions of hybrid-card

20046

Response text: Bank decline

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See also Recommendation codes.

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20051

Response text: Insufficient funds

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: Code 20051 falls under Visa System Integrity Monitoring Category 2, so excessive manual retries can increase scheme fees.

- For merchant-initiated transactions (MITs), align the charge date with local paydays, process during local banking hours, and use Intelligent Acceptance to manage retries, or the Dunning retry solution to schedule subscription retries.
- For customer-initiated transactions (CITs), offer alternative payment methods (APMs) based on local availability.
- Where supported, enable partial authorizations.

20052

Response text: No current (checking) account

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20053

Response text: No savings account

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20054

Response text: Expired card

Recovery action: This decline usually comes from incorrect or outdated card details.

- Use Network Tokens or Real-Time Account Updater to refresh expired or updated card information automatically.
- Ask the customer to check their card details (number, expiry date, CVV, and address) and try again, or use Intelligent Acceptance to manage retries.
- Ask the customer to use a different card or an alternative payment method (APM).

20055

Possible responses:

1. **Response text:** Incorrect PIN
2. **Response text:** PIN validation not possible

Recovery action: This decline usually comes from incorrect or outdated card details.

- Use Network Tokens to refresh expired or updated card information automatically.
- Ask the customer to check their card details (number, expiry date, CVV, and address) and try again, or use Intelligent Acceptance to manage retries.
- Ask the customer to use a different card or an alternative payment method (APM).

20056

Response text: No card record

Recovery action: This decline is common on Carte Bancaire transactions.

- Use Intelligent Acceptance to manage retries automatically over Visa or Mastercard rails.
- Ask the customer to try a different card or an alternative payment method (APM).

20057

Possible responses:

1. **Response text:** Transaction not permitted to cardholder

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

For payouts, this indicates that the issuer declined the payment, likely due to a restricted recipient card BIN. Request an alternative payment method from the recipient, or ask them to contact their issuer. If you encounter systemic issues or a high percentage of declines for a specific recipient card BIN, contact your account manager or request support.

2. **Response text:** Domestic debit transaction not allowed (Regional use only)

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

For payouts, this indicates that the issuer declined the payment, likely due to a restricted recipient card BIN. Request an alternative payment method from the recipient, or ask them to contact their issuer. If you encounter systemic issues or a high percentage of declines for a specific recipient card BIN, contact your account manager or request support.

Recovery action:

- Review your cardholder communication flows so customers know when you attempt a transaction.
- If the decline relates to an account funding transaction (AFT), use Intelligent Acceptance to downgrade or optimize routing where it applies.

20058

Response text: Transaction not permitted to terminal

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20059

Response text: Suspected fraud

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See also Recommendation codes.

Recovery action: To improve authorization performance and reduce issuer declines:

- Monitor fraud rates by issuer. Rates above 35 basis points (bps) are high and can trigger issuer risk models, which leads to false declines. Enable Fraud Detection Pro to lower your fraud score.
- Use Network Tokens to improve authorization reliability, and Intelligent Acceptance to manage retries and optimize 3D Secure (3DS) for customer-initiated transaction (CIT) traffic.
- Increase the amount and quality of data in the authorization message to build issuer trust.
- Review the recommendation codes in your analytics dashboard for targeted actions.
- For merchant-initiated transaction (MIT) traffic, use 3DS Requestor Initiated (3RI) to reduce fraud rates, available for Mastercard recurring transactions, or restart the MIT chain with authentication using the challenge_request_mandate indicator.

20060

Response text: Card acceptor contact acquirer

20061

Response text: Activity amount limit exceeded

Additional information: The defined amount was exceeded for the account or card. For recommended actions, see Recommendation codes.

For payouts, this indicates the payment was declined by the issuer or card network. The velocity limits for the recipient card may have been exceeded. Retry the payout the following day.

20062

Response text: Restricted card

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See also Recommendation codes.

20063

Response text: Security violation

20064

Response text: Original value incorrect

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

20065

Response text: Exceeds Withdrawal Frequency Limit

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

For payouts, this indicates the payment was declined by the issuer or card network. The velocity limits for the recipient card may have been exceeded. Retry the payout the following day.

20066

Response text: Card acceptor call acquirer security

20067

Response text: Hard capture - Pick up card at ATM

20068

Possible responses:

1. **Response text:** Response received too late / Timeout

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

2. **Response text:** Internal error

20072

Response text: Account not yet activated

20075

Response text: Allowable PIN-entry tries exceeded

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

20078

Response text: Blocked at first use - transaction from new or replacement card that is not properly unblocked

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See also Recommendation codes.

Recovery action: This code is uncommon and usually points to a temporary technical error.

- Retry the transaction later, or use Intelligent Acceptance to manage retries automatically.
- Ask the customer to try a different card or an alternative payment method (APM).

20081

Response text: Card is local use only

20082

Possible responses:

1. **Response text:** No security model
2. **Response text:** PIN cryptographic error found (error found by VIC security module during PIN decryption)
3. **Response text:** Negative CAM, dCVV, iCVV, or CVV results

20083

Response text: No accounts

20084

Response text: No PBF

20085

Response text: PBF update error

20086

Possible responses:

1. **Response text:** ATM malfunction
2. **Response text:** Invalid authorization type

20087

Response text: Bad track data (invalid CVV and/or expiry date)

Additional information: The payment failed. Check the card details and try again with the same or another card.

20088

Response text: Unable to dispense/process

20089

Response text: Administration error

20090

Response text: Cut-off in progress

20091

Response text: Issuer unavailable or switch is inoperative

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

For payouts, this indicates that the issuer's host system may be down, or connectivity was lost. Retry the payout when the connection issues have been resolved.

20092

Response text: Destination cannot be found for routing

20093

Response text: Transaction cannot be completed; violation of law

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support. See also Recommendation codes.

20094

Response text: Duplicate transmission / invoice

20095

Response text: Reconcile error

20096

Response text: System malfunction

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

20097

Response text: Reconciliation totals reset

20098

Response text: MAC error

20099

Response text: Other / Unidentified responses

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20197

Response text: The ATM/POS terminal number has not been registered

2005C

Response text: Transaction not supported / blocked by issuer

Recovery action: This decline happens when the issuer is temporarily unable to approve the transaction. Only the issuer can confirm the exact cause, but common reasons include credit risk restrictions, issuer velocity controls, or account-level limits on certain transaction types, such as unauthenticated ecommerce payments.

- Use Intelligent Acceptance to retry at the best time and improve approval rates.

2006P

Response text: Cardholder ID verification failed

Additional information: The cardholder could not be identified from their ID documentation as part of Know Your Customer (KYC) checks. The cardholder must contact their issuer to resolve this.

2009G

Response text: Blocked by cardholder / contact cardholder

200A4

Response text: Transaction with defect, contact issuer

Additional information: The requests were not received.

200A5

Response text: Transaction with defect, contact issuer

Additional information: The original transactions are rejected.

200A6

Response text: Transaction with defect, contact issuer

Additional information: UnionPay forwarded the original request, but did not receive a response from the issuer.

200E0

Response text: Unauthorised access

200E2

Response text: Signature verification failure

200E3

Response text: System busy. Try again later.

200N0

Response text: Force STIP

200N7

Response text: Decline for CVV2 failure

200O5

Response text: PIN required

200P1

Response text: Over daily limit

200P9

Response text: Limit exceeded. Enter a lesser value.

200R1

Response text: Issuer initiated a stop payment (revocation order) for this authorization

Additional information: The cardholder canceled the subscription.

200R3

Response text: Issuer initiated a stop payment (revocation order) for all authorizations

Additional information: The cardholder canceled all subscriptions.

200S4

Response text: PTLF full

200T2

Response text: Invalid transaction date

200T3

Response text: Card not supported

200T5

Response text: CAF status = 0 or 9

20100

Response text: Invalid expiry date format

Additional information: The payment failed due to invalid expiry date. Try again, providing the correct value.

20101

Response text: No Account / No Customer (Token is incorrect or invalid)

20102

Response text: Invalid merchant / wallet ID

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20103

Response text: Card type / payment method not supported

Additional information: Your bank declined the payment. Try again with a different card or contact your bank for further support.

20104

Response text: Gateway reject - Invalid transaction

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

20105

Response text: Gateway reject - Violation

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

20106

Response text: Unsupported currency

20107

Response text: Billing address is missing

20108

Response text: Declined - Updated cardholder available

20109

Possible responses:

1. **Response text:** Transaction already reversed (voided)
2. **Response text:** Previous message located for a repeat or reversal, but repeat or reversal data is inconsistent with the original message
3. **Response text:** Capture is larger than initial authorized value

20110

Response text: Authorization completed

20111

Response text: Transaction already reversed

Additional information: The payment reversal has already been processed.

20112

Response text: Merchant not Mastercard SecureCode enabled

Additional information: The payment failed due to a technical issue. Request support and provide the payment reference number.

Recovery action: To improve your authentication strategy and authorization performance:

- Enable enhanced authentication to strengthen security and reduce fraud-related declines.
- Use Intelligent Acceptance to apply exceptions and preferential challenge indicators.
- If you handle a high volume of card-on-file transactions, consider Dynamic Account Funding (DAF).
- Promote wallet payments such as Apple Pay and Google Pay, which give a 3D Secure (3DS)-free checkout, and offer alternative payment methods (APMs) that do not require 3DS.
- For cross-border traffic, set up a non-Strong Customer Authentication (SCA) country entity, though this can affect performance and increase scheme costs.

20113

Response text: Invalid property

20114

Response text: Token is incorrect

20115

Response text: Missing / Invalid lifetime

20116

Response text: Invalid encoding

20117

Response text: Invalid API version

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20118

Response text: Transaction pending

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20119

Response text: Invalid batch data and/or batch data is missing

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20120

Response text: Invalid customer/user

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20121

Response text: Transaction limit for merchant/terminal exceeded

20122

Response text: Mastercard installments not supported

20123

Response text: Missing basic data: zip, addr, member

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

20124

Response text: Missing CVV value, required for ecommerce transaction

Recovery action:

- Ask the customer to enter the required CVV and try again.
- Make sure CVV collection is enabled for ecommerce.
- For trusted scenarios, use Intelligent Acceptance to allow tailored flows.
- Contact your account manager or Checkout.com Support for configuration advice.

20150

Response text: Card not 3D Secure (3DS) enabled

Recovery action:

- Use Intelligent Acceptance to determine when to process transactions with or without 3D Secure (3DS) for the best authorization performance.
- Make sure you include 'n3DS' correctly in the authorization payload when you send non-3DS attempts.

20151

Response text: Cardholder failed 3DS authentication

Recovery action: To improve authentication performance and reduce issuer declines:

- Use Intelligent Acceptance to apply 3D Secure (3DS) exceptions and preferential challenge indicators.
- Set challenge indicators correctly. 'no_preference' suits most transactions, except when you save a card-on-file or start a new merchant-initiated transaction (MIT) chain, where 'challenge_requested' is better. In France, 'no_challenge_requested' does not provide a liability shift.
- Promote wallet payments such as Apple Pay and Google Pay for a 3DS-free checkout, and offer alternative payment methods (APMs) that do not require 3DS.
- Review and reduce fraud triggers that can cause failures.
- For cross-border traffic, set up a non-Strong Customer Authentication (SCA) country entity to qualify transactions as one-leg-out, though this can affect performance and scheme costs.
- Improve the amount and quality of data in the authentication message to build issuer trust.

20152

Response text: Initial 3DS transaction not completed within 15 minutes

Additional information: The payment expired due to inactivity. Try again with the same card, or use a different card.

Recovery action: To improve authentication performance and reduce issuer declines:

- Use Intelligent Acceptance to apply 3D Secure (3DS) exceptions and preferential challenge indicators.
- Set challenge indicators correctly. 'no_preference' suits most transactions, except when you save a card-on-file or start a new merchant-initiated transaction (MIT) chain, where 'challenge_requested' is better. In France, 'no_challenge_requested' does not provide a liability shift.
- Promote wallet payments such as Apple Pay and Google Pay for a 3DS-free checkout, and offer alternative payment methods (APMs) that do not require 3DS.
- Review and reduce fraud triggers that can cause failures.
- For cross-border traffic, set up a non-Strong Customer Authentication (SCA) country entity to qualify transactions as one-leg-out, though this can affect performance and scheme costs.
- Improve the amount and quality of data in the authentication message to build issuer trust.

20153

Response text: 3DS system malfunction

Additional information: The payment failed due to a technical issue. Try again with the same card, or use a different card.

Recovery action:

- Monitor the 3D Secure (3DS) Access Control Server (ACS) status.
- Contact Checkout.com Support if the problem continues.

20154

Response text: 3DS authentication required

Additional information: The payment was declined due to 3D Secure authentication (3DS). Try again with the same card, or use a different card.

Recovery action: To improve authentication performance and reduce issuer declines:

- Use Intelligent Acceptance to apply 3D Secure (3DS) exceptions and preferential challenge indicators.
- Set challenge indicators correctly. 'no_preference' suits most transactions, except when you save a card-on-file or start a new merchant-initiated transaction (MIT) chain, where 'challenge_requested' is better. In France, 'no_challenge_requested' does not provide a liability shift.
- Promote Apple Pay and Google Pay for a secure, 3DS-free checkout, and offer alternative payment methods (APMs) that do not require 3DS.
- Review your fraud settings to reduce declines triggered by issuer risk models.
- For cross-border traffic, set up a non-Strong Customer Authentication (SCA) country entity to qualify as one-leg-out, though this can affect performance and scheme costs.
- Improve the quality and completeness of data in the authentication message to build issuer trust.

20155

Response text: 3DS authentication service provided invalid authentication result

20156

Response text: Requested function not supported by the acquirer

20157

Response text: Invalid merchant configurations - Contact Support

Additional information: Request support.

20158

Response text: Refund validity period has expired

20159

Response text: ACS Malfunction

Additional information: The payment failed due to a technical issue with the ACS used to perform 3DS authentication. If the issue persists, request support.

20179

Response text: Lifecycle

Additional information: The transaction uses invalid card data. For recommended actions, see Recommendation codes.

Recovery action: This decline happens when the transaction contains invalid or outdated card data. Review the recommendation codes to choose the recovery action:

- 01: retry with updated card details. Real-Time Account Updater can refresh card information automatically.
- 02: retry later, because the decline may be due to insufficient funds or the customer exceeding their credit limit. Intelligent Acceptance can manage this automatically.
- 03: the issuer will not approve this transaction, so do not retry, to avoid unnecessary fees.

Where available, use Mastercard Merchant Advice Codes (MACs) to guide your retry logic.

20182

Response text: Policy

Additional information: The transaction does not comply with card policies. For recommended actions, see Recommendation codes.

Recovery action: This decline happens when a transaction does not comply with the issuer's card policy. Review the recommendation codes to choose the next step:

- 01: retry with updated card details. Real-Time Account Updater can refresh expired or replaced cards automatically.
- 02: retry later, because the decline may be due to insufficient funds or the customer exceeding their credit limit. Intelligent Acceptance can manage this automatically.
- 03: the issuer will not approve this transaction, so do not retry, to avoid unnecessary scheme or gateway fees.

Where available, use Mastercard Merchant Advice Codes (MACs) to guide your retry logic.

20183

Response text: Security

Additional information: The transaction is suspected to be fraudulent. For recommended actions, see Recommendation codes.

Recovery action: This decline happens when a transaction is suspected to be fraudulent.

- To reduce fraud, enable Fraud Detection Pro to lower fraud scores.
- To improve performance, use Network Tokens to reduce fraud risk, and Intelligent Acceptance to manage retries and optimize 3D Secure (3DS) for customer-initiated transaction (CIT) traffic. Stronger authentication settings also reduce issuer rejections.
- Increase the amount and quality of data in the authorization message to build issuer confidence.
- Review the recommendation codes: 01 retry with updated details (Real-Time Account Updater can refresh card information automatically); 02 retry later, because the decline may be due to insufficient funds or credit limits (Intelligent Acceptance can manage this automatically); 03 the issuer will not approve this transaction, so avoid retries.
- Monitor fraud rates by issuer, because rates above 35 basis points (bps) are high and can make issuer models decline more aggressively.

Where available, use Mastercard Merchant Advice Codes (MACs) to guide your retry logic.

20193

Response text: Invalid country code

20199

Response text: Mandate approval pending

30xxx Hard declines

The 30xxx response code range indicates that the request was declined. Most hard declines require the issuer or cardholder to fix any outstanding issues before you can retry.

30004

Response text: Pick up card (No fraud)

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30007

Response text: Pick up card - Special conditions

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30015

Response text: No such issuer

Additional information: The payment was declined due to incorrect details. Try again with updated details.

For payouts, this indicates that the recipient card number is incorrect, invalid, or restricted. Request an alternative payment method from the recipient, or ask them to contact their issuer. If you encounter systemic issues or a high percentage of declines for a specific recipient card BIN, request support to report this to Checkout.com.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30016

Response text: Issuer does not allow online gambling payout

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30017

Response text: Issuer does not allow original credit transaction

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30018

Response text: Issuer does not allow money transfer payout

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30019

Response text: Issuer does not allow non-money transfer payout

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30020

Response text: Invalid amount

Additional information: The payment failed due to a technical issue. If the issue persists, request support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30021

Response text: Total amount limit reached

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30022

Response text: Total transaction count limit reached

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30033

Response text: Expired card - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30034

Response text: Suspected fraud - Pick up

Additional information: Your bank declined the payment. Contact your bank for further support.

For payouts, this indicates that the issuer declined the payment, likely due to suspected fraud. Ask the cardholder to contact their issuer. Do not reattempt the payout.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30035

Response text: Contact acquirer - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30036

Response text: Restricted card - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30037

Response text: Call acquirer security - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30038

Response text: Allowable PIN tries exceeded - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30041

Response text: Lost card - Pick up

Additional information: Your bank declined the payment. Try a different card or contact your bank for further support.

Recovery action: The issuer flagged the transaction as potentially high-risk. To recover the payment:

- Ask the customer to retry with a different card, or use Intelligent Acceptance to manage retries automatically.
- Offer alternative payment methods (APMs), such as digital wallets or local options.
- Ask the customer to contact their bank.

Review your risk appetite first, because adding retry options can increase fraud exposure.

30043

Response text: Stolen card - Pick up

Additional information: The cardholder's bank declined the payment because the card has been reported stolen.

- For a one-off transaction, do not retry the transaction. If possible, do not provide goods or services to the person attempting the transaction.

- For a recurring or scheduled transaction, the card may have been lost after the last successful payment, or after the scheduled payment was authorized. In either scenario, contact your customer and request that they update their payment method. Replace the account number for their lost card with the account number for their new card.

Recovery action: The issuer declined this transaction because the card is reported stolen.

- For one-off transactions, do not retry the payment or fulfill the goods or services.
- For recurring or scheduled transactions, the card may have been lost or replaced after the last successful payment. Contact the customer to update their payment method, or use Real-Time Account Updater to refresh the card details with the new account information.

30044

Response text: Transaction rejected - AMLD5

Additional information: The transaction was initiated from an anonymous, non-reloadable prepaid card and for an amount greater than 50 EUR. Due to the AMLD5 directive, the transaction cannot be fulfilled.

Recovery action: The customer started this transaction with an anonymous, non-reloadable prepaid card for more than 50 EUR. Under the Fifth Anti-Money Laundering Directive (AMLD5), we cannot process it, and the issuer will not approve it.

- Do not retry with the same card, because retries can incur Visa Integrity and gateway fees.
- Ask the customer to use a different, compliant card, or use Intelligent Acceptance to manage eligible retries.
- Offer alternative payment methods (APMs), such as digital wallets or local options, as long as they fit your risk appetite.

30045

Response text: Invalid payout fund transfer type

Additional information: The fund transfer type is not allowed in your configuration.

Recovery action: The issuer declined this transaction because the fund transfer type is not in its list of allowed types, and the issuer will not approve it.

- Do not retry with the same card, because retries can incur Visa Integrity and gateway fees.
- Ask the customer to use a different, compliant card, or use Intelligent Acceptance to manage eligible retries.
- Offer alternative payment methods (APMs), such as digital wallets or local options, as long as they fit your risk appetite.

30046

Response text: Closed account

Additional information: Your bank declined the payment. Contact your bank for further support.

Recovery action: The issuer will not approve this transaction.

- Do not retry with the same card, because retries can incur Visa Integrity and gateway fees.
- Ask the customer to use a different card, or use Intelligent Acceptance to manage eligible retries.
- Offer alternative payment methods (APMs), such as digital wallets or local options, as long as they fit your risk appetite.
- Use Real-Time Account Updater to refresh expired or replaced card details automatically, and enable Network Tokens to keep card credentials valid and reduce future declines.

30401

Response text: Capture amount greater than allowed

Additional information: The payment failed because the capture amount exceeds the overcapture limit.

30402

Response text: Overcapture not allowed for partial capture

Additional information: Overcapture is not allowed when partial capture is requested.

30403

Response text: Overcapture not allowed for partial authorization

Additional information: Overcapture is not allowed when partial authorization is requested.

30404

Response text: Sub-merchant ID missing

Additional information: The payment failed because the sub-merchant ID field is required in the request.

30405

Response text: Invalid order description format

Additional information: The payment failed because the billing descriptor name contained special characters that are not supported by the acquirer's formatting requirements.

4xxxx Risk responses

The 4xxxx response code range indicates that the request raised a risk response. The response_code and status depend on the action specified in your Fraud Detection risk strategies.

Client-level response codes

41101

Response text: Risk Blocked Transaction

Additional information: The transaction was declined due to a client-level risk rule.

41201

Response text: Decline list - Card number

Additional information: The transaction was declined due to a client-level decline list.

For more information:

1. Sign in to the Dashboard.
2. Go to Payments > Processing > All payments and select the payment.
3. On the Payment details page, select the fraud assessment in Payment timeline.

The Fraud Detection assessment page appears with detailed information.

41202

Response text: Decline list - BIN

Additional information: The transaction was declined because the associated BIN is on a client-level decline list.

41203

Response text: Decline list - Email address

Additional information: The transaction was declined because the associated email address is on a client-level decline list.

41204

Response text: Decline list - Phone

Additional information: The transaction was declined because the associated phone number is on a client-level decline list.

41205

Response text: Decline list - Payment IP

Additional information: The transaction was declined because the associated payment IP is on a client-level decline list.

41206

Response text: Decline list - Email domain

Additional information: The transaction was declined because the associated email domain is on a client-level decline list.

41301

Response text: Fraud score exceeds threshold

Additional information: The transaction was declined because it has a high risk score.

Entity-level response codes

42101

Response text: Risk Blocked Transaction

Additional information: The transaction was declined due to an entity-level risk rule.

For more information:

1. Sign in to the Dashboard.
 2. Go to Payments > Processing > All payments and select the payment.
 3. On the Payment details page, select the fraud assessment in Payment timeline.
- The Fraud Detection assessment page appears with detailed information.

42201

Response text: Decline list - Card number

Additional information: The transaction was declined due to an entity-level decline list.

42202

Response text: Decline list - BIN

Additional information: The transaction was declined because the associated BIN is on an entity-level decline list.

42203

Response text: Decline list - Email address

Additional information: The transaction was declined because the associated email address is on an entity-level decline list.

42204

Response text: Decline list - Phone

Additional information: The transaction was declined because the associated phone number is on an entity-level decline list.

42205

Response text: Decline list - Payment IP

Additional information: The transaction was declined because the associated payment IP is on an entity-level decline list.

42206

Response text: Decline list - Email domain

Additional information: The transaction was declined because the associated email domain is on a client-level decline list.

42301

Response text: Fraud score exceeds threshold

Additional information: The transaction was declined because it has a high risk score.

Checkout.com-level response codes

43101

Response text: Potential fraud risk

Additional information: The transaction was declined because it has a high risk score.

43102

Response text: Risk blocked transaction – {Rule group name}

Additional information: The transaction was declined for one of the following reasons:

- A Checkout.com decline rule

- A fraud-specific model where the {rule group name} provides all available information about the type of risk identified

Use rule group names for information only because Checkout.com may change them.

For example, for a non-compliant payment, you receive the response summary Risk decline - Scheme compliance.

43201

Response text: Decline list - Card number

Additional information: The transaction was declined because the associated card number is on Checkout.com's decline list.

43202

Response text: Decline list - BIN

Additional information: The transaction was declined because the associated BIN is on Checkout.com's decline list.

43203

Response text: Decline list - Email address

Additional information: The transaction was declined because the associated email address on Checkout.com's decline list.

43204

Response text: Decline list - Phone

Additional information: The transaction was declined because the associated phone number is on Checkout.com's decline list.

43205

Response text: Decline list - Payment IP

Additional information: The transaction was declined because the associated payment IP is on Checkout.com's decline list.

43206

Response text: Decline list - Email domain

Additional information: The transaction was declined because the associated email domain is on Checkout.com's decline list.

43301

Response text: Fraud score exceeds threshold

Additional information: The transaction was declined because it has a high risk score.

43401

Response text: 3DS authentication required

Additional information: The transaction was declined because additional authentication is required to process it. Retry the transaction with 3D Secure.

50xxx Payout and Refund declines

The 50xxx response code range indicates that Checkout.com declined a payout or refund request.

50001

Response text: Compliance error

50002

Response text: Sanction screening failure

Additional information: There was a sanctions screening hit or data corruption.

50003

Response text: Balance reservation insufficient funds

Additional information: The sub-account has an insufficient Available balance.

This response code also applies to refunds.

50005

Response text: Barred Beneficiary Error

50020

Response text: Recipient error

50021

Response text: Invalid recipient error

50022

Response text: Unsupported recipient error

50023

Response text: Recipient limit error

50025

Response text: Invalid Recipient Account Error

50026

Response text: Recipient Account Not Found

50027

Response text: Recipient Bank Error

50030

Response text: Invalid Recipient Details Error

50070

Response text: Sender error

50100

Response text: Instruction error

50101

Response text: Instruction amount limit error

50102

Response text: Instruction amount limit sender error

50103

Response text: Instruction amount limit recipient error

50104

Response text: Velocity limit

50105

Response text: Velocity limit sender error

50106

Response text: Velocity limit recipient limit error

50150

Response text: Processing error

50180

Response text: Validation error

50200

Response text: Configuration error

50240

Response text: Cancellation error

50260

Response text: Returned error

50280

Response text: Insufficient funds

50399

Response text: Unmapped response

50401

Response text: Bank details invalid

50402

Response text: Account not found

50403

Response text: Account inactive

50404

Response text: Account dormant

50405

Response text: Account number invalid

50406

Response text: Branch not found

50407

Response text: Branch code invalid

50408

Response text: Branch code required

50409

Response text: Bank code invalid

50410

Response text: Bank code required

50441

Response text: Account type required

50451

Response text: Account holder details invalid

50452

Response text: Account holder identification number required

50453

Response text: Account holder type not supported

50454

Response text: Account holder type not allowed

50466

Response text: Account closed

50471

Response text: Account blocked

50481

Response text: Invalid debtor account type

50490

Response text: Duplicate Payment

50491

Response text: Account holder billing address details incorrect

50492

Response text: Account holder billing address details required

50494

Response text: Account holder billing address can not be PO box

50499

Response text: Payout Returned

50501

Response text: Unsupported characters

50511

Response text: Invalid amount

50512

Response text: Minimum amount not met

50513

Response text: Exceeded transaction value

50514

Response text: Exceeded daily limit

50515

Response text: Exceeded weekly limit

50517

Response text: Exceeded monthly limit

50531

Response text: Recalled

50599

Response text: Unknown reason

Declined - Do not honour

Declined - Do not honour status indicates that the customer's bank declined the payment. It's the most common message that banks provide when a payment fails authorization.

The issuer did not provide any further details about the payment failure, and Checkout.com cannot override the response.

The payment may have been declined due to failed CVV or Address Verification Service (AVS) checks. We recommend verifying that these fields are correct in your payment request before you try alternative solutions.

Scenarios

Declined - Do not honour can be raised in the following scenarios:

- The payment was flagged by the bank's internal fraud rules.
- The bank placed a temporary hold on the customer's card.
- The purchase session was locked due to multiple declined payments.
- The seller is located in a different country to the issuer.

Resolution

To resolve a Declined - Do not honour response, contact the customer and request them to try one of the following:

- Contact their bank, explain that they're trying to perform a payment, and ask the bank to allow the payment.
- Try again later. The issuer may have only placed a temporary hold on the card.
- Use a different card.

Raw response codes

Checkout.com response codes are standardized across schemes and payment methods to facilitate integration and transaction analysis.

For card payments, we also provide the scheme's authorization response code. This is known as the raw response code.

It is returned in the `partner_response_code` field in the following:

- Request a payment or payout response
- Get payment details response
- Webhooks

The response code values differ per scheme and are subject to change. See the scheme specific documentation for further details.

Response example

```
{
  "response_code": "20051",
  "response_summary": "Insufficient funds",
  "processing": {
    "scheme": "visa",
    "partner_response_code": "51"
  }
}
```

Webhook example

```
{
  "id": "pay_tb4f46qcj6runb3pmberrdqd74",
  "action_id": "act_ixmhjuu4brpu7lw4dkny4bfcam",
  "amount": 0,
  "auth_code": "656280",
  "currency": "EUR",
  "payment_type": "Regular",
  "processed_on": "2023-12-15T16:50:16.9557112Z",
  "processing": {
    "acquirer_transaction_id": "371551175125650580188",
    "retrieval_reference_number": "583063115397",
    "scheme": "MASTERCARD",
    "partner_response_code": "51"
  },
  "response_code": "20051",
  "response_summary": "Insufficient Funds",
  "risk": {
    "flagged": false
  },
  "scheme_id": "885825379894893",
  "source": {
    "id": "src_u3p3boigodfu3hcqo6ini2ofwe",
    "type": "card",
    "billing_address": {},
    "expiry_month": 10,
    "expiry_year": 2028,
    "scheme": "MASTERCARD",
    "last_4": "9682",
    "fingerprint": "3C2C9685923907BAC9BB646F83E3799E40FC628147F25F76745A0B9296D769AC",
    "bin": "543782",
    "card_type": "CREDIT",
    "card_category": "CONSUMER",
    "issuer": "TAISHIN INTERNATIONAL BANK",
  }
}
```

```

    "issuer_country": "TW",
    "product_id": "MCS",
    "product_type": "Standard MasterCard(r) Card",
    "avs_check": "S",
    "cvv_check": "Y"
  },
  "event_links": {
    "payment": "https://{prefix}.api.sandbox.checkout.com/payments/pay_tb4f46qcj6runb3pmbsrrdqd74",
    "payment_actions":
    "https://{prefix}.api.sandbox.checkout.com/payments/pay_tb4f46qcj6runb3pmbsrrdqd74/actions"
  },
  "_links": {
    "self": {
      "href":
    "https://{prefix}.api.sandbox.checkout.com/workflows/events/evt_igyyma6msoledm57qy4efdihhy"
    },
    "payment_actions": {
      "href":
    "https://{prefix}.api.sandbox.checkout.com/payments/pay_tb4f46qcj6runb3pmbsrrdqd74/actions"
    },
    "payment": {
      "href": "https://{prefix}.api.sandbox.checkout.com/payments/pay_tb4f46qcj6runb3pmbsrrdqd74"
    }
  }
}

```

HTTP status codes

You can receive the following HTTP status codes for your API requests:

- 200** OK
- 201** Created
- 202** Accepted
- 204** Non-Authoritative Information
- 400** Bad Request
- 401** Unauthorized
- 403** Forbidden
- 404** Not Found
- 406** Not Acceptable
- 409** Conflict
- 412** Precondition Failed
- 422** Unprocessable Content
- 429** Too Many Requests
- 500** Internal Server Error
- 502** Bad Gateway
- 503** Service Unavailable
- 504** Gateway Timeout