```
你
晚上9:39
<n...1||>-> <BA||>
                                           keep
將訊息置頂
B decreasing
A increasing
                                            keep
將訊息置頂
B increasing
A decreasing
                                            keep
將訊息置頂
晚上9:42
<n...1||> increasing
                                           keep
將訊息置頂
江承紘
晚上9:42
n...1 -> increasing
由上往下看去判斷是 increasing or decreasing
晚上9:42
<|D||>
I increasing
D decreasing
                                            keep
將訊息置頂
|A| = n'
|B| = n"
                                            keep
將訊息置頂
江承紘
晚上9:43
A, B -> increasing
A', B' -> decreasing A <-> A' : reverse
```

你 晚上9:45 <BA'||> <B'A||>

將訊息置頂 你 晚上9:46 <b'a'  ></b'a'  >	keep
將訊息置頂  A  = i	keep
將訊息置頂  A  = a	keep
將訊息置頂  B  = b	keep
將訊息置頂 你 晚上9:48 <ba'  > 3n-(b+1)</ba'  >	keep
將訊息置頂 <b'a  > 3n-(a+1)</b'a  >	keep
將訊息置頂 你 晚上9:49 <ab  > 2n</ab  >	keep
將訊息置頂 <ba  > 2n</ba  >	keep
將訊息置頂 <b'a'  ></b'a'  >	keep

keep 將訊息置頂 3n-3 3n-4 keep

將訊息置頂 猜的