

customer		
PK	customer_id	SERIAL
	first_name	VARCHAR(100)
	last_name	VARCHAR(100)
	email	VARCHAR(100)
	phone_number	VARCHAR(15)
FK	invoice_id	INTEGER

invoice		
PK	invoice_id	SERIAL
	amount	FLOAT(10000000000)
	payment_date	VARCHAR(100)
FK	customer_id	INTEGER
FK	salesperson_id	INTEGER
FK	inventory_id	INTEGER

inventory		
PK	inventory_id	SERIAL
	new_car	BOOLEAN
	amount	FLOAT(10000000000)
	quantity	INTEGER
FK	car_id	INTEGER

salesperson		
PK	salesperson_id	SERIAL
	first_name	VARCHAR(100)
	last_name	VARCHAR(100)
	email	VARCHAR(100)
FK	invoice_id	INTEGER

car		
PK	car_id	SERIAL
	make	VARCHAR(100)
	model	VARCHAR(100)
	year	INTEGER
	serial_number	VARCHAR(100)
	license_plate	VARCHAR(100)
	mileage	INTEGER
FK	inventory_id	INTEGER
FK	cars_served_id	INTEGER
FK	service_id	INTEGER

cars_served		
PK	cars_served_id	SERIAL
	quantity	INTEGER
FK	car_id	INTEGER

service_tickets		
PK	service_id	SERIAL
	service_date	VARCHAR(150)
	amount	FLOAT(10000000000)
	car_description	VARCHAR(100)
FK	car_id	INTEGER
FK	mechanic_id	INTEGER
FK	customer_id	INTEGER

mechanic		
PK	mechanic_id	SERIAL
	first_name	VARCHAR(100)
	last_name	VARCHAR(100)
	email	VARCAHR(100)
FK	service_tickets_id	INTEGER

