

# Wallets

## Execution Environment

Host name           manilacel - localhost  
Local OS            Mac OS X 64bit  
Katalon version     9.5.0.217  
Browser  
Device name

## Summary

ID                    Test Suites/PMT\_Libraries/Wallets  
Description  
  
Total                 5  
Passed               4                   Failed               0  
Error                 1                   Incomplete           0  
Skipped              0  
  
Start                 11-02-2025 15:17:54           End                   11-02-2025 15:18:35  
Elapsed               40.840s

#	ID	Description	Status
1	Test Cases/Web_Uilities_TestCases/Wallets/TC3_Wallet_Update		PASSED
2	Test Cases/Web_Uilities_TestCases/Wallets/Wallet_Get		PASSED
3	Test Cases/Web_Uilities_TestCases/Wallets/TC2__Replace		PASSED
4	Test Cases/Web_Uilities_TestCases/Wallets/TC1_Wallet_Add		ERROR
5	Test Cases/Web_Uilities_TestCases/Wallets/TC4_Wallet_Delete		PASSED

# TC3\_Wallet\_Update

## Information

ID	Test Cases/Web_Uilities_TestCases/Wallets/TC3_Wallet_Update		
Description			
Tag			
Start	11-02-2025 15:17:54	End	11-02-2025 15:18:08
Elapsed	13.206s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# TC3\_Wallet\_Update

#	Description	Elapsed	Status
1	try  Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at TC3_Wallet_Update.run(TC3_Wallet_Update:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1739258271085.run(TempTestSuite1739258271085.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 131 Current browser version is 133.0.6943.53 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:486:1dc:1c19:dcbb%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x000000010368ae82 chromedriver + 6696578 1 chromedriver 0x0000000103682c9a chromedriver + 6663322 2 chromedriver 0x000000010308ae3e chromedriver + 405054 3 chromedriver 0x00000001030ca6fe chromedriver + 665342 4 chromedriver 0x00000001030c968d chromedriver + 661133	3.477s	FAILED

# TC3\_Wallet\_Update

#	Description	Elapsed	Status
5	chromedriver	0x00000001030c3491 chromedriver + 636049	
6	chromedriver	0x00000001030bf1da chromedriver + 618970	
7	chromedriver	0x000000010310cee3 chromedriver + 937699	
8	chromedriver	0x000000010310c5e6 chromedriver + 935398	
9	chromedriver	0x0000000103100613 chromedriver + 886291	
10	chromedriver	0x00000001030cd950 chromedriver + 678224	
11	chromedriver	0x00000001030ce34e chromedriver + 680782	
12	chromedriver	0x0000000103658770 chromedriver + 6489968	
13	chromedriver	0x000000010365b219 chromedriver + 6500889	
14	chromedriver	0x000000010365ad3b chromedriver + 6499643	
15	chromedriver	0x000000010365b6a5 chromedriver + 6502053	
16	chromedriver	0x0000000103643524 chromedriver + 6403364	
17	chromedriver	0x000000010365b98f chromedriver + 6502799	
18	chromedriver	0x0000000103634954 chromedriver + 6342996	
19	chromedriver	0x0000000103673378 chromedriver + 6599544	
20	chromedriver	0x0000000103673535 chromedriver + 6599989	
21	chromedriver	0x0000000103682868 chromedriver + 6662248	
22	libsystem_pthread.dylib	0x00007ff818f3318b _pthread_start + 99	
23	libsystem_pthread.dylib	0x00007ff818f2eae3 thread_start + 15	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute (CCChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CCChromeDriver.<init> (CCChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:		

## TC3\_Wallet\_Update

#	Description	Elapsed	Status
1	74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at rccpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at Script1721698076958.run(Script1721698076958.groovy:32) ... 15 more )		
2	catch (Exception e)	0.127s	PASSED
3	Finally  Browser is closed	2.042s	PASSED
4	Video  Video recording for test case 'Test Cases/Web_Uilities_TestCases/Wallets/TC3_Wallet_Update' .	0.001s	PASSED

# Wallet\_Get

---

## Information

ID	Test Cases/Web_Uilities_TestCases/Wallets/Wallet_Get		
Description			
Tag			
Start	11-02-2025 15:18:08	End	11-02-2025 15:18:22
Elapsed	13.793s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# Wallet\_Get

#	Description	Elapsed	Status
1	try  Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at Wallet_Get.run(Wallet_Get:28) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1739258271085.run(TempTestSuite1739258271085.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 131 Current browser version is 133.0.6943.53 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:486:1dc:1c19:dcbb%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x000000010689ce82 chromedriver + 6696578 1 chromedriver 0x0000000106894c9a chromedriver + 6663322 2 chromedriver 0x000000010629ce3e chromedriver + 405054 3 chromedriver 0x00000001062dc6fe chromedriver + 665342 4 chromedriver 0x00000001062db68d chromedriver + 661133	9.571s	FAILED

# Wallet\_Get

#	Description	Elapsed	Status
5	chromedriver	0x00000001062d5491 chromedriver + 636049	
6	chromedriver	0x00000001062d11da chromedriver + 618970	
7	chromedriver	0x000000010631eee3 chromedriver + 937699	
8	chromedriver	0x000000010631e5e6 chromedriver + 935398	
9	chromedriver	0x0000000106312613 chromedriver + 886291	
10	chromedriver	0x00000001062df950 chromedriver + 678224	
11	chromedriver	0x00000001062e034e chromedriver + 680782	
12	chromedriver	0x000000010686a770 chromedriver + 6489968	
13	chromedriver	0x000000010686d219 chromedriver + 6500889	
14	chromedriver	0x000000010686cd3b chromedriver + 6499643	
15	chromedriver	0x000000010686d6a5 chromedriver + 6502053	
16	chromedriver	0x0000000106855524 chromedriver + 6403364	
17	chromedriver	0x000000010686d98f chromedriver + 6502799	
18	chromedriver	0x0000000106846954 chromedriver + 6342996	
19	chromedriver	0x0000000106885378 chromedriver + 6599544	
20	chromedriver	0x0000000106885535 chromedriver + 6599989	
21	chromedriver	0x0000000106894868 chromedriver + 6662248	
22	libsystem_pthread.dylib	0x00007ff818f3318b _pthread_start + 99	
23	libsystem_pthread.dylib	0x00007ff818f2eae3 thread_start + 15	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute (CCChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CCChromeDriver.<init> (CCChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:		



# Wallet\_Get

#	Description	Elapsed	Status
	74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at rccpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at Script1721698076960.run(Script1721698076960.groovy:28) ... 15 more )		
2	catch (Exception e)	0.012s	PASSED
3	Finally  Browser is closed	2.013s	PASSED
4	Video  Video recording for test case 'Test Cases/Web_Uilities_TestCases/Wallets/Wallet_Get' .	0.001s	PASSED

# TC2\_\_Replace

## Information

ID	Test Cases/Web_Uilities_TestCases/Wallets/TC2__Replace		
Description			
Tag			
Start	11-02-2025 15:18:22	End	11-02-2025 15:18:27
Elapsed	5.592s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## TC2\_\_Replace

#	Description	Elapsed	Status
1	try  Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at TC2__Replace.run(TC2__Replace:30) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1739258271085.run(TempTestSuite1739258271085.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 131 Current browser version is 133.0.6943.53 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:486:1dc:1c19:dcbb%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x000000010e54ee82 chromedriver + 6696578 1 chromedriver 0x000000010e546c9a chromedriver + 6663322 2 chromedriver 0x000000010df4ee3e chromedriver + 405054 3 chromedriver 0x000000010df8e6fe chromedriver + 665342 4 chromedriver 0x000000010df8d68d chromedriver + 661133	1.302s	FAILED

## TC2\_\_Replace

#	Description	Elapsed	Status
5	chromedriver	0x000000010df87491 chromedriver + 636049	
6	chromedriver	0x000000010df831da chromedriver + 618970	
7	chromedriver	0x000000010dfd0ee3 chromedriver + 937699	
8	chromedriver	0x000000010dfd05e6 chromedriver + 935398	
9	chromedriver	0x000000010dfc4613 chromedriver + 886291	
10	chromedriver	0x000000010df91950 chromedriver + 678224	
11	chromedriver	0x000000010df9234e chromedriver + 680782	
12	chromedriver	0x000000010e51c770 chromedriver + 6489968	
13	chromedriver	0x000000010e51f219 chromedriver + 6500889	
14	chromedriver	0x000000010e51ed3b chromedriver + 6499643	
15	chromedriver	0x000000010e51f6a5 chromedriver + 6502053	
16	chromedriver	0x000000010e507524 chromedriver + 6403364	
17	chromedriver	0x000000010e51f98f chromedriver + 6502799	
18	chromedriver	0x000000010e4f8954 chromedriver + 6342996	
19	chromedriver	0x000000010e537378 chromedriver + 6599544	
20	chromedriver	0x000000010e537535 chromedriver + 6599989	
21	chromedriver	0x000000010e546868 chromedriver + 6662248	
22	libsystem_pthread.dylib	0x00007ff818f3318b _pthread_start + 99	
23	libsystem_pthread.dylib	0x00007ff818f2eae3 thread_start + 15	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute (CCChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CCChromeDriver.<init> (CCChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:		

## TC2\_\_Replace

#	Description	Elapsed	Status
	74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at rccpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at Script1721698076961.run(Script1721698076961.groovy:30) ... 15 more )		
2	catch (Exception e)	0.010s	PASSED
3	Finally  Browser is closed	2.014s	PASSED
4	Video  Video recording for test case 'Test Cases/Web_Uilities_TestCases/Wallets/TC2__Replace' .	0.001s	PASSED

# TC1\_Wallet\_Add

## Information

ID	Test Cases/Web_Uilities_TestCases/Wallets/TC1_Wallet_Add		
Description			
Tag			
Start	11-02-2025 15:18:27	End	11-02-2025 15:18:29
Elapsed	2.369s		
Status	ERROR		

## Details

#	Description	Elapsed	Status
1	Video	0.000s	PASSED
Video recording for test case 'Test Cases/Web_Uilities_TestCases/Wallets/TC1_Wallet_Add' .			

# TC4\_Wallet\_Delete

---

## Information

ID	Test Cases/Web_Uilities_TestCases/Wallets/TC4_Wallet_Delete		
Description			
Tag			
Start	11-02-2025 15:18:29	End	11-02-2025 15:18:35
Elapsed	5.710s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## TC4\_Wallet\_Delete

#	Description	Elapsed	Status
1	try  Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: " at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser(WebUiBuiltInKeywords.groovy:64) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at TC4_Wallet_Delete.run(TC4_Wallet_Delete:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1739258271085.run(TempTestSuite1739258271085.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 131 Current browser version is 133.0.6943.53 with binary path /Applications/Google Chrome.app/Contents/MacOS/Google Chrome Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:486:1dc:1c19:dcbb%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version: '17.0.7' Driver info: driver.version: CChromeDriver remote stacktrace: 0 chromedriver 0x0000000102340e82 chromedriver + 6696578 1 chromedriver 0x0000000102338c9a chromedriver + 6663322 2 chromedriver 0x0000000101d40e3e chromedriver + 405054 3 chromedriver 0x0000000101d806fe chromedriver + 665342 4 chromedriver 0x0000000101d7f68d chromedriver + 661133	1.365s	FAILED



## TC4\_Wallet\_Delete

#	Description	Elapsed	Status
5	chromedriver	0x0000000101d79491 chromedriver + 636049	
6	chromedriver	0x0000000101d751da chromedriver + 618970	
7	chromedriver	0x0000000101dc2ee3 chromedriver + 937699	
8	chromedriver	0x0000000101dc25e6 chromedriver + 935398	
9	chromedriver	0x0000000101db6613 chromedriver + 886291	
10	chromedriver	0x0000000101d83950 chromedriver + 678224	
11	chromedriver	0x0000000101d8434e chromedriver + 680782	
12	chromedriver	0x000000010230e770 chromedriver + 6489968	
13	chromedriver	0x0000000102311219 chromedriver + 6500889	
14	chromedriver	0x0000000102310d3b chromedriver + 6499643	
15	chromedriver	0x00000001023116a5 chromedriver + 6502053	
16	chromedriver	0x00000001022f9524 chromedriver + 6403364	
17	chromedriver	0x000000010231198f chromedriver + 6502799	
18	chromedriver	0x00000001022ea954 chromedriver + 6342996	
19	chromedriver	0x0000000102329378 chromedriver + 6599544	
20	chromedriver	0x0000000102329535 chromedriver + 6599989	
21	chromedriver	0x0000000102338868 chromedriver + 6662248	
22	libsystem_pthread.dylib	0x00007ff818f3318b _pthread_start + 99	
23	libsystem_pthread.dylib	0x00007ff818f2eae3 thread_start + 15	
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.W3CHandshakeResponse. lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse. lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake. lambda\$createSession\$0(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:552) at com.kms.katalon.selenium.driver.CCChromeDriver.execute (CCChromeDriver.java:19) at org.openqa.selenium.remote.RemoteWebDriver.startSession (RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java: 147) at com.kms.katalon.selenium.driver.CCChromeDriver.<init> (CCChromeDriver.java:13) at com.kms.katalon.core.webui.driver.DriverFactory. createNewChromeDriver(DriverFactory.java:449) at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser (DriverFactory.java:382) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:271) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:		

## TC4\_Wallet\_Delete

#	Description	Elapsed	Status
	74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain. runKeyword(WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. execute(OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. openBrowser(WebUiBuiltInKeywords.groovy:64) at rccpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:50) at Script1721698076965.run(Script1721698076965.groovy:32) ... 15 more )		
2	catch (Exception e)	0.010s	PASSED
3	Finally  Browser is closed	2.015s	PASSED
4	Video  Video recording for test case 'Test Cases/Web_Uilities_TestCases/Wallets/TC4_Wallet_Delete' .	0.001s	PASSED