Validations

Execution Environment

Host name manilacel - localhost Local OS Mac OS X 64bit

Katalon version 9.5.0.217

Browser Chrome 131.0.0.0

Device name

Summary

ID Test Suites/PMT_Libraries/Validations

Description

Total 2

Passed 2 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 16-01-2025 12:05:24 End 16-01-2025 12:11:42

Elapsed 6m - 18.052s

#	ID	Description	Status
1	Test Cases/Web_Utilities_TestCases/Validations/TC1_Prevalida onsAndConf	ti	PASSED
2	Test Cases/Web_Utilities_TestCases/Validations/TC2_Prevalida onsByCtryOrCurr	ti	PASSED

Information

 ${\tt ID} \qquad \qquad {\tt Test \ Cases/Web_Utilities_Test Cases/Validations/TC1_PrevalidationsAndConf}$

Description

Tag

Start 16-01-2025 12:05:24 End 16-01-2025 12:08:35

Elapsed 3m - 11.017s

Status PASSED

Details

Description Elapsed Status


Status FAILED

nable to navigate to 'https://dev1.payment.rccl.com/payment/utilities' (Root use: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to tps://dev1.payment.rccl.com/payment/utilities' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.gpFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.nhkeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.wigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor.geovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords.wigateToUrl(WebUiBuiltinKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf.31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.cecsMainPhase estCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.cecsMainPhase estCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.cecstExecutor.cecsTestSuiteMainPhase(TestSuiteExecutor.cecsTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:150) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:150) at com.kms.katalon.core.main.TestCa	psed
user: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to typs://dev1.payment.rccl.com/payment/utilities' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.apFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.nKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.word.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.wigateToUrl(WebUiBuiltInKeywords.groovy:187) at rccipayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf.31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:119) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutinPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutinPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.cecstExecutor.groox.gro	3.695s
user: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to typs://dev1.payment.rccl.com/payment/utilities' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.apFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain.nKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.word.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.ecute(NavigateToUrlKeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.wigateToUrl(WebUiBuiltInKeywords.groovy:187) at rccipayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf.31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:119) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutinPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.processExecutinPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.cecstExecutor.groox.gro	
tps://dev1.payment.rccl.com/payment/utilities' at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. ppFailed(WebUlKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. nKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcopayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:2410) at com.kms.katalon.core.main.TestCaseExecutor.cecute estCaseExecutor.java:245) at com.kms.katalon.core.main.TestCaseExecutor.cecute estCaseExecutor.java:2410) at com.kms.katalon.core.main.TestCaseExecutor.occestExecutor.cecsTestSuiteMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestCaseExecutor.cecute estCaseExecutor.java:2410) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. vovy:35) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. pFailed(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. nKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKayword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKeyword.groovy:67) at com.kms.katalon.core.webui.keyword.WebUiBuiltinKeywords. vigateToUrl(WebUiBuiltinKeywords.groovy:187) at rochayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
accom.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. nkeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. wigateToUrlKayigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.kepword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. wigateToUrl(WebUiBuiltInKeywords.groovy:187) at reclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at rC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.deExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.cxccute estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.cxccute estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:419) at com.kms.katalon.core.main.TestCaseExecutor.accestMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.cxccute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.tartTestSuite(TestCaseMain.va:180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at com.kms.katalon.core.main.TestCaseAin.startTestSuite(TestCa	
at com.kms.katalon.core.webui.keyword.internal.WebUlKeywordMain. Mkeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at roclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at ToT_PrevalidationsAndConf.run(ToT_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.grocesExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:410) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at com.kms.katalon.core.main.TestCaseAin.executor.execute estSuiteExecutor.java:106) at c	
nKeyword(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:1194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:1194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:4410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:295) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:295) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:295) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:295) at com.kms.katalon.core.main.TestSuiteExecutor.execute estCaseExecutor.java:295) at com.kms.katalon.core.main.TestSuiteExecutor.execute estCaseExecutor.java:296) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:356) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. vigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. vigateToUrlKeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at roclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at Tot_PrevalidationsAndConf.run(Tot_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
vigateToUrl(NavigateToUrlKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rccipayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:210) at com.kms.katalon.core.main.TestCaseExecutor.cxecute estCaseExecutor.java:210) at com.kms.katalon.core.main.TestCaseExecutor.cxecute estCaseExecutor.java:210) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:210) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:100) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:100) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:100) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:100) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. ovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. ecute(NavigateToUrlKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:194) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estSuiteMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. ovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
at com.kms.katalon.core.keyword.internal.KeywordExecutor. ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.jawa:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.jawa:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.jawa:448) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.jawa:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.jawa:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.jawa:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.jawa:285) at com.kms.katalon.core.main.TestCaseExecutor.cxecute estCaseExecutor.jawa:285) at com.kms.katalon.core.common.CommonExecutor.cxecseSestScaseMainPhase(CommonExecutor.java:265) at com.kms.katalon.core.main.TestSuiteExecutor.cxecute estSuiteExecutor.java:2160) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
ecuteKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. wigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:4439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. vigateToUrl(WebUiBuiltInKeywords.groovy:187) at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseSTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. coessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. coovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
wigateToUrl(WebUiBuiltInKeywords.groovy:187) at roclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.	
at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:449) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
at TC1_PrevalidationsAndConf.run(TC1_PrevalidationsAndConf:31) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:777 at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:245) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
criptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseExecutor.runScript estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. coovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
estCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. coovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseExecutor.doExecute estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. coessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. coessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
estCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.core.talon) at TempTestSuite1737000319481.run(TempTestSuite1737000319481.covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
estCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
estCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. cessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. cessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseExecutor.execute estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. cessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. cessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
estCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. cessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. cessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.common.CommonExecutor. ccessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestSuiteExecutor. cessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. covy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestSuiteExecutor. ccessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestSuiteExecutor.execute estSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. va:180) at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at TempTestSuite1737000319481.run(TempTestSuite1737000319481. oovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
ethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke lativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
ativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
elegatingivietnodAccessorimpi.java:43)	
aused by: org.openqa.selenium.WebDriverException: unknown error: net:: RR_NAME_NOT_RESOLVED	
Session info: chrome=131.0.6778.265)	
uild info: version: '3.141.59', revision: 'unknown', time: 'unknown'	
/stem info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:10d5:23bb:773d:	
c1%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version:	
7.0.7'	
iver info: com.kms.katalon.selenium.driver.CChromeDriver	
apabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:	
11.0.6778.265, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a,	
erDataDir: /var/folders/sc/s4fw7w1943b}, fedcm:accounts: true, goog:	
romeOptions: {debuggerAddress: localhost:50955}, javascriptEnabled: true,	
etworkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,	
atformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:	

Elapsed

Status

```
Description
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 871f1291851a83b6a07f444321574af1
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at\ org. open qa. selenium. remote. Http Command Executor. execute
(HttpCommandExecutor.java:158)
          at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.
iava:277)
         at org.openga.selenium.remote.RemoteWebDriver$RemoteNavigation.to
(RemoteWebDriver.java:857)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringNavigation.to(EventFiringWebDriver.java:569)
         at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$ navigateToUrl closure1.doCall(NavigateToUrlKeyword.
groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at\ com. kms. katalon. core. webui. keyword. builtin. Navigate ToUrl Keyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
          at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
execute(NavigateToUrlKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
navigateToUrl(WebUiBuiltInKeywords.groovy:187)
          at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51)
         at Script1721698076953.run(Script1721698076953.groovy:31)
         ... 15 more
```



TC2_PrevalidationsByCtryOrCurr

Information

ID Test Cases/Web_Utilities_TestCases/Validations/TC2_PrevalidationsByCtryOrCurr

Description

Tag

Start 16-01-2025 12:08:35 End 16-01-2025 12:11:42

Elapsed 3m - 6.890s

Status PASSED

Details

Description Elapsed Status

$TC2_Prevalidations By Ctry Or Curr$

Elapsed

3m - 2.395s

Status

FAILED

#	Description
1	try
	uy
	Unable to navigate to 'https://dev1.payment.rccl.com/payment/utilities' (Root
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to
	'https://dev1.payment.rccl.com/payment/utilities'
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
	stepFailed(WebUIKeywordMain.groovy:64)
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword(WebUIKeywordMain.groovy:26)
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
	navigateToUrl(NavigateToUrlKeyword.groovy:83)
	at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
	execute(NavigateToUrlKeyword.groovy:67)
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.
	executeKeywordForPlatform(KeywordExecutor.groovy:74)
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
	navigateToUrl(WebUiBuiltInKeywords.groovy:187)
	at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51) at TC2_PrevalidationsByCtryOrCurr.run(TC2_PrevalidationsByCtryOrCurr:
	35)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
	(ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript
	(TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute
	(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
	(TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
	(TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute
	(TestCaseExecutor.java:285)
	at com.kms.katalon.core.common.CommonExecutor.
	accessTestCaseMainPhase(CommonExecutor.java:65)
	at com.kms.katalon.core.main.TestSuiteExecutor.
	accessTestSuiteMainPhase(TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute
	(TestSuiteExecutor.java:106)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
	java:180)
	at TempTestSuite1737000319481.run(TempTestSuite1737000319481.
	groovy:35)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
	(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
	(DelegatingMethodAccessorImpl.java:43)
	Caused by: org.openqa.selenium.WebDriverException: unknown error: net::
	ERR_NAME_NOT_RESOLVED
	(Session info: chrome=131.0.6778.265)
	Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'
	System info: host: 'MANILAs-MacBook-Pro.local', ip: 'fe80:0:0:0:10d5:23bb:773d:
	3fc1%en0', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.5', java.version: '17.0.7'
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
	131.0.6778.265, chrome: {chromedriverVersion: 131.0.6778.85 (3d81e41b6f3a,
	userDataDir: /var/folders/sc/s4fw7w1943b}, fedcm:accounts: true, goog:
	chromeOptions: {debuggerAddress: localhost:50983}, javascriptEnabled: true,

networkConnectionEnabled: false, pageLoadStrategy: normal, platform: MAC,

TC2_PrevalidationsByCtryOrCurr

Elapsed

Status

```
platformName: MAC, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},
unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,
webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f533b00c25d4fb20368c0e45c0189a7e
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance0(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.
newInstance(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.
newInstance(DelegatingConstructorAccessorImpl.java:45)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.
createException(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute
(CChromeDriver.java:19)
         at org.openga.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.
java:277)
         at org.openga.selenium.remote.RemoteWebDriver$RemoteNavigation.to
(RemoteWebDriver.java:857)
         at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringNavigation.to(EventFiringWebDriver.java:569)
         at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.
groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.
runKeyword(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
         at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
execute(NavigateToUrlKeyword.groovy:67)
         at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.
navigateToUrl(WebUiBuiltInKeywords.groovy:187)
         at rcclpayment.utils.openBrowserAndNavigateToPMT(utils.groovy:51)
         at Script1721698076954.run(Script1721698076954.groovy:35)
         ... 15 more
```

Description

TC2_PrevalidationsByCtryOrCurr

