ISOMETRIC

Registry	Isometric
Supplier	NULIFE GreenTech
Project Name	Ontario Avenue Bio-Oil Sequestration
Protocol Applied	Bio-oil Geological Storage v1.2
Reporting Period	26 Jun 2026 to 22 Jul 2026
Net Greenhouse Gas Removals	150.45 tCO_2e
Verification Opinion	Positive (fully meets criteria)
Verifier/Validation and Verification Body	Normec Verifavia
Date Report Issued	25.08.2026

Verification Report

It was signed by 1FMgFwuaNkpKh24yb1ARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Table of Contents

1. Key Project Data 4
1.1 Key Project Data 4
1.2 Verification Summary 5
1.3 Verifier Signatures 6
2. Means of Validation and Verification 7
2.1 Verification Objectives and Responsibilities 7
2.2 Level of Assurance and Materiality 7
2.3 Verification Team Details 7
2.4 Audit Process Followed 7
3. Technical Aspects 11
3.1 Project Details and Boundary 11
3.2 Protocols and Modules Applied 11
3.3 Applicability of Applied Protocols and Modules 12
3.4 Crediting Period 15
3.5 Project Deviations and Explanatory Notes (if any) 15
4. GHG Statement 15
4.1 Reporting Period 15
4.2 Changes from previous verifications 15
4.3 Summary of Statement 16
4.4 Accuracy of the Calculations 17
5. Verification Opinion 18
5.1 Verification Opinion 18
5.2 Verification Findings Summary 18
5.3 Critical Verification Findings 20
5.4 Forward Action Requests 21
6. Document Versioning 21
6.1 Document Versioning 21
Appendices 21
Appendix I: Reference Table 21
Appendix II: Log of Issues 25
Appendix III: Summary of GHG Statement Changes 26
Appendix IV: Competence of Team Members and Technical Reviewers 26

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Acronyms
CDR – Carbon Dioxide Removal
DAF – Dissolved Air Flotation
EOL – End of Life
FOG – Fats, Oils and Greases
GHG – Greenhouse Gas
HTL – Hydrothermal Liquefaction
IEC – International Electrotechnical Commission
ISO – International Organization for Standardization
LCA – Life-Cycle Analysis
MT – Metric Tonne(s)
PDD – Project Design Document
REC – Renewable Energy Certificate
tCO_2e – Tonnes of Carbon Dioxide Equivalent
VVB – Validation/Verification Body

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

1. Key Project Data

1.1 Key Project Data

Registry	Isometric
Supplier	NULIFE GreenTech
Project Name	Ontario Avenue Bio-Oil Sequestration
Project Code	GHYZ
Project Proponents	NULIFE GreenTech
Project Address(es)	1725 Ontario Avenue, Saskatoon, Canada
Supplier Contacts for Verification	N/A
Crediting Period	01 Jun 2025 to 01 Jun 2035
Reporting Period	26 Jun 2026 to 22 Jul 2026
Greenhouse Gas Statement ID	ggs_1M0B8VWHZ1S0JJAK
Net Greenhouse Gas Removals	150.45 tCO_2e
Protocol and Modules Applied	Verification is conducted in accordance with: • Isometric Standard v2.1 • Protocol: Bio-oil Geological Storage v1.2 Modules: • Biomass Feedstock Accounting v1.3 • Energy Use Accounting v1.3 • Biomass or Bio-oil Storage in Salt Caverns v1.2 • GHG Accounting v1.1
Legal ownership of credits	NULIFE GreenTech

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Verification Opinion	The verification confirms that NuLife's Saskatoon project uses a Hydrothermal Liquefaction (HTL) system to convert waste biomass into bio-oil for permanent geological storage in regulated salt caverns operated by [redacted]. The processes, inputs, monitoring activities, and reporting practices observed during the verification are consistent with the requirements of the Isometric Bio-Oil Geological Storage Protocol (V1.2). Operational controls, including feedstock input verification, daily bio-oil sampling, brine testing, equipment monitoring, and data recording, are implemented. Safety procedures, including mandatory visitor consent forms before entering the facility, are also in place.
Validation and Verification Body	Normec Verifavia
Lead Verifier	Patricia PINILLA
Date Report Issued	25.08.2026
Document Number	1
Report Version	V2.0

1.2 Verification Summary

NuLife GreenTech Inc. is a Canadian carbon removal company based in Saskatoon, Saskatchewan. The company develops and operates a facility that uses Hydrothermal Liquefaction (HTL) technology to convert waste biomass into a stable, carbon-rich bio-oil. Instead of sent to landfill or left to decompose, waste streams such as dairy processing sludge, oat residues, agricultural by-products, and fats, oils and greases are diverted and transformed into bio-oil.

This bio-oil is then permanently stored in deep underground salt caverns through a regulated injection process. These caverns, formed millions of years ago and historically used for natural gas and liquid fuel storage, provide a secure geological environment where carbon is locked away for more than 1,000 years.

By combining waste management with durable carbon storage, NuLife creates a net-negative climate solution:

- Preventing emissions from waste decomposition or land application,
- Transforming biomass carbon into a stable form, and
- Permanently isolating that carbon from the atmosphere.

In line with the requirements in Isometric's Standard, Protocol and relevant Modules, NuLife quantifies, monitors, and verifies the carbon removed by its operations. The resulting high-quality Carbon Dioxide Removal (CDR) credits help organizations and governments meet their climate commitments while accelerating the development of innovative carbon removal infrastructure in Canada.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

GHG Entry ID	Completion date	Net removals (tCO2e)
rmv_1M0B59RM61S0BW9G	22 Jul 2026	45.83
rmv_1M0B3MSMK1S0Y71X	17 Jul 2026	36.54
rmv_1M0B2H1GT1S0YSRW	13 Jul 2026	32.83
rmv_1M0AYD0T71S0YPEZ	02 Jul 2026	35.25

1.3 Verifier Signatures

VVB	Name	Verification ID No.
Normec Verifavia	Patricia PINILLA	ggs_1M0B8VWHZ1S0JJAK
Normec Verifavia	Ritul PRASOON	ggs_1M0B8VWHZ1S0JJAK
Normec Verifavia	Amina SHANGEREYEVA	ggs_1M0B8VWHZ1S0JJAK



Patricia PINILLA
Lead Auditor
Normec Verifavia



Ritul PRASOON
Auditor
Normec Verifavia



Amina SHANGEREYEVA
Independent Technical Reviewer
Normec Verifavia

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

2. Means of Validation and Verification

2.1 Verification Objectives and Responsibilities

A series of verification activities were conducted by Normec Verifavia to independently verify the GHG statement submitted by NULIFE GreenTech for operations conducted at the Ontario Avenue Bio-Oil Sequestration Project for the reporting period 26 Jun 2026 to 22 Jul 2026.

The verification was conducted following the specifications of the Isometric Standard v2.1, the Bio-oil Geological Storage v1.2 Protocol, and the following Modules: Biomass Feedstock Accounting v1.3, Energy Use Accounting v1.3, Biomass or Bio-oil Storage in Salt Caverns v1.2, and GHG Accounting v1.1.

The verification is based on the provision and fair presentation of a complete and accurate GHG Statement by NULIFE GreenTech and Isometric. This is confirmed and verified by Normec Verifavia based on supporting evidence in accordance with the Isometric criteria (Section 3.2).

2.2 Level of Assurance and Materiality

Level of assurance: Reasonable

Materiality threshold: 5%

Any discrepancies between the claimed GHG Statement and the net removal estimated through the verification process do not exceed the materiality threshold of 5%.

2.3 Verification Team Details

Provide details of the verification team, technical reviewer, and approver. If applicable, also identify any trainees.

Name	Affiliation	Role
Patricia PINILLA	Normec Verifavia	Lead Auditor
Ritul PRASOON	Normec Verifavia	Auditor
Amina SHANGEREYEVA	Normec Verifavia	Independent Technical Reviewer

2.4 Audit Process Followed

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Normec Verifavia has been appointed by Isometric to provide independent assurance on the quality of data and methodology used to assess performance against key indicators under the Isometric standard, including:

- Measurement and reporting of carbon removal volumes associated with the Hydrothermal Liquefaction (HTL) process and subsequent bio-oil storage.
- Monitoring biomass feedstock sourcing and treatment volumes at the Saskatoon facility.
- Verification of data supporting NuLife's capacity expansion and operational scaling.

To confirm this information and its coherence with Isometric's requirements, an **on-site visit was conducted on the 20th of August 2025.**

The assurance process included interviews with NULIFE GreenTech staff responsible for monitoring and measuring plant performance to gain insight into the data collection process and to evaluate the quality of the data used for reporting. In addition, the audit team conducted both on-site validation and verification activities at the Saskatoon facility and desk-based reviews of supporting documentation, records, and calculations.

The audit methodology was designed with the following key objectives:

- To confirm that project activities and monitoring practices align with the requirements of the Isometric Bio-Oil Geological Storage Protocol (V1.2).
- To assess whether carbon removal volumes are real, quantifiable, additional, and verifiable.
- To determine whether reported data is free from material misstatement and non-conformance.
- To evaluate that monitoring and reporting systems provide consistent, transparent, and traceable records.
- Site visit activities included: observation of HTL processing operations, review of sampling and testing procedures, confirmation of feedstock receiving and weighing processes, inspection of storage tanks, and examination of safety and monitoring protocols.
- Desk review activities included: assessment of life-cycle analysis (LCA) models, validation of emission and removal calculations, review of Renewable Energy Certificate (REC) purchases, confirmation of biomass sourcing documentation, transport and injection records, and brine quality monitoring data.
- Risks identified in the validation methodology—such as reliance on third-party laboratories, ownership of carbon attributes, and uncertainty in feedstock carbon content—were mitigated by adopting conservative assumptions, reviewing multiple data sources, and requiring supporting documentation (e.g., supplier attestations, injection site agreements, calibration certificates).
- Normec Verifavia conducted the independent assurance audit based on the following criteria:
    - ISO/IEC 17029:2019 – Conformity assessment – General principles and requirements for validation and verification bodies.
    - ISO 14065:2020 – General principles and requirements for bodies validating and verifying environmental information.
- The GHG Protocol – Corporate Accounting and Reporting Standard.
- Normec Verifavia AMSM (Version 10, November 2025).
- Isometric Standard: v2.1(20 July 2026).

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

- Isometric Protocol: Bio-Oil Geological Storage Protocol (v1.2).
- Isometric Modules:
    - Biomass Feedstock Accounting (v1.3)
    - Biomass or Bio-oil Storage in Salt Caverns (V1.2)
    - Energy Use Accounting v1.3
    - GHG Accounting v1.1

Date	Verification Activity	Verification Tasks	Documents reviewed
20.08.2026	Review of Biomass Sourcing	• Biomass (wet) transportation to production site via truck (tanker) - Biomass Mass Input	• 2025-07-27- Feedstock sludge Delivery- Batch #27.pdf
20.08.2026	Review of reporting period	• Review of GHG statement and report	• GHG entries rmv_1M0B59RM61S0BW9G rmv_1M0B3MSMK1S0Y71X rmv_1M0B2H1GT1S0YSRW rmv_1M0AYD0T71S0YPEZ
20.08.2026	Review of Bio-oil Production	• Review of waste water transport emissions (Wastewater Mass of Load) • Review of Grid electricity usage • Waste water distance travelled • Review of mass flow of gas (Tailgas methane emissions) • Review of Conion of warming potential (Methane)	• 2026-07-23 - Waste Water Transport- Batch #26.pdf • Waste Water Transport- Batch #22.pdf • Power Usage - Batch #26.pdf • Distance Ontario Avenue to Wastewaster disposal location.png • Isometric Ontario Avenue Primary CDR Batch #022.xlsx • Isometric Ontario Avenue Primary CDR Batch #026.xlsx • Methane tailgas 0.34%.pdf
21.08.2026	Review of Bio-oil Transportation	• Review of bio-oil transportation distance via truck (tanker) • Review of bio-oil transportation Mass of load	• Distance Ontario Avenue to Injection Site.png • Delivery Injection Site Batch #21.pdf • Delivery Injection Site Batch #24.pdf • Delivery Injection Site Batch #25.pdf

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

22.08.2026	Review of Bio-oil Storage	• Review of Biomass products • Injection Electricity Usage • Review of Injection mass • Review of carbon content of the product	• Isometric Ontario Avenue Primary CDR Batch #027.xlsx • Isometric Ontario Avenue Primary CDR Batch #020.xlsx • Injection Site Electricity Consumption Batch #20.pdf • Delivery Injection Site Batch #25.pdf • Delivery Injection Site Batch #26.pdf • Delivery Injection Site Batch #22.pdf • Carbon Content Of Product Batch #026.xlsx • Carbon Content Of Product Batch #021.xlsx
24.08.2026	Independent technical Review	• Review of verification activities and methods	• *Overview of documents provided by Isometric and Nulife* • *Normec Verifavia internal forms* • *Nulife verification report*

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

3. Technical Aspects

3.1 Project Details and Boundary

NuLife's documentation defines the project boundaries to include all activities directly related to the conversion of biomass into bio-oil and its subsequent permanent storage. Specifically, the boundaries cover:

- Upstream feedstock handling – delivery of waste biomass to the Saskatoon HTL facility, including transport from local suppliers such as [redacted] and [redacted].
- HTL processing operations – conversion of biomass into bio-oil, wastewater, and tailgas at the Saskatoon plant.
- Onsite energy use and consumables – electricity (tracked by facility power meters, with RECs purchased to offset grid emissions), water use, and cleaning chemicals.
- Transport of bio-oil – road shipment by third-party haulers from Saskatoon to [redacted]'s storage site near [redacted].
- Geological storage – injection of bio-oil into regulated salt caverns, brine displacement and management via a disposal well, and required sampling and monitoring.

Normec Verifavia validated these boundaries through:

- Document review of NuLife's PDD, their submissions to Isometric, Isometric submissions, and supporting diagrams that delineate included and excluded activities.
- Site visit confirmation at the Saskatoon HTL plant, where feedstock receiving, storage, processing, and monitoring systems were observed.
- Inspection of transport documentation (e.g., bills of lading, delivery records) for bio-oil shipments to [redacted].
- Review of regulatory permits for [redacted]'s caverns and brine disposal well to confirm that injection and storage activities fall within project scope.

3.2 Protocols and Modules Applied

Verification is conducted in accordance with:

• Isometric Standard v2.1

• Protocol: Bio-oil Geological Storage v1.2

• Modules:

– Biomass Feedstock Accounting v1.3

– Energy Use Accounting v1.3

– Biomass or Bio-oil Storage in Salt Caverns v1.2

– GHG Accounting v1.1

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

3.3 Applicability of Applied Protocols and Modules

Technology Overview

NuLife GreenTech operates a Hydrothermal Liquefaction (HTL) facility in Saskatoon, Saskatchewan, Canada. HTL is a continuous thermo-chemical process that converts high-moisture organic waste streams into a carbon-rich liquid bio-oil. This bio-oil is then transported to a licensed underground salt cavern near [redacted], where it is permanently sequestered in accordance with the Isometric Bio-Oil Geological Storage in Salt Caverns.

The facility began design in 2022, installed its first processor in 2023, expanded with a second processor in 2024, and is scaling toward a 12-processor commercial module in 2026. The plant is expected to operate through at least 2050.

Process Flow

1. **Feedstock Sourcing & Delivery**
   - **a)** NuLife sources organic waste biomass within approximately a 25 km radius of Saskatoon.
   - **b)** NuLife's feedstock providers are [redacted] and [redacted].
   - **c)** Eligible feedstocks include dairy Dissolved Air Flotation (DAF) sludge, grain milling residues, oat hulls, agricultural residues, Fats, Oils and Greases (FOG), and other food manufacturing wastes.
   - **d)** Dry biomass is stored onsite; wet biomass is held in 10,000 L storage tanks.
2. **HTL Conversion**
   - **a)** Feedstock is mixed into slurry and pumped into the HTL processor.
   - **b)** The process reforms the carbon in the waste into long-chain hydrocarbons (bio-oil).
   - **c)** By-products include:
     - **i.** Bio-oil – captured for storage.
     - **ii.** Wastewater – recycled into the process or treated/disposed offsite.
     - **iii.** Tailgas – ~99% biogenic CO_2, vented to atmosphere.
     - **iv.** Biochar – emulsified with bio-oil and captured for storage when produced.
3. **Storage & Transport**
   - a) Bio-oil is accumulated in external tanks until sufficient volume is available.
   - b) A third-party hauler transports the bio-oil to the [redacted] injection site.
4. **Geological Injection**
   - a) At the injection site, bio-oil is offloaded, pumped underground, and stored in a salt cavern.
   - b) As bio-oil is injected, brine is displaced, monitored, and safely managed according to provincial permitting requirements.
5. **Human capital**
   - a) NuLife Greentech has a total of 8 employees. Two of the employees' commute were taken into account for the life-cycle analysis (LCA).

Inputs and Supporting Materials

- Biomass Feedstocks: Organic wastes from food and agricultural sectors (DAF sludge, bran, oat hulls, milling residues, etc.).
- Energy: Primarily electricity from the Saskatchewan grid; Renewable Energy Certificates (RECs) are purchased to offset grid intensity.
- Consumables: Small amounts of sodium hydroxide and hydrogen peroxide (for cleaning) activated carbon (for gas scrubbing), and municipal water for start-up/cooldown.
- Transport: Trucks are used for feedstock delivery, bio-oil transport, wastewater hauling, and sample delivery.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Conversion of biomass into bio-oil

The project achieves durable carbon removal by converting waste biomass into bio-oil through Hydrothermal Liquefaction (HTL) and permanently storing the resulting bio-oil in geological formations.

The carbon removal calculation is based on the following assumptions:

- Counterfactual scenario: In the absence of the project, the waste biomass would naturally decompose, releasing the carbon it contains back into the atmosphere as carbon dioxide (CO_2).
- Bio-oil yield: On average, approximately 70% of the incoming biomass feedstock is converted into bio-oil during the HTL process.
- Carbon content: Approximately 75% of the bio-oil mass consists of elemental carbon.
- Permanent storage: The bio-oil is injected into permanent geological storage, ensuring that the stored carbon remains isolated from the atmosphere over the long term.

The quantity of CO_2 removed is determined by converting the mass of elemental carbon contained in the stored bio-oil into its carbon dioxide equivalent using the molecular weight ratio of CO_2 to carbon (44/12).

Calculation formula:

$$1\ MT\ CO_2\ sequestered = 1\ MT\ of\ bio\text{-}oil \times carbon\ fraction \times (molecular\ weight\ conversion\ of\ C\ to\ CO_2)$$

For this project, where the average carbon fraction of the bio-oil is 75%, the equation becomes:

$$1\ MT\ CO_2\ sequestered = 1\ MT\ of\ bio\text{-}oil \times 0.75\ MT\ C/MT\ bio\text{-}oil \times 44\ MT\ CO_2/12MT\ C$$

This calculation applies the stoichiometric conversion from elemental carbon to carbon dioxide and forms the basis for quantifying durable carbon removals under the Isometric Protocol. It ensures that the reported removals represent the amount of atmospheric carbon permanently stored in geological formations.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Carbon Removal Storage

Carbon measurement and verification:

The calculation approach aligns with the Isometric Bio-Oil Geological Storage Protocol (V1.2), which requires carbon removals to be quantified using measured carbon mass fractions and converted into CO_2 equivalents.

Bio-oil carbon content is verified through the following sampling and testing programme:

- Bio-oil samples are collected three times per day.
- Samples are tested onsite in duplicate for moisture content.
- Samples are sent to the University of Saskatchewan for independent elemental carbon analysis.
- Each sample undergoes duplicate carbon wt% analysis to determine carbon content.

Bio-oil transport and geological storage

Following production, the bio-oil is:

- Accumulated in external holding tanks.
- Transported by licensed third-party haulers to [redacted]'s injection site near [redacted].
- Offloaded at the injection pad.

Pumped underground into deep salt caverns within the Prairie Evaporite Formation.

During injection operations:

- Displaced brine is transferred to a regulated saltwater disposal well in the Lodgepole Formation.
- Water quality is monitored through weekly onsite sampling and monthly laboratory testing.

Storage capacity and permanence

The current storage status is:

- Caverns 1 and 4: Active, with approximately 50,000 m^3 remaining capacity per cavern.
- Cavern 5: Permitted with approximately 175,000 m^3 capacity and expected to enter operation once available.

The geological storage infrastructure:

- Was originally constructed for hydrocarbon storage during the 1950s–1960s.
- Is naturally pressurized at approximately 300 psi.
- Is subject to mechanical integrity testing every five years.
- Has experienced no reported negative pressure events.

Permanence conclusion

By combining accurate carbon accounting, independent carbon measurement, and regulated geological storage, NULIFE GreenTech ensures that the carbon contained within its bio-oil is permanently isolated from the atmosphere for more than 1,000 years, consistent with the permanence requirements of the Isometric Bio-Oil Geological Storage Protocol (V1.2).

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

3.4 Crediting Period

01 Jun 2025 to 01 Jun 2035

3.5 Project Deviations and Explanatory Notes (if any)

Confirm whether any deviation from the selected protocol or module was observed, either approved by Isometric or justified for use, and whether a sufficiently conservative approach for quantification of the removals was taken. Detail the type of deviation (temporary/permanent), its nature, and extent.

N/A

4. GHG Statement

4.1 Reporting Period

26 Jun 2026 to 22 Jul 2026

The GHG Statement falls within the current crediting period (01 Jun 2025 to 01 Jun 2035).

4.2 Changes from previous verifications

Describe changes from the previous verification, or historical changes since the project's validation.

Since the previous verification, the project has transitioned to the latest Isometric Standard (V2.1), Bio-oil Geological Storage Protocol (V1.2), and the following Modules:

- Biomass Feedstock Accounting V1.3
- Energy Use Accounting V1.3
- Biomass or Bio-oil Storage in Salt Caverns V1.2
- GHG Accounting v1.1

The project documentation, GHG Statement, monitoring records, and supporting evidence were reviewed to ensure compliance with the new Standard, Protocol, and Module requirements. No material changes to the project boundary or carbon removal methodology were required.

During the current verification, canola oil sludge was validated as a new feedstock. The feedstock originates from [redacted]'s Canola Crushing Plant in Yorkton, Saskatchewan. The canola oil sludge that may be sold by [redacted] to NULIFE GreenTech is a non-usable by-product generated from the canola crushing plant process. The material is currently held onsite in a railcar tanker and is typically disposed of via landfill disposal. The feedstock was assessed in accordance with the applicable feedstock eligibility requirements.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

4.3 Summary of Statement

Parameter	Net tCO2e
Net	150.45 tCO_2e
Sequestrations	156.51 tCO_2e rmv_1M0B59RM61S0BW9G - 47.591 tCO_2e rmv_1M0B3MSMK1S0Y71X - 38.454 tCO_2e rmv_1M0B2H1GT1S0YSRW - 33.958 tCO_2e rmv_1M0AYD0T71S0YPEZ - 36.506 tCO_2e
Activities	5.87 tCO_2e rmv_1M0B59RM61S0BW9G – 1.709 tCO_2e rmv_1M0B3MSMK1S0Y71X – 1.859 tCO_2e rmv_1M0B2H1GT1S0YSRW – 1.086 tCO_2e rmv_1M0AYD0T71S0YPEZ – 1.216 tCO_2e
Removal counterfactuals	<0.01 tCO_2e
Losses	0
Adjustments	N/A
Uncertainty discount	rmv_1M0B59RM61S0BW9G - 45 kg rmv_1M0B3MSMK1S0Y71X - 53 kg rmv_1M0B2H1GT1S0YSRW - 38 kg rmv_1M0AYD0T71S0YPEZ - 41 kg

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

4.4 Accuracy of the Calculations

The GHG Statement has been assessed against supporting evidence, and reproduced, via the following activities:

Review and confirmation of calculations for total bio-oil carbon stored, CO_2e removals, project activity emissions, project establishment and EOL emissions, uncertainty deductions, and all supporting evidence associated with the reported removals.

This included, for the verified removals:

- Recalculation of the mass of bio-oil stored/injected.
- Confirmation of biomass feedstock quantities, feedstock characteristics, and traceability records from source through bio-oil production.
- Verification of bio-oil production emissions, including electricity consumption, fuel usage, process emissions.
- Confirmation of biomass transportation and bio-oil transportation distances, transportation modes, emission factors, and recalculation of associated transportation emissions.
- Verification of electricity consumption associated with bio-oil production, handling, storage, and injection activities and recalculation of related emissions.
- Review and confirmation of project establishment emissions, including embodied emissions associated with storage infrastructure, construction materials, and associated transportation activities.
- Verification of emission factors, parameter values, and assumptions applied within the removal quantification model against the applicable Isometric Protocol requirements.
- Independent reproduction of removal quantification calculations, including sequestration, activity emissions, and net CO_2e removals.
- Review of data management systems, monitoring procedures implemented by the project.

Review of monitoring data and supporting evidences to confirm compliance with the monitoring, reporting, and quantification requirements of the applicable Isometric Protocol (Bio-oil Geological Storage v1.2) and the Isometric Standard v2.1.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

5. Verification Opinion

5.1 Verification Opinion

Select one of the following verification opinions. Copy checked box to applicable verification opinion ☒

Normec Verifavia has reviewed the documentation of the technology, the instrumentation, the procedures, performance and collected data and has found that the data presented in the greenhouse gas removal statement indicates that the claims fall within the 5% materiality threshold for greenhouse gas emissions and removals as required by the Isometric Standard:

☒ Meets the requirements for Verification of the Isometric Standard v2.1, the Bio-oil Geological Storage, and the following Modules: Biomass Feedstock Accounting v1.3, Energy Use Accounting v1.3, Biomass or Bio-oil Storage in Salt Caverns v1.2, GHG Accounting v1.1

☐ Meets the requirements for Verification with Isometric-Approved Explanatory Notes or Deviations from the Isometric Standard v2.1, the Bio-oil Geological Storage, and the following Modules: Biomass Feedstock Accounting v1.3, Energy Use Accounting v1.3, Biomass or Bio-oil Storage in Salt Caverns v1.2, GHG Accounting v1.1

☐ Meets the requirements for Verification with minor revisions of the Isometric Standard v2.1, the Bio-oil Geological Storage, and the following Modules: Biomass Feedstock Accounting v1.3, Energy Use Accounting v1.3, Biomass or Bio-oil Storage in Salt Caverns v1.2, GHG Accounting v1.1

☐ Does Not Meet the requirements for Verification of the Isometric Standard v2.1, the Bio-oil Geological Storage, and the following Modules: Biomass Feedstock Accounting v1.3, Energy Use Accounting v1.3, Biomass or Bio-oil Storage in Salt Caverns v1.2, GHG Accounting v1.1

5.2 Verification Findings Summary

Cover the following content either in paragraphs or through the suggested table.
• Monitoring Plan: Explain how compliance with the monitoring aspects of the applied protocol and modules was assessed.
• Data Collection and Storage: Explain how the data and calculation of net removals were assessed in accordance with the applicable requirements in the Isometric Standard and related protocols.
• Reversals: Explain how the reversal risk assessment of the Project has been carried out and whether it aligns with the guidance in the Risk of Reversal Questionnaire in the PDD.
• Uncertainty Assessment: Explain how uncertainty is considered in accordance with Section 2.5.7 "Uncertainty" of the Isometric Standard.
• Module-Specific Criteria: Explain how the data and calculation of net removals were assessed following the applicable requirements in the applied modules.
• Impact Assessment: Explain how the analysis of the environmental and social impacts were assessed in accordance with the applicable requirements in the applied Protocol and Isometric Standard.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Criteria	Changed since Project Validation (Y/N)	Findings
Isometric Standard v2.1		
Boundaries	N	Acceptable – No additional changes since validation
Baselines	N	Acceptable – No additional changes since validation
Additionality	N	Acceptable – No additional changes since validation
Market Leakage	N	N/A
LCA	N	Acceptable – No additional changes since validation
Uncertainty	N	Acceptable – No additional changes since validation
Monitoring	N	N/A
Environmental and Social Impact	N	Acceptable – No additional changes since validation
Ownership	N	Acceptable – No additional changes since validation
Documentation	N	Acceptable – No additional changes since prior verification. All documentation properly updated for reporting period.
Eligibility	Y (GHG statement ID updated)	Acceptable – Project registered with Isometric and reporting period GHG Statement properly submitted to Isometric certify platform.
Project Crediting	N	Reporting period is withing current validation crediting period
Stakeholder Input	N	Acceptable – No additional changes since validation
Regulatory Compliance	N	Required monitoring and reporting completed during reporting period.
Bio-oil Geological Storage v1.2 Protocol		
Applicability	N	Acceptable – No additional changes since validation

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

GHG Statement Calculation	N	Acceptable – No additional changes since validation
Feedstocks	Y	Acceptable – New feedstock (Canola oil sludge)
Storage	N	N/A
Biomass Feedstock Accounting v1.3 Module		
Feedstock Eligibility	N	Reviewed feedstock documentation and supplier information; confirmed waste feedstock eligibility, no feedstock payment, and no use for energy production.
Counterfactual Definition	N	Assessed counterfactual fate and supporting evidence.
Counterfactual Replacement definition	N	Approach applied is consistent with the methodology requirements.
Replacement Calculation for Manure	N	N/A as the feedstock is not manure.
Biomass or Bio-oil Storage in Salt Caverns v1.2 Module		
Durability	N	N/A
Buffer Pools and Reversals	N	N/A
Overall Eligibility		
Eligible Period	N	Acceptable - No change since prior validations

5.3 Critical Verification Findings

No significant findings that materially impacted the verified net carbon removals nor compliance with protocol standard were identified.

Type	Protocol requirement	Finding/Issue	Resolution
N/A	N/A	N/A	N/A

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

5.4 Forward Action Requests

List any forward action requests raised during verification.

There are no unresolved FARs across all GHG statements.

6. Document Versioning

6.1 Document Versioning

Version	Date Issued	Summary of Changes
V1.0 (Draft)	24.08.2026	Updated Verification report template has been used with updated standard and protocols versions. Updated new feedstock: Canola oil sludge (Effluent sludge)
V2.0 (Final)	25.08.2026	Finalized the verification report incorporating the updates.

Appendices

Appendix I: Reference Table

All sources referenced in the GHG Statement:

Source ID	File name
src_1JQERFT851S06DDJ	2024-05 Canada Emission Factors and Reference Values.pdf
src_1M0B4K15B1S02VZM	2025-07-23- Feedstock sludge Delivery- Batch #26.pdf
src_1M0B5HAXT1S0XXWG	2025-07-27- Feedstock sludge Delivery- Batch #27.pdf
src_1K1BA9M2Y1S0MVEM	2025-07-29_LCA_Sources_NULIFE.xlsx
src_1K1BAAZTY1S0FT1K	2025-07-29_LCA_Sources_NULIFE.xlsx
src_1K1BABN6K1S0ARMJ	2025-07-29_LCA_Sources_NULIFE.xlsx

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

src_1K1BACAR71S05Q7H	2025-07-29_LCA_Sources_NULIFE.xlsx
src_1K0SJYPND1S05J7S	2025-07_NULIFE_GreenTech_EF_Sphera_screenshots.pdf
src_1K0SJZ70C1S00GTR	2025-07_NULIFE_GreenTech_EF_Sphera_screenshots.pdf
src_1K0SJZSSQ1S0VFDQ	2025-07_NULIFE_GreenTech_EF_Sphera_screenshots.pdf
src_1K2YMJZDJ1S0XKA8	2025-08-18_1725_Ontario_Avenue_to_BN_Metals_Map.png
src_1K2YMYG8C1S0BP0D	2025-08-18_Nulife_to_Lorass_landfill_for_end_of_life_plastics.png
src_1K31GZ95Z1S042XK	2025-08-19_Injection_Site_Embodied_Emissions.xlsx
src_1K5S145V21S0EBW3	2025-09-22_1725_Ontario_Avenue_Embodied_Emissions_LCA.xlsx
src_1K5S159AV1S0NNKD	2025-09-22_1725_Ontario_Avenue_Embodied_Emissions_LCA.xlsx
src_1K5S164271S0WZAQ	2025-09-22_1725_Ontario_Avenue_Embodied_Emissions_LCA.xlsx
src_1K5S16VWT1S04921	2025-09-22_1725_Ontario_Avenue_Embodied_Emissions_LCA.xlsx
src_1K5S182M91S0T67Z	2025-09-22_1725_Ontario_Avenue_Embodied_Emissions_LCA.xlsx
src_1KE7A8M1Y1S0HTE4	2025-12-04_NULIFE_GreenTech_Solar_REC_Emissions_Factor_.xlsx
src_1KE7A8KMP1S0Y5JF	2025-12-17_NULIFE_RSS_Letter_RECs.pdf
src_1M0AZCZB51S0BGD9	2026-0~2.PDF
src_1KKCS716A1S02WET	2026-03 NULIFE Ontaro Ave REC Details.xlsx
src_1M0AYJKYG1S0H3J1	2026-07-09 - Delivery Injection Site Batch #24.pdf
src_1M0AZ2X8G1S03GN3	2026-07-09 - Delivery Injection Site Batch #24.pdf
src_1M0AYRAJR1S0XKYS	2026-07-09 Green Power Block Usage - Batch #24.pdf
src_1M0AYQMKD1S0HSJX	2026-07-09 Power Usage - Batch #24.pdf

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

src_1M0AYXKVK1S04J61	2026-07-09 - Waste Water Transport- Batch #24.pdf
src_1M0B2RRC01S0JYDR	2026-07-16 - Delivery Injection Site Batch #25.pdf
src_1M0B35Z4B1S00A3S	2026-07-16 - Delivery Injection Site Batch #25.pdf
src_1M0B2XSS41S0K3P5	2026-07-16 Green Power Block Usage - Batch #25.pdf
src_1M0B3BZFQ1S0QYVH	2026-07-16 - Injection Site Electricity Consumption Batch #25.pdf
src_1M0B2X2Q51S0EK1K	2026-07-16 Power Usage - Batch #25.pdf
src_1M0B34AVD1S01BMQ	2026-07-16 - Waste Water Transport- Batch #25.pdf
src_1M0B4DFJR1S04E91	2026-07-23 - Delivery Injection Site Batch #26.pdf
src_1M0B523SY1S09EPT	2026-07-23 - Delivery Injection Site Batch #26.pdf
src_1M0B4PZ381S0SZYX	2026-07-23 Green Power Block Usage - Batch #26.pdf
src_1M0B53ETA1S0MRA7	2026-07-23 - Injection Site Electricity Consumption Batch #26.pdf
src_1M0B4PCAE1S0NFAB	2026-07-23 Power Usage - Batch #26.pdf
src_1M0B4VQ1K1S087XF	2026-07-23 - Waste Water Transport- Batch #26.pdf
src_1M0B5F25K1S0E3MH	2026-07-27 - Delivery Injection Site Batch #27.pdf
src_1M0B5YCAZ1S0BTB0	2026-07-27 - Delivery Injection Site Batch #27.pdf
src_1M0B5NPAM1S0G0ER	2026-07-27 Green Power Block Usage - Batch #27.pdf
src_1M0B5ZXHT1S0Q3YD	2026-07-27 - Injection Site Electricity Consumption Batch #27.pdf
src_1M0B5N57E1S0BFT6	2026-07-27 Power Usage - Batch #27.pdf
src_1M0B5SZ3Q1S05J4M	2026-07-27 - Waste Water Transport- Batch #27.pdf
src_1JZ8DBK4P1S0GANY	Apex_Distrubution_to_NULIFE_Round_Trip.png
src_1M0AZKJ1N1S06F08	Carbon Content Of Product Batch #024.xlsx
src_1M0B2K81D1S085JT	Carbon Content Of Product Batch #025.xlsx

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

src_1M0B48K8J1S0SNE3	Carbon Content Of Product Batch #026.xlsx
src_1M0B5AYQT1S0FNXY	Carbon Content Of Product Batch #027.xlsx
src_1M0AYGHCE1S007S4	Distance Ontario Avenue to Injection Site.png
src_1M0B2Q64T1S022MV	Distance Ontario Avenue to Injection Site.png
src_1M0B4BZER1S0KJG4	Distance Ontario Avenue to Injection Site.png
src_1M0B5DH571S09JZZ	Distance Ontario Avenue to Injection Site.png
src_1M0AYW90N1S0KPD4	Distance Ontario Avenue to Wastewaster disposal location.png
src_1M0B323Q21S0964G	Distance Ontario Avenue to Wastewaster disposal location.png
src_1M0B4XQJT1S0TV86	Distance Ontario Avenue to Wastewaster disposal location.png
src_1M0B5RQRB1S011G2	Distance Ontario Avenue to Wastewaster disposal location.png
src_1M0B4HHRF1S0J06Q	Distance Ontario Ave to [redacted].png
src_1M0B5G8CD1S0D23K	Distance Ontario Ave to [redacted].png
src_1KKF85N801S0C74F	En84-294-2025-eng.pdf
src_1KRKNHP071S04NWQ	En84-294-2025-eng_src_1KKF85N801S0C74F.pdf
src_1JSQ6FTKT1S08D10	GLEC_FRAMEWORK_v3.1_March_2025_1-3.pdf
src_1JSQ6X4RZ1S0YA6Y	GLEC_FRAMEWORK_v3.1_March_2025_1-3.pdf
src_1JSQ7DR9K1S0GXHN	GLEC_FRAMEWORK_v3.1_March_2025_1-3.pdf
src_1JSQ7E5SG1S0R78Z	GLEC_FRAMEWORK_v3.1_March_2025_1-3.pdf
src_1JSQ73W6B1S0V0BQ	Global-Warming-Potential-Values (August 2024).pdf
src_1M0AYTKR31S08CSQ	Isometric Ontario Avenue Primary CDR Batch #024.xlsx
src_1M0AZM35Z1S03NXG	Isometric Ontario Avenue Primary CDR Batch #024.xlsx
src_1M0B2KB691S05CG2	Isometric Ontario Avenue Primary CDR Batch #025.xlsx
src_1M0B2ZV3G1S0XWH3	Isometric Ontario Avenue Primary CDR Batch #025.xlsx

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

src_1M0B49AGP1S0PWBB	Isometric Ontario Avenue Primary CDR Batch #026.xlsx
src_1M0B4S2E61S0RDNG	Isometric Ontario Avenue Primary CDR Batch #026.xlsx
src_1M0B5BHZW1S0CWV6	Isometric Ontario Avenue Primary CDR Batch #027.xlsx
src_1M0B5QE211S02310	Isometric Ontario Avenue Primary CDR Batch #027.xlsx
src_1JT19GW671S06GR5	Landfill End of Life Disposal EF Inert Material.pdf
src_1JT19H52B1S01FB4	Landfill End of Life Disposal EF Metals.pdf
src_1M0BAFSN51S0QQ1H	LD Constant Removal Counterfactual Adjustment.pdf.xlsx
src_1M0BAH9FT1S09SKS	LD Constant Removal Counterfactual Adjustment.pdf.xlsx
src_1M0AYSTEF1S0QH0T	Methane tailgas 0.34%.pdf
src_1M0B2Z3N41S0D0R6	Methane tailgas 0.34%.pdf
src_1M0B4R4601S07HWK	Methane tailgas 0.34%.pdf
src_1M0B5PSFQ1S0H783	Methane tailgas 0.34%.pdf
src_1K1B9Z6021S0GAT2	NULIFE_GreenTech_EF_Sphera_screenshots.pdf
src_1JZ8D8YCY1S0PDKX	NULIFE_to_polywest_round_trip.png
src_1JT18CSTW1S01A2Q	Polyethylene high density granulate (HDPE_PE-HD).pdf
src_1JTNH3ZAC1S0HSN1	Stainless Steel EF Isometric.pdf
src_1JT1994711S0Y07G	Steel EF.pdf

Appendix II: Log of Issues

Issue Code	Date Issued	Type	Title	Body	Status	Responses	Resolution	Resolved At
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Appendix III: Summary of GHG Statement Changes

Submission Date	Net total (tCO2e)	Notes provided by Project developer
20 Aug 2026	150.45 tCO_2e	N/A

Appendix IV: Competence of Team Members and Technical Reviewers

Provide documentation to substantiate the required competence of validation team members and technical reviewer(s) (e.g., resumes, qualifications).

Patricia Pinilla – Lead Auditor

Education:

- MSc Environmental Engineering (Environmental Management) (2018) – Paris Diderot University, France
- BSc Environmental Engineering (2014) – Technological University of Panama, Panama

Experience:

- Sustainability Initiatives Director – Normec Verifavia, La Défense, Courbevoie (May 2022 – Present)
  - Lead verification of carbon emissions across platforms and standards (including Rainbow, Climate Dividends, SFC CAS, and 123Carbon).
  - Oversee carbon footprint inventory verification for airports and airlines in line with ISO 14064-3 and the GHG Protocol, including emissions data analysis and documentation review.
  - Manage verification of airport applications for Airport Carbon Accreditation (ACA) from Level 3 to Level 4+, including major groups such as Vinci Airports and ADP Group.
  - Lead a business unit responsible for service delivery quality, ensuring compliance with QMS requirements, regulatory standards, and team retention.
- QHSE Manager – Servair Newrest Panama (Gate Gourmet), Panama (May 2019 – Aug 2021)
  - Lead implementation of the Food Safety Management System, including documentation control and verification processes.
  - Develop QHSE procedures, identify performance improvements, deliver staff training, and monitor KPIs.
- Environmental Intern – Servair, France (Sept 2017 – Sept 2018)
  - Support deployment of the Credit 360 environmental reporting tool.
  - Contribute to annual environmental KPI reporting and periodic data collection processes.
- Environmental Engineer – Panama Environmental Services, Panama (May 2015 – Apr 2016)
  - Support compliance with environmental legislation and contribute to sustainability strategy consulting.
  - Assist in the preparation and development of Environmental Impact Assessments (EIA).

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Ritul Prasoon – Auditor

Education :

- M.Tech Remote Sensing & GIS (Forest Resources & Ecosystem Analysis) – Indian Institute of Remote Sensing (IIRS-ISRO), Dehradun, India
- M.Sc Environmental Sciences (2022) – Babasaheb Bhimrao Ambedkar University, Uttar Pradesh, India
- B.Sc Botany, Zoology & Chemistry – Dr. Ram Manohar Lohia Avadh University, Uttar Pradesh, India

Summary Experience

- **Environmental Emissions Analyst – Normec Verifavia, Chandigarh (Sept 2025 – Present)**
  - Conduct assurance audits of carbon insetting and offsetting projects, including registry and platform-based assessments.
  - Perform greenhouse gas (GHG) emissions estimations for sea, air, and road transport scenarios, including evaluation of low-carbon initiatives.
- **Project Officer – Remote Sensing and GIS, Earthood Services Limited, Gurugram (Jan 2025 – Aug 2025)**
  - Manage multiple AFOLU carbon projects under major registries (VERRA, BCR, ICR), applying methodologies such as VM0007, VM0047, VM0042, VM0012, and BCR frameworks for GHG accounting.
  - Prepare audit findings and conduct QA/QC on validation and verification deliverables.
  - Perform remote sensing and GIS analysis for carbon project audits, ensuring compliance with best practice standards in validation and verification.
  - Estimate carbon stocks using GIS and remote sensing in line with Nature-Based Solutions frameworks and UNFCCC guidelines.
  - Monitor and improve GIS protocols and data integrity across project stages.
- **Junior Project Fellow – Indian Council of Forestry Research and Education (ICFRE), Dehradun (June 2024 – Dec 2024)**
  - Conduct spatial analysis of forest-based climate regulation services using Google Earth Engine (GEE) and Python, focusing on microclimate impacts.
  - Map agroforestry areas using Random Forest classification in GEE.
  - Monitor forest health and analyse GIS-based forest fire data for risk assessment.

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx

Amina Shangereyeva – Independent Technical Reviewer

Education :

- Master degree in Network Industry and the Digital Economy, specialization Innovation and Energy Markets (2023) – Paris Dauphine University
- Bachelor's degree in Information and Communication (2021) – Paul Valéry University Montpellier 3

Summary Experience

- Sustainability Initiatives – Environmental Analyst & Lead Auditor, Normec Verifavia, Courbevoie (Jan 2024 – Present)
    - Lead verification and validation of carbon offset and inset projects across major carbon registries and international clients.
    - Conduct GHG inventory verification in accordance with ISO 14064-3 and the GHG Protocol for aviation and maritime sectors.
    - Verify airport carbon assessments under the Airport Carbon Accreditation (ACA) programme and support low-carbon fuel and logistics emissions audits.
- Business & Transformation Management Consultant – BNP Paribas, Paris (Sept 2022 – Sept 2023)
    - Supported ESG and transformation initiatives, including low-carbon and women in business programmes.
    - Conducted strategic analysis for SME and start-up banking development in Morocco.
- Business Engineer – CGI, Paris (Sept 2021 – Sept 2022)

Supported business development and partnership strategy initiatives, including coordination with Google Cloud teams.

-END OF REPORT-

The authenticity of this file is protected by KeeeX blockchain mechanism. The file can be verified at https://services.keeex.me/verify/ or https://www.verifavia.com/KeeeX.
It was signed by 1FMgFwuaNkpKh24ybTARXJ2oHMbHkeXZ1F. Unique identifier:
xitiz-terak-huduk-resyc-cycas-lifyn-pyhyl-canol-mifel-votuv-momek-zuroh-picac-merev-celar-nyrad-hixyx