GHG Statement Report

Information requirements for verification are as follows:

- GHG Statement Report (this document) containing information relating to the GHG Statement
- GHG Statement calculations (provided separately)
- Supporting information including copies of raw data used

An appropriate level of information should be provided with a clearly referenced and transparent audit trail of decision making, assumptions, explanations, such that a verifier can trace all inputs, outputs and decision making. All data sources and assumptions must be clearly referenced, transparent and traceable.

After this document has been completed for the first time, it may be acceptable to refer back to relevant sections for subsequent Reporting Periods, for example if there have been no changes to the GHG Assessment scope, data collection methodology, calculation methodology or assumptions.

There is no word limit for answers in sections below.

General Information	
Name of practitioner who prepared the GHG Statement, and relevant competencies. This should include an overview of relevant qualifications and experience undertaking GHG assessments.	*Verification Package Owner: Matthew Bagtas, Subsurface Data Analyst; Jose Ubillus, Data Lead* *Peer Reviewer: Mattie Friday, Carbon Removal Geoscientist;*
Name of Project / link to Project page on Isometric Registry	https://registry.isometric.com/account/certify/project/prj_1K7HK8Q4S1S0D4W4/overview
Date of report	3/13/2026
Please specify the Reporting Period this GHG Statement has been prepared for (the Reporting Period describes the time period over which the carbon removal activity assessed in the GHG Statement occurred)	1/3/2026 – 2/20/2026
Relevant project information if not included in PDD	Previous site visits were conducted while credit ownership was under discussion. Following the development of the TIRE PDD and its submission for validation, a remote site visit was schedule and completed in order to satisfy validation requirements

	Vaulted currently owns the environmental attributes of receiving credits for injection operations; Advantek and Geoenvironment still own and operate
Details and links to any supporting documentation	
Please confirm that the GHG Statement has been undertaken in accordance with the information provided in the project boundary section of the PDD. Provide any additional information relating to the GHG Statement project boundary here.	Yes

GHG Statement Methodology - Data
Provide information on the GHG Statement approach and methodology in relation to data collection. *This should include the following information as a minimum:* ● *Data collection procedures - how data was requested and gathered, who supplied each data point, the format data was received in, and the date data points were received* ● *How data quality was assessed and how the data hierarchy was followed in terms of using measured, calculated and estimated data. Evidence and justification should be provided in any cases where measured data was not used* ● *Details of data validation processes followed, including treatment of missing data* *Evidence of all raw data that informed the assessment (including data that informed any assumptions) must be appended to the PDD or linked within the GHG Statement.*
Biosolids truck loads are weighed at an external facility using calibrated equipment, and the recorded weights are provided to us regularly along with supporting documentation. No scale is available on site to perform truck weighing. TOC sampling from trucks follows Method B (Sampling a Production Process) in the Isometric's protocol, with three samples taken at different locations within the truck. After an initial period of conducting triplicate measurements for the first 10 batches Vaulted will then proceeded to conduct a triplicate measurement on every 10th batch. Incoming biomass carbon content is measured at a laboratory, a third-party based in Kansas, following the required standards. Meter readouts of the facility's power consumption can be taken from the power room, and the facility manager reports this data daily. Power consumption from the pumps used to displace HPE and digested sludge to the site is not quantified in our meter; however, pump specifications are available. The Vaulted site/facility manager will be located at TIRE, and will oversee everything from internal data management, lab analysis, to operational data. ASWM and GeoEnvironment will have no involvement in data collection and storage. Carbon removal activity data collection and LCA computation is managed on Data Vault, an internally developed data management software developed by Vaulted to collect, track, and analyze CDR data at the TIRE facility. Data Vault enables load by load tracking of all relevant

data inputs and calculations for our LCA and, after batched internal approval, automatically shares this data with Isometric for each monthly verification period. Data Vault has been built with scale in mind – it is intended to be leveraged at future sites (both our own and third party owned) and has adequate structure to accommodate different site dynamics. It is now connected to Isometric's dMRV system via API.

Archives for all relevant documentation will be held in compliance with verification and Isometric's protocol of five (5) years and will all to be maintained and backed up through Datavault.

Data Vault serves as the hub not just for data transmission to Isometric but for all stakeholders internal and external. Data Vault enables multiple role type and users according to their specific needs.

GHG Statement Methodology - Calculations

Provide information on the GHG Statement approach and methodology in relation to calculations.

This should include the following information as a minimum:

- *General description of the methodology, criteria and procedures used as a basis for the assessment, including reference to any documentation (including Isometric protocols and modules), guidance, industry standards and best practice that were followed*
- *Information on calculation procedures followed*
- *Information on any tools used as part of the assessment*
- *Procedure for selecting emission factors including how age (age of data, and the period over which they have been collected), geography (the region or country from where the data have originated), technology (whether the data are specific to a particular technology or mix of many), methodology (the approach applied to gather or calculate the data) and competency (proficiency of entity that developed the data) were considered.*
- *Assumptions and limitations - provide full transparency in terms of value-choices, rationales and expert judgements*
- *Details of a sensitivity analysis, how parameters were assessed and evidence behind choices*
- *Details of uncertainty analysis*
- *Details of any uncertainty adjustments (e.g. %) applied in instances of high uncertainty*

Vaulted sources organic waste streams that would otherwise decompose above ground and re-emit embodied CO_2e. While Vaulted and its partner Advantek are compensated to manage a baseline quantity of biosolids, additional volumes are procured by waiving tipping fees, enabling the generation of carbon removal credits. Only volumes above the established baseline are eligible for crediting. The baseline is calculated as the simple average of weekly biosolids injected over the previous five years, excluding emergency and Class B volumes, which are irregular, high-volume events and not representative of typical operations. A conservative approach is taken when data discrepancies arise, with disputed volumes included in the baseline to minimize the risk of underestimation. A conservative volume

'cushion' was added to the baseline to ensure that the probability of over-crediting is less than 10%.

Project emissions were calculated for activities only for the creditable volumes, with emissions and net CO_2e removals quantified for each individual removal activity. Activity data were multiplied by emissions factors sourced from the EPA Emissions Factor Library and the ecoinvent database. As TIRE began accepting additional volumes to generate Carbon Removal Units (CRUs), Isometric's Sampling Method A was initially applied using 30 samples, after which the methodology transitioned to Method B. Under Method B, the first 10 trucks of feedstock are tested to establish a baseline carbon content, and every tenth truck thereafter is sampled to represent intervening deliveries. Operational emissions were calculated using facility data and lifecycle databases, covering onsite energy use (grid electricity and propane), biosolids transportation (CNG consumption based on distance and truck efficiency), high-pressure equipment operation, diesel use for foreign material handling, pump maintenance, end-of-life (EoL) equipment impacts, and lab sampling transport. Total embodied emissions are passed upfront, with EoL emissions being the primary embodied emissions considered given the facility's age.

Because the City of Los Angeles primarily land-applies biosolids, the project accounts for avoided emissions by modeling the counterfactual scenario in which biosolids would have been land-applied at Green Acre Farm. A two-pool decay model was used to estimate long-term carbon outcomes, assigning literature-based decay rates to fast (labile) and slow (recalcitrant) carbon pools and calculating remaining carbon and associated CO_2e at 15 and 50 years. Conservative assumptions were applied to methane and nitrous oxide generation to determine counterfactual emissions penalties in accordance with the Biomass Feedstock Accounting Module v1.2. Net removals were rounded to the nearest 0.01 tCO_2e per Isometric requirements, and all emissions factors accounted for full lifecycle greenhouse gas impacts. Electricity emissions data were informed by LADWP generation mixes, while EPA, GREET, and ecoinvent databases supported emissions conversions. Lifecycle assessment calculations were performed using Vaulted Deep's in-house Datavault software

GHG Statement Results

The following information should be provided in this section:

- *Baseline results reported in t CO_2e for the Reporting Period*
- *Net CO_2e removals results reported in t CO_2e for the Reporting Period. These must be aggregated and also broken down into GHG SSRs*
- *If it has not already been covered in the* 'Uncertainty assessment' section of the PDD, provide *outcomes of sensitivity and uncertainty analyses including a statement of how uncertainty affects the results and how it has been addressed to minimize misrepresentation*
- *A statement of how the assumptions and choices made in the assessment are conservative*

The GHG Statement calculations must be provided separately, including all raw data and evidence. The GHG Statement calculations must be clearly referenced with a transparent audit trail of evidence, decision making, assumptions, explanations.

Vaulted geologically sequestered 6,242.77 US tons of waste during this audit period. The baseline of 916.5 tons of waste per week was subtracted from the total amount sequestered during the audit period to comply with the baseline requirements. The baseline for this audit period is 3,666 US tons of waste across 4 weeks, leading to creditable waste volumes sequestered to 2,576.77 US tons of waste, equivalent to 517.59 metric tons of gross CO_2. Associated with this activity, a number of emissions occurred, including:

- 16.93 tons of CO_2 emissions from energy consumption on site
- 0.235 tons of CO_2 emissions from receiving HPE
- 5.59 tons of CO_2 emissions from transportation to facility
- 0.363 tons of CO_2 emissions from foreign material transportation
- 0.242 tons of CO_2 emissions from propane consumption on site
- 61 tons of CO_2 emissions from embedded carbon
- 0.02065 tons of CO_2 emissions from lab sampling
- 0.536 tons of CO_2 emissions from Pump Maintenance
- 5.16 tons of CO_2 emissions from Counterfactual (2.92%)

Together, a total of 97.73 tons of CO2e were emitted due to the carbon removal activities.

This resulted in a total of 427.52 net tons of CO2e removed from the atmosphere.

Please refer to the TIRE PDD for a detailed explanation of assumptions and choices made.