Question 1

Topic: Accountability
Implementing proper accountability measures in an information system supports to achieve: (Select two)

A. Integrity
B. Confidentiality
C. Authenticity
D. Deterrence
E. Non-repudiation

Answer: Deterrence, non-repudiation

Question 2

Topic: Disaster Recovery & Business Continuity
Select the correct statement regarding Disaster Recovery & Business Continuity.

A. a. Business Continuity & Disaster Recovery both focus on how to rebuild your processes after a disaster
B. b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster
C. c. Business Continuity focuses on how to rebuild your processes after a disaster & Disaster Recovery focuses on maintaining core processes during a disaster
D. d. Business Continuity & Disaster Recovery both focus on maintaining core processes during a disaster
E. e. None of the given answers are correct

Answer: b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster

Question 3

Topic: Security Controls
Match the given control to the correct control type based on its functionality.

A. *Authorized Personnel Only* warning sign → **Deterrent**
B. Two employees need to insert their key-cards to unlock a server room → **Preventive**

C. If a virus infection is detected, servers are configured to auto disconnect from the network → **Corrective**
D. Motion detection alarm system is configured in the server room → **Detective**

A. **Answer:** As above.

Question 4

Topic: Disaster Recovery Testing
Disaster Recovery testing is done in a scheduled periodical manner, so that everyone involved has time to prepare for the DRP activities.

A. True
B. False

Answer: False

Question 5

Topic: Firewall Configuration
Which of the following is NOT a best practice when configuring a firewall for network protection?

A. a. Configure all 'deny' statements first
B. b. Configure the 'clean-up' rule
C. c. Configure the rules for return traffic as well
D. d. Configure the 'stealth-mode' rule
E. e. Configure rules in the correct sequence

Answer: a. Configure all 'deny' statements first

Question 6

Topic: Basic Terminology A _____ represents a potential harm to the system resource.

A. phish
B. threat
C. spoof
D. vulnerability

Answer: threat

Question 7

Topic: OCTAVE-S Framework
Which of the following is **NOT** an accurate statement about OCTAVE-S?

A. Focuses on critical assets for the organization
B. It is a highly flexible risk management framework
C. Framework does not need extensive preparation
D. It can be cost effective as it is self-led

Answer: c. Framework does not need extensive preparation

Question 8

Topic: Kerckhoffs's Principle
Which of the following is an accurate statement regarding Kerckhoffs's Principle?

A. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.
B. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of both encryption and decryption algorithms.
C. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the encryption algorithm.
D. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the decryption algorithm.
E. None of the above.

Answer: a. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.

Question 9

Topic: CIA Triad & Attacks
Match the given attacks to correct security service which will be affected by the given scenario.

A. A Denial-of-Service attack has temporarily stopped a web server → **Availability**
B. An internal company report accidentally leaked by an employee → **Confidentiality**
C. An attacker has deleted the 'syslog' files in a router → **Integrity**
D. Using an SQL injection attacker added a value to a database → **Integrity**

Answer: As above.

Question 10

Topic: Biometrics Recognition by hand writing, voice, typing pattern are examples of _____.

A. State biometrics
B. Face recognition
C. Dynamic biometrics
D. Token authentication

Answer: Dynamic biometrics

Question 11

Topic: Cryptography (Symmetric/Asymmetric) Which statement describes the use of keys for encryption?

A. The sender and receiver must use the same key when using symmetric encryption.
B. The sender and receiver must use the same key when using asymmetric encryption.
C. The sender and receiver must use the same keys for both symmetric and asymmetric encryption.
D. The sender and receiver must use two keys: one for symmetric encryption and another for asymmetric encryption.

Answer: The sender and receiver must use the same key when using symmetric encryption.

Question 12

Topic: Privacy **Privacy** assures that individuals control or influence what information related to them may be collected and stored and by whom and to whom that information may be disclosed.

A. System integrity
B. Data integrity
C. Authenticity
D. Privacy
E. Availability

Answer: Privacy

Question 13

Topic: Digital Signatures
Which of the following is the most correct statement regarding Digital Signatures?

A. a. Digital Signatures provide Message Authentication but do not provide Message Integrity.
B. b. Digital Signatures only provide Message Authentication.
C. c. Digital Signatures only provide Message Integrity.
D. d. Digital Signatures provide both Message Authentication & Integrity.
E. e. Digital Signatures do not provide Message Authentication & Integrity.

Answer: d. Digital Signatures provide both Message Authentication & Integrity.

Question 14

Topic: Password Security
A _____ is a software application capable of using guessing passwords of a system to gain access.

A. Password biometric
B. Password salt

C. Password cracker
D. Password hash

Answer: Password cracker

Question 15
Topic: Business Continuity Planning
Which of the following is NOT a business continuity plan?

- a. Hot Site
- b. Cold Site
- c. Remote journaling
- d. Repair Site

Answer: d. Repair Site

Question 16

Topic: Unified Threat Management (UTM)
Which of the following features is NOT standard in a Unified Threat Management (UTM) solution?

A. a. Firewall
B. b. Anti-virus
C. c. Spam Protection
D. d. Threat Intelligence & Correlation
E. e. Content Filtering

Answer: d. Threat Intelligence & Correlation

Question 17

Topic: Access Control Systems
Select the incorrect statement about access control systems.

A. Subjects, objects and access rights are the basic elements of access control systems.
B. Access control systems do not depend on inputs coming from other systems such as authentication systems.
C. Used to prevent legitimate users from accessing unauthorized resources.

D. Implemented based on access control policies such as DAC, MAC and IBAC.

Answer: Access control systems do not depend on inputs coming from other systems such as authentication systems.

Question 18

Topic: Administrative Controls _____ and _____ are not administrative controls used in information security. (select two)

A. Access control list (ACL)
B. Disaster recovery plan
C. Employ hiring procedures
D. Policy
E. Security guards
F. Training and awareness

Answer: Security guards, Access control list (ACL)

Question 19

Topic: Public Key Infrastructure (PKI)
Complete the description given below: Digital certificates are a crucial element in Public Key Infrastructure.

A. Purpose of a digital certificate is to validate a user's **public key** to a third party.
B. In order to do this, a trusted third party known as **CA (Certificate Authority)** generates a digital certificate with a signature using CA's **private** key.
C. During a digital certificate verification, a user needs to use the **public key** of the CA.
D. However sometimes CAs make certain certificates invalid using a **CRL (Certificate Revocation List)**.

Answer: As above.

Question 20
Topic: Password Policies
A _____ strategy is one in which the system from time to time runs its own password brute force tools to find weak passwords.

A. Proactive password checking
B. Computer-generated password
C. User education
D. Reactive password checking

Answer: Reactive password checking

Question 21

Topic: Firewall Terminology
Match the correct description to packet filtering term.

A. Can keep track of packets and check if they belong to authorized sessions → **Stateful Inspection**
B. The rule that prevents any host from making connections to the firewall itself → **Stealth Rule**
C. A rule that instructs the firewall to drop all packets that do not match any rules → **Clean-up Rule**
D. Only uses 'Source/Destination IP Address' or 'Port Number' for decisions → **Simple Packet Filtering**
E. Additional feature of a firewall → **Network Address Translation (NAT)**

Answer: As above.

Question 22

Topic: Cryptanalysis
Cryptanalysis is the art of breaking cryptographic algorithms. Answer the questions on alphabet shift-cipher cryptanalysis.

A. Brute-forcing requires the attacker to start with key value **0** first.
B. The last possible key value is **25**.
C. Attacker looking at the cipher text to see which letter is appearing mostly is known as **Letter Frequency** analysis.
D. However if attacker deceives an innocent user to reveal their secret key, it is known as **Social** engineering.

Answer: As above.

Question 23

Topic: OCTAVE Framework
Which of the following should be identified to turn an OCTAVE Threat Profile to a Risk Profile?

A. a. Access
B. b. Motive
C. c. Outcome
D. d. Actor
E. e. Probability

Answer: e. Probability

Question 24

Topic: Business Continuity Legal Obligation
Which of the following organization is likely to be legally obligated to have business continuity plans?

A. a. Online Book Store
B. b. Software Developing Company
C. c. Micro Finance Organization
D. d. Online Pizza Delivery System

Answer: c. Micro Finance Organization

Question 25
Topic: Corrective Controls
What is true about corrective controls?

A. Designed to find errors or irregularities after they have occurred
B. Designed to discourage errors or irregularities from occurring
C. Intended to discourage potential attackers
D. Updating firewall rules to block an attacking IP address is a corrective control

Answer: Designed to find errors or irregularities after they have occurred

Question 26

Topic: OCTAVE Threat Profile
Which component is NOT part of the OCTAVE 'Threat Profile'?

a. Access
b. Control Mechanism
c. Actor
d. Outcome

Answer: b. Control Mechanism

Question 27

Topic: Defense against Brute-Force
How do modern cryptographers defend against brute-force attacks?

A. Use an algorithm that requires the attacker to have both ciphertext and plaintext
B. Use frequency analysis to ensure popular letters are not used
C. Use a keyspace large enough that it takes too much money and time to conduct a successful attack
D. Use statistical analysis to eliminate the most common encryption keys

Answer: Use a keyspace large enough that it takes too much money and time to conduct a successful attack

Question 28

Topic: Cryptanalysis Focus

What is the focus of cryptanalysis?

A. developing secret codes
B. implementing encrypted codes
C. hiding secret codes
D. breaking encrypted codes

Answer: breaking encrypted codes

Question 29

Topic: HTTPS HTTPS is a hybrid protocol
which uses both symmetric and asymmetric cryptographic algorithms.

A. True
B. False

Answer: True

Question 30

Topic: Network Security
What is the name given to the area in a network protected by both an internal and perimeter firewall?

A. a. Bastion Host
B. b. Protected Subnet
C. c. Demilitarized Zone (DMZ)
D. d. Public Network
E. e. Screened Host

Answer: c. Demilitarized Zone (DMZ)

Question 31

Topic: Vulnerabilities and Threats
Read the following scenarios and identify the vulnerability and the threat.

- The computers in the Personnel Department do not have up to date anti-malware software. → **Vulnerability**
- Adversaries might install key loggers to steal social security numbers. → **Threat**
- **Answer:** As above.

Question 32
Topic: Cipher Types
Which one of the following terms accurately describes the Caesar cipher?

A. Strong cipher
B. Block cipher
C. Substitution cipher
D. Transposition cipher

Answer: Substitution cipher

Question 33

Topic: CIA Triad
What are the three components of information security? (Choose three.)

A. safety
B. disclosure
C. integrity
D. availability
E. connectivity
F. confidentiality

Answer: integrity, availability, confidentiality

Question 34
Topic: Authentication Threats
Select security threats specific to remote user authentication. (Select Two)

A. eavesdropping
B. brute force
C. replay
D. shoulder surfing

Answer: eavesdropping, replay

Question 35

Topic: STRIDE Model
Match the correct descriptions to given threat outcomes.

A. Tampering with the asset → **Modification**
B. Unauthorized access to the asset → **Disclosure**
C. Unavailability of an asset → **Interruption**

Answer: As above.

Question 36

Topic: CIA Triad Focus Disaster Recovery & Business Continuity focuses on which aspect of the well-known C.I.A security Triad?

Answer: Availability

Question 37

Topic: Access Control (ACL vs Capability)
What is the difference between access control list (ACL) and capability ticket (CT)?

A. ACL determines what access rights a user has on different objects while CT lists users and their access.
B. ACL is used for access control while CT are used to define the privileges of users within a system.
C. ACL lists users and their access rights to access a particular object while CT determines what access rig.
D. There is no difference between ACL and CT.

Answer: ACL determines what access rights a user has on different objects while CT lists users and their access.

Question 38

Topic: Bring Your Own Device (BYOD) Which of the following is not true about "Bring Your Own Device" concept?

A. a. It's impossible to implement security policies to control BYOD
B. b. A company should define minimum required security controls for BYOD devices
C. c. BYOD provides fast access to corporate data
D. d. BYOD poses a security challenge to corporate network

Answer: a. It's impossible to implement security policies to control BYOD

Question 39

Topic: Risk Mitigation Which statement below most accurately reflects the goal of risk mitigation?

A. Defining the acceptable level of risk and assigning costs to a party like an insurer.
B. Analyzing and removing all vulnerabilities and threats to security.
C. Quantify the impact of potential risks

D. Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Answer: Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Question 40

- **Topic:** Attack Types Match the most suitable description to the given Attack Type

A. Threat originates from the local network or an authenticated user → **Inside Attack**
B. Biggest danger is for integrity and availability → **Active Attack**
C. Threat originates from an unauthorized user → **Outside Attack**
D. Data modification by an attacker does not happen → **Passive Attack**

Question 41

Topic: Passive Attack A(n) _____ is an attempt to learn or make use of information from the system that does not affect system resources.

A. Active attack
B. Outside attack
C. Denial-of-Service Attack
D. Inside attack
E. Passive attack
F.

Answer: Passive attack

Question 42

Topic: Workstation Hijacking

A. What are the most suitable controls against workstation hijacking? (Select two)

B. Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.
C. Use of challenge-response protocols

D. Enforcement of password policy to make password difficult to guess.
E. Automatic logout after certain period inactivity.

Answer: Automatic logout after certain period inactivity, Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.

Question 43

Topic: GRC GRC in IT stands for

A. a. Governance, Risk Management, Confidentiality
B. b. Governance, Rights Management, Confidentiality
C. c. Governance, Risk Management, Compliance
D. d. Governance, Rights Management, Compliance

Answer: c. Governance, Risk Management, Compliance

Question 44

Topic: Risk Treatment

A company has started selling their items through an online portal. However an investigation has uncovered a critical system vulnerability... Match the risk treatment to the correct type.

A. Temporary stop online selling services and disconnect the server → **Risk Avoidance**
B. Upgrade the system to the latest OS version and install the latest patches → **Risk Mitigation**
C. Continue to do online business without implementing any control → **Risk Acceptance**

Answer: As above.

Question 45

Topic: Non-Repudiation
The network administrator for an e-commerce website requires a service that prevents customers from claiming that legitimate orders are fake. What service provides this type of guarantee?

A. authentication
B. confidentiality
C. integrity
D. non-repudiation

Answer: non-repudiation

Question 46

Topic: Risk Calculation What are the two main identifiable components needed to calculate 'Risk'?

A. a. Impact & Probability of Occurrence
B. b. Probability of Occurrence & Threat
C. c. Impact & Threat
D. d. Threat & Control Level

Answer: a. Impact & Probability of Occurrence

Question 47

Topic: Role-Based Access Control (RBAC) Select the incorrect statement about Role Based Access Control (RBAC) systems.

A. One role can be assigned to many users.
B. Roles can be reused.
C. Users are assigned roles either statically or dynamically
D. Roles are usually defined based on a job function in the organization
E. One user cannot be given access to many roles.

Answer: One user cannot be given access to many roles.

Question 48

Topic: Asymmetric Cryptography Complete the description given below: Asymmetric cryptographic algorithms are built based on **hard mathematical** problems.

A. **RSA** is a public key algorithm that is built using the integer factorization problem.
B. Integer factorization problem is based on finding the **prime** factors of a given composite number.
C. Apart from integer factorization problem, **discrete logarithm** problem is also used to build public key algorithms.

Answer: As above.

Question 49

Topic: Password Hashing with Salt Select incorrect statements regarding hash passwords with salt systems. (Select two)

A. Significantly increase the difficulty of offline dictionary attacks
B. Store the hashed code and encrypted copy of the salt value in the password file
C. Makes the duplicate password entered by users in the password file visible
D. Use a randomly generated number called salt.

Answer: Store the hashed code and encrypted copy of the salt value in the password file, Makes the duplicate password entered by users in the password file visible

Question 50

Topic: Virtual Private Networks (VPNs) Which of the following is NOT true regarding Virtual Private Networks (VPNs)?

A. a. VPNs can be used to bypass restrictions
B. b. VPNs are established to send public data across private network whilst maintaining confidentiality and authenticity
C. c. Some firewalls can be used to establish site to site VPNs.
D. d. Using VPNs increases packet size, therefore data can be fragmented
E. e. Objective of VPNs is to hide source/destination IP addresses of a packet

Answer: e. Objective of VPNs is to hide source/destination IP addresses of a packet

Question 51
Topic: Accountability Implementing proper accountability measures in an information system supports to achieve: (Select two)

A. Integrity
B. Confidentiality
C. Authenticity
D. Deterrence
E. Non-repudiation

Answer: Deterrence, Non-repudiation

Question 2

Topic: Disaster Recovery & Business Continuity

Select the correct statement regarding Disaster Recovery & Business Continuity.

A. a. Business Continuity & Disaster Recovery both focus on how to rebuild your processes after a disaster

B. b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster

C. c. Business Continuity focuses on how to rebuild your processes after a disaster & Disaster Recovery focuses on maintaining core processes during a disaster

D. d. Business Continuity & Disaster Recovery both focus on maintaining core processes during a disaster

E. e. None of the given answers are correct

Answer: b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster

Question 3
Topic: Security Controls Match the given control to the correct control type based on its functionality.

- *Authorized Personnel Only* warning sign → **Deterrent**
- Two employees need to insert their key-cards to unlock a server room → **Preventive**
- If a virus infection is detected, servers are configured to auto disconnect from the network → **Corrective**
- Motion detection alarm system is configured in the server room → **Detective**

Answer: As above.

Question 4

Topic: Disaster Recovery Testing Disaster Recovery testing is done in a scheduled periodical manner, so that everyone involved has time to prepare for the DRP activities.

- True
- False

Answer: False

Question 5

Topic: Firewall Configuration Which of the following is NOT a best practice when configuring a firewall for network protection?

- a. Configure all 'deny' statements first
- b. Configure the 'clean-up' rule
- c. Configure the rules for return traffic as well
- d. Configure the 'stealth-mode' rule
- e. Configure rules in the correct sequence

Answer: a. Configure all 'deny' statements first

Question 6

Topic: Basic Terminology A _____ represents a potential harm to the system resource.

- phish
- threat
- spoof
- vulnerability

Answer: threat

Question 7

Topic: OCTAVE-S Framework Which of the following is **NOT** an accurate statement about OCTAVE-S?

- a. Focuses on critical assets for the organization
- b. It is a highly flexible risk management framework
- c. Framework does not need extensive preparation
- d. It can be cost effective as it is self-led

Answer: c. Framework does not need extensive preparation

Question 8

Topic: Kerckhoffs's Principle Which of the following is an accurate statement regarding Kerckhoffs's Principle?

- a. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.
- b. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of both encryption and decryption algorithms.
- c. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the encryption algorithm.
- d. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the decryption algorithm.
- e. None of the above.

Answer: a. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.

Question 9

Topic: CIA Triad & Attacks Match the given attacks to correct security service which will be affected by the given scenario.

- A Denial of Service attack has temporarily stopped a web server → **Availability**
- An internal company report accidentally leaked by an employee → **Confidentiality**
- An attacker has deleted the 'syslog' files in a router → **Integrity**
- Using an SQL injection attacker added a value to a database → **Integrity**

Answer: As above.

Question 10

Topic: Biometrics Recognition by hand writing, voice, typing pattern are examples of _____.

- State biometrics
- Face recognition
- Dynamic biometrics
- Token authentication

Answer: Dynamic biometrics

Question 11

Topic: Cryptography (Symmetric/Asymmetric) Which statement describes the use of keys for encryption?

- The sender and receiver must use the same key when using symmetric encryption.
- The sender and receiver must use the same key when using asymmetric encryption.
- The sender and receiver must use the same keys for both symmetric and asymmetric encryption.
- The sender and receiver must use two keys: one for symmetric encryption and another for asymmetric encryption.

Answer: The sender and receiver must use the same key when using symmetric encryption.

Question 12

Topic: Privacy **Privacy** assures that individuals control or influence what information related to them may be collected and stored and by whom and to whom that information may be disclosed.

- System integrity
- Data integrity
- Authenticity
- Privacy
- Availability

Answer: Privacy

Question 13

Topic: Digital Signatures Which of the following is the most correct statement regarding Digital Signatures?

- a. Digital Signatures provide Message Authentication but do not provide Message Integrity.
- b. Digital Signatures only provide Message Authentication.
- c. Digital Signatures only provide Message Integrity.
- d. Digital Signatures provide both Message Authentication & Integrity.
- e. Digital Signatures do not provide Message Authentication & Integrity.

Answer: d. Digital Signatures provide both Message Authentication & Integrity.

Question 14

Topic: Password Security A _____ is a software application capable of using guessing passwords of a system to gain access.

- Password biometric
- Password salt
- Password cracker
- Password hash

Answer: Password cracker

Question 15
Topic: Business Continuity Planning Which of the following is NOT a business continuity plan?

- a. Hot Site
- b. Cold Site
- c. Remote journaling
- d. Repair Site

Answer: d. Repair Site

Question 16
Topic: Unified Threat Management (UTM) Which of the following features is NOT standard in a Unified Threat Management (UTM) solution?

- a. Firewall
- b. Anti-virus
- c. Spam Protection
- d. Threat Intelligence & Correlation
- e. Content Filtering

Answer: d. Threat Intelligence & Correlation

Question 17
Topic: Access Control Systems Select the incorrect statement about access control systems.

- Subjects, objects and access rights are the basic elements of access control systems.
- Access control systems do not depend on inputs coming from other systems such as authentication systems.
- Used to prevent legitimate users from accessing unauthorized resources.
- Implemented based on access control policies such as DAC, MAC and IBAC.

Answer: Access control systems do not depend on inputs coming from other systems such as authentication systems.

Question 18
Topic: Administrative Controls _____ and _____ are not administrative controls used in information security. (select two)

- Access control list (ACL)
- Disaster recovery plan
- Employ hiring procedures
- Policy

- Security guards
- Training and awareness

Answer: Security guards, Access control list (ACL)

Question 19

Topic: Public Key Infrastructure (PKI) Complete the description given below: Digital certificates are a crucial element in Public Key Infrastructure.

- Purpose of a digital certificate is to validate a user's **public key** to a third party.
- In order to do this, a trusted third party known as **CA (Certificate Authority)** generates a digital certificate with a signature using CA's **private** key.
- During a digital certificate verification, a user needs to use the **public key** of the CA.
- However sometimes CAs make certain certificates invalid using a **CRL (Certificate Revocation List)**.

Answer: As above.

Question 20

Topic: Password Policies A _____ strategy is one in which the system from time to time runs its own password brute force tools to find weak passwords.

- Proactive password checking
- Computer-generated password
- User education
- Reactive password checking

Answer: Reactive password checking

Question 21

Topic: Firewall Terminology Match the correct description to packet filtering term.

- Can keep track of packets and check if they belong to authorized sessions → **Stateful Inspection**
- The rule that prevents any host from making connections to the firewall itself → **Stealth Rule**
- A rule that instructs the firewall to drop all packets that do not match any rules → **Clean-up Rule**
- Only uses 'Source/Destination IP Address' or 'Port Number' for decisions → **Simple Packet Filtering**
- Additional feature of a firewall → **Network Address Translation (NAT)**

Answer: As above.

Question 22

Topic: Cryptanalysis Cryptanalysis is the art of breaking cryptographic algorithms. Answer the questions on alphabet shift-cipher cryptanalysis.

- Brute-forcing requires the attacker to start with key value **0** first.
- The last possible key value is **25**.
- Attacker looking at the cipher text to see which letter is appearing mostly is known as **Letter Frequency** analysis.
- However if attacker deceives an innocent user to reveal their secret key, it is known as **Social** engineering.

Answer: As above.

Question 23

Topic: OCTAVE Framework Which of the following should be identified to turn an OCTAVE Threat Profile to a Risk Profile?

- a. Access
- b. Motive
- c. Outcome
- d. Actor
- e. Probability

Answer: e. Probability

Question 24

Topic: Business Continuity Legal Obligation Which of the following organization is likely to be legally obligated to have business continuity plans?

- a. Online Book Store
- b. Software Developing Company
- c. Micro Finance Organization
- d. Online Pizza Delivery System

Answer: c. Micro Finance Organization

Question 25

Topic: Corrective Controls What is true about corrective controls?

- Designed to find errors or irregularities after they have occurred
- Designed to discourage errors or irregularities from occurring
- Intended to discourage potential attackers
- Updating firewall rules to block an attacking IP address is a corrective control

Answer: Designed to find errors or irregularities after they have occurred

Question 26

Topic: OCTAVE Threat Profile Which component is NOT part of the OCTAVE 'Threat Profile'?

- a. Access
- b. Control Mechanism
- c. Actor
- d. Outcome

Answer: b. Control Mechanism

Question 27

Topic: Defense against Brute-Force How do modern cryptographers defend against brute-force attacks?

- Use an algorithm that requires the attacker to have both ciphertext and plaintext
- Use frequency analysis to ensure popular letters are not used
- Use a keyspace large enough that it takes too much money and time to conduct a successful attack
- Use statistical analysis to eliminate the most common encryption keys

Answer: Use a keyspace large enough that it takes too much money and time to conduct a successful attack

Question 28

Topic: Cryptanalysis Focus What is the focus of cryptanalysis?

- developing secret codes
- implementing encrypted codes
- hiding secret codes
- breaking encrypted codes

Answer: breaking encrypted codes

Question 29

Topic: HTTPS HTTPS is a hybrid protocol which uses both symmetric and asymmetric cryptographic algorithms.

- True
- False

Answer: True

Question 30

Topic: Network Security What is the name given to the area in a network protected by both an internal and perimeter firewall?

- a. Bastion Host
- b. Protected Subnet
- c. Demilitarized Zone (DMZ)
- d. Public Network
- e. Screened Host

Answer: c. Demilitarized Zone (DMZ)

Question 31
Topic: Vulnerabilities and Threats Read the following scenarios and identify the vulnerability and the threat.

- The computers in the Personnel Department do not have up to date anti-malware software. → **Vulnerability**
- Adversaries might install key loggers to steal social security numbers. → **Threat**

Answer: As above.

Question 32
Topic: Cipher Types Which one of the following terms accurately describes the Caesar cipher?

- Strong cipher
- Block cipher
- Substitution cipher
- Transposition cipher

Answer: Substitution cipher

Question 33
Topic: CIA Triad What are the three components of information security? (Choose three.)

- safety
- disclosure
- integrity
- availability
- connectivity
- confidentiality

Answer: integrity, availability, confidentiality

Question 34
Topic: Authentication Threats Select security threats specific to remote user authentication. (Select Two)

- eavesdropping
- brute force
- replay
- shoulder surfing

Answer: eavesdropping, replay

Question 35

Topic: STRIDE Model Match the correct descriptions to given threat outcomes.

- Tampering with the asset → **Modification**
- Unauthorized access to the asset → **Disclosure**
- Unavailability of an asset → **Interruption**

Answer: As above.

Question 36

Topic: CIA Triad Focus Disaster Recovery & Business Continuity focuses on which aspect of the well-known C.I.A security Triad? **Answer:** Availability

Question 37

Topic: Access Control (ACL vs Capability) What is the difference between access control list (ACL) and capability ticket (CT)?

- ACL determines what access rights a user has on different objects while CT lists users and their access.
- ACL is used for access control while CT are used to define the privileges of users within a system.
- ACL lists users and their access rights to access a particular object while CT determines what access rig.
- There is no difference between ACL and CT.

Answer: ACL determines what access rights a user has on different objects while CT lists users and their access.

Question 38

Topic: Bring Your Own Device (BYOD) Which of the following is not true about "Bring Your Own Device" concept?

- a. It's impossible to implement security policies to control BYOD
- b. A company should define minimum required security controls for BYOD devices
- c. BYOD provides fast access to corporate data
- d. BYOD poses a security challenge to corporate network

Answer: a. It's impossible to implement security policies to control BYOD

Question 39

Topic: Risk Mitigation Which statement below most accurately reflects the goal of risk mitigation?

- Defining the acceptable level of risk and assigning costs to a party like an insurer.
- Analyzing and removing all vulnerabilities and threats to security.
- Quantify the impact of potential risks

- Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Answer: Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Question 40

Topic: Attack Types Match the most suitable description to the given Attack Type

- Threat originates from the local network or an authenticated user → **Inside Attack**
- Biggest danger is for integrity and availability → **Active Attack**
- Threat originates from an unauthorized user → **Outside Attack**
- Data modification by an attacker does not happen → **Passive Attack**

Answer: As above.

Question 41

Topic: Passive Attack A(n) _____ is an attempt to learn or make use of information from the system that does not affect system resources.

- Active attack
- Outside attack
- Denial-of-Service Attack
- Inside attack
- Passive attack

Answer: Passive attack

Question 42

Topic: Workstation Hijacking What are the most suitable controls against workstation hijacking? (Select two)

- Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.
- Use of challenge-response protocols
- Enforcement of password policy to make password difficult to guess.
- Automatic logout after certain period inactivity.

Answer: Automatic logout after certain period inactivity, Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.

Question 43

Topic: GRC GRC in IT stands for:

- a. Governance, Risk Management, Confidentiality
- b. Governance, Rights Management, Confidentiality
- c. Governance, Risk Management, Compliance

- d. Governance, Rights Management, Compliance

Answer: c. Governance, Risk Management, Compliance

Question 44

Topic: Risk Treatment A company has started selling their items through an online portal. However an investigation has uncovered a critical system vulnerability... Match the risk treatment to the correct type.

- Temporary stop online selling services and disconnect the server → **Risk Avoidance**
- Upgrade the system to the latest OS version and install the latest patches → **Risk Mitigation**
- Continue to do online business without implementing any control → **Risk Acceptance**

Answer: As above.

Question 45

Topic: Non-Repudiation The network administrator for an e-commerce website requires a service that prevents customers from claiming that legitimate orders are fake. What service provides this type of guarantee?

- authentication
- confidentiality
- integrity
- non-repudiation

Answer: non-repudiation

Question 46

Topic: Risk Calculation What are the two main identifiable components needed to calculate 'Risk'?

- a. Impact & Probability of Occurrence
- b. Probability of Occurrence & Threat
- c. Impact & Threat
- d. Threat & Control Level

Answer: a. Impact & Probability of Occurrence

Question 47

Topic: Role-Based Access Control (RBAC) Select the incorrect statement about Role Based Access Control (RBAC) systems.

- One role can be assigned to many users.
- Roles can be reused.
- Users are assigned roles either statically or dynamically

- Roles are usually defined based on a job function in the organization
- One user cannot be given access to many roles.

Answer: One user cannot be given access to many roles.

Question 48

Topic: Asymmetric Cryptography Complete the description given below: Asymmetric cryptographic algorithms are built based on **hard mathematical** problems.

- **RSA** is a public key algorithm that is built using the integer factorization problem.
- Integer factorization problem is based on finding the **prime** factors of a given composite number.
- Apart from integer factorization problem, **discrete logarithm** problem is also used to build public key algorithms.

Answer: As above.

Question 49

Topic: Password Hashing with Salt Select incorrect statements regarding hash passwords with salt systems. (Select two)

- Significantly increase the difficulty of offline dictionary attacks
- Store the hashed code and encrypted copy of the salt value in the password file
- Makes the duplicate password entered by users in the password file visible
- Use a randomly generated number called salt.

Answer: Store the hashed code and encrypted copy of the salt value in the password file, Makes the duplicate password entered by users in the password file visible

Question 50

Topic: Virtual Private Networks (VPNs) Which of the following is NOT true regarding Virtual Private Networks (VPNs)?

- a. VPNs can be used to bypass restrictions
- b. VPNs are established to send public data across private network whilst maintaining confidentiality and authenticity
- c. Some firewalls can be used to establish site to site VPNs.
- d. Using VPNs increases packet size, therefore data can be fragmented
- e. Objective of VPNs is to hide source/destination IP addresses of a packet

Answer: e. Objective of VPNs is to hide source/destination IP addresses of a packet

Question 1

Topic: Accountability Implementing proper accountability measures in an information system supports to achieve: (Select two)

- Integrity

- Confidentiality
- Authenticity
- Deterrence
- Non-repudiation

Answer: Deterrence, Non-repudiation

Question 2

Topic: Disaster Recovery & Business Continuity Select the correct statement regarding Disaster Recovery & Business Continuity.

- a. Business Continuity & Disaster Recovery both focus on how to rebuild your processes after a disaster
- b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster
- c. Business Continuity focuses on how to rebuild your processes after a disaster & Disaster Recovery focuses on maintaining core processes during a disaster
- d. Business Continuity & Disaster Recovery both focus on maintaining core processes during a disaster
- e. None of the given answers are correct

Answer: b. Disaster Recovery focuses on how to rebuild your processes after a disaster & Business Continuity focuses on maintaining core processes during a disaster

Question 3

Topic: Security Controls Match the given control to the correct control type based on its functionality.

- *Authorized Personnel Only* warning sign → **Deterrent**
- Two employees need to insert their key-cards to unlock a server room → **Preventive**
- If a virus infection is detected, servers are configured to auto disconnect from the network → **Corrective**
- Motion detection alarm system is configured in the server room → **Detective**

Answer: As above.

Question 4

Topic: Disaster Recovery Testing Disaster Recovery testing is done in a scheduled periodical manner, so that everyone involved has time to prepare for the DRP activities.

- True
- False

Answer: False

Question 5

Topic: Firewall Configuration Which of the following is NOT a best practice when configuring a firewall for network protection?

- a. Configure all ‘deny’ statements first
- b. Configure the ‘clean-up’ rule
- c. Configure the rules for return traffic as well
- d. Configure the ‘stealth-mode’ rule
- e. Configure rules in the correct sequence

Answer: a. Configure all ‘deny’ statements first

Question 6

Topic: Basic Terminology A _____ represents a potential harm to the system resource.

- phish
- threat
- spoof
- vulnerability

Answer: threat

Question 7

Topic: OCTAVE-S Framework Which of the following is **NOT** an accurate statement about OCTAVE-S?

- a. Focuses on critical assets for the organization
- b. It is a highly flexible risk management framework
- c. Framework does not need extensive preparation
- d. It can be cost effective as it is self-led

Answer: c. Framework does not need extensive preparation

Question 8

Topic: Kerckhoffs's Principle Which of the following is an accurate statement regarding Kerckhoffs's Principle?

- a. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.
- b. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of both encryption and decryption algorithms.
- c. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the encryption algorithm.
- d. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the decryption algorithm.
- e. None of the above.

Answer: a. A cryptosystem should be secure even if the attacker knows all details about the system, with the exception of the secret key.

Question 9

Topic: CIA Triad & Attacks Match the given attacks to correct security service which will be affected by the given scenario.

- A Denial of Service attack has temporarily stopped a web server → **Availability**
- An internal company report accidentally leaked by an employee → **Confidentiality**
- An attacker has deleted the 'syslog' files in a router → **Integrity**
- Using an SQL injection attacker added a value to a database → **Integrity**

Answer: As above.

Question 10

Topic: Biometrics Recognition by hand writing, voice, typing pattern are examples of _____.

- State biometrics
- Face recognition
- Dynamic biometrics
- Token authentication

Answer: Dynamic biometrics

Question 11

Topic: Cryptography (Symmetric/Asymmetric) Which statement describes the use of keys for encryption?

- The sender and receiver must use the same key when using symmetric encryption.
- The sender and receiver must use the same key when using asymmetric encryption.
- The sender and receiver must use the same keys for both symmetric and asymmetric encryption.
- The sender and receiver must use two keys: one for symmetric encryption and another for asymmetric encryption.

Answer: The sender and receiver must use the same key when using symmetric encryption.

Question 12

Topic: Privacy **Privacy** assures that individuals control or influence what information related to them may be collected and stored and by whom and to whom that information may be disclosed.

- System integrity
- Data integrity

- Authenticity
- Privacy
- Availability

Answer: Privacy

Question 13

Topic: Digital Signatures Which of the following is the most correct statement regarding Digital Signatures?

- a. Digital Signatures provide Message Authentication but do not provide Message Integrity.
- b. Digital Signatures only provide Message Authentication.
- c. Digital Signatures only provide Message Integrity.
- d. Digital Signatures provide both Message Authentication & Integrity.
- e. Digital Signatures do not provide Message Authentication & Integrity.

Answer: d. Digital Signatures provide both Message Authentication & Integrity.

Question 14

Topic: Password Security A _____ is a software application capable of using guessing passwords of a system to gain access.

- Password biometric
- Password salt
- Password cracker
- Password hash

Answer: Password cracker

Question 15

Topic: Business Continuity Planning Which of the following is NOT a business continuity plan?

- a. Hot Site
- b. Cold Site
- c. Remote journaling
- d. Repair Site

Answer: d. Repair Site

Question 16

Topic: Unified Threat Management (UTM) Which of the following features is NOT standard in a Unified Threat Management (UTM) solution?

- a. Firewall
- b. Anti-virus
- c. Spam Protection

- d. Threat Intelligence & Correlation
- e. Content Filtering

Answer: d. Threat Intelligence & Correlation

Question 17

Topic: Access Control Systems Select the incorrect statement about access control systems.

- Subjects, objects and access rights are the basic elements of access control systems.
- Access control systems do not depend on inputs coming from other systems such as authentication systems.
- Used to prevent legitimate users from accessing unauthorized resources.
- Implemented based on access control policies such as DAC, MAC and IBAC.

Answer: Access control systems do not depend on inputs coming from other systems such as authentication systems.

Question 18

Topic: Administrative Controls _____ and _____ are not administrative controls used in information security. (select two)

- Access control list (ACL)
- Disaster recovery plan
- Employ hiring procedures
- Policy
- Security guards
- Training and awareness

Answer: Security guards, Access control list (ACL)

Question 19

Topic: Public Key Infrastructure (PKI) Complete the description given below: Digital certificates are a crucial element in Public Key Infrastructure.

- Purpose of a digital certificate is to validate a user's **public key** to a third party.
- In order to do this, a trusted third party known as **CA (Certificate Authority)** generates a digital certificate with a signature using CA's **private** key.
- During a digital certificate verification, a user needs to use the **public key** of the CA.
- However sometimes CAs make certain certificates invalid using a **CRL (Certificate Revocation List)**.

Answer: As above.

Question 20

Topic: Password Policies A _____ strategy is one in which the system from time to time runs its own password brute force tools to find weak passwords.

- Proactive password checking
- Computer-generated password
- User education
- Reactive password checking

Answer: Reactive password checking

Question 21

Topic: Firewall Terminology Match the correct description to packet filtering term.

- Can keep track of packets and check if they belong to authorized sessions → **Stateful Inspection**
- The rule that prevents any host from making connections to the firewall itself → **Stealth Rule**
- A rule that instructs the firewall to drop all packets that do not match any rules → **Clean-up Rule**
- Only uses 'Source/Destination IP Address' or 'Port Number' for decisions → **Simple Packet Filtering**
- Additional feature of a firewall → **Network Address Translation (NAT)**

Answer: As above.

Question 22

Topic: Cryptanalysis Cryptanalysis is the art of breaking cryptographic algorithms. Answer the questions on alphabet shift-cipher cryptanalysis.

- Brute-forcing requires the attacker to start with key value **0** first.
- The last possible key value is **25**.
- Attacker looking at the cipher text to see which letter is appearing mostly is known as **Letter Frequency** analysis.
- However if attacker deceives an innocent user to reveal their secret key, it is known as **Social** engineering.

Answer: As above.

Question 23

Topic: OCTAVE Framework Which of the following should be identified to turn an OCTAVE Threat Profile to a Risk Profile?

- a. Access
- b. Motive
- c. Outcome
- d. Actor
- e. Probability

Answer: e. Probability

Question 24

Topic: Business Continuity Legal Obligation Which of the following organization is likely to be legally obligated to have business continuity plans?

- a. Online Book Store
- b. Software Developing Company
- c. Micro Finance Organization
- d. Online Pizza Delivery System

Answer: c. Micro Finance Organization

Question 25

Topic: Corrective Controls What is true about corrective controls?

- Designed to find errors or irregularities after they have occurred
- Designed to discourage errors or irregularities from occurring
- Intended to discourage potential attackers
- Updating firewall rules to block an attacking IP address is a corrective control

Answer: Designed to find errors or irregularities after they have occurred

Question 26

Topic: OCTAVE Threat Profile Which component is NOT part of the OCTAVE 'Threat Profile'?

- a. Access
- b. Control Mechanism
- c. Actor
- d. Outcome

Answer: b. Control Mechanism

Question 27

Topic: Defense against Brute-Force How do modern cryptographers defend against brute-force attacks?

- Use an algorithm that requires the attacker to have both ciphertext and plaintext
- Use frequency analysis to ensure popular letters are not used
- Use a keyspace large enough that it takes too much money and time to conduct a successful attack
- Use statistical analysis to eliminate the most common encryption keys

Answer: Use a keyspace large enough that it takes too much money and time to conduct a successful attack

Question 28

Topic: Cryptanalysis Focus What is the focus of cryptanalysis?

- developing secret codes
- implementing encrypted codes
- hiding secret codes
- breaking encrypted codes

Answer: breaking encrypted codes

Question 29

Topic: HTTPS HTTPS is a hybrid protocol which uses both symmetric and asymmetric cryptographic algorithms.

- True
- False

Answer: True

Question 30

Topic: Network Security What is the name given to the area in a network protected by both an internal and perimeter firewall?

- a. Bastion Host
- b. Protected Subnet
- c. Demilitarized Zone (DMZ)
- d. Public Network
- e. Screened Host

Answer: c. Demilitarized Zone (DMZ)

Question 31

Topic: Vulnerabilities and Threats Read the following scenarios and identify the vulnerability and the threat.

- The computers in the Personnel Department do not have up to date anti-malware software. → **Vulnerability**
- Adversaries might install key loggers to steal social security numbers. → **Threat**

Answer: As above.

Question 32

Topic: Cipher Types Which one of the following terms accurately describes the Caesar cipher?

- Strong cipher
- Block cipher
- Substitution cipher
- Transposition cipher

Answer: Substitution cipher

Question 33

Topic: CIA Triad What are the three components of information security? (Choose three.)

- safety
- disclosure
- integrity
- availability
- connectivity
- confidentiality

Answer: integrity, availability, confidentiality

Question 34

Topic: Authentication Threats Select security threats specific to remote user authentication. (Select Two)

- eavesdropping
- brute force
- replay
- shoulder surfing

Answer: eavesdropping, replay

Question 35

Topic: STRIDE Model Match the correct descriptions to given threat outcomes.

- Tampering with the asset → **Modification**
- Unauthorized access to the asset → **Disclosure**
- Unavailability of an asset → **Interruption**

Answer: As above.

Question 36

Topic: CIA Triad Focus Disaster Recovery & Business Continuity focuses on which aspect of the well-known C.I.A security Triad? **Answer:** Availability

Question 37

Topic: Access Control (ACL vs Capability) What is the difference between access control list (ACL) and capability ticket (CT)?

- ACL determines what access rights a user has on different objects while CT lists users and their access.
- ACL is used for access control while CT are used to define the privileges of users within a system.

- ACL lists users and their access rights to access a particular object while CT determines what access rig.
- There is no difference between ACL and CT.

Answer: ACL determines what access rights a user has on different objects while CT lists users and their access.

Question 38

Topic: Bring Your Own Device (BYOD) Which of the following is not true about "Bring Your Own Device" concept?

- a. It's impossible to implement security policies to control BYOD
- b. A company should define minimum required security controls for BYOD devices
- c. BYOD provides fast access to corporate data
- d. BYOD poses a security challenge to corporate network

Answer: a. It's impossible to implement security policies to control BYOD

Question 39

Topic: Risk Mitigation Which statement below most accurately reflects the goal of risk mitigation?

- Defining the acceptable level of risk and assigning costs to a party like an insurer.
- Analyzing and removing all vulnerabilities and threats to security.
- Quantify the impact of potential risks
- Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Answer: Defining the acceptable level of risk the organization can tolerate, then reduce risk to that level.

Question 40

Topic: Attack Types Match the most suitable description to the given Attack Type

- Threat originates from the local network or an authenticated user → **Inside Attack**
- Biggest danger is for integrity and availability → **Active Attack**
- Threat originates from an unauthorized user → **Outside Attack**
- Data modification by an attacker does not happen → **Passive Attack**

Answer: As above.

Question 41

Topic: Passive Attack A(n) _____ is an attempt to learn or make use of information from the system that does not affect system resources.

- Active attack

- Outside attack
- Denial-of-Service Attack
- Inside attack
- Passive attack

Answer: Passive attack

Question 42

Topic: Workstation Hijacking What are the most suitable controls against workstation hijacking? (Select two)

- Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.
- Use of challenge-response protocols
- Enforcement of password policy to make password difficult to guess.
- Automatic logout after certain period inactivity.

Answer: Automatic logout after certain period inactivity, Use of anomaly-based intrusion detection scheme to detect changes in user behaviour.

Question 43

Topic: GRC GRC in IT stands for:

- a. Governance, Risk Management, Confidentiality
- b. Governance, Rights Management, Confidentiality
- c. Governance, Risk Management, Compliance
- d. Governance, Rights Management, Compliance

Answer: c. Governance, Risk Management, Compliance

Question 44

Topic: Risk Treatment A company has started selling their items through an online portal. However an investigation has uncovered a critical system vulnerability... Match the risk treatment to the correct type.

- Temporary stop online selling services and disconnect the server → **Risk Avoidance**
- Upgrade the system to the latest OS version and install the latest patches → **Risk Mitigation**
- Continue to do online business without implementing any control → **Risk Acceptance**

Answer: As above.

Question 45

Topic: Non-Repudiation The network administrator for an e-commerce website requires a service that prevents customers from claiming that legitimate orders are fake. What service provides this type of guarantee?

- authentication
- confidentiality
- integrity
- non-repudiation

Answer: non-repudiation

Question 46

Topic: Risk Calculation What are the two main identifiable components needed to calculate 'Risk'?

- a. Impact & Probability of Occurrence
- b. Probability of Occurrence & Threat
- c. Impact & Threat
- d. Threat & Control Level

Answer: a. Impact & Probability of Occurrence

Question 47

Topic: Role-Based Access Control (RBAC) Select the incorrect statement about Role Based Access Control (RBAC) systems.

- One role can be assigned to many users.
- Roles can be reused.
- Users are assigned roles either statically or dynamically
- Roles are usually defined based on a job function in the organization
- One user cannot be given access to many roles.

Answer: One user cannot be given access to many roles.

Question 48

Topic: Asymmetric Cryptography Complete the description given below: Asymmetric cryptographic algorithms are built based on **hard mathematical** problems.

- **RSA** is a public key algorithm that is built using the integer factorization problem.
- Integer factorization problem is based on finding the **prime** factors of a given composite number.
- Apart from integer factorization problem, **discrete logarithm** problem is also used to build public key algorithms.

Answer: As above.

Question 49

Topic: Password Hashing with Salt Select incorrect statements regarding hash passwords with salt systems. (Select two)

- Significantly increase the difficulty of offline dictionary attacks
- Store the hashed code and encrypted copy of the salt value in the password file
- Makes the duplicate password entered by users in the password file visible
- Use a randomly generated number called salt.

Answer: Store the hashed code and encrypted copy of the salt value in the password file, Makes the duplicate password entered by users in the password file visible

Question 50

Topic: Virtual Private Networks (VPNs) Which of the following is NOT true regarding Virtual Private Networks (VPNs)?

- a. VPNs can be used to bypass restrictions
- b. VPNs are established to send public data across private network whilst maintaining confidentiality and authenticity
- c. Some firewalls can be used to establish site to site VPNs.
- d. Using VPNs increases packet size, therefore data can be fragmented
- e. Objective of VPNs is to hide source/destination IP addresses of a packet

Answer: e. Objective of VPNs is to hide source/destination IP addresses of a packet