

## MyTest2

Execution time  
02-10-2020 21:49:58  
Operating system  
Windows 10 64bit

Computer name  
DESKTOP-6CP042A  
Screen dimension  
1920x1080

Language  
en-US  
Duration  
1.2h



■ 16 x Success

Total warnings  
6

Total errors  
0

## Table of Contents

■ TestCase.....	3
■ Recording1.....	3
■ Login_into_the_application.....	3
■ Login_into_the_application_.....	3
■ Login.....	3
■ Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device).....	4
■ Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device).....	4
■ Home_Dashboard.....	4
■ Verify_Device_Dashboard_CheckCheck.....	6
■ Verify_Device_Dashboard_CheckCheck.....	6
■ DeviceDasboard.....	6
■ Verify_the_Water_Temperature_section_graphs.....	8
■ WaterTemperature.....	8
■ Verify_the_PH_Section_charts.....	9
■ pHCharts.....	10
■ Verify_the_Sanitizer_Section_in_Device_Dashboard.....	11
■ Sanitizer.....	11
■ Verify_Pool_Add_Into_Account.....	13
■ Verify_Pool_Add_Into_Account.....	13
■ Pool_Add.....	13
■ Verify_Water_Quality_with_balanced_values.....	15
■ Verify_Water_Quality_with_balanced_values.....	15
■ WaterTestBalancedValues.....	15
■ Verfy_Water_Quality_using_Test_Strip.....	16
■ Verfy_Water_Quality_using_Test_Strip.....	16
■ WaterTestusingTeststrip.....	17
■ Verify_Water_balance_Indoor_Pool.....	18
■ Verify_Water_balance_Indoor_Pool.....	18
■ Water_Balance_Indoor_Pool.....	18
■ Verify_InDoor_Pool_Water_Quality_with_balanced_values.....	19
■ Verify_InDoor_Pool_Water_Quality_with_balanced_values.....	19
■ Indoor_Balanced_Verification.....	19
■ Verify_Indoor_Pool_Water_Quality_NotBalanced.....	20
■ Verify_Indoor_Pool_Water_Quality_NotBalanced.....	21
■ Indoor_Unbalanced_Water_Quality.....	21
■ Verify_setting_with_Product_Overview_Checmcheck.....	30
■ Verify_setting_with_Product_Overview_Checmcheck.....	30
■ Settings_Product_Overview.....	30

■ Verify_Pool_Device_remove_functionality.....	33
■ Pool_Device_remove.....	33
■ ReportToPDFModule (Ranorex Automation Helpers).....	34
■ Verify_PH_calibration.....	34
■ PH_Calibration.....	34

⚠ Warnings occurred. For additional information see the report of the individual modules, please.



## TestCase

24.43s



## Recording1

24.38s



Time	Level	Category	Message
00:00.102	Info	Application	Run mobile app 'com.pentair.pentairhome' on device 'dellâ€™s iPhone'.
00:10.142	Info	Delay	Waiting for 10s.
00:20.234	Info	Touch	Touch item 'ComPentairPentairhome.Skip' at Center
00:24.393	Success	User	



## Login\_into\_the\_application\_ Rows: 1

1.2m



## Login\_into\_the\_application\_ Data Row: 1

1.2m



**Username:** sanjeevkumar.prasad@pentair.com

**Password:** Newman@1



## Login

1.2m






Time	Level	Category	Message
00:24.491	Info	Data	Current variable values:  \$txtUsername = 'sanjeevkumar.prasad@pentair.com', \$txtPassword = 'Newman@1'
00:24.536	Info	Set value	Setting attribute Text to '\$txtUsername' on item 'ComPentairPentairhome.LoginTextInputEmail'.
00:25.410	Info	Set value	Setting attribute Text to '\$txtPassword' on item 'ComPentairPentairhome.LoginTextInputPassword'.
00:26.224	Info	Touch	Touch item 'ComPentairPentairhome.LOGIN' at Center
00:27.622	Info	Delay	Waiting for 30s.
00:57.732	Info	Touch	(Optional Action)  Touch item 'PH_Screen.ReviewNotification' at Center
01:28.196	Warn	Module	(Optional Action) Failed to find item 'MyTest2Repository.PH_Screen.ReviewNotification'.
01:28.253	Info	Touch	(Optional Action)  Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
01:34.346	Info	Delay	Waiting for 3s.
01:37.449	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo'.
01:38.224	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo' does match the specified value.



01:38.376 Info User Logged In Sucessfully


 **Verify\_the\_Home\_Dashboard(Bell,\_Setting,\_Alert\_and\_Device)** Rows: 1 3.6m  



 **Verify\_the\_Home\_Dashboard(Bell,\_Setting,\_Alert\_and\_Device)** Data Row: 1 3.6m  

**DeviceName:** ChemCheck

 **Home\_Dashboard** 3.6m  

Time	Level	Category	Message
01:38.450	Info	Data	Current variable values:  \$DeviceNamevar = 'ChemCheck'
01:38.505	Info	Validation	(Optional Action)  Alert icon successfully verified  Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'.
02:38.914	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 233 attempts within 1m.).
02:39.480	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 233 attempts within 1m.).
02:39.565	Info	Validation	(Optional Action)  Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.Bell_Alert'.
02:39.888	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.Bell_Alert' does match the specified value.
02:40.254	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2'.
02:40.562	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' does match the specified value.

02:41.003	Info	Validation	(Optional Action)
			Problem Detected Section Successfully verified
			Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.ProblemDetected'.
02:41.297 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.ProblemDetected' does match the specified value.
02:41.763	Info	Validation	(Optional Action)
			Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.EverythingOK'.
03:42.092	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']/container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK']' after 234 attempts within 1m.).
03:42.543 !	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']/container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK']' after 234 attempts within 1m.).
03:43.297	Info	User	
03:43.302	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
03:52.971	Info	Delay	Waiting for 2s.
03:55.083	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:05.903	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:16.196	Info	Delay	Waiting for 5s.

04:22.125	Info	User	
04:22.127	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
04:31.786	Info	Delay	Waiting for 2s.
04:33.888	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:44.489	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:54.651	Info	Delay	Waiting for 2s.
04:57.784	Info	User	Device WQM 
04:57.787	Info	Touch	Touch item 'ComPentairPentairhome.DeviceName' at Center
05:08.843	Info	Delay	Waiting for 3s.

 **Verify\_Device\_Dashboard\_CheckCheck** Rows: 1 8.95s 





 **Verify\_Device\_Dashboard\_CheckCheck** Data Row: 1 8.95s 

**DeviceName:** ChemCheck

 **DeviceDasboard** 8.94s 

Time	Level	Category	Message
05:11.941	Info	Data	Current variable values:  \$DeviceNamevar = 'ChemCheck'
05:11.994	Info	Validation	(Optional Action)  Problem Detected Section verification  Validating AttributeEqual (AccessibilityLabel='alertDetected') on item 'ComPentairPentairhome.AlertDetected'.
05:12.883	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.AlertDetected' does match the specified value.




05:13.008	Info	Validation	(Optional Action)  Reminder section validation Successful  Validating AttributeEqual (AccessibilityLabel='Reminder') on item 'ComPentairPentairhome.Reminder'.
05:13.295 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Reminder' does match the specified value.
05:13.811	Info	Validation	Water Temperature Section validation successful  Validating AttributeEqual (AccessibilityLabel='Water Temperature') on item 'ComPentairPentairhome.WaterTemperature'.
05:14.170 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterTemperature' does match the specified value.
05:14.733	Info	Validation	PH section validation successful  Validating AttributeEqual (AccessibilityLabel='pH') on item 'ComPentairPentairhome.ContainerPH'.
05:15.047 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.ContainerPH' does match the specified value.
05:15.683	Info	Validation	Sanitizer section validation successful  Validating AttributeEqual (AccessibilityLabel='Sanitizer') on item 'ComPentairPentairhome.Sanitizer'.
05:16.024 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Sanitizer' does match the specified value.
05:16.579	Info	Validation	Water quality section validation successful  Validating AttributeEqual (AccessibilityLabel='Water Quality') on item 'ComPentairPentairhome.WaterQuality'.
05:16.904 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterQuality' does match the specified value.
05:17.456	Info	Validation	Setting icon  Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.HeaderRightImage'.
05:17.763 	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.HeaderRightImage' does match the specified value.
05:18.342	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBack'.
05:18.659 	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBack' does match the specified value.
05:19.248	Info	Validation	Validating AttributeEqual (AccessibilityLabel=\$DeviceNamevar) on item 'ComPentairPentairhome.Dashboard_DeviceName'.
05:19.583 	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Dashboard_DeviceName' does match the specified value.

05:20.881

Info

User



## Verify\_the\_Water\_Temperature\_section\_graphs

1.1m



### WaterTemperature

1.1m



Time	Level	Category	Message
05:20.890	Info	Touch	Touch item 'ComPentairPentairhome.WaterTemperature' at Center
05:32.250	Info	Delay	Waiting for 2s.
05:35.836	Info	User	Hourly Report



### Water Temperature




#### History



Hourly Daily Weekly Monthly







05:35.839	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
05:46.070	Info	Delay	Waiting for 2s.





05:49.648	Info	User	Daily report
			
05:49.650	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
05:59.771	Info	Delay	Waiting for 2s.
06:03.510	Info	User	
06:03.513	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
06:13.747	Info	Delay	Waiting for 2s.
06:17.371	Info	User	
06:17.373	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' at Center

Time	Level	Category	Message
06:27.551	Info	Touch	Touch item 'ComPentairPentairhome.ContainerPH' at Center
06:39.559	Info	Delay	Waiting for 2s.
06:43.296	Info	User	
06:43.299	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
06:54.062	Info	Delay	Waiting for 2s.
06:57.715	Info	User	
06:57.716	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
07:08.598	Info	Delay	Waiting for 2s.

07:12.265	Info	User	
07:12.270	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
07:23.124	Info	Delay	Waiting for 2s.
07:26.784	Info	User	
07:26.786	Info	Touch	Touch item 'ComPentairPentairhome.HeaderLeftImage1' at CenterLeft

 Verify_the_Sanitizer_Section_in_Device_Dashboard_			1.2m	⌵
 Sanitizer			1.2m	⌵
Time	Level	Category	Message	
07:36.757	Info	Touch	Touch item 'ComPentairPentairhome.Sanitizer' at Center	
07:48.688	Info	Delay	Waiting for 2s.	

07:52.419	Info	User	Hourly Basis Sanitizer
			
07:52.421	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
08:03.226	Info	Delay	Waiting for 2s.
08:06.968	Info	User	Daily Basis
			
08:06.970	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
08:17.870	Info	Delay	Waiting for 2s.


08:21.505      Info      User      Weekly Basis



08:21.508      Info      Touch      Touch item 'ComPentairPentairhome.Monthly' at Center

08:32.335      Info      Delay      Waiting for 2s.

08:35.977      Info      User      Monthly Basis



08:35.982      Info      Touch      Touch item 'ComPentairPentairhome.RCTView1' at CenterLeft


**Verify\_Pool\_Add\_Into\_Account**      Rows: 1      10m     

**Verify\_Pool\_Add\_Into\_Account**      Data Row: 1      10m     

**DeviceName:** ChemCheck



**Pool\_Add**      10m     

Time	Level	Category	Message
08:45.914	Info	Data	Current variable values:  \$DeviceNamevar = 'ChemCheck'
08:45.979	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
08:52.961	Info	Delay	Waiting for 3s.
08:56.030	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
09:14.761	Info	Touch	Touch item 'Pool_Add.ADDANEWPPOOL' at Center

09:28.441	Info	Touch	Touch item 'Pool_Add.Outdoor' at Center
09:48.554	Info	Set value	Setting attribute Text to 'OutdoorPool_Automation' on item 'Pool_Add.PoolName'.
09:51.573	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
10:15.882	Info	Set value	Setting attribute Text to '6000' on item 'Pool_Add.Volume'.
10:19.100	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
10:41.260	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
10:50.212	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
11:15.613	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
11:32.356	Info	Delay	Waiting for 3s.
11:35.954	Info	Touch	Touch item 'Pool_Add.ADDANEWPPOOL' at Center
11:53.090	Info	Touch	Touch item 'Pool_Add.IndoorPool' at Center
12:17.065	Info	Set value	Setting attribute Text to 'IndoorPool_Automation' on item 'Pool_Add.PoolName'.
12:20.492	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
12:49.099	Info	Set value	Setting attribute Text to '3000' on item 'Pool_Add.Volume'.
12:52.784	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
13:19.064	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
13:29.604	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
13:59.505	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
14:18.934	Info	Delay	Waiting for 5s.
14:26.011	Info	User	
14:26.013	Info	Touch	Touch item 'Product_Overview.HomeButton' at Center
14:37.801	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
14:51.331	Info	Delay	Waiting for 2s.

14:53.410	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
15:11.417	Info	Delay	Waiting for 5s.
15:16.527	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
15:30.938	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
15:46.764	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
16:11.857	Info	Touch	Touch item 'Pool_Add.Address' at Center
16:33.731	Info	Delay	Waiting for 5s.
16:38.859	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
17:06.397	Info	Delay	Waiting for 30s.
17:36.508	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
17:38.919 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
17:39.150	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
17:55.003	Info	Touch	(Optional Action)  Touch item 'Pool_Add.Homelcon_without_red' at Center
18:10.049	Info	Touch	(Optional Action)  Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
18:24.166	Info	Delay	Waiting for 2s.
18:26.277	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

 **Verify\_Water\_Quality\_with\_balanced\_values** Rows: 1 2.9m 

 **Verify\_Water\_Quality\_with\_balanced\_values** Data Row: 1 2.9m 

**pH:** 7.5

**freeChlorine:** 4

**totalchlorine:** 17

**totalAlk:** 100


**CalciumHardness:** 300

**CyanuricAcid:** 50

 **WaterTestBalancedValues** 2.9m 

Time	Level	Category	Message
18:44.398	Info	Data	Current variable values:  \$pHBalanced = '7.5', \$ChlorineBalanced = '4', \$totalchbalanced = '17', \$TotalAlkabalanced = '100', \$calciumbalanced = '300', \$Cyanuricbalanced = '50'

18:44.484	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
19:03.658	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
19:21.778	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
19:38.344	Info	Delay	Waiting for 2s.
19:40.446	Info	Set value	Setting attribute Text to '\$pHBalanced' on item 'Water_Quality.RCTUITextField'.
19:44.097	Info	Set value	Setting attribute Text to '\$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
19:47.859	Info	Set value	Setting attribute Text to '\$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
19:51.429	Info	Set value	Setting attribute Text to '\$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
19:55.018	Info	Set value	Setting attribute Text to '\$calciumbalanced' on item 'Water_Quality.Calcium'.
19:58.609	Info	Set value	Setting attribute Text to '\$Cyanuricbalanced' on item 'Water_Quality.CyanuricAcid'.
20:02.279	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
20:24.439	Info	Touch	Touch item 'Water_Quality.Save' at Center
20:41.609	Info	Delay	Waiting for 2s.
20:43.691	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
21:02.923	Info	Delay	Waiting for 10s.
21:15.216	Info	User	



21:15.218	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
21:15.598	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
21:17.155	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center



Verify\_Water\_Quality\_using\_Test\_Strip

Rows: 1

5.7m



Verify\_Water\_Quality\_using\_Test\_Strip

Data Row: 1

5.7m





**pH:** 11

**pHagain:** 6

**freeChlorine:** 5

**totalchlorine:** 6

**totalAlk:** 90

**CalciumHardness:** 300

**CyanuricAcid:** 40



## WaterTestingTeststrip

5.7m



Time	Level	Category	Message
21:37.077	Info	Data	Current variable values:  \$PHvalue = '11', \$Chlorine = '5', \$pHagain = '6', \$TotalChlorine = '6', \$TotalAlkalinity = '90', \$Calcium = '300', \$CyanuricAcid = '40'
21:37.152	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
21:56.857	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
22:14.004	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
22:29.603	Info	Delay	Waiting for 2s.
22:31.690	Info	Set value	Setting attribute Text to '\$PHvalue' on item 'Water_Quality.RCTUITextField'.
22:35.210	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
22:56.184	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
22:58.002	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
22:58.138	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
23:10.423	Info	Delay	Waiting for 2s.
23:12.501	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
23:15.771	Info	Set value	Setting attribute Text to '\$pHagain' on item 'Water_Quality.RCTUITextField1'.
23:19.050	Info	Set value	Setting attribute Text to '\$Chlorine' on item 'Water_Quality.Chlorine'.
23:22.429	Info	Set value	Setting attribute Text to '\$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
23:25.814	Info	Set value	Setting attribute Text to '\$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
23:29.132	Info	Set value	Setting attribute Text to '\$Calcium' on item 'Water_Quality.Calcium'.
23:32.456	Info	Set value	Setting attribute Text to '\$CyanuricAcid' on item 'Water_Quality.CyanuricAcid'.
23:35.806	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
23:56.155	Info	Touch	Touch item 'Water_Quality.Save' at Center
24:12.391	Info	Delay	Waiting for 2s.
24:14.498	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
24:32.329	Info	Delay	Waiting for 10s.

24:44.449	Info	User	
24:44.451	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
25:05.264	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
25:23.824	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
25:25.938 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
25:26.081	Info	Touch	Touch item 'Water_Quality.Save' at Center
25:44.390	Info	Delay	Waiting for 3s.
25:47.489	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
26:05.116	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
26:21.758	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
26:36.487	Info	Delay	Waiting for 5s.
26:41.549	Info	Touch	Touch item 'Water_Quality.Unbalanced_icon' at Center
27:03.578	Info	Validation	Validating AttributeEqual (AccessibilityLabel=\$pHagain) on item 'Water_Quality.PH_value'.
27:05.501 ✓	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.PH_value' does match the specified value.
27:05.670	Info	Touch	Touch item 'Pool_Add.Homelcon_without_red' at Center
27:19.629	Info	Delay	Waiting for 2s.

**Verify\_Water\_balance\_Indoor\_Pool** Rows: 1 3.3m

**Verify\_Water\_balance\_Indoor\_Pool** Data Row: 1 3.3m



**DeviceName:** ChemCheck

**Water\_Balance\_Indoor\_Pool** 3.3m

Time	Level	Category	Message
------	-------	----------	---------

27:22.019	Info	Data	Current variable values:  \$DeviceNamevar = 'ChemCheck'
27:22.115	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
27:38.674	Info	Delay	Waiting for 2s.
27:40.792	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
27:54.285	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
28:08.988	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
28:32.566	Info	Touch	Touch item 'Pool_Add.Address' at Center
28:53.551	Info	Delay	Waiting for 2s.
28:56.075	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
29:22.562	Info	Delay	Waiting for 10s.
29:32.661	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
29:35.070 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
29:35.266	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
29:50.586	Info	Touch	(Optional Action)  Touch item 'Pool_Add.Homelcon_without_red' at Center
30:05.080	Info	Touch	(Optional Action)  Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
30:18.792	Info	Delay	Waiting for 2s.
30:20.880	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

 **Verify\_InDoor\_Pool\_Water\_Quality\_with\_balanced\_values** Rows: 1 2.8m  

 **Verify\_InDoor\_Pool\_Water\_Quality\_with\_balanced\_values** Data Row: 1 2.8m  

**pH:** 7.5

**freeChlorine:** 4


**totalchlorine:** 15

**totalAlk:** 100

**CalciumHardness:** 300

 **Indoor\_Balanced\_Verification** 2.8m  

Time	Level	Category	Message
------	-------	----------	---------

30:38.737	Info	Data	Current variable values:  \$pHBalanced = '7.5', \$ChlorineBalanced = '4', \$totalchbalanced = '15', \$TotalAlkabalanced = '100', \$calciumbalanced = '300'
30:38.799	Warn	Data	The following module variables are not bound to a data column:  Cyanuricbalanced
30:38.851	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
30:57.980	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
31:16.082	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
31:32.710	Info	Delay	Waiting for 2s.
31:34.798	Info	Set value	Setting attribute Text to '\$pHBalanced' on item 'Water_Quality.RCTUITextField'.
31:38.328	Info	Set value	Setting attribute Text to '\$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
31:42.081	Info	Set value	Setting attribute Text to '\$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
31:45.677	Info	Set value	Setting attribute Text to '\$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
31:49.201	Info	Set value	Setting attribute Text to '\$calciumbalanced' on item 'Water_Quality.Calcium'.
31:52.691	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
32:14.509	Info	Touch	Touch item 'Water_Quality.Save' at Center
32:31.986	Info	Delay	Waiting for 2s.
32:34.080	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
32:53.814	Info	Delay	Waiting for 10s.
33:06.103	Info	User	
33:06.108	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
33:06.430	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
33:08.071	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center



## Verify\_Indoor\_Pool\_Water\_Quality\_NotBalanced

Data Row: 1

23.6m



**pH:** 11

**pHagain:** 6

**freeChlorine:** 5

**totalchlorine:** 6

**totalAlk:** 90

**CalciumHardness:** 300




## Indoor\_Unbalanced\_Water\_Quality

23.6m



Time	Level	Category	Message
33:28.603	Info	Data	Current variable values:  \$PHvalue = '11', \$pHagain = '6', \$Chlorine = '5', \$TotalChlorine = '6', \$TotalAlkalinity = '90', \$Calcium = '300'
33:29.113	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
33:49.674	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
34:07.738	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
34:24.335	Info	Delay	Waiting for 2s.
34:26.464	Info	Set value	Setting attribute Text to '\$PHvalue' on item 'Water_Quality.RCTUITextField'.
34:30.246	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
34:52.452	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
34:54.292	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
34:54.618	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
35:07.810	Info	Delay	Waiting for 2s.
35:09.893	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
35:13.246	Info	Set value	Setting attribute Text to '\$pHagain' on item 'Water_Quality.RCTUITextField1'.
35:16.657	Info	Set value	Setting attribute Text to '\$Chlorine' on item 'Water_Quality.Chlorine'.
35:20.405	Info	Set value	Setting attribute Text to '\$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
35:23.967	Info	Set value	Setting attribute Text to '\$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
35:27.516	Info	Set value	Setting attribute Text to '\$Calcium' on item 'Water_Quality.Calcium'.
35:31.075	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
35:52.877	Info	Touch	Touch item 'Water_Quality.Save' at Center
36:10.233	Info	Delay	Waiting for 2s.
36:12.619	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
36:31.911	Info	Delay	Waiting for 3s.

36:38.198	Info	User	Open Snapshot (To open snapshot file, please see original Ranorex report)
36:38.200	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
37:02.040	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
37:22.007	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
37:24.345 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
37:24.473	Info	Touch	Touch item 'Water_Quality.Save' at Center
37:44.380	Info	Delay	Waiting for 3s.
37:47.760	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
38:06.861	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
38:25.191	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
38:41.356	Info	Delay	Waiting for 3s.
38:44.743	Info	Touch	Touch item 'Water_Quality.Chemical_level_graph' at Center
39:03.330	Info	Touch	Touch item 'Water_Quality.Hourly_water_history' at Center
39:31.647	Info	Delay	Waiting for 3s.
39:37.394	Info	User	
39:37.396	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.

40:07.998      Info      User



40:07.999      Info      Touch gestures      Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.PH\_Level\_Label'.



40:38.782      Info      User



40:38.784      Info      Touch gestures      Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.Alkanity\_Level\_Label'.

41:09.357      Info      User



41:09.359	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
41:39.207	Info	User	
41:39.211	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
42:07.084	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
42:35.081	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_Label'.
43:03.202	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
43:30.537	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
43:57.081	Info	Delay	Waiting for 5s.
44:04.862	Info	User	
44:04.865	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.



44:34.966

Info

User

←

Chemical Level History

Low OK High

Free Chlorine Level

Hourly Daily Weekly Monthly

10

8

6

4

2

0

Sat

Sun

Mon

Tue

Wed

Thu

Fri

Low

OK

High

pH Level

Hourly Daily Weekly Monthly

Home

Water

History

Profile

44:34.968

Info

Touch gestures

Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.PH\_Level\_Label'.

45:05.122

Info

User

←

Chemical Level History

Low OK High

pH Level

Hourly Daily Weekly Monthly

9

8.2

7.4

6.6

5.8

5

Sat

Sun

Mon

Tue

Wed

Thu

Fri

Low

OK

High

Alkanity Level

Hourly Daily Weekly Monthly

Home

Water

History

Profile

45:05.124

Info

Touch gestures

Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.Alkanity\_Level\_Label'.

45:35.381

Info

User

←

Chemical Level History

Low OK High

Alkanity Level

Hourly Daily Weekly Monthly

200

160

120

80

40

0

Sat

Sun

Mon

Tue

Wed

Thu

Fri

Low

OK

High

Cyanuric Acid Level



Hourly Daily Weekly Monthly

Home

Water

History

Profile

45:35.383	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
46:04.959	Info	User	
46:04.963	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
46:32.754	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
47:00.667	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_Label'.
47:26.981	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
47:55.111	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
48:21.767	Info	Delay	Waiting for 5s.
48:29.461	Info	User	
48:29.463	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.

48:59.606      Info      User



48:59.611      Info      Touch gestures      Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.PH\_Level\_Label'.



49:29.830      Info      User



49:29.832      Info      Touch gestures      Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water\_Quality.Alkanity\_Level\_Label'.

50:00.099      Info      User



50:00.101	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
50:29.764	Info	User	
50:29.766	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
50:57.722	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
51:25.717	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_Label'.
51:53.819	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
52:20.976	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
52:51.912	Info	User	
52:51.914	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.

53:22.292

Info

User



53:22.295

Info

Touch gestures

Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration '600ms' and step count '0' on item 'Water\_Quality.PH\_Level\_label'.

53:53.027

Info

User



53:53.029

Info

Touch gestures


Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration '600ms' and step count '0' on item 'Water\_Quality.Alkalinity\_Level\_Label'.

54:23.259

Info

User



54:23.261	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
54:53.440	Info	User	
54:53.697	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
55:21.913	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
55:50.329	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_Label'.
56:18.629	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
56:46.426	Info	Touch	Touch item 'Pool_Add.Homelcon_without_red' at Center



 **Verify\_setting\_with\_Product\_Overview\_Checmcheck** Rows: 1 3.7m 



 **Verify\_setting\_with\_Product\_Overview\_Checmcheck** Data Row: 1 3.7m 

**DeviceName:** ChemCheck


 **Settings\_Product\_Overview** 3.7m 

Time	Level	Category	Message
57:06.494	Info	Data	Current variable values:  \$DeviceNamevar = 'ChemCheck'
57:06.588	Info	Touch	(Optional Action)  Touch item 'Pool_Add.Homelcon_without_red' at Center
57:19.892	Info	Delay	Waiting for 2s.
57:21.983	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
57:40.034	Info	Delay	Waiting for 2s.

57:42.122	Info	Touch	Touch item 'ComPentairPentairhome.HeaderRightImage' at Center
57:57.881	Info	User	
57:57.884	Info	Validation	<p>(Optional Action)</p> <p>Validating AttributeEqual (AccessibilityLabel='Product Overview') on item 'Product_Overview.ProductOverviewclick'.</p>
57:58.217 ✓	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Product_Overview.ProductOverviewclick' does match the specified value.
57:59.632	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
58:15.358	Info	Delay	Waiting for 2s.
58:19.606	Info	User	
58:19.608	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration '800ms' and step count '0' on item 'Product_Overview.Nickname'.

58:43.744	Info	User	
58:43.746	Info	Touch	Touch item 'Product_Overview.BackArrow' at Center
59:00.035	Info	Touch	Touch item 'Product_Overview.Notifications' at Center
59:16.142	Info	Delay	Waiting for 3s.
59:21.353	Info	User	
59:21.355	Info	Touch gestures	Swipe gesture with direction 'Left (180°)' starting from 'Center' with distance '1.0' with swipe duration'500ms' and step count '0' on item 'Product_Overview.RCTView2'.
59:48.791	Info	Delay	Waiting for 2s.





59:53.222	Info	User	
59:53.223	Info	Touch	Touch item 'Product_Overview.Notification_back_arrow' at Center
60:11.710	Info	Touch	Touch item 'Product_Overview.ContactAProfessional' at Center
60:27.826	Info	Delay	Waiting for 2s.
60:30.331	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Product_Overview.AssetsSrcCommonFeatureImagesPinLoca'.
60:32.483	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Product_Overview.AssetsSrcCommonFeatureImagesPinLoca' does match the specified value.
60:32.624	Info	Touch	Touch item 'Product_Overview.Contact_Pro_back' at CenterLeft
60:48.073	Info	Delay	Waiting for 1s.



## Verify\_Pool\_Device\_remove\_functionality 6.8m


### Pool\_Device\_remove 6.7m

Time	Level	Category	Message
60:49.207	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
61:04.741	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
61:29.888	Info	Touch	Touch item 'Pool_Add.Address' at Center
61:51.867	Info	Delay	Waiting for 2s.
61:54.306	Info	Touch	Touch item 'Pool_Add.Test_Pool' at Center
62:25.703	Info	Delay	Waiting for 2s.
62:27.997	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
62:35.748	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
62:37.667	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
62:53.347	Info	Delay	Waiting for 3s.
62:56.561	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
63:10.555	Info	Delay	Waiting for 2s.
63:12.822	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center

63:39.279	Info	Delay	Waiting for 2s.
63:41.748	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
64:17.748	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
64:48.142	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
65:20.335	Info	Delay	Waiting for 3s.
65:23.570	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
65:59.056	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
66:28.920	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
67:00.661	Info	Delay	Waiting for 3s.
67:05.936	Info	User	
67:05.938	Info	Touch	(Optional Action) Touch item 'Pool_Add.Homelcon_without_red' at Center
67:19.131	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAl e' at Center
67:31.863	Info	Delay	Waiting for 2s.

<div>  <b>ReportToPDFModule (Ranorex Automation Helpers)</b> <span>59ms</span> <span>⌵</span> <span>!</span> </div>			
Time	Level	Category	Message
67:34.399	Warn	Data	The following module variables are not bound to a data column: PdfName, PdfDirectoryPath, Xml, Details, DeleteRanorexReport

<div>  <b>Verify_PH_calibration</b> <span>2m</span> <span>⌵</span> <span>!</span> </div>			
<div>  <b>PH_Calibration</b> <span>2m</span> <span>⌵</span> <span>!</span> </div>			
Time	Level	Category	Message

67:34.461	Warn	Data	The following module variables are not bound to a data column:  DeviceNamevar
67:34.510	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
67:51.577	Info	Delay	Waiting for 3s.
67:54.689	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' at Center
68:08.505	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '400' with swipe duration'800ms' and step count '0' on item 'Product_Overview.ContactAPProfessional'.
68:25.232	Info	Touch	Touch item 'Calibration.ph_Offset' at Center
68:41.479	Info	Set value	Setting attribute Text to '7' on item 'Calibration.pH_calibration_textbox'.
68:45.549	Info	Touch	Touch item 'Calibration.Calibrate_button' at Center
69:10.072	Info	Delay	Waiting for 2s.
69:14.603	Info	User	
69:14.605	Info	Touch	Touch item 'Calibration.Calibration_Ok' at Center
69:36.372	Info	User	