Ranorex®

MyTest2

Execution time	Computer name	Language
05-10-2020 13:53:52	DESKTOP-6CP042A	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1920x1080	1.3h

■ 17 x Success

Total warnings
5

Total errors
0

Table of Contents

> ⚠ Warnings occurred. For additional information see the report of the individual modules, please.

▶ TestCase   23.06s

🎥 Recording1   23.02s

Time	Level	Category	Message
00:00.090	Info	Application	Run mobile app 'com.pentair.pentairhome' on device 'dellâ€™s iPhone'.
00:09.804	Info	Delay	Waiting for 10s.
00:19.881	Info	Touch	Touch item 'ComPentairPentairhome.Skip' at Center
00:23.039 ✅	Success	User	

▶ Login_into_the_application_   Rows: **1**   1.2m ⚠

▶ Login_into_the_application_   Data Row: **1**   1.2m ⚠

Username: sanjeevkumar.prasad@pentair.com

Password: Newman@1

🎥 Login   1.2m ⚠

Time	Level	Category	Message
00:23.111	Info	Data	Current variable values: $txtUsername = 'sanjeevkumar.prasad@pentair.com', $txtPassword = 'Newman@1'
00:23.153	Info	Set value	Setting attribute Text to '$txtUsername' on item 'ComPentairPentairhome.LoginTextInputEmail'.
00:23.828	Info	Set value	Setting attribute Text to '$txtPassword' on item 'ComPentairPentairhome.LoginTextInputPassword'.
00:24.555	Info	Touch	Touch item 'ComPentairPentairhome.LOGIN' at Center
00:25.927	Info	Delay	Waiting for 30s.
00:55.987	Info	Touch	(Optional Action) Touch item 'PH_Screen.ReviewNotification' at Center
01:26.447 ⚠	Warn	Module	(Optional Action) Failed to find item 'MyTest2Repository.PH_Screen.ReviewNotification'.
01:26.541	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
01:32.521	Info	Delay	Waiting for 3s.
01:35.605	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteL o'.
01:36.337 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFe atureImagesWhiteLo' does match the specified value.

Time	Level	Category	Message
01:36.444	Info	User	Logged In Sucessfully

Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device) Rows: 1   3.5m

Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device) Data Row: 1   3.5m

DeviceName: ChemCheck

◉◀ Home_Dashboard   3.5m

| Time	Level	Category	Message
01:36.500	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
01:36.566	Info	Validation	(Optional Action) Alert icon successfully verified Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'.
02:36.873	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 288 attempts within 1m.).
02:37.304 ⚠	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 288 attempts within 1m.).
02:37.372	Info	Validation	(Optional Action) Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.Bell_Alert'.
02:37.632 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.Bell_Alert' does match the specified value.
02:38.086	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2'.
02:38.313 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' does match the specified value.

Time	Level	Category	Description
02:38.749	Info	Validation	(Optional Action) Problem Detected Section Sucessfullt verified Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.ProblemDetected'.
02:38.982 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.ProblemDetected' does match the specified value.
02:39.416	Info	Validation	(Optional Action) Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.EverythingOK'.
03:39.874	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK']' after 282 attempts within 1m.).
03:40.424 ⚠️	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK']' after 282 attempts within 1m.).
03:41.086	Info	User	
03:41.089	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' at Center
03:50.553	Info	Delay	Waiting for 2s.
03:52.648	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:03.140	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:13.184	Info	Delay	Waiting for 5s.

04:18.956	Info	User	

04:18.958	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
04:28.353	Info	Delay	Waiting for 2s.
04:30.394	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:40.855	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:50.878	Info	Delay	Waiting for 2s.
04:55.598	Info	User	Device WQM

04:55.602	Info	Touch	Touch item 'ComPentairPentairhome.DeviceName' at Center
05:06.327	Info	Delay	Waiting for 3s.

Verify_Device_Dashboard_CheckCheck   Rows: 1   8.5s

Verify_Device_Dashboard_CheckCheck   Data Row: 1   8.5s

DeviceName: ChemCheck

DeviceDasboard   8.5s

Time	Level	Category	Message
05:09.412	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
05:09.469	Info	Validation	(Optional Action) Problem Detected Section verification Validating AttributeEqual (AccessibilityLabel='alertDetected') on item 'ComPentairPentairhome.AlertDetected'.
05:10.360 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.AlertDetected' does match the specified value.

|			
05:10.498	Info	Validation	(Optional Action) Reminder section validation Successful Validating AttributeEqual (AccessibilityLabel='Reminder') on item 'ComPentairPentairhome.Reminder'.
05:10.760 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Reminder' does match the specified value.
05:11.299	Info	Validation	Water Temperature Section validation successful Validating AttributeEqual (AccessibilityLabel='Water Temperature') on item 'ComPentairPentairhome.WaterTemperature'.
05:11.575 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterTemperature' does match the specified value.
05:12.168	Info	Validation	PH section validation successful Validating AttributeEqual (AccessibilityLabel='pH') on item 'ComPentairPentairhome.ContainerPH'.
05:12.433 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.ContainerPH' does match the specified value.
05:12.981	Info	Validation	Sanitizer section validation successful Validating AttributeEqual (AccessibilityLabel='Sanitizer') on item 'ComPentairPentairhome.Sanitizer'.
05:13.246 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Sanitizer' does match the specified value.
05:13.783	Info	Validation	Water quality section validation successful Validating AttributeEqual (AccessibilityLabel='Water Quality') on item 'ComPentairPentairhome.WaterQuality'.
05:14.042 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterQuality' does match the specified value.
05:14.681	Info	Validation	Settng icon Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.HeaderRightImage'.
05:14.973 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.HeaderRightImage' does match the specified value.
05:15.592	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac'.
05:15.860 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' does match the specified value.
05:16.378	Info	Validation	Validating AttributeEqual (AccessibilityLabel=$DeviceNamevar) on item 'ComPentairPentairhome.Dashboard_DeviceName'.
05:16.629 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Dashboard_DeviceName' does match the specified value.

Time	Level	Category	Message
05:17.908	Info	User	

▶ Verify_the_Water_Temperature_section_graphs

1.2m

🎥 WaterTemperature

1.2m

Time	Level	Category	Message
05:17.918	Info	Touch	Touch item 'ComPentairPentairhome.WaterTemperature' at Center
05:29.201	Info	Delay	Waiting for 2s.
05:34.622	Info	User	Hourly Report

Time	Level	Category	Message
05:34.624	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
05:45.087	Info	Delay	Waiting for 2s.

05:48.965	Info	User	Daily report

05:48.967	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
05:59.734	Info	Delay	Waiting for 2s.
06:03.399	Info	User	

06:03.402	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
06:13.992	Info	Delay	Waiting for 2s.
06:17.602	Info	User	

06:17.606	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' at Center

▶ Verify_the_PH_Section_charts_   1.3m   ⤒

pHCharts

1.3m

Time	Level	Category	Message
06:28.274	Info	Touch	Touch item 'ComPentairPentairhome.ContainerPH' at Center
06:41.127	Info	Delay	Waiting for 2s.
06:46.550	Info	User	
06:46.552	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
06:58.391	Info	Delay	Waiting for 2s.
07:02.087	Info	User	
07:02.089	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
07:14.201	Info	Delay	Waiting for 2s.

07:18.090	Info	User	

07:18.092	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
07:30.255	Info	Delay	Waiting for 2s.
07:33.974	Info	User	

07:33.978	Info	Touch	Touch item 'ComPentairPentairhome.HeaderLeftImage1' at CenterLeft

▶ Verify_the_Sanitizer_Section_in_Device_Dashboard_   1.3m ⤒

🎥 Sanitizer   1.3m ⤒

Time	Level	Category	Message
07:45.212	Info	Touch	Touch item 'ComPentairPentairhome.Sanitizer' at Center
07:58.880	Info	Delay	Waiting for 2s.

08:02.698	Info	User	Hourly Basis Sanitizer

08:02.719	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
08:15.502	Info	Delay	Waiting for 2s.
08:19.316	Info	User	Daily Basis

08:19.317	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
08:32.214	Info	Delay	Waiting for 2s.

| 08:36.188 | Info | User | Weekly Basis |

08:36.190	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
08:49.123	Info	Delay	Waiting for 2s.
08:53.082	Info	User	Monthly Basis

| 08:53.086 | Info | Touch | Touch item 'ComPentairPentairhome.RCTView1' at CenterLeft |

Verify__Pool_Add_Into_Account Rows: **1**   11.9m

Verify__Pool_Add_Into_Account Data Row: **1**   11.9m

DeviceName: ChemCheck

Pool_Add   11.9m

Time	Level	Category	Message
09:04.880	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
09:04.943	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
09:13.097	Info	Delay	Waiting for 3s.
09:16.217	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
09:36.810	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center

09:53.183	Info	Touch	Touch item 'Pool_Add.Outdoor' at Center
10:18.093	Info	Set value	Setting attribute Text to 'OutdoorPool_Automation' on item 'Pool_Add.PoolName'.
10:21.711	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
10:51.311	Info	Set value	Setting attribute Text to '6000' on item 'Pool_Add.Volume'.
10:55.018	Info	Touch	Touch item 'Pool_Add.Label_Pool_volume' at Center
11:24.434	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Label_Pool_volume'.
11:55.576	Info	Delay	Waiting for 2s.
11:57.635	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
12:25.095	Info	Delay	Waiting for 3s.
12:28.171	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
12:38.318	Info	Delay	Waiting for 3s.
12:41.379	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
13:02.092	Info	Delay	Waiting for 3s.
13:05.178	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center
13:23.911	Info	Touch	Touch item 'Pool_Add.IndoorPool' at Center
13:50.782	Info	Set value	Setting attribute Text to 'IndoorPool_Automation' on item 'Pool_Add.PoolName'.
13:54.641	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
14:25.781	Info	Set value	Setting attribute Text to '3000' on item 'Pool_Add.Volume'.
14:29.680	Info	Touch	Touch item 'Pool_Add.Label_Pool_volume' at Center
15:00.412	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Label_Pool_volume'.
15:31.685	Info	Delay	Waiting for 2s.
15:33.738	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
16:00.804	Info	Delay	Waiting for 3s.
16:03.889	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
16:14.479	Info	Delay	Waiting for 3s.
16:17.536	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
16:36.960	Info	Delay	Waiting for 5s.

16:43.919	Info	User	
16:43.922	Info	Touch	Touch item 'Product_Overview.HomeButton' at Center
16:55.760	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
17:08.811	Info	Delay	Waiting for 2s.
17:10.873	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
17:28.549	Info	Delay	Waiting for 5s.
17:33.601	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' at Center
17:47.787	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
18:03.511	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
18:28.367	Info	Touch	Touch item 'Pool_Add.Address' at Center
18:50.106	Info	Delay	Waiting for 5s.
18:55.161	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
19:22.619	Info	Delay	Waiting for 30s.
19:52.683	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
19:55.054 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
19:55.283	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
20:11.006	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
20:25.671	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
20:39.256	Info	Delay	Waiting for 2s.
20:41.345	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

Verify_Water_Quality_with_balanced_values Rows: **1**   2.9m

Verify_Water_Quality_with_balanced_values Data Row: **1**   2.9m

pH: 7.5

freeChlorine: 4

totalchlorine: 17

totalAlk: 100

CalciumHardness: 300

**CyanuricAcid:** 50

📹 WaterTestBalancedValues   2.9m

Time	Level	Category	Message
20:58.851	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '17', $TotalAlkabalanced = '100', $calciumbalanced = '300', $Cyanuricbalaned = '50'
20:58.913	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
21:20.086	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
21:37.647	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
21:53.742	Info	Delay	Waiting for 2s.
21:55.805	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
21:59.506	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
22:03.127	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
22:06.694	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
22:10.215	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
22:13.708	Info	Set value	Setting attribute Text to '$Cyanuricbalaned' on item 'Water_Quality.CyanuricAcid'.
22:17.818	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
22:39.578	Info	Touch	Touch item 'Water_Quality.Save' at Center
22:56.422	Info	Delay	Waiting for 2s.
22:58.489	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
23:17.768	Info	Delay	Waiting for 10s.

| Time	Level	Category	Message
23:29.863	Info	User	
23:29.865	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
23:30.169 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
23:31.860	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

▶ Verfy_Water_Quality_using_Test_Strip Rows: **1** 6.1m

▶ Verfy_Water_Quality_using_Test_Strip Data Row: **1** 6.1m

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

CyanuricAcid: 40

◉ WaterTestusingTeststrip 6.1m

Time	Level	Category	Message
23:51.998	Info	Data	Current variable values: $PHvalue = '11', $Chlorine = '5', $pHagain = '6', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300', $CyanuricAcid = '40'
23:52.068	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
24:12.393	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
24:29.789	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
24:45.849	Info	Delay	Waiting for 2s.
24:47.924	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.

24:51.514	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
25:13.223	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
25:15.048 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
25:15.221	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
25:28.029	Info	Delay	Waiting for 2s.
25:30.109	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
25:33.575	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
25:36.889	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
25:40.210	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
25:43.702	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
25:47.210	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
25:50.772	Info	Set value	Setting attribute Text to '$CyanuricAcid' on item 'Water_Quality.CyanuricAcid'.
25:54.214	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
26:16.498	Info	Touch	Touch item 'Water_Quality.Save' at Center
26:33.802	Info	Delay	Waiting for 2s.
26:35.841	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
26:55.500	Info	Delay	Waiting for 5s.
27:02.736	Info	User	
27:02.738	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
27:29.579	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
27:49.984	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
27:52.285 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
27:52.428	Info	Touch	Touch item 'Water_Quality.Save' at Center
28:12.621	Info	Delay	Waiting for 3s.

Time	Level	Category	Message
28:15.702	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
28:35.883	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
28:54.331	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
29:10.631	Info	Delay	Waiting for 5s.
29:15.677	Info	Touch	Touch item 'Water_Quality.Unbalanced_icon' at Center
29:41.880	Info	User	
29:41.882	Info	Validation	Validating AttributeEqual (AccessibilityLabel=$pHagain) on item 'Water_Quality.PH_value'.
29:42.208	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.PH_value' does match the specified value.
29:43.807	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center
29:58.491	Info	Delay	Waiting for 2s.

Verify_Water_balance_Indoor_Pool Rows: **1**   3.6m

Verify_Water_balance_Indoor_Pool Data Row: **1**   3.6m

DeviceName: ChemCheck

Water_Balance_Indoor_Pool   3.6m

Time	Level	Category	Message
30:00.576	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
30:00.617	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
30:18.858	Info	Delay	Waiting for 2s.
30:20.990	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' at Center
30:35.685	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center

30:51.769	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
31:17.103	Info	Touch	Touch item 'Pool_Add.Address' at Center
31:39.265	Info	Delay	Waiting for 2s.
31:41.335	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
32:14.606	Info	Delay	Waiting for 10s.
32:24.688	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
32:29.881 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
32:31.976	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
32:47.925	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
33:03.555	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
33:17.277	Info	Delay	Waiting for 2s.
33:19.337	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

▶ Verify_InDoor_Pool_Water_Quality_with_balanced_values   Rows: 1   2.9m

▶ Verify_InDoor_Pool_Water_Quality_with_balanced_values   Data Row: 1   2.9m

pH: 7.5

freeChlorine: 4

totalchlorine: 15

totalAlk: 100

CalciumHardness: 300

📷 Indoor_Balanced_Verification   2.9m

Time	Level	Category	Message
33:37.041	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '15', $TotalAlkabalanced = '100', $calciumbalanced = '300'
33:37.107 ⚠	Warn	Data	The following module variables are not bound to a data column: Cyanuricbalaned
33:37.153	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
33:56.582	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
34:14.845	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
34:31.652	Info	Delay	Waiting for 2s.

34:33.707	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
34:37.519	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
34:41.307	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
34:44.945	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
34:48.600	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
34:52.422	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
35:15.066	Info	Touch	Touch item 'Water_Quality.Save' at Center
35:32.707	Info	Delay	Waiting for 2s.
35:34.754	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
35:54.958	Info	Delay	Waiting for 10s.
36:07.211	Info	User	
36:07.213	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
36:07.522 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
36:09.270	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

Verify_Indoor_Pool_Water_Quality_NotBalanced   Rows: **1**   24.3m   ⬆

Verify_Indoor_Pool_Water_Quality_NotBalanced   Data Row: **1**   24.3m   ⬆

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

24.3m

Time	Level	Category	Message
36:30.034	Info	Data	Current variable values: $PHvalue = '11', $pHagain = '6', $Chlorine = '5', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300'
36:30.107	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
36:51.227	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
37:08.580	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
37:24.597	Info	Delay	Waiting for 2s.
37:26.669	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.
37:30.063	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
37:51.694	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
37:53.505	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
37:53.666	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
38:06.411	Info	Delay	Waiting for 2s.
38:08.527	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
38:11.825	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
38:15.202	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
38:18.642	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
38:22.051	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
38:25.528	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
38:29.042	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
38:50.231	Info	Touch	Touch item 'Water_Quality.Save' at Center
39:06.743	Info	Delay	Waiting for 2s.
39:08.789	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
39:28.035	Info	Delay	Waiting for 3s.
39:33.832	Info	User	Open Snapshot (To open snapshot file, please see original Ranorex report)
39:33.834	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
40:01.514	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
40:21.818	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
40:24.104	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
40:24.241	Info	Touch	Touch item 'Water_Quality.Save' at Center
40:44.237	Info	Delay	Waiting for 3s.

| 40:47.294	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
41:06.626	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
41:25.028	Info	Touch	Touch item 'Water_Quality.View_Test_history' at Center
41:41.333	Info	Delay	Waiting for 3s.
41:44.429	Info	Touch	Touch item 'Water_Quality.Chemical_level_graph' at Center
42:03.042	Info	Touch	Touch item 'Water_Quality.Hourly_water_history' at Center
42:33.720	Info	Delay	Waiting for 3s.
42:39.615	Info	User	
42:39.617	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
43:11.447	Info	User	
43:11.451	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.

43:43.203	Info	User	
43:43.205	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
44:15.340	Info	User	
44:15.342	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
44:46.978	Info	User	

| 44:46.980	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
45:16.180	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
45:45.521	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
46:14.791	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
46:43.122	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
47:11.063	Info	Delay	Waiting for 5s.
47:19.134	Info	User	
47:19.138	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
47:50.262	Info	User	
47:50.265	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.

48:20.635	Info	User	
48:20.637	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
48:51.211	Info	User	
48:51.213	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
49:21.158	Info	User	

49:21.160	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
49:49.298	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
50:15.877	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
50:46.244	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
51:14.829	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
51:43.047	Info	Delay	Waiting for 5s.
51:50.980	Info	User	
51:50.982	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
52:22.869	Info	User	
52:22.871	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.

52:54.636	Info	User	
52:54.638	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
53:26.351	Info	User	
53:26.353	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
53:57.595	Info	User	

53:57.599	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
54:25.842	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
54:54.480	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
55:23.777	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
55:52.270	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
56:23.059	Info	User	
56:23.060	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
56:55.686	Info	User	
56:55.688	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.

57:27.490	Info	User	

57:27.491	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
57:59.587	Info	User	

57:59.592	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
58:31.096	Info	User	

| 58:31.098	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Cyanuric_acid_label'.
59:00.658	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Alkanity_Level_Label'.
59:30.176	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.PH_Level_label'.
59:59.663	Info	Touch gestures	Swipe gesture with direction 'Down (90°)' starting from 'Center' with distance '150' with swipe duration'600ms' and step count '0' on item 'Water_Quality.Free_chlorine_label'.
60:28.697	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center

Verify_setting__with_Product_Overview_Checmcheck Rows: **1**   3.8m

Verify_setting__with_Product_Overview_Checmcheck Data Row: **1**   3.8m

DeviceName: ChemCheck

Settings_Product_Overview   3.8m

Time	Level	Category	Message
60:49.902	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
60:49.950	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
61:03.515	Info	Delay	Waiting for 2s.
61:05.561	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
61:24.122	Info	Delay	Waiting for 2s.
61:26.190	Info	Touch	Touch item 'ComPentairPentairhome.HeaderRightImage' at Center
61:42.539	Info	User	

61:42.541	Info	Validation	(Optional Action) Validating AttributeEqual (AccessibilityLabel='Product Overview') on item 'Product_Overview.ProductOverviewclick'.
61:42.838 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Product_Overview.ProductOverviewclick' does match the specified value.
61:44.309	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
62:00.634	Info	Delay	Waiting for 2s.
62:04.749	Info	User	
62:04.750	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Product_Overview.Nickname'.
62:29.727	Info	User	
62:29.729	Info	Touch	Touch item 'Product_Overview.BackArrow' at Center
62:46.671	Info	Touch	Touch item 'Product_Overview.Notifications' at Center
63:03.405	Info	Delay	Waiting for 3s.

63:08.619	Info	User	

63:08.620	Info	Touch gestures	Swipe gesture with direction 'Left (180°)' starting from 'Center' with distance '1.0' with swipe duration'500ms' and step count '0' on item 'Product_Overview.RCTView2'.
63:36.917	Info	Delay	Waiting for 2s.
63:41.115	Info	User	

63:41.116	Info	Touch	Touch item 'Product_Overview.Notification_back_arrow' at Center
64:00.023	Info	Touch	Touch item 'Product_Overview.ContactAProfessional' at Center
64:16.725	Info	Delay	Waiting for 2s.
64:18.804	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Product_Overview.AssetsSrcCommonFeatureImagesPinLoca'.
64:20.754 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Product_Overview.AssetsSrcCommonFeatureI magesPinLoca' does match the specified value.
64:20.928	Info	Touch	Touch item 'Product_Overview.Contact_Pro_back' at CenterLeft
64:37.131	Info	Delay	Waiting for 1s.

**Verify_Pool_Device_remove_functionality**   7.3m

Pool_Device_remove   7.3m

Time	Level	Category	Message

64:38.263	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
64:55.085	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
65:21.437	Info	Touch	Touch item 'Pool_Add.Address' at Center
65:44.505	Info	Delay	Waiting for 2s.
65:46.601	Info	Touch	Touch item 'Pool_Add.Test_Pool' at Center
66:19.646	Info	Delay	Waiting for 2s.
66:21.712	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
66:31.614 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
66:33.605	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
66:50.209	Info	Delay	Waiting for 3s.
66:53.292	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
67:07.965	Info	Delay	Waiting for 2s.
67:10.054	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
67:42.766	Info	Delay	Waiting for 2s.
67:44.812	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
68:26.082	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
68:58.382	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
69:32.595	Info	Delay	Waiting for 3s.
69:35.699	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
70:13.370	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
70:45.534	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
71:20.226	Info	Delay	Waiting for 3s.
71:25.908	Info	User	
71:25.909	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center

Time	Level	Category	Message
71:40.644	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
71:54.404	Info	Delay	Waiting for 2s.

📄 ReportToPDFModule (Ranorex Automation Helpers)   56ms ⬆ ⚠

Time	Level	Category	Message
71:56.920 ⚠	Warn	Data	The following module variables are not bound to a data column: PdfName, PdfDirectoryPath, Xml, Details, DeleteRanorexReport

▶ Verify_Sanitizer_Calibration   Rows: **1**   3m ⬆

▶ Verify_Sanitizer_Calibration   Data Row: **1**   3m ⬆

DeviceName: ChemCheck

📷 Sanitize_Calibration   3m ⬆

Time	Level	Category	Message
71:56.981	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
71:57.034	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
72:15.721	Info	Delay	Waiting for 3s.
72:18.774	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
72:33.845	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '400' with swipe duration'800ms' and step count '0' on item 'Product_Overview.ContactAProfessional'.
72:51.789	Info	Touch	Touch item 'Calibration.Sanitizer_Calibration' at Center
73:09.075	Info	Delay	Waiting for 3s.
73:12.155	Info	Set value	Setting attribute Text to '2' on item 'Calibration.Calibration_Chlorine'.
73:16.345	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Calibration.Free_chlorine_Label'.
73:44.450	Info	Touch	Touch item 'Calibration.Calibrate_button' at Center
74:10.136	Info	Delay	Waiting for 5s.

74:17.361	Info	User	

74:17.364	Info	Touch	Touch item 'Calibration.Calibration_Ok' at Center
74:27.524	Info	Delay	Waiting for 4s.
74:33.197	Info	User	

74:33.199	Info	Touch	Touch item 'Pool_Add.HomeIcon_without_red' at Center
74:44.823	Info	Delay	Waiting for 10s.

Verify_PH_calibration Rows: **1**   2.2m ⤒

#### Verify_PH_calibration Data Row: **1**   2.2m ⤒

DeviceName: ChemCheck

PH_Calibration   2.2m ⤒

Time	Level	Category	Message
74:54.914	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
74:54.977	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

75:13.507	Info	Delay	Waiting for 3s.
75:16.587	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
75:31.516	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '400' with swipe duration'800ms' and step count '0' on item 'Product_Overview.ContactAProfessional'.
75:49.123	Info	Touch	Touch item 'Calibration.ph_Offset' at Center
76:06.238	Info	Set value	Setting attribute Text to '7' on item 'Calibration.pH_calibration_textbox'.
76:10.172	Info	Touch	Touch item 'Calibration.Calibrate_button' at Center
76:36.164	Info	Delay	Waiting for 2s.
76:40.802	Info	User	
76:40.804	Info	Touch	Touch item 'Calibration.Calibration_Ok' at Center
77:02.068	Info	Delay	Waiting for 1s.
77:05.066	Info	User	