MyTest2

Execution time	Computer name	Language
30-09-2020 09:22:19	DESKTOP-6CP042A	en-US
Operating system	Screen dimension	Duration
Windows 10 64bit	1920x1080	45.5m

■ 15 x Success

Total warnings
5

Total errors
0

Table of Contents

> ⚠️ Warnings occurred. For additional information see the report of the individual modules, please.

▶ TestCase   23.58s ⬆

◉ Recording1   23.55s ⬆

Time	Level	Category	Message
00:00.079	Info	Application	Run mobile app 'com.pentair.pentairhome' on device 'dell's iPhone'.
00:09.441	Info	Delay	Waiting for 10s.
00:19.512	Info	Touch	Touch item 'ComPentairPentairhome.Skip' at Center
00:23.540 ✅	Success	User	

▶ Login_into_the_application_   Rows: 1   1.2m ⬆ ⚠

▶ Login_into_the_application_   Data Row: 1   1.2m ⬆ ⚠

Username: sanjeevkumar.prasad@pentair.com

Password: Newman@1

◉ Login   1.2m ⬆ ⚠

Time	Level	Category	Message
00:23.628	Info	Data	Current variable values: $txtUsername = 'sanjeevkumar.prasad@pentair.com', $txtPassword = 'Newman@1'
00:23.684	Info	Set value	Setting attribute Text to '$txtUsername' on item 'ComPentairPentairhome.LoginTextInputEmail'.
00:24.378	Info	Set value	Setting attribute Text to '$txtPassword' on item 'ComPentairPentairhome.LoginTextInputPassword'.
00:25.151	Info	Touch	Touch item 'ComPentairPentairhome.LOGIN' at Center
00:26.531	Info	Delay	Waiting for 30s.
00:56.594	Info	Touch	(Optional Action) Touch item 'PH_Screen.ReviewNotification' at Center
01:26.990 ⚠	Warn	Module	(Optional Action) Failed to find item 'MyTest2Repository.PH_Screen.ReviewNotification'.
01:27.049	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
01:33.105	Info	Delay	Waiting for 3s.
01:36.213	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo'.
01:36.949 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesWhiteLo' does match the specified value.

01:37.044	Info	User	Logged In Sucessfully

**Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device)** Rows: **1** 3.4m

Verify_the_Home_Dashboard(Bell,_Setting,_Alert_and_Device) Data Row: **1** 3.4m

DeviceName: ChemCheck

◐ Home_Dashboard 3.4m

Time	Level	Category	Message
01:37.090	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
01:37.138	Info	Validation	(Optional Action) Alert icon successfully verified Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'.
02:37.420	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 289 attempts within 1m.).
02:37.527 ⚠	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesNotific'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' at step 'descendant-or-self::container[@accessibilityid='assets/src/Common_Feature/Images/notificationWhite@2x.png']' after 289 attempts within 1m.).
02:37.588	Info	Validation	(Optional Action) Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.Bell_Alert'.
02:37.838 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.Bell_Alert' does match the specified value.
02:38.248	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2'.
02:38.518 ✓	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt2' does match the specified value.

02:38.979	Info	Validation	(Optional Action) Problem Detected Section Sucessfullt verified Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.ProblemDetected'.
02:39.235 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.ProblemDetected' does match the specified value.
02:39.669	Info	Validation	(Optional Action) Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.EverythingOK'.
03:39.988	Info	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK'] after 290 attempts within 1m.).
03:40.207 ⚠️	Warn	Module	(Optional Action) Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.EverythingOK' does not match the specified value (Failed to find item 'MyTest2Repository.ComPentairPentairhome.EverythingOK'. No element found for path '/mobileapp[@title='com.pentair.pentairhome']//container[@accessibilitylabel='Everything OK']/container[@accessibilitylabel='Everything OK'] at step 'descendant-or-self::container[@accessibilitylabel='Everything OK'] after 290 attempts within 1m.).
03:40.858	Info	User	
03:40.860	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
03:50.569	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:01.620	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:11.817	Info	Delay	Waiting for 2s.

04:14.920	Info	User	

04:14.923	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
04:24.856	Info	Touch	Touch item 'ComPentairPentairhome.Dashboard_DeviceName' at Center
04:35.644	Info	Touch	Touch item 'Edit_Dashboard.SaveEditDashboard' at Center
04:45.848	Info	Delay	Waiting for 2s.
04:48.960	Info	User	Device WQM

04:48.970	Info	Touch	Touch item 'ComPentairPentairhome.DeviceName' at Center
05:00.063	Info	Delay	Waiting for 3s.

Verify_Device_Dashboard_CheckCheck   Rows: **1**   8.61s

Verify_Device_Dashboard_CheckCheck   Data Row: **1**   8.61s

DeviceName: ChemCheck

DeviceDasboard   8.61s

Time	Level	Category	Message
05:03.141	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
05:03.192	Info	Validation	(Optional Action) Problem Detected Section verification Validating AttributeEqual (AccessibilityLabel='alertDetected') on item 'ComPentairPentairhome.AlertDetected'.
05:04.070 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.AlertDetected' does match the specified value.

| Time	Level	Type	Message
05:04.212	Info	Validation	(Optional Action)
			Reminder section validation Successful
			Validating AttributeEqual (AccessibilityLabel='Reminder') on item 'ComPentairPentairhome.Reminder'.
05:04.518 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Reminder' does match the specified value.
05:05.099	Info	Validation	Water Temperature Section validation successful
			Validating AttributeEqual (AccessibilityLabel='Water Temperature') on item 'ComPentairPentairhome.WaterTemperature'.
05:05.374 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterTemperature' does match the specified value.
05:05.938	Info	Validation	PH section validation successful
			Validating AttributeEqual (AccessibilityLabel='pH') on item 'ComPentairPentairhome.ContainerPH'.
05:06.237 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.ContainerPH' does match the specified value.
05:06.800	Info	Validation	Sanitizer section validation successful
			Validating AttributeEqual (AccessibilityLabel='Sanitizer') on item 'ComPentairPentairhome.Sanitizer'.
05:07.097 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Sanitizer' does match the specified value.
05:07.649	Info	Validation	Water quality section validation successful
			Validating AttributeEqual (AccessibilityLabel='Water Quality') on item 'ComPentairPentairhome.WaterQuality'.
05:07.952 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.WaterQuality' does match the specified value.
05:08.537	Info	Validation	Settng icon
			Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.HeaderRightImage'.
05:08.784 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.HeaderRightImage' does match the specified value.
05:09.379	Info	Validation	Validating AttributeEqual (Visible='True') on item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac'.
05:09.639 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' does match the specified value.
05:10.193	Info	Validation	Validating AttributeEqual (AccessibilityLabel=$DeviceNamevar) on item 'ComPentairPentairhome.Dashboard_DeviceName'.
05:10.463 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.ComPentairPentairhome.Dashboard_DeviceName' does match the specified value.

05:11.743	Info	User

Verify_the_Water_Temperature_section_graphs

1.1m

WaterTemperature

1.1m

Time	Level	Category	Message
05:11.752	Info	Touch	Touch item 'ComPentairPentairhome.WaterTemperature' at Center
05:23.264	Info	Delay	Waiting for 2s.
05:26.920	Info	User	Hourly Report

| 05:26.923 | Info | Touch | Touch item 'ComPentairPentairhome.Daily' at Center |
| 05:37.222 | Info | Delay | Waiting for 2s. |

05:40.872	Info	User	Daily report
05:40.877	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
05:51.112	Info	Delay	Waiting for 2s.
05:54.646	Info	User	
05:54.649	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
06:04.850	Info	Delay	Waiting for 2s.
06:08.457	Info	User	
06:08.459	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesIconBac' at Center

▶ **Verify_the_PH_Section_charts_**   1.2m   ⊤

pHCharts

Time	Level	Category	Message
06:18.671	Info	Touch	Touch item 'ComPentairPentairhome.ContainerPH' at Center
06:30.543	Info	Delay	Waiting for 2s.
06:34.224	Info	User	

Time	Level	Category	Message
06:34.226	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
06:45.073	Info	Delay	Waiting for 2s.
06:48.720	Info	User	

Time	Level	Category	Message
06:48.722	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
06:59.627	Info	Delay	Waiting for 2s.

| 07:03.259 | Info | User | |

07:03.261	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
07:14.107	Info	Delay	Waiting for 2s.
07:17.821	Info	User	

| 07:17.823 | Info | Touch | Touch item 'ComPentairPentairhome.HeaderLeftImage1' at CenterLeft |

▶ Verify_the_Sanitizer_Section_in_Device_Dashboard_   1.2m ⤒

🎥 Sanitizer   1.2m ⤒

Time	Level	Category	Message
07:27.738	Info	Touch	Touch item 'ComPentairPentairhome.Sanitizer' at Center
07:39.729	Info	Delay	Waiting for 2s.

07:43.438	Info	User	Hourly Basis Sanitizer

07:43.440	Info	Touch	Touch item 'ComPentairPentairhome.Daily' at Center
07:54.390	Info	Delay	Waiting for 2s.
07:57.983	Info	User	Daily Basis

07:57.985	Info	Touch	Touch item 'ComPentairPentairhome.Weekly' at Center
08:08.975	Info	Delay	Waiting for 2s.

08:12.720	Info	User	Weekly Basis

08:12.723	Info	Touch	Touch item 'ComPentairPentairhome.Monthly' at Center
08:23.604	Info	Delay	Waiting for 2s.
08:27.240	Info	User	Monthly Basis

08:27.244	Info	Touch	Touch item 'ComPentairPentairhome.RCTView1' at CenterLeft

Verify_Pool_Add_Into_Account   Rows: **1**   8.9m

Verify_Pool_Add_Into_Account   Data Row: **1**   8.9m

DeviceName: ChemCheck

Pool_Add   8.9m

Time	Level	Category	Message
08:37.192	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
08:37.306	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
08:44.304	Info	Delay	Waiting for 3s.
08:47.373	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
09:04.744	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center

09:18.552	Info	Touch	Touch item 'Pool_Add.Outdoor' at Center
09:38.820	Info	Set value	Setting attribute Text to 'OutdoorPool_Automation' on item 'Pool_Add.PoolName'.
09:41.984	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
10:05.589	Info	Set value	Setting attribute Text to '6000' on item 'Pool_Add.Volume'.
10:09.066	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
10:30.474	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
10:38.978	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
11:02.781	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
11:18.379	Info	Delay	Waiting for 3s.
11:21.445	Info	Touch	Touch item 'Pool_Add.ADDANEWPOOL' at Center
11:37.002	Info	Touch	Touch item 'Pool_Add.IndoorPool' at Center
11:58.185	Info	Set value	Setting attribute Text to 'IndoorPool_Automation' on item 'Pool_Add.PoolName'.
12:01.452	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.PoolName'.
12:26.347	Info	Set value	Setting attribute Text to '3000' on item 'Pool_Add.Volume'.
12:29.594	Info	Touch	Touch item 'Pool_Add.SelectAddress' at Center
12:52.003	Info	Touch	Touch item 'Pool_Add.Container53diamondcourtBurllingame' at Center
13:00.922	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'500ms' and step count '0' on item 'Pool_Add.Volume'.
13:27.038	Info	Touch	Touch item 'Pool_Add.PoolSave' at CenterRight
13:44.327	Info	Delay	Waiting for 3s.
13:48.955	Info	User	
13:49.250	Info	Touch	Touch item 'Product_Overview.HomeButton' at Center
13:59.783	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
14:11.835	Info	Delay	Waiting for 2s.

14:13.925	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
14:30.536	Info	Delay	Waiting for 2s.
14:32.626	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
14:46.077	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
15:00.926	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
15:24.881	Info	Touch	Touch item 'Pool_Add.Address' at Center
15:45.998	Info	Delay	Waiting for 2s.
15:48.109	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
16:15.088	Info	Delay	Waiting for 10s.
16:25.269	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
16:27.586 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
16:27.929	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
16:43.932	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
16:59.076	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeA le' at Center
17:10.192	Info	Delay	Waiting for 2s.
17:12.270	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

Verify_Water_Quality_with_balanced_values Rows: **1**   2.9m

Verify_Water_Quality_with_balanced_values Data Row: **1**   2.9m

pH: 7.5

freeChlorine: 4

totalchlorine: 17

totalAlk: 100

CalciumHardness: 300

CyanuricAcid: 50

◉◀ WaterTestBalancedValues   2.9m

Time	Level	Category	Message
17:30.575	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '17', $TotalAlkabalanced = '100', $calciumbalanced = '300', $Cyanuricbalaned = '50'

17:30.651	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
17:49.862	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
18:07.868	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
18:24.628	Info	Delay	Waiting for 2s.
18:27.036	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
18:30.696	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
18:34.233	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.
18:37.799	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
18:41.333	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
18:44.930	Info	Set value	Setting attribute Text to '$Cyanuricbalaned' on item 'Water_Quality.CyanuricAcid'.
18:48.796	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
19:10.813	Info	Touch	Touch item 'Water_Quality.Save' at Center
19:28.440	Info	Delay	Waiting for 2s.
19:30.498	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
19:50.076	Info	Delay	Waiting for 10s.
20:02.248	Info	User	
20:02.250	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
20:02.810 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
20:04.566	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

▶ **Verfy_Water_Quality_using_Test_Strip**   Rows: **1**   4.3m   ⊼

▶ **Verfy_Water_Quality_using_Test_Strip**   Data Row: **1**   4.3m   ⊼

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

CyanuricAcid: 40

◉◀ WaterTestusingTeststrip   4.3m ⬆

Time	Level	Category	Message
20:24.725	Info	Data	Current variable values: $PHvalue = '11', $Chlorine = '5', $pHagain = '6', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300', $CyanuricAcid = '40'
20:24.797	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
20:45.025	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
21:02.712	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
21:19.347	Info	Delay	Waiting for 2s.
21:21.555	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.
21:25.132	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
21:47.076	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
21:48.863 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
21:49.022	Info	Touch	Touch item 'Water_Quality.TextOK' at Center
22:02.001	Info	Delay	Waiting for 2s.
22:04.086	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
22:07.360	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
22:10.681	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
22:14.211	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
22:17.720	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
22:21.204	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
22:25.060	Info	Set value	Setting attribute Text to '$CyanuricAcid' on item 'Water_Quality.CyanuricAcid'.
22:28.545	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
22:50.077	Info	Touch	Touch item 'Water_Quality.Save' at Center
23:07.474	Info	Delay	Waiting for 2s.
23:09.529	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
23:28.622	Info	Delay	Waiting for 3s.

23:33.893	Info	User	

23:33.895	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
23:58.131	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
24:18.308	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
24:20.540 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
24:20.666	Info	Touch	Touch item 'Water_Quality.Save' at Center
24:40.478	Info	Delay	Waiting for 3s.

▶️🗄 **Verify_Water_balance_Indoor_Pool** Rows: **1** 3.4m ⬆

▶️ **Verify_Water_balance_Indoor_Pool** Data Row: **1** 3.4m ⬆

DeviceName: ChemCheck

🎥◀ Water_Balance_Indoor_Pool 3.4m ⬆

Time	Level	Category	Message
24:43.614	Info	Data	Current variable values: $DeviceNamevar = 'ChemCheck'
24:43.692	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center
25:03.418	Info	Touch	Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesGearAt 2' at Center
25:17.982	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
25:34.012	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
25:59.075	Info	Touch	Touch item 'Pool_Add.Address' at Center
26:21.261	Info	Delay	Waiting for 2s.
26:23.364	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
26:54.687	Info	Delay	Waiting for 2s.

Time	Level	Category	Message
26:56.784	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
27:01.727 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
27:03.727	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
27:19.737	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center
27:34.840	Info	Touch	(Optional Action) Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAle' at Center
27:48.810	Info	Delay	Waiting for 2s.
27:50.865	Info	Touch	Touch item 'ComPentairPentairhome.Pool_device_Address' at Center

▶️ Verify_InDoor_Pool_Water_Quality_with_balanced_values   Rows: 1   2.9m ⤒ ⚠️

▶️ Verify_InDoor_Pool_Water_Quality_with_balanced_values   Data Row: 1   2.9m ⤒ ⚠️

pH: 7.5

freeChlorine: 4

totalchlorine: 15

totalAlk: 100

CalciumHardness: 300

🎥 Indoor_Balanced_Verification   2.9m ⤒ ⚠️

Time	Level	Category	Message
28:09.070	Info	Data	Current variable values: $pHBalanced = '7.5', $ChlorineBalanced = '4', $totalchbalanced = '15', $TotalAlkabalanced = '100', $calciumbalanced = '300'
28:09.130 ⚠️	Warn	Data	The following module variables are not bound to a data column: Cyanuricbalaned
28:09.181	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
28:29.119	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
28:48.333	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
29:06.002	Info	Delay	Waiting for 2s.
29:08.077	Info	Set value	Setting attribute Text to '$pHBalanced' on item 'Water_Quality.RCTUITextField'.
29:11.963	Info	Set value	Setting attribute Text to '$ChlorineBalanced' on item 'Water_Quality.Chlorine'.
29:15.677	Info	Set value	Setting attribute Text to '$totalchbalanced' on item 'Water_Quality.TotalChlorine'.

29:19.425	Info	Set value	Setting attribute Text to '$TotalAlkabalanced' on item 'Water_Quality.TotalAlkalinity'.
29:23.102	Info	Set value	Setting attribute Text to '$calciumbalanced' on item 'Water_Quality.Calcium'.
29:26.873	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
29:50.227	Info	Touch	Touch item 'Water_Quality.Save' at Center
30:08.822	Info	Delay	Waiting for 2s.
30:10.919	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
30:31.601	Info	Delay	Waiting for 10s.
30:41.685	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Balanced Water') on item 'Water_Quality.BalancedWater'.
30:43.758 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Water_Quality.BalancedWater' does match the specified value.
30:43.929	Info	Touch	Touch item 'Water_Quality.Savebalanced' at Center

Verify_Indoor_Pool_Water_Quality_NotBalanced   Rows: 1   4.4m

Verify_Indoor_Pool_Water_Quality_NotBalanced   Data Row: 1   4.4m

pH: 11

pHagain: 6

freeChlorine: 5

totalchlorine: 6

totalAlk: 90

CalciumHardness: 300

Indoor_Unbalanced_Water_Quality   4.4m

Time	Level	Category	Message
31:05.326	Info	Data	Current variable values: $PHvalue = '11', $pHagain = '6', $Chlorine = '5', $TotalChlorine = '6', $TotalAlkalinity = '90', $Calcium = '300'
31:05.401	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'800ms' and step count '0' on item 'ComPentairPentairhome.Sanitizer'.
31:27.017	Info	Touch	Touch item 'ComPentairPentairhome.WaterQuality' at Center
31:45.901	Info	Touch	Touch item 'ComPentairPentairhome.TESTSTRIP' at Center
32:03.091	Info	Delay	Waiting for 2s.
32:05.191	Info	Set value	Setting attribute Text to '$PHvalue' on item 'Water_Quality.RCTUITextField'.
32:08.953	Info	Touch	Touch item 'Water_Quality.Chlorine' at Center
32:31.989	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.TheValidRangeForPHIs59'.
32:33.910 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.TheValidRangeForPHIs59' does match the specified value.
32:34.057	Info	Touch	Touch item 'Water_Quality.TextOK' at Center

Time	Level	Category	Message
32:47.823	Info	Delay	Waiting for 2s.
32:49.891	Info	Set value	Setting attribute Text to '' on item 'Water_Quality.RCTUITextField'.
32:53.357	Info	Set value	Setting attribute Text to '$pHagain' on item 'Water_Quality.RCTUITextField1'.
32:56.874	Info	Set value	Setting attribute Text to '$Chlorine' on item 'Water_Quality.Chlorine'.
33:00.509	Info	Set value	Setting attribute Text to '$TotalChlorine' on item 'Water_Quality.TotalChlorine'.
33:04.158	Info	Set value	Setting attribute Text to '$TotalAlkalinity' on item 'Water_Quality.TotalAlkalinity'.
33:07.809	Info	Set value	Setting attribute Text to '$Calcium' on item 'Water_Quality.Calcium'.
33:11.545	Info	Touch	Touch item 'Water_Quality.TotalAlkalinitylabel' at Center
33:33.893	Info	Touch	Touch item 'Water_Quality.Save' at Center
33:51.688	Info	Delay	Waiting for 2s.
33:53.760	Info	Touch	Touch item 'Water_Quality.CONTINUE' at Center
34:13.288	Info	Delay	Waiting for 3s.
34:16.370	Info	Touch	Touch item 'Water_Quality.SodiumCarbonate' at Center
34:42.027	Info	Touch	Touch item 'Water_Quality.RecommendCONTINUE' at Center
35:01.966	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Water_Quality.RecommendedDosage'.
35:04.108 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Water_Quality.RecommendedDosage' does match the specified value.
35:04.247	Info	Touch	Touch item 'Water_Quality.Save' at Center
35:23.888	Info	Delay	Waiting for 3s.

### ▶ Verify_setting__with_Product_Overview_Checmcheck   3.1m ⤒

🎥 Settings_Product_Overview   3.1m ⤒

Time	Level	Category	Message
35:26.980	Info	Touch	Touch item 'ComPentairPentairhome.HeaderRightImage' at Center
35:43.179	Info	User	

35:43.181	Info	Validation	Validating AttributeEqual (AccessibilityLabel='Product Overview') on item 'Product_Overview.ProductOverviewclick'.
35:43.486 ✅	Success	Validation	Attribute 'AccessibilityLabel' of element for item 'MyTest2Repository.Product_Overview.ProductOverviewclick' does match the specified value.
35:45.012	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
36:00.894	Info	Delay	Waiting for 2s.
36:05.055	Info	User	
36:05.058	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Product_Overview.Nickname'.
36:29.541	Info	User	
36:29.543	Info	Touch	Touch item 'Product_Overview.BackArrow' at Center
36:46.214	Info	Touch	Touch item 'Product_Overview.Notifications' at Center
37:02.501	Info	Delay	Waiting for 3s.

Time	Level	Category	Message
37:07.617	Info	User	
37:07.620	Info	Touch gestures	Swipe gesture with direction 'Left (180°)' starting from 'Center' with distance '1.0' with swipe duration'500ms' and step count '0' on item 'Product_Overview.RCTView2'.
37:35.044	Info	Delay	Waiting for 2s.
37:39.131	Info	User	
37:39.134	Info	Touch	Touch item 'Product_Overview.Notification_back_arrow' at Center
37:57.622	Info	Touch	Touch item 'Product_Overview.ContactAProfessional' at Center
38:13.908	Info	Delay	Waiting for 2s.
38:15.970	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Product_Overview.AssetsSrcCommonFeatureImagesPinLoca'.
38:18.095 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Product_Overview.AssetsSrcCommonFeatureImagesPinLoca' does match the specified value.
38:18.245	Info	Touch	Touch item 'Product_Overview.Contact_Pro_back' at CenterLeft
38:34.385	Info	Delay	Waiting for 1s.

▶️ **Verify_Pool_Device_remove_functionality** 6.9m

📹 Pool_Device_remove 6.9m

Time	Level	Category	Message

38:35.514	Info	Touch	Touch item 'Product_Overview.ProductOverviewclick' at Center
38:51.419	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '100' with swipe duration'500ms' and step count '0' on item 'Product_Overview.Nickname'.
39:16.679	Info	Touch	Touch item 'Pool_Add.Address' at Center
39:38.568	Info	Delay	Waiting for 2s.
39:40.641	Info	Touch	Touch item 'Pool_Add.Test_Pool' at Center
40:12.181	Info	Delay	Waiting for 2s.
40:14.270	Info	Validation	Validating AttributeEqual (Visible='True') on item 'Pool_Add.DeviceAddressUpdated'.
40:21.819 ✅	Success	Validation	Attribute 'Visible' of element for item 'MyTest2Repository.Pool_Add.DeviceAddressUpdated' does match the specified value.
40:23.894	Info	Touch	Touch item 'Pool_Add.TextOK' at Center
40:39.831	Info	Delay	Waiting for 3s.
40:42.939	Info	Touch	Touch item 'Product_Overview.ProfileBottom' at Center
40:57.073	Info	Delay	Waiting for 2s.
40:59.145	Info	Touch	Touch item 'Pool_Add.PoolInfoProfile' at Center
41:26.183	Info	Delay	Waiting for 2s.
41:28.269	Info	Touch	Touch item 'Pool_Add.OutdoorPoolAutomation' at Center
42:04.954	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
42:36.134	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
43:09.236	Info	Delay	Waiting for 3s.
43:12.340	Info	Touch	Touch item 'Pool_Add.IndoorPool_Automation' at Center
43:49.855	Info	Touch gestures	Swipe gesture with direction 'Up (270°)' starting from 'Center' with distance '250' with swipe duration'800ms' and step count '0' on item 'Pool_Add.Volume_title'.
44:21.547	Info	Touch	Touch item 'Pool_Add.DeletePool' at Center
44:55.169	Info	Delay	Waiting for 3s.
45:00.432	Info	User	
45:00.434	Info	Touch	(Optional Action) Touch item 'Pool_Add.HomeIcon_without_red' at Center

Time	Level	Category	Message
45:14.172	Info	Touch	(Optional Action)
			Touch item 'ComPentairPentairhome.AssetsSrcCommonFeatureImagesHomeAl e' at Center
45:28.004	Info	Delay	Waiting for 2s.

📄 ReportToPDFModule (Ranorex Automation Helpers) 67ms ⊤ ⚠

Time	Level	Category	Message
45:30.758 ⚠	Warn	Data	The following module variables are not bound to a data column:
			PdfName, PdfDirectoryPath, Xml, Details, DeleteRanorexReport